

FORMATTING

A Formatting Overview

Formatting can be done in Markdown. Or HTML. Or both mixed in the same file.

Pandoc (the tool used to convert the input to HTML and then PDF) supports some extensions to the standard Markdown format. An overview over Markdown formatting with pandoc can be found at <https://pandoc.org/MANUAL.html#pandocs-markdown>.

See the following cards for concrete examples.

FORMATTING · html

Block Text

Regular text

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

FORMATTING · html

Code

Text with some code in it.

Lorem ipsum dolor sit amet, consetetur sadipscing invidunt ut labore et dolore magna aliquyam erat, At vero eos et accusam et justo duo dolores et ea

Using this kind of formatting won't automatically add line-breaks, so the text will overflow at the borders.

FORMATTING · html

Custom CSS

This text here still uses the standard layout.

Everything in this text block uses the .description layout from file example/cardsgen.css.

And here is the standard layout again.

FORMATTING · html

Headings

Some text

Second Level Heading

Some text

Third Level Heading

Some text

FORMATTING · html

Lists

Unordered List

- Item 1
- Item 2
- Item 3

Ordered List

1. Item 1
2. Item 2
3. Item 3

FORMATTING · html

Separators

Text

Other text

FORMATTING · html

Tables

Left	Centered	Right	Default
10	10	10	10
20	20	20	20

Left	Centered	Right	Default
10	10	10	10
20	20	20	20

Text

- Normal text
- *italics*
- **bold**
- ~~strikethrough~~

Text Alignment

Some text

Some text

Some text

Block Text

Regular text

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

Checkboxes

Without leading dot

- ☐ Unchecked Item
- ☒ Checked Item

With leading dot

- ☐ Unchecked Item
- ☒ Checked Item
- Something else

Code

Text with some `code` in it.

Lorem ipsum dolor sit amet, consetetur sadipscing invidunt ut labore et dolore magna aliquyam erat, At vero eos et accusam et justo duo dolores et ea

Using this kind of formatting won't automatically add line-breaks, so the text will overflow at the borders.

Custom CSS

This text here still uses the standard layout.

Everything in this text block uses the `.description layout` from file `example/cardsgen.css`.

And here is the standard layout again.

Headings

Some text

Second Level Heading

Some text

Third Level Heading

Some text

Lists

Unordered List

- Item 1
- Item 2
- Item 3

Ordered List

1. Item 1
2. Item 2
3. Item 3

Separators

Text

Other text

Tables

Left	Centered	Right	Default
10	10	10	10
20	20	20	20

Left	Centered	Right	Default
10	10	10	10
20	20	20	20

Text

- Normal text
- *italics*
- **bold**
- ~~strikethrough~~

Text Alignment

Some text

Some text

Some text

INPUT · single_files

Mixed Markdown and HTML

This is a file formatted using Markdown and HTML.

Just *adding* **some** text.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

INPUT · single_files

Single HTML file

This is a file formatted using HTML.

Just *adding* **some** text.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

INPUT · single_files

Single Markdown File

This is a file formatted using Markdown.

Just *adding* **some** text.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

INPUT · template_html

CSV Multiple Item Example 1

An HTML template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 1
size	123

This entry can span over multiple lines if you add line breaks manually.

INPUT · template_html

CSV Multiple Item Example 1

An HTML template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 1
size	123

This entry can span over multiple lines if you add line breaks manually.

INPUT · template_html

CSV Multiple Item Example 2

An HTML template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 2
size	456

This entry can span over multiple lines if you add line breaks manually.

INPUT · template_html

CSV Multiple Item Example 2

An HTML template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 2
size	456

This entry can span over multiple lines if you add line breaks manually.

INPUT · template_html

Text Single Item Example

An HTML template has been used to create this card for a Text Single Item Example.

Some data for this item:

Key	Value
name	Text Single Item Example
size	123

This entry can span over multiple lines until a new line is reached that starts with <key>: . . .

INPUT · template_html

Yaml Multiple Items Example 1

An HTML template has been used to create this card for a Yaml Multiple Items Example 1.

Some data for this item:

Key	Value
name	Yaml Multiple Items Example 1
size	123

This entry can span
over multiple
lines using the Yaml literal block scalar.

INPUT · template_html

Yaml Multiple Items Example 2

An HTML template has been used to create this card for a Yaml Multiple Items Example 2.

Some data for this item:

Key	Value
name	Yaml Multiple Items Example 2
size	456

This entry can also span.

INPUT · template_html

Yaml Single Item Example

An HTML template has been used to create this card for a Yaml Single Item Example.

Some data for this item:

Key	Value
name	Yaml Single Item Example
size	123

This entry can span
over multiple
lines using the Yaml literal block scalar.

INPUT · template_markdown

CSV Multiple Item Example 1

A markdown template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 1
size	123

This entry can span over multiple
lines if you add line breaks manually.

INPUT · template_markdown

CSV Multiple Item Example 1

A markdown template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 1
size	123

This entry can span over multiple
lines if you add line breaks manually.

INPUT · template_markdown

CSV Multiple Item Example 2

A markdown template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 2
size	456

This entry can span over multiple
lines if you add line breaks manually.

INPUT · template_markdown

CSV Multiple Item Example 2

A markdown template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

Key	Value
name	CSV Multiple Item Example 2
size	456

This entry can span over multiple
lines if you add line breaks manually.

INPUT · template_markdown

Text Single Item Example

A markdown template has been used to create this card for a Text Single Item Example.

Some data for this item:

Key	Value
name	Text Single Item Example
size	123

This entry can span
over multiple
lines until a new line is reached that starts with <key>: . . .

Yaml Multiple Items Example 1

A markdown template has been used to create this card for a Yaml Multiple Items Example 1.

Some data for this item:

Key	Value
name	Yaml Multiple Items Example 1
size	123

This entry can span
over multiple
lines using the Yaml literal block scalar.

Yaml Multiple Items Example 2

A markdown template has been used to create this card for a Yaml Multiple Items Example 2.

Some data for this item:

Key	Value
name	Yaml Multiple Items Example 2
size	456

This entry can also span.

Yaml Single Item Example

A markdown template has been used to create this card for a Yaml Single Item Example.

Some data for this item:

Key	Value
name	Yaml Single Item Example
size	123

This entry can span
over multiple
lines using the Yaml literal block scalar.

Lyra Voss — Rogue (Thief)

Halfling · Level 5 · Chaotic Neutral

Ability Scores

STR	DEX	CON	INT	WIS	CHA
8	18	14	12	10	14
-1	+4	+2	+1	+0	+2

Combat Stats

HP 32 · AC 15 (Leather + DEX) · Speed 25 ft · Initiative +4 · Proficiency Bonus +3

Saving Throws

DEX +7 · INT +4 (proficient: Dexterity, Intelligence)

Skills

Skill	Bonus	Skill	Bonus
Acrobatics	+7	Perception	+3
Deception	+5	Sleight of Hand	+10
Investigation	+4	Stealth	+10

Expertise: Stealth, Sleight of Hand

Class Features

- **Sneak Attack (3d6)** — Extra 3d6 damage when you have advantage or an ally is adjacent to the target.
- **Uncanny Dodge** — Use your reaction to halve an attack’s damage against you.
- **Fast Hands** — Bonus action: Sleight of Hand check.
- **Second-Story Work** — Climbing costs no extra movement; running jump distance adds DEX modifier.

Shadowstep Blade

Magic Weapon · Dagger · Requires Attunement

Damage	Range	Weight	Properties
1d4+1 piercing	20/60 ft	1 lb	Finesse, Light, Thrown

Attunement Bonus

While attuned, you gain **+1 to attack and damage rolls** made with this weapon.

Properties

- **Shadow Step (1/Short Rest):** As a bonus action, teleport up to 30 feet to an unoccupied space in dim light or darkness you can see. Until the start of your next turn, you have advantage on the first attack you make.
- **Shadow Shroud:** While in dim light or darkness, you have advantage on Dexterity (Stealth) checks.

Sentience

The blade has **Charisma 14** and communicates through emotions and brief mental impressions. It craves darkness and resents being used in direct sunlight.

- **Restless in Light:** If you spend more than 1 hour in direct sunlight without entering dim light or darkness, the blade grows irritable. Make a **DC 12 Charisma saving throw** or suffer disadvantage on attack rolls until you find shade.
- **Whisper of Warning:** Once per day, the blade alerts its attuned wielder to unseen danger; you cannot be surprised.

Mira Ashford — Seasoned Scout

Wild Card · Human · Seasoned (20 XP)

Attributes

Agility	Smarts	Spirit	Strength	Vigor
d8	d6	d6	d6	d6

Skills

Skill	Die	Skill	Die
Athletics	d8	Shooting	d8
Fighting	d6	Stealth	d8
Notice	d8	Survival	d6

Derived Stats

Pace 6 · **Parry** 5 · **Toughness** 5 · **Bennies** 3

Edges

- **Light Sleep** - +2 to Notice rolls while sleeping
- **Quick Reloader** - Reloading only takes half the time, rounded up

Gear

Repeating Rifle, Bowie Knife, Leather Duster, Bedroll, Trail Rations (5 days)

Ice Lance

Arcane Power · Novice

Power Points	Range	Duration	Damage
1–6	12/24/48	Instant	2d6

Effect

Conjures a spear of jagged ice and hurls it at a single target. Make an **Arcane Skill** roll against the target's **Parry** (if in melee) or **4** (ranged).

- **Success:** 2d6 cold damage.
- **Raise:** +1d6 damage and the target is **Distracted** until the end of their next turn.

Power Modifiers

Modifier	PP Cost	Description
Additional Lance	+1	Conjure one extra lance per +1 PP (max 3 lances).
Heavy Weapon	+1	Damage counts as a Heavy Weapon.
Seek	+1	Reroll one miss; take the second result.

Notes

Each lance is an independent projectile requiring its own Arcane Skill roll. On a raise, shards of ice scatter — targets within 1" of the primary target make an **Agility** roll or suffer 1d4 cold damage.

Conscious Repeating Rifle

Ranged Weapon · Two-Handed · Arcane Item

Damage	Range	RoF	AP	Shots	Weight
2d8	24/48/96	1	2	10	8 lb

Notes

- **Lever-Action:** Spending a Benny allows a second shot as a free action.
- **Reload:** 1 action to reload a single round, or 2 actions to reload from empty.
- Counts as a **Medium Range** weapon: –2 to Shooting rolls at Long range.

Sentience

The rifle has a **Smarts d6** and communicates through vibrations in the stock — a slow pulse for approval, a sharp knock for disapproval. It has the **Loyal** Hindrance and refuses to fire at targets it considers allies.

- **Backseat Shooter:** Once per round the rifle may warn its wielder of a flanking enemy; the wielder is not Vulnerable from that attack.
- **Refuse to Fire:** If the wielder acts against the rifle's sense of loyalty, make an opposed **Spirit** roll. On a failure, the action jams (Shooting 1).

Cost & Availability

Cost: Unique · **Availability:** Rare artifact; requires attunement