

GUIDE FONCTIONNEL DES PAGES ET ACTIONS

STAGIA-RDC - lien explicite entre pages, endpoints et fichiers parents

Comment lire ce document

Chaque fiche commence par la page. Elle indique ce que la page fait, les champs visibles et les modules qu'elle charge. Ensuite, chaque action appelée est détaillée avec son fichier exact, son dossier parent, ses entrées, ses tables SQL visibles et les fichiers qu'elle charge. Si une page traite elle-même son POST, comme login.php, le document le dit clairement au lieu d'inventer un endpoint.

Exemple: connexion

login.php est un contrôleur-page. Son formulaire POST ne pointe vers aucun fichier du dossier actions. Il charge directement config/config.php, config/database.php et includes/rbac-session.php; il cherche l'utilisateur, vérifie le mot de passe, construit la session et redirige vers dashboard.php.

1. Principe de dependance

Page	Action	Parent de l action	Fichiers parents
Fichier PHP affiche au navigateur.	Fichier dans actions ou api appele par formulaire/JavaScript.	Dossier qui organise l action, par exemple actions/public.	config, includes, services et autres require/include directs.

Les relations sont detectees dans le code ecrit en clair. Les appels construits dynamiquement et les dependances indirectes sont marques comme non resolus plutot que supposes.

2. Fiches page par page

137 pages ou vues PHP ont été relevées. Les vues sont classées par chemin afin de pouvoir retrouver rapidement le fichier dans l'IDE.

abonnement-etudiant.php

Page/titre: Réabonnement étudiant | STAGIA-RDC

Role: Page ou vue: Réabonnement étudiant | STAGIA-RDC.

Champs du formulaire: csrf, provider, wallet_phone

Fichiers parents chargés par la page: `_once __DIR__./config/config.php` ; `_once __DIR__./config/database.php` ; `_once __DIR__./includes/settings.php` ; `_once __DIR__./includes/payment/activation-subscription.php` ; `d><span class="provider-card"><span class="provider-card"><span class="provider-card"><span class="provider-card">`

Action directe détectée: aucune route actions/api littérale. La page peut être purement informative, soumettre vers elle-même, ou utiliser une route construite dynamiquement.

acces-parent.php

Page/titre: Accès parent | STAGIA-RDC

Role: Page ou vue: Accès parent | STAGIA-RDC.

Champs du formulaire: aucun champ name détecté

Fichiers parents chargés par la page: `_once __DIR__./config/config.php` ; `_once __DIR__./config/database.php` ; `_once __DIR__./includes/auth.php` ; `_once __DIR__./includes/permissions.php` ; `Role(['STAGIAIRE'])`

Action directe détectée: aucune route actions/api littérale. La page peut être purement informative, soumettre vers elle-même, ou utiliser une route construite dynamiquement.

activate.php

Page/titre: Activation du compte | STAGIA-RDC

Role: Page ou vue: Activation du compte | STAGIA-RDC.

Champs du formulaire: token, password, confirmation

Fichiers parents chargés par la page: `_once __DIR__./config/config.php` ; `_once __DIR__./config/database.php` ; `d>`

Fichier action: `actions/auth/activate.php`

Dossier parent de l'action: `actions/auth`

Ce que fait l'action: active un compte ou une ressource.

Méthode attendue: POST

Données lues: token, password, confirmation

Tables SQL visibles: users

Fichiers parents chargés par l'action: `_once __DIR__./../config/config.php` ; `_once __DIR__./../config/database.php`

activation-etudiant.php

Page/titre: Activation étudiant | STAGIA-RDC

Role: Page ou vue: Activation étudiant | STAGIA-RDC.

Champs du formulaire: token, password, password_confirmation

Fichiers parents charges par la page: _once __DIR__./config/config.php' ; _once __DIR__./config/database.php' ; d>

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

activation-hopital.php

Page/titre: Activation espace Hôpital | STAGIA-RDC

Role: Page ou vue: Activation espace Hôpital | STAGIA-RDC.

Champs du formulaire: token, password, password_confirmation

Fichiers parents charges par la page: _once __DIR__./config/config.php' ; _once __DIR__./config/database.php' ; d>

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

adhesion-success.php

Page/titre: Demande envoyée | STAGIA-RDC

Role: Page ou vue: Demande envoyée | STAGIA-RDC.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: aucun require/include direct detecte

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

adhesion.php

Page/titre: Demande d'adhésion | STAGIA-RDC

Role: Page ou vue: Demande d'adhésion | STAGIA-RDC.

Champs du formulaire: csrf, nom_etablissement, numero_agrement, email_etablissement, telephone_etablissement, ville, logo, piece_justificative, responsable_nom, responsable_postnom, responsable_prenom, responsable_fonction, responsable_telephone, responsable_email

Fichiers parents charges par la page: _once __DIR__./config/config.php' ; _once __DIR__./config/database.php' ; _once __DIR__./config/reference.php' ; d> ; d <?= !\$types?'disabled':' ?>> ; s(ext)){

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

dashboard.php

Page/titre: Aucun espace associé | STAGIA-RDC

Role: Point de routage apres connexion. Il choisit le tableau de bord selon le role, les permissions et le contexte etablissement/hopital.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__./config/config.php' ; _once __DIR__./includes/auth.php' ; _once __DIR__./includes/admin-scope.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

includes/app-header.php

Page/titre: | STAGIA-RDC

Role: Page ou vue: | STAGIA-RDC.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__./../config/config.php' ; _once __DIR__./../config/database.php' ; _once __DIR__./auth.php' ; _once __DIR__./academic-structure.php' ; _once __DIR__./chef-service-scope.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

includes/auth.php

Page/titre: Maintenance | STAGIA-RDC

Role: Page ou vue: Maintenance | STAGIA-RDC.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__./../config/config.php' ; _once __DIR__./../config/database.php' ; _once __DIR__./permissions.php' ; _once __DIR__./settings.php' ; _once __DIR__./rbac-session.php' ; _once __DIR__./establishment-context.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

includes/certificate-service.php

Page/titre: '.cert_html(\$d['reference']).'

Role: Page ou vue: '.cert_html(\$d['reference']).'.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once \$cfg

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

includes/convention-service.php

Page/titre: convention service

Role: Page ou vue: convention service.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../config/config.php' ; _once __DIR__.'../vendor/autoload.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

includes/document-template.php

Page/titre: '.stagiaDocEsc(\$title).' | STAGIA-RDC

Role: Page ou vue: '.stagiaDocEsc(\$title).' | STAGIA-RDC.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'document-branding.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

index.php

Page/titre: STAGIA-RDC | Portail National des Stages

Role: Page ou vue: STAGIA-RDC | Portail National des Stages.

Champs du formulaire: nom, email, objet

Fichiers parents charges par la page: d> ; d></textarea>

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

login.php

Page/titre: Connexion | STAGIA-RDC

Role: Authentifie un utilisateur. Le formulaire POST est traite dans login.php lui-meme: il ne cible aucun fichier actions. La page verifie le mot de passe, construit le contexte de roles puis redirige vers dashboard.php.

Champs du formulaire: identifiant, password

Fichiers parents charges par la page: _once __DIR__.'config/config.php' ; _once __DIR__.'config/database.php' ; _once __DIR__.'includes/rbac-session.php' ; d>

Traitement de l'action: interne a login.php (formulaire POST sans attribut action).

Dossiers/fichiers parents: config/config.php, config/database.php, includes/rbac-session.php.

Suite: redirection vers dashboard.php apres authentication reussie.

test-mail.php

Page/titre: Test SMTP | STAGIA-RDC

Role: Page ou vue: Test SMTP | STAGIA-RDC.

Champs du formulaire: email

Fichiers parents charges par la page: _once __DIR__.'./config/config.php' ; _once __DIR__.'./services/MailService.php' ; d>

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

tools/apply-document-menu-visibility.php

Page/titre: Correctif documents

Role: Page ou vue: Correctif documents.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: s/app-header.php' ; s/app-header.php introuvable.')

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

tools/install-academic-levels.php

Page/titre: Installation niveaux académiques

Role: Page ou vue: Installation niveaux académiques.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../config/database.php' ; _once __DIR__.'../includes/auth.php' ; _once __DIR__.'../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT']) ; s/app-header.php') ; s/app-header.php introuvable.')

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

verification-attestation.php

Page/titre: Vérification attestation | STAGIA-RDC

Role: Page ou vue: Vérification attestation | STAGIA-RDC.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'./config/config.php' ; _once __DIR__.'./config/database.php' ; _once __DIR__.'./includes/certificate-service.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

verifier-etudiant.php

Page/titre: Vérifier un étudiant | STAGIA-RDC

Role: Page publique de verification. Elle envoie le matricule a actions/public/student-verify.php puis affiche uniquement le statut, l etablisement et les presences autorisees.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: d

Fichier action: actions/public/student-verify.php

Dossier parent de l action: actions/public

Ce que fait l action: verifie une information.

Methode attendue: POST

Donnees lues: matricule

Tables SQL visibles: student_profiles, student_enrollments, etablisements, stage_attendances

Fichiers parents charges par l action: _once __DIR__.'../../config/database.php'

views/academique/annees.php

Page/titre: annees

Role: Page ou vue: annees.

Champs du formulaire: csrf, id, libelle, date_debut, date_fin

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/appellations.php

Page/titre: appellations

Role: Page ou vue: appellations.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ; Permission(\$pdo,'academic.manage') ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/departements.php

Page/titre: departements

Role: Page ou vue: departements.

Champs du formulaire: csrf, id, nom, specialisation, has_parent

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; s/academic-labels.php' ; _once $labelsFile ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d ; d=on ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/facultes.php

Page/titre: facultes

Role: Page ou vue: facultes.

Champs du formulaire: csrf, id, type_unite, nom

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; d > ; d < /textarea < /div > ; d=checked ; s(u.validation_statut)? ` <button class="btn btn-sm btn-outline-primary btn-action btn-edit" data-id="{u.id}" title="Modifier"> <i class="bi bi-pencil"> < /i > < /button > ` : < spa ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/filieres.php

Page/titre: filieres

Role: Page ou vue: filieres.

Champs du formulaire: csrf, id, nom, has_parent, duree_annees, preparatory_level_enabled

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; s/academic-labels.php' ; _once $labelsFile ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d ; d= ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/inscrire.php

Page/titre: inscrire

Role: Page ou vue: inscrire.

Champs du formulaire: csrf, mode, student_id, nom, postnom, prenom, date_naissance, email, telephone, matricule, email_institutionnel, date_inscription

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/matieres.php

Page/titre: matieres

Role: Page ou vue: matieres.

Champs du formulaire: csrf, id, nom, credits, coefficient, note_max

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/niveaux-academiques.php

Page/titre: niveaux academiques

Role: Page ou vue: niveaux academiques.

Champs du formulaire: csrf, id, code, libelle, ordre, preparatoire

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d></select> ; d> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/options.php

Page/titre: options

Role: Page ou vue: options.

Champs du formulaire: csrf, id, nom

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d></select></div> ; d></div> ; d></textarea></div> ; s(x.validation_statut) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/academique/promotions.php

Page/titre: promotions

Role: Page ou vue: promotions.

Champs du formulaire: csrf, id, annee_academique_id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d></select> ; d=optionRequired ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/adhesions/account-created.php

Page/titre: account created

Role: Page ou vue: account created.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/adhesions/activation-link.php

Page/titre: activation link

Role: Page ou vue: activation link.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/adhesions/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: q

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/adhesions/show.php

Page/titre: show

Role: Page ou vue: show.

Champs du formulaire: csrf, id, statut

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/adhesions/statut.php

Page/titre: statut

Role: Page ou vue: statut.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/adhesions/validate.php

Page/titre: validate

Role: Page ou vue: validate.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../services/MailService.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/affectations/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: csrf, starts_at, ends_at, principal

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/admin-scope.php' ; Permission($pdo,'user.role.assign') ; _once __DIR__.'../../includes/app-header.php' ; d></select></div> ; d> ; s($('scopeType').value)?$('scopeType').value:'ORGANIZATION' ; s(scope)) ; s(scope))return ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/dashboard.php

Page/titre: dashboard

Role: Page ou vue: dashboard.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role([ ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/hopitaux.php

Page/titre: hopitaux

Role: Page ou vue: hopitaux.

Champs du formulaire: csrf, id, nom, numero_agrement, email, telephone, province, ville, hospital_id, postnom, prenom

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']); _once __DIR__.'../../includes/app-header.php' ; d> ; s(x.statut) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: csrf, id, nom, postnom, prenom, email, telephone, fonction, fonction_edit

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; s(code) ; d=needsEtab ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/ministeres/organisations.php

Page/titre: organisations

Role: Page ou vue: organisations.

Champs du formulaire: csrf, organisation_ids[]

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/admin-scope.php' ; _once __DIR__.'../../includes/app-header.php' ; d></select></div><label class="form-label">Organisations rattachées</label><div id="organisations" class="row g-3"></div><div class="mt-4 text-end"><button class="btn bt ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/parametres/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: settings[, csrf

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/permissions/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: csrf, id, nom, module, permission_id, role_ids[]

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; Permission() et ne peut pas être modifié ici. ; d></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/responsables/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/admin-scope.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/roles/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: csrf, id, nom, role_id, permission_ids[]

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/admin-scope.php' ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; s(q)) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/stages-supervision.php

Page/titre: stages supervision

Role: Page ou vue: stages supervision.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'campaign.supervision.view') ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/statistiques/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL','MINISTERE','ORDRE_MEDECINS']) ; Permission($pdo,'report.view') ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/admin/utilisateurs/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: csrf, id, nom, postnom, prenom, email, telephone, fonction, fonction_edit

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; s(code) ; d=needsEtab ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/administration-etablissement/niveaux-academiques.php

Page/titre: niveaux academiques

Role: Page ou vue: niveaux academiques.

Champs du formulaire: csrf, id, code, libelle, ordre, preparatoire

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d></select> ; d> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/administration-etablissement/promotions.php

Page/titre: promotions

Role: Page ou vue: promotions.

Champs du formulaire: csrf, id, annee_academique_id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ; Permission($pdo,'academic.view') ; _once __DIR__.'../../includes/app-header.php' ; d></select> ; d=optionRequired ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/administration-etablissement/structure-accueil.php

Page/titre: structure accueil

Role: Page ou vue: structure accueil.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/host-structure.php' ; Role(['ADMIN_ACCUEIL']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/administration-etablissement/utilisateurs.php

Page/titre: utilisateurs

Role: Page ou vue: utilisateurs.

Champs du formulaire: csrf, id, nom, postnom, prenom, email, telephone, fonction, temporary_password, temporary_password_confirm, fonction_edit

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL']) ; Permission(\$pdo,'user.view') ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; d></select></div> ; d=true ; d=false ; d=passwordMode ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/bibliotheque/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: q

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/communication/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: csrf, action, conversation_id, piece_jointe

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/communication-native.php' ; CommunicationRole() ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/configuration/modeles-academiques.php

Page/titre: modeles academiques

Role: Page ou vue: modeles academiques.

Champs du formulaire: csrf, id, nom, description, unite_academique_active, unite_academique_obligatoire, unite_parentale_autorisee, departement_active, departement_obligatoire, filiere_active, filiere_obligatoire, filiere_directe_etablissement_autorisee, filiere_directe_unite_autorisee, option_specialite_active, option_specialite_obligatoire, promotion_active, promotion_obligatoire, is_default, actif, unit_types[]

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d></select></div> ; d></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/configuration/referentiel-academique.php

Page/titre: referentiel academique

Role: Page ou vue: referentiel academique.

Champs du formulaire: csrf, template_id, entity, id, nom, ordre, duree_annees, preparatory_level_enabled

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d>${unitTypes(x?.type_unite||'')}</select></div> ; d></div> ; d>${curricula(x?.curriculum_reference_id||'')}</select></div> ; d><option value="">Sélectionner...</option>${selectOptions(data.programs,x?.program_id||'')}</select></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/configuration/services-unites-types.php

Page/titre: services unites types

Role: Page ou vue: services unites types.

Champs du formulaire: csrf, establishment_type_code, id, nom, ordre, description

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/configuration/structure-modele.php

Page/titre: structure modele

Role: Page ou vue: structure modele.

Champs du formulaire: csrf, template_id, entity, id, nom, ordre, duree_annees, preparatory_level_enabled

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d>${unitTypeOptions(x?.type_unite|'|')}</select></div> ; d></div> ; d>${curriculumOptions(x?.curriculum_reference_id|'|')}</select></div> ; d><option value="">Sélectionner...</option>${optionList(data.programs,x?.program_id|'|')}</select></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/configuration/types-etablissements.php

Page/titre: types etablissements

Role: Page ou vue: types etablissements.

Champs du formulaire: csrf, id, libelle, code, ordre, description, academic_enabled, host_enabled, adhesion_enabled, allow_parent

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/configuration/types-unites.php

Page/titre: types unites

Role: Page ou vue: types unites.

Champs du formulaire: csrf, id, libelle, code, prefixe_code, description, ordre

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/documents/archives.php

Page/titre: archives

Role: Page ou vue: archives.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ;

Role(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES']) ; _once __DIR__.'../../includes/app-header.php' ; s(q)) ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/documents/modeles-stage.php

Page/titre: modeles stage

Role: Page ou vue: modeles stage.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once

__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/document-branding.php' ;

Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/documents/print-stage-document.php

Page/titre:

Role: Page ou vue: .

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once

__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/document-branding.php' ; _once __DIR__.'../../includes/document-stage-data.php' ;

Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etablissement/dashboard.php

Page/titre: dashboard

Role: Page ou vue: dashboard.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etablissement/resultats-stage.php

Page/titre: resultats stage

Role: Page ou vue: resultats stage.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; s(x.statut))a.push(`<button class="btn btn-sm btn-success act" data-id="{x.id}" data-action="VALIDATE">Valider</button>`) ; s(x.statut))a.push(`<button class="btn btn-sm btn-outline-secondary act" data-id="{x.id}" data-action="ARCHIVE">Archiver</button>`) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/_attendance-punch-widget.php

Page/titre: attendance punch widget

Role: Page ou vue: attendance punch widget.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `s(action)){`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/candidatures.php

Page/titre: candidatures

Role: Page ou vue: candidatures.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/d4-choisir-hopital.php

Page/titre: d4 choisir hopital

Role: Page ou vue: d4 choisir hopital.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'reservation.self.view') ; _once __DIR__.'../../includes/app-header.php' ; s(r.statut) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/dashboard.php

Page/titre: dashboard

Role: Page ou vue: dashboard.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/documents.php

Page/titre: documents

Role: Page ou vue: documents.

Champs du formulaire: csrf, titre, document

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; d ; s(q) ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/evaluations.php

Page/titre: evaluations

Role: Page ou vue: evaluations.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/feedback-list.php

Page/titre: feedback list

Role: Page ou vue: feedback list.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-feedback.php' ; AjaxRole(['STAGIAIRE'])

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/feedbacks.php

Page/titre: feedbacks

Role: Page ou vue: feedbacks.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/journal-stage.php

Page/titre: journal stage

Role: Page ou vue: journal stage.

Champs du formulaire: csrf, id, assignment_id, rotation_id, activities

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; d></textarea> ; s(q) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/mes-stages.php

Page/titre: mes stages

Role: Page ou vue: mes stages.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'stage.self.view') ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/notes.php

Page/titre: notes

Role: Page ou vue: notes.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/paiements.php

Page/titre: paiements

Role: Page ou vue: paiements.

Champs du formulaire: csrf, invoice_id, phone_number

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; s(x.payment_status) ; s(; d= ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/parcours.php

Page/titre: parcours

Role: Page ou vue: parcours.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/presences.php

Page/titre: presences

Role: Page ou vue: presences.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/profil.php

Page/titre: profil

Role: Page ou vue: profil.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/reservations.php

Page/titre: reservations

Role: Page ou vue: reservations.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/stages.php

Page/titre: stages

Role: Page ou vue: stages.

Champs du formulaire: csrf, campaign_id, academic_enrollment_id, participation_id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-etudiant/taches.php

Page/titre: taches

Role: Page ou vue: taches.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; s(x.statut)?`<button class="btn btn-sm btn-outline-secondary comment" data-id="{x.id}"><i class="bi bi-chat-left-text"></i></button>`:"</div></div></div>`.join(''):'< ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/affectations.php

Page/titre: affectations

Role: Page ou vue: affectations.

Champs du formulaire: csrf, id, admission_id, date_debut, date_fin

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL','COORDINATEUR_STAGES']) ; _once __DIR__.'../../includes/app-header.php' ; d></select> ; d> ; s(part))||null ; s(paymentStatus(x))||num(x.payment_validated)==1 ; s(t) ; s(q))return false ; s(s) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/appareils-pointage.php

Page/titre: appareils pointage

Role: Page ou vue: appareils pointage.

Champs du formulaire: csrf, id, code, nom, fabricant, modele, heure_limite_arrivee, credential_ref

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL']) ; Permission($pdo,'attendance.device.view') ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; d></select></div> ; d><option value="EMPREINTE">Empreinte</option><option value="VISAGE">Visage</option><option value="RFID">RFID</option><option value="NFC">NFC</option><option value="QR">Q ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/campagnes-accueil.php

Page/titre: campagnes accueil

Role: Page ou vue: campagnes accueil.

Champs du formulaire: csrf, id, titre, date_debut, date_fin, objectif_stage

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'campaign.hosting.view') ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; d></select> ; d?`${esc(f.amount|'|'0')} ${esc(f.currency|'|')}<small class="d-block text-muted">Payant</small>`:`GRAT ; d)return `<span class="badge bg-warning-subtle text-warning">PAYANT</span> <strong class="ms-1">${esc(f.amount|'|'0')} ${esc(f.currency|'|')}</strong>` ; s(x.statut)?`<button class="btn btn-sm btn-outline-danger action" data-id="${x.id}" data-action="CANCEL" title="Annuler"><i class="bi bi-x-circle"></i></button>`:` ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/capacites.php

Page/titre: capacites

Role: Page ou vue: capacites.

Champs du formulaire: csrf, host_campaign_id, capacite_totale, reserve_hospitaliere

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'capacity.hosting.view') ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; d></div></div> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/chef-service-stagiaires.php

Page/titre: chef service stagiaires

Role: Page ou vue: chef service stagiaires.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['CHEF_SERVICE','ADMIN_ACCUEIL','COORDINATEUR_STAGES']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/clotures.php

Page/titre: clotures

Role: Page ou vue: clotures.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL']) ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/d4-choisir-hopital.php

Page/titre: d4 choisir hopital

Role: Page ou vue: d4 choisir hopital.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'reservation.self.view') ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/dashboard.php

Page/titre: dashboard

Role: Page ou vue: dashboard.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once

__DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once

__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/chef-service-scope.php' ;

Role(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','CHEF_SERVICE','ENCADREUR','EVALUATEUR_CLINIQUE','POINTEUR','AUTORITE

; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/departements.php

Page/titre: departements

Role: Page ou vue: departements.

Champs du formulaire: csrf, id, type, has_parent, nom

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once

__DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/host-

structure.php' ; Permission(\$pdo,'host.view') ; _once __DIR__.'../../includes/app-header.php' ; d></div><div><label

class="form-label">Description</label><textarea name="description" id="description" class="form-control"

rows="3"></textarea></div></div><div class="m ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/evaluations.php

Page/titre: evaluations

Role: Page ou vue: evaluations.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once

__DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once

__DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; s(q) ;

_once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/feedbacks.php

Page/titre: feedbacks

Role: Page ou vue: feedbacks.

Champs du formulaire: csrf, id, date_feedback, titre, visible_stagiaire

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/stage-feedback.php'` ;

`Role(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE','CHEF_SERVICE','AUTORITE_HOSPITALIERE']);`
`_once __DIR__.'../../includes/app-header.php'` ; `<div class="col-md-6"><label class="form-label">Rotation</label><select name="rotation_id" id="rotation" class="form-select"></select></div><div class="c">` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/journaux-stage.php

Page/titre: journaux stage

Role: Page ou vue: journaux stage.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/permissions.php'` ; `Role(['ADMIN_ACCUEIL','ENCADREUR','EVALUATEUR_CLINIQUE'])` ; `Permission($pdo,'supervision.hosting.view')` ; `_once __DIR__.'../../includes/app-header.php'` ; `s(q)` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/mes-rotations.php

Page/titre: mes rotations

Role: Page ou vue: mes rotations.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `Role(['ENCADREUR','EVALUATEUR_CLINIQUE'])` ; `_once __DIR__.'../../includes/app-header.php'` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/paiements-recus.php

Page/titre: paiements recus

Role: Page ou vue: paiements recus.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL']) ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/presences.php

Page/titre: presences

Role: Page ou vue: presences.

Champs du formulaire: csrf, rotation_id, date_presence, heure_arrivee, heure_depart, minutes_retard

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL','ENCADREUR','POINTEUR']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; s(q)) ; s$('status').value)){ ; s(s) ; d!=absence ; d=s==='RETARD' ; d=s==='JUSTIFIE' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/resultats-stage.php

Page/titre: resultats stage

Role: Page ou vue: resultats stage.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','CHEF_SERVICE','AUTORITE_HOSPITALIERE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/rotations.php

Page/titre: rotations

Role: Page ou vue: rotations.

Champs du formulaire: csrf, campaign_id, promotion_id, nom, capacite, group_id, duration_days

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Role(['CHEF_SERVICE']) ; Permission($pdo,'group.hosting.view') ; _once __DIR__.'../../includes/app-header.php' ; d> ; d></select> ; s(normType(u.type)) ; s(id) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/services-unites.php

Page/titre: services unites

Role: Page ou vue: services unites.

Champs du formulaire: csrf, id, nom, has_parent, capacite

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/host-structure.php' ; Permission($pdo,'host.view') ; _once __DIR__.'../../includes/app-header.php' ; d><?php if($serviceEnabled): ?><option value="SERVICE"><?htmlspecialchars($serviceSingular)?></option><?php endif ; d></div><div class="parent-box mb-3"><div class="form-check form-switch mb-2"><input type="hidden" name="has_parent" value="0"><input class="form-check-input" type="checkbox" ; s(x.type)) ; d=show ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/sollicitations-d4.php

Page/titre: sollicitations d4

Role: Page ou vue: sollicitations d4.

Champs du formulaire: csrf, id, host_campaign_id, capacite_proposee, frais_requis, montant_frais

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'campaign.hosting.respond') ; _once __DIR__.'../../includes/app-header.php' ; d> ; s(x.statut)?`<button class="btn btn-sm btn-outline-primary respond" data-id="{x.id}"><i class="bi bi-reply me-1"></i>Répondre</button>`:'-'} ; d=ok ; d=!ok ; d=on ; s(e.key))e.preventDefault() ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/stages.php

Page/titre: stages

Role: Page ou vue: stages.

Champs du formulaire: csrf, campaign_id, academic_enrollment_id, participation_id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/stagiaires-attendus.php

Page/titre: stagiaires attendus

Role: Page ou vue: stagiaires attendus.

Champs du formulaire: csrf, admission_id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'admission.hosting.view') ; _once __DIR__.'../../includes/app-header.php' ; d></select> ; s(x.admission_status)&&!Number(x.coordination_unit_id)&&!Number(x.assignment_id) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/suivi-encadreur.php

Page/titre: suivi encadreur

Role: Page ou vue: suivi encadreur.

Champs du formulaire: csrf, rotation_id, student_id, date_presence, minutes_retard, id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Permission($pdo,'supervision.hosting.view') ; _once __DIR__.'../../includes/app-header.php' ; d> ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-hopital/taches-progression.php

Page/titre: taches progression

Role: Page ou vue: taches progression.

Champs du formulaire: csrf, id, titre, date_echeance

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/stage-task.php'` ;
`Role(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE','AUTORITE_HOSPITALIERE'])`
; `_once __DIR__.'../../includes/app-header.php'` ; `d></select></div><div class="col-md-6"><label class="form-label">Rotation</label><select name="rotation_id" id="rotation" class="form-select"></select></div><div class="c ; s(x.statut))a.push(`<button class="btn btn-sm btn-outline-primary edit" data-id="{x.id}" title="Modifier"><i class="bi bi-pencil"></i></button>`); s(x.statut))a.push(`<button class="btn btn-sm btn-outline-danger status" data-id="{x.id}" data-action="CANCEL" title="Annuler"><i class="bi bi-x-circle"></i></button>`); _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-ministere/dashboard.php

Page/titre: dashboard

Role: Page ou vue: dashboard.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/admin-scope.php'` ; `_once __DIR__.'../../includes/app-header.php'` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/espace-ministere/organisations.php

Page/titre: organisations

Role: Page ou vue: organisations.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/admin-scope.php'` ; `_once __DIR__.'../../includes/app-header.php'` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/configuration-academique.php

Page/titre: configuration academique

Role: Page ou vue: configuration academique.

Champs du formulaire: csrf, etablisement_id, id, nom, duree_annees, niveau

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; d></div> ; d></select> ; d=!!promotionCfg.option_required ; d=enabled&&required ; d?'Sélectionner...': 'Aucune / sans option') + '</option>' + a ; d?'(obligatoire)':'(facultatif)' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/configurations-academiques.php

Page/titre: configurations academiques

Role: Page ou vue: configurations academiques.

Champs du formulaire: q

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/create.php

Page/titre: create

Role: Page ou vue: create.

Champs du formulaire: csrf, nom_etablisement, numero_agrement, email_etablisement, telephone_etablisement, ville, logo, piece_justificative, responsable_nom, responsable_postnom, responsable_prenom, responsable_fonction, responsable_telephone, responsable_email

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../config/reference.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; d <?= !\$types?'disabled':'?'>> ; d=models.length>0 ; d=false ; s(ext)){ ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/edit.php

Page/titre: edit

Role: Page ou vue: edit.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: aucun require/include direct detecte

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/etablissement.php

Page/titre: etablissement

Role: Page ou vue: etablissement.

Champs du formulaire: csrf, logo, email, telephone, province, ville

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/app-header.php' ; s(ext)){ ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: q

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/parametres-documents.php

Page/titre: parametres documents

Role: Page ou vue: parametres documents.

Champs du formulaire: csrf, document_secretariat, document_faculte, document_departement, document_signataire_fonction, document_signataire_nom, document_slogan, document_footer, document_signature, document_cachet

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/permissions.php'` ; `_once __DIR__.'../../includes/document-branding.php'` ; `Role(['ADMIN_ETABLISSEMENT', 'ADMIN_ACCUEIL'])` ; `_once __DIR__.'../../includes/app-header.php'` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etablislements/show.php

Page/titre: show

Role: Page ou vue: show.

Champs du formulaire: csrf, id, statut

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/permissions.php'` ; `Role(['SUPER_ADMIN'])` ; `_once __DIR__.'../../includes/app-header.php'` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etudiants/import.php

Page/titre: import

Role: Page ou vue: import.

Champs du formulaire: csrf, file

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/permissions.php'` ; `Role([ ; _once __DIR__.'../../includes/app-header.php'` ; `d ; s(status) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etudiants/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; s(status) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etudiants/inscrire.php

Page/titre: inscrire

Role: Page ou vue: inscrire.

Champs du formulaire: csrf, mode, student_id, nom, postnom, prenom, date_naissance, telephone, email, email_institutionnel, date_inscription

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role([; _once __DIR__.'../../includes/app-header.php' ; d ; d=value==='new' ; s(status) ; s(job.statut) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/etudiants/show.php

Page/titre: show

Role: Page ou vue: show.

Champs du formulaire: csrf, student_id, email, telephone

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role([ ; _once __DIR__.'../../includes/app-header.php' ; d> ; s(status) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/geographie/index.php

Page/titre: index

Role: Page ou vue: index.

Champs du formulaire: id, parent_id, version, nom

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/admin-scope.php' ; _once __DIR__.'../../includes/geographie.php' ; _once __DIR__.'../../includes/app-header.php' ; d></select></label> ; d maxLength="100" autocomplete="off"></label> ; d maxLength="500" rows="3" placeholder="Référence du texte officiel ou URL, date de vérification"></textarea></label> ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/national/dashboard.php

Page/titre: dashboard

Role: Page ou vue: dashboard.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/admin-scope.php' ; Permission(\$pdo,'analytics.overview.view') ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/public/verify-certificate.php

Page/titre: Vérification attestation | STAGIA-RDC

Role: Page ou vue: Vérification attestation | STAGIA-RDC.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/certificate-service.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/campagne-show.php

Page/titre: campagne show

Role: Page ou vue: campagne show.

Champs du formulaire: csrf, campaign_id

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `_once __DIR__.'../../includes/permissions.php'` ; `Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])` ; `_once __DIR__.'../../includes/app-header.php'` ; `d>` ; `s(campaign.statut)` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/campagnes.php

Page/titre: campagnes

Role: Page ou vue: campagnes.

Champs du formulaire: csrf, id, titre, quick_type_finance, ouverture_candidatures, cloture_candidatures, date_debut, date_fin, host_ids[], host_capacity[<?=\$h[, promotion_ids[]

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php'` ; `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/auth.php'` ; `Permission($pdo,'campaign.university.view')` ; `_once __DIR__.'../../includes/app-header.php'` ; `d></div>` ; `d></select>` ; `d></select></div>` ; `ments_text" id="requirements" class="form-control" rows="8" placeholder="Une pièce par ligne"></textarea>` ; `s(String(v??')).toLowerCase()` ; `s('T')?v:v+'T00:00:00')` ; `d:false}` ; `d?'<span class="badge bg-warning-subtle text-warning">PAYANT</span> <strong>${esc(f.amount|'|'-')}` ; `${esc(f.currency|'|')}</strong>`:`<span class="badge bg-success-subtle"` ; `d=p` ; `s(Number(p.id)):(levels.length?yp.filter(p=>levels.includes(String(p.niveau_code|'|').trim().toUpperCase())):[]))` ; `d=truthy(policyValue(t,'requires_hosting_participation',false))||t?.code==='MEDICAL_D4'` ; `d;d?'<span class="badge bg-warning-subtle text-warning">PAYANT</span><small class="d-block">${esc(f.amount|'|'-')}` ; `${esc(f.currency|'|')}</small>`:`<span class="badge bg-s` ; `s(x.statut))b.push(`<button class="btn btn-sm btn-outline-danger campaign-action" data-id="${x.id}" data-action="CANCEL"><i class="bi bi-x-circle"></i></button>`)` ; `d=false` ; `s(Number(h.value)),d=hospitalDemand(h)` ; `d=on` ; `ments').value=(x.requirements|[]).map(r=>r.libelle).join('\n')` ; `s(Number(p.id)),hasOutsideType=allowedIds.length?selectedRows.some(p=>!allowedIds.includes(Number(p.id))):(allowedLevels` ; `s(q)))` ; `d=h.checked` ; `d=true` ; `sHosting=` ; `s_hosting_participation'` ; `sHosting &&` ; `_once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/candidatures.php

Page/titre: candidatures

Role: Page ou vue: candidatures.

Champs du formulaire: csrf, application_id, decision

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; s(q))&&ok ; s(x.statut) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/conventions.php

Page/titre: conventions

Role: Page ou vue: conventions.

Champs du formulaire: csrf, id, titre, date_emission, document

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/stage-convention.php' ; ConventionView($pdo) ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; d> ; s(x.statut)&&permissions.academic_manage)a.push(' <button class="btn btn-sm btn-outline-danger act" data-id="{x.id}" data-action="CANCEL" title="Annuler"><i class="bi bi- ; s(q)) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/d4-partenaires.php

Page/titre: d4 partenaires

Role: Page ou vue: d4 partenaires.

Champs du formulaire: csrf, campaign_id, host_etablissement_id, capacite_demandee, date_debut, date_fin

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'campaign.university.view') ; _once __DIR__.'../../includes/app-header.php' ; d> ; s(p.statut) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/demandes-recues.php

Page/titre: demandes recues

Role: Page ou vue: demandes recues.

Champs du formulaire: csrf, titre, date_debut, date_fin, capacite_totale, reserve_hospitaliere, id, capacite_allouee, frais_requis, montant_frais

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL']) ; _once __DIR__.'../../includes/app-header.php' ; d> ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/paiements-test.php

Page/titre: paiements test

Role: Page ou vue: paiements test.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/placements-d4.php

Page/titre: placements d4

Role: Page ou vue: placements d4.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission(\$pdo,'placement.university.view') ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/plans-formation.php

Page/titre: plans formation

Rôle: Page ou vue: plans formation.

Champs du formulaire: csrf, id, titre, plan_id, ordre, date_debut_prevue, date_fin_prevue, obligatoire

Fichiers parents chargés par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess($pdo,'view') ; _once __DIR__.'../../includes/app-header.php' ; d></select></div><div class="col-12"><label class="form-label">Référentiel pédagogique</label><select name="referential_id" id="referentialId" class="form-select"><opt ; d></div><div class="col-md-3"><label class="form-label">Type *</label><select name="type_item" id="itemType" class="form-select"><option value="MODULE">Module</option><op ; s(q)) ; _once __DIR__.'../../includes/app-footer.php'`

Action directe détectée: aucune route actions/api littérale. La page peut être purement informative, soumettre vers elle-même, ou utiliser une route construite dynamiquement.

views/stages/sollicitations-d4.php

Page/titre: sollicitations d4

Rôle: Page ou vue: sollicitations d4.

Champs du formulaire: csrf, id, host_campaign_id, capacite_proposee, frais_requis, montant_frais

Fichiers parents chargés par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission($pdo,'campaign.hosting.respond') ; _once __DIR__.'../../includes/app-header.php' ; d> ; s(x.statut)||(x.statut==='ACCEPTEE'&&!x.capacite_acceptee)?`<button class="btn btn-sm btn-outline-primary respond" data-id="{x.id}"><i class="bi bi-reply me-1"></i>Répo ; d=a ; d=!a ; d=on ; s(e.key))e.preventDefault() ; _once __DIR__.'../../includes/app-footer.php'`

Action directe détectée: aucune route actions/api littérale. La page peut être purement informative, soumettre vers elle-même, ou utiliser une route construite dynamiquement.

views/stages/suivi-show.php

Page/titre: suivi show

Rôle: Page ou vue: suivi show.

Champs du formulaire: aucun champ name détecté

Fichiers parents chargés par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role([ ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe détectée: aucune route actions/api littérale. La page peut être purement informative, soumettre vers elle-même, ou utiliser une route construite dynamiquement.

views/stages/suivi.php

Page/titre: suivi

Role: Page ou vue: suivi.

Champs du formulaire: aucun champ name detecte

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role([ ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

views/stages/types-stage.php

Page/titre: types stage

Role: Page ou vue: types stage.

Champs du formulaire: csrf, id, libelle, financial_mode, financial_amount, eligible_level_codes[]

Fichiers parents charges par la page: `_once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-type.php' ; StageTypeManage($pdo) ; _once __DIR__.'../../includes/app-header.php' ; d placeholder="Ex. Stage d'observation"></div> ; d=paid ; _once __DIR__.'../../includes/app-footer.php'`

Action directe detectee: aucune route actions/api litterale. La page peut etre purement informative, soumettre vers elle-meme, ou utiliser une route construite dynamiquement.

3. Actions sans page appelante detectee

Ces endpoints existent dans le depot mais aucune page PHP n y fait reference avec un chemin litteral. Ils peuvent etre appeles par une route dynamique, une page non repertoriee, une application externe ou un flux serveur.

actions/academique/annee-active.php

Dossier parent: actions/academique

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ;

Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: annees_academiques

actions/academique/annee-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: annees_academiques

actions/academique/annee-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: annees_academiques

actions/academique/annee-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: annees_academiques

actions/academique/annee-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: annees_academiques

actions/academique/appellations-save.php

Dossier parent: actions/academique

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-structure.php' ; _once __DIR__.'../../includes/academic-labels.php' ;
AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: etablissement_academic_nomenclature

actions/academique/departement-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.view')

Tables SQL visibles: departements, facultes, filieres

actions/academique/departement-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: departements

actions/academique/departement-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: facultes, departements

actions/academique/departement-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: departements, facultes

actions/academique/faculte-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-structure.php' ;
AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: facultes, departements

actions/academique/faculte-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: aucune table SQL litterale detectee

actions/academique/faculte-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-structure.php' ;
AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: facultes

actions/academique/faculte-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-structure.php' ;
AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: facultes

actions/academique/filiere-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once
__DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.view')

Tables SQL visibles: options_specialites, promotions, filieres, curriculum_references, departements, facultes

actions/academique/filiere-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: curriculum_references, departements, facultes, filieres

actions/academique/filiere-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: filieres, curriculum_references, departements, facultes

actions/academique/matiere-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: matieres, promotions, filieres, departements, facultes

actions/academique/matiere-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: matieres

actions/academique/matiere-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: promotions, matieres

actions/academique/matiere-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: promotions, matieres

actions/academique/niveau-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.view')

Tables SQL visibles: filieres, academic_cycles, promotions, academic_levels

actions/academique/niveau-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: academic_levels

actions/academique/niveau-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: filieres, academic_cycles, academic_levels

actions/academique/niveau-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: filieres, promotions, academic_levels, academic_cycles

actions/academique/option-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.view')

Tables SQL visibles: options_specialites, filieres, promotions

actions/academique/option-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-option-sync.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: filieres, options_specialites

actions/academique/option-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: options_specialites

actions/academique/promotion-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.view')

Tables SQL visibles: student_academic_enrollments, stage_campaign_promotions, promotions, filieres, options_specialites, annees_academiques, academic_levels, academic_cycles, curriculum_references

actions/academique/promotion-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: promotions, student_academic_enrollments, stage_campaign_promotions, stage_campaigns

actions/academique/promotion-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: filieres, annees_academiques, academic_levels, academic_cycles, options_specialites, promotions

actions/academique/promotion-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'academic.manage')

Tables SQL visibles: promotions

actions/academique/unite-list.php

Dossier parent: actions/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements, etablissement_academic_settings, etablissement_academic_unit_types, departements, facultes

actions/academique/unite-status.php

Dossier parent: actions/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: facultes, departements, filieres

actions/academique/unite-store.php

Dossier parent: actions/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissement_academic_settings, etablissement_academic_unit_types, facultes, academic_unit_types

actions/academique/unite-update.php

Dossier parent: actions/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissement_academic_settings, facultes, etablissement_academic_unit_types

actions/adhesion/account-created.php

Dossier parent: actions/adhesion

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/adhesion/activation-link.php

Dossier parent: actions/adhesion

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/adhesion/document.php

Dossier parent: actions/adhesion

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php'

Tables SQL visibles: demandes_adhesion

actions/adhesion/resend-activation.php

Dossier parent: actions/adhesion

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../services/MailService.php'

Tables SQL visibles: demandes_adhesion, users

actions/adhesion/store.php

Dossier parent: actions/adhesion

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php'

Tables SQL visibles: establishment_types, demandes_adhesion, etablisements, users

actions/adhesion/validate.php

Dossier parent: actions/adhesion

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../services/MailService.php' ; _once __DIR__.'../../includes/academic-template-cloner.php'

Tables SQL visibles: etablisements, users, establishment_types, academic_structure_templates, demandes_adhesion, roles, etablisement_users

actions/admin/affectations/host-units.php

Dossier parent: actions/admin/affectations

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: host_units

actions/admin/affectations/list.php

Dossier parent: actions/admin/affectations

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: role_assignments, users, roles, etablisements, host_units, etablisement_users

actions/admin/affectations/options.php

Dossier parent: actions/admin/affectations

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once __DIR__.'../.././includes/admin-scope.php'

Tables SQL visibles: host_units, stage_campaigns, stage_assignments

actions/admin/affectations/principal.php

Dossier parent: actions/admin/affectations

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once __DIR__.'../.././includes/admin-scope.php'

Tables SQL visibles: role_assignments, roles, etablisements, etablisement_users, users

actions/admin/affectations/revoke.php

Dossier parent: actions/admin/affectations

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: __DIR__.'./status.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/admin/affectations/status.php

Dossier parent: actions/admin/affectations

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once __DIR__.'../.././includes/admin-scope.php'

Tables SQL visibles: role_assignments, roles, users, etablisements, etablisement_users

actions/admin/affectations/store.php

Dossier parent: actions/admin/affectations

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once __DIR__.'../.././includes/admin-scope.php' ; HostUnit(PDO \$pdo,int \$id,int \$eid,string \$msg,array \$types=[]):array{ ; HostUnit(

Tables SQL visibles: host_units, users, roles, etablisement_users, role_assignments, etablisements, stage_campaigns, stage_assignments, fonction

actions/admin/hopital-activate.php

Dossier parent: actions/admin

Role: active un compte ou une ressource.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements, roles, etablissement_users, users

actions/admin/hopital-list.php

Dossier parent: actions/admin

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements

actions/admin/hopital-store.php

Dossier parent: actions/admin

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements

actions/admin/hopital-update.php

Dossier parent: actions/admin

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements

actions/admin/ministeres/organisations.php

Dossier parent: actions/admin/ministeres

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements, organisations_ministeres, actif

actions/admin/parametres/list.php

Dossier parent: actions/admin/parametres

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: system_settings

actions/admin/parametres/update.php

Dossier parent: actions/admin/parametres

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: system_settings

actions/admin/permissions/list.php

Dossier parent: actions/admin/permissions

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: permissions, role_permissions, roles

actions/admin/permissions/roles.php

Dossier parent: actions/admin/permissions

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: permissions, roles, role_permissions

actions/admin/permissions/status.php

Dossier parent: actions/admin/permissions

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: permissions, role_permissions, roles

actions/admin/permissions/sync-roles.php

Dossier parent: actions/admin/permissions

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: permissions, roles, role_permissions

actions/admin/permissions/update.php

Dossier parent: actions/admin/permissions

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: permissions

actions/admin/responsables/list.php

Dossier parent: actions/admin/responsables

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php' ; AjaxAuth()

Tables SQL visibles: role_assignments, users, roles, etablisements

actions/admin/roles/list.php

Dossier parent: actions/admin/roles

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: roles, etablisements, role_permissions, role_assignments, permissions

actions/admin/roles/permissions.php

Dossier parent: actions/admin/roles

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: roles, permissions, role_assignments, role_permissions

actions/admin/roles/status.php

Dossier parent: actions/admin/roles

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: roles, role_assignments

actions/admin/roles/store.php

Dossier parent: actions/admin/roles

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: roles

actions/admin/roles/sync-permissions.php

Dossier parent: actions/admin/roles

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: roles, permissions, role_assignments, role_permissions

actions/admin/roles/update.php

Dossier parent: actions/admin/roles

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: roles

actions/admin/stage-campaign-supervision-list.php

Dossier parent: actions/admin

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; Permission(\$pdo,'campaign.supervision.view')

Tables SQL visibles: stage_campaign_promotions, student_academic_enrollments, student_enrollments, stage_campaign_participations, stage_campaigns, etablissements, stage_types, annees_academiques, facultes

actions/admin/stagia-fees-list.php

Dossier parent: actions/admin

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Role(['SUPER_ADMIN'])

Tables SQL visibles: etablissements, academic_levels, academic_cycles, stagia_hospital_level_fees

actions/admin/stagia-fees-status.php

Dossier parent: actions/admin

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Role(['SUPER_ADMIN'])

Tables SQL visibles: stagia_hospital_level_fees

actions/admin/stagia-fees-store.php

Dossier parent: actions/admin

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Role(['SUPER_ADMIN'])

Tables SQL visibles: etablissements, academic_levels, stagia_hospital_level_fees, amount

actions/admin/statistiques/data.php

Dossier parent: actions/admin/statistiques

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ;

AjaxRole(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL','MINISTERE','ORDRE_MEDECINS'])

Tables SQL visibles: information_schema, users, roles, permissions, role_assignments, etablissements, demandes_adhesion, etablissement_users, stage_placements, stage_campaigns, stage_types, student_profiles, stage_attendances, stage_assignments, stage_admissions, stage_student_tasks, stage_logbook_entries, stage_rotations, stage_evaluations, stage_conventions

actions/admin/statistiques/export-excel.php

Dossier parent: actions/admin/statistiques

Role: prepare un export.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-statistics-export.php' ; _once __DIR__.'../../vendor/autoload.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/admin/statistiques/export-pdf.php

Dossier parent: actions/admin/statistiques

Role: prepare un export.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-statistics-export.php' ; _once __DIR__.'../../vendor/autoload.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/admin/utilisateurs/list.php

Dossier parent: actions/admin/utilisateurs

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ;

AjaxRole(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL'])

Tables SQL visibles: etablissement_users, role_assignments, etablissements, roles, users

actions/admin/utilisateurs/resend-activation.php

Dossier parent: actions/admin/utilisateurs

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../.././config/config.php' ; _once __DIR__.'../.././config/database.php' ;
_once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once
__DIR__.'../.././services/MailService.php' ; AjaxRole(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL'])

Tables SQL visibles: users, etablisement_users, role_assignments, roles

actions/admin/utilisateurs/status.php

Dossier parent: actions/admin/utilisateurs

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once
__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ;
AjaxRole(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL'])

Tables SQL visibles: users, etablisement_users, role_assignments, roles

actions/admin/utilisateurs/store.php

Dossier parent: actions/admin/utilisateurs

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../.././config/config.php' ; _once __DIR__.'../.././config/database.php' ;
_once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once
__DIR__.'../.././services/MailService.php' ; _once __DIR__.'../.././includes/admin-scope.php'

Tables SQL visibles: users, roles, etablisements, role_assignments, etablisement_users

actions/admin/utilisateurs/update.php

Dossier parent: actions/admin/utilisateurs

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once
__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ;
AjaxRole(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL'])

Tables SQL visibles: users, etablisement_users, role_assignments, roles

actions/bibliotheque/api.php

Dossier parent: actions/bibliotheque

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../.././config/config.php' ; _once __DIR__.'../.././config/database.php' ; _once
__DIR__.'../.././includes/auth.php' ; _once __DIR__.'../.././includes/ajax.php' ; _once
__DIR__.'../.././includes/bibliotheque.php'

Tables SQL visibles: notifications, bibliotheque_documents, bibliotheque_categories, bibliotheque_audit, users,
bibliotheque_favoris, etablisements, bibliotheque_consultations

actions/bibliotheque/fichier.php

Dossier parent: actions/bibliotheque

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/bibliotheque.php'

Tables SQL visibles: bibliotheque_consultations

actions/communication/api-actions.php

Dossier parent: actions/communication

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/communication-native.php'

Tables SQL visibles: brouillons_messages, contenu, conversations, participants_conversations, messages, pieces_jointes_messages, communications_officielles, destinataires_communications, evenements_calendrier, participants_evenements, notifications

actions/communication/collaboration-actions.php

Dossier parent: actions/communication

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/communication-native.php' ; CommunicationRole()

Tables SQL visibles: espaces_collaboratifs, membres_espaces, sujets_forums, reponses_forums, evenements_calendrier, reunions_visioconference, participants_evenements, conversations, communications_officielles, notifications, journal_archivage_communications, preferences_notifications, active

actions/communication/collaboration-donnees.php

Dossier parent: actions/communication

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/communication-native.php' ; CommunicationRole()

Tables SQL visibles: membres_espaces, sujets_forums, espaces_collaboratifs, users, reponses_forums, etablissements, reunions_visioconference, evenements_calendrier, participants_evenements, conversations, participants_conversations, communications_officielles, destinataires_communications, notifications, livraisons_notifications, preferences_notifications, corbeille_communications, configurations_canaux_communication

actions/communication/compteur-notifications.php

Dossier parent: actions/communication

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php'

Tables SQL visibles: notifications, messages, participants_conversations, conversations

actions/communication/donnees.php

Dossier parent: actions/communication

Rôle: traite la requête et retourne une réponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/communication-native.php'

Tables SQL visibles: participants_conversations, messages, users, pieces_jointes_messages, fichiers, conversations, brouillons_messages, communications_officielles, destinataires_communications, etablissements, evenements_calendrier, participants_evenements, notifications

actions/communication/gestion-actions.php

Dossier parent: actions/communication

Rôle: traite la requête et retourne une réponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/communication-native.php' ; CommunicationRole()

Tables SQL visibles: reunions_visioconference, evenements_calendrier, messages, conversations, communications_officielles, espaces_collaboratifs, sujets_forums, reponses_forums, notifications, corbeille_communications, configurations_canaux_communication, actif

actions/communication/telecharger.php

Dossier parent: actions/communication

Rôle: exécute l'opération métier nommée par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/communication-native.php'

Tables SQL visibles: fichiers, pieces_jointes_messages, messages, participants_conversations

actions/configuration/departement-local-list.php

Dossier parent: actions/configuration

Rôle: lit et retourne une liste de données.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: departements, etablissements, etablissement_academic_settings, facultes, establishment_types, users

actions/configuration/departement-local-review.php

Dossier parent: actions/configuration

Rôle: exécute l'opération métier nommée par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-unit-sync.php' ; _once __DIR__.'../../includes/academic-department-sync.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: departements, etablissement_academic_settings, facultes, academic_template_departments, academic_structure_templates

actions/configuration/document-archive-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/document-archive-service.php' ;

AjaxRole(['SUPER_ADMIN','ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES','

Tables SQL visibles: aucune table SQL litterale detectee

actions/configuration/document-archive-register.php

Dossier parent: actions/configuration

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/document-archive-service.php' ;

AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES','CHEF_SERVICE',

Tables SQL visibles: aucune table SQL litterale detectee

actions/configuration/host-local-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: host_units, etablissements, establishment_types, users

actions/configuration/host-local-review.php

Dossier parent: actions/configuration

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/host-unit-template-sync.php' ;

AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: host_units, etablissements, host_unit_templates

actions/configuration/host-template-delete.php

Dossier parent: actions/configuration

Role: supprime ou retire une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/host-unit-template-sync.php' ;

AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: host_unit_templates

actions/configuration/host-template-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: establishment_types, host_unit_templates

actions/configuration/host-template-save.php

Dossier parent: actions/configuration

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/host-unit-template-sync.php' ;

AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: establishment_types, host_unit_templates

actions/configuration/modele-academique-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissement_academic_settings, academic_structure_templates,
academic_structure_template_unit_types, establishment_types, academic_unit_types

actions/configuration/modele-academique-store.php

Dossier parent: actions/configuration

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: establishment_types, academic_unit_types, academic_structure_templates,
academic_structure_template_unit_types

actions/configuration/modele-academique-update.php

Dossier parent: actions/configuration

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_unit_types, academic_structure_templates,
academic_structure_template_unit_types, libelle

actions/configuration/modele-structure-delete.php

Dossier parent: actions/configuration

Role: supprime ou retire une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-option-sync.php' ; _once __DIR__.'../../includes/academic-unit-sync.php' ; _once __DIR__.'../../includes/academic-department-sync.php' ; _once __DIR__.'../../includes/academic-program-sync.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_template_units, academic_template_departments, academic_template_programs, academic_template_options, academic_structure_templates

actions/configuration/modele-structure-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_structure_templates, establishment_types, academic_template_units, academic_template_departments, academic_template_programs, curriculum_references, academic_cycles, academic_levels, academic_template_options, academic_structure_template_unit_types

actions/configuration/modele-structure-save.php

Dossier parent: actions/configuration

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-option-sync.php' ; _once __DIR__.'../../includes/academic-unit-sync.php' ; _once __DIR__.'../../includes/academic-department-sync.php' ; _once __DIR__.'../../includes/academic-program-sync.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_structure_templates, academic_structure_template_unit_types, academic_template_units, academic_template_departments, curriculum_references, academic_template_programs, academic_template_options

actions/configuration/modeles-academiques.php

Dossier parent: actions/configuration

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN']) ; _once __DIR__.'../../includes/app-header.php' ; d></select></div> ; d></div> ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/configuration/option-local-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: options_specialites, filieres, etablissements, etablissement_academic_settings,
establishment_types, users

actions/configuration/option-local-review.php

Dossier parent: actions/configuration

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-option-sync.php' ;
AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: options_specialites, filieres, etablissements, etablissement_academic_settings,
academic_template_programs, academic_template_options, academic_structure_templates

actions/configuration/programme-local-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: filieres, etablissements, etablissement_academic_settings, curriculum_references, facultes,
departements, establishment_types, users

actions/configuration/programme-local-review.php

Dossier parent: actions/configuration

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-unit-sync.php' ; _once
__DIR__.'../../includes/academic-department-sync.php' ; _once __DIR__.'../../includes/academic-program-sync.php' ;
AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: filieres, etablissement_academic_settings, academic_structure_templates, departements,
facultes, curriculum_references, academic_template_programs

actions/configuration/type-etablissement-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablissements, academic_structure_templates, establishment_types

actions/configuration/type-etablissement-status.php

Dossier parent: actions/configuration

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: establishment_types, etablissements

actions/configuration/type-etablissement-store.php

Dossier parent: actions/configuration

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: establishment_types

actions/configuration/type-etablissement-update.php

Dossier parent: actions/configuration

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: establishment_types

actions/configuration/type-unite-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_structure_template_unit_types, etablissement_academic_unit_types, facultes,
academic_unit_types

actions/configuration/type-unite-status.php

Dossier parent: actions/configuration

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_unit_types

actions/configuration/type-unite-store.php

Dossier parent: actions/configuration

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_unit_types

actions/configuration/type-unite-update.php

Dossier parent: actions/configuration

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: academic_unit_types

actions/configuration/unite-locale-list.php

Dossier parent: actions/configuration

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: facultes, etablissements, etablissement_academic_settings, establishment_types, users

actions/configuration/unite-locale-review.php

Dossier parent: actions/configuration

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/academic-unit-sync.php' ;
AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: facultes, etablissement_academic_settings, academic_structure_template_unit_types,
academic_template_units, academic_structure_templates

actions/documents/document-archive-list.php

Dossier parent: actions/documents

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once
__DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once
__DIR__.'../../includes/document-archive-service.php' ; AjaxRole(''))requireAjaxRole(\$roles) ; Role(\$roles)

Tables SQL visibles: aucune table SQL litterale detectee

actions/documents/document-archive-register.php

Dossier parent: actions/documents

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once
__DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once
__DIR__.'../../includes/document-archive-service.php' ;
AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: stage_document_archives

actions/documents/stage-document-context-list.php

Dossier parent: actions/documents

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/document-stage-data.php' ;

AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: aucune table SQL litterale detectee

actions/espace-etudiant/attendance-list.php

Dossier parent: actions/espace-etudiant

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ;

AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_attendances, stage_rotations, host_units, etablissements

actions/espace-etudiant/d4-options-list.php

Dossier parent: actions/espace-etudiant

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-reservation.php' ;

Permission(\$pdo,'reservation.self.view')

Tables SQL visibles: stage_reservations, student_academic_enrollments, student_enrollments, annees_academiques, promotions, academic_levels, stage_campaign_promotions, stage_campaigns, stage_types, stage_campaign_participations, stage_capacity_pools, etablissements, stage_applications, stage_placements

actions/espace-etudiant/d4-reserve.php

Dossier parent: actions/espace-etudiant

Role: enregistre une reservation.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-reservation.php' ;

Permission(\$pdo,'reservation.self.create')

Tables SQL visibles: student_academic_enrollments, student_enrollments, stage_campaigns, stage_types, stage_campaign_promotions, stage_campaign_participations, etablissements, stage_capacity_pools, stage_reservations, stage_applications

actions/espace-etudiant/feedback-list.php

Dossier parent: actions/espace-etudiant

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-feedback.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: stage_supervision_feedbacks, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_rotations, host_units, users, etablissements

actions/espace-etudiant/feedbacks.php

Dossier parent: actions/espace-etudiant

Role: execute l'operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Role(['STAGIAIRE']) ; _once __DIR__.'../../includes/app-header.php' ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/espace-etudiant/mes-stages.php

Dossier parent: actions/espace-etudiant

Role: execute l'operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission(\$pdo,'stage.self.view') ; _once __DIR__.'../../includes/app-header.php' ; s(q) ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/espace-etudiant/task-list.php

Dossier parent: actions/espace-etudiant

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-task.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: stage_training_plan_items, stage_tasks, etablissements, stage_assignments, stage_rotations, host_units

actions/espace-etudiant/task-status.php

Dossier parent: actions/espace-etudiant

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-task.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: stage_tasks

actions/espace-hopital/admission-admit.php

Dossier parent: actions/espace-hopital

Role: execute l'operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_admissions, stage_reservations, stage_applications

actions/espace-hopital/admission-bulk-admit.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_admissions, stage_reservations, stage_applications, stage_campaigns, etablisements, student_academic_enrollments, student_enrollments, student_profiles, par

actions/espace-hopital/admission-send-coordination-bulk.php

Dossier parent: actions/espace-hopital

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: host_units, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_assignments, stage_admission_history

actions/espace-hopital/admission-send-coordination.php

Dossier parent: actions/espace-hopital

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_admissions, host_units, stage_admission_history

actions/espace-hopital/appareils-pointage.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ACCUEIL']) ; Permission(\$pdo,'attendance.device.view') ; _once __DIR__.'../../includes/app-header.php' ; d></div> ; d> ; d></select></div> ; d><option value="EMPREINTE">Empreinte</option><option value="VISAGE">Visage</option><option value="RFID">RFID</option><option value="NFC">NFC</option><option value="QR">Q ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/espace-hopital/assignment-auto-distribute.php

Dossier parent: actions/espace-hopital

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'assignment.hosting.manage')

Tables SQL visibles: host_units, stage_assignments, stage_admissions, stage_reservations, stage_applications, stage_campaigns, student_academic_enrollments, student_enrollments, student_profiles, stage_assignment_history, stage_admission_history

actions/espace-hopital/assignment-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'assignment.hosting.manage') ;
sPayment=((int)\$a['frais_stage_requis']==1&&(float)\$a['frais_stage_montant']>0)|((float)\$a['frais_stagia_montant']>0)
; sPayment){ ; sPayment,

Tables SQL visibles: stage_admissions, stage_reservations, stage_applications, stage_campaigns,
student_academic_enrollments, student_enrollments, promotions, stage_campaign_participations,
stagia_hospital_level_fees, stage_invoices, stage_payments, host_units, stage_assignments,
stage_assignment_history, stage_admission_history

actions/espace-hopital/capacity-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-capacity.php' ;
Permission(\$pdo,'capacity.hosting.view')

Tables SQL visibles: stage_campaign_participations, stage_reservations, stage_campaigns, stage_types,
stage_capacity_pools

actions/espace-hopital/capacity-save.php

Dossier parent: actions/espace-hopital

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-capacity.php' ;
Permission(\$pdo,'capacity.hosting.manage')

Tables SQL visibles: stage_campaigns, stage_types, stage_capacity_pools

actions/espace-hopital/chef-service-stagiaires-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ;
AjaxRole'))requireAjaxRole(['CHEF_SERVICE','ADMIN_ACCUEIL','COORDINATEUR_STAGES']) ;
Role(['CHEF_SERVICE','ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: role_assignments, roles, host_units, stage_assignments, stage_admissions,
stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles,
stage_campaigns, etablissements

actions/espace-hopital/d4-solicitation-etudier.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-participation.php' ;

Permission(\$pdo,'campaign.hosting.respond')

Tables SQL visibles: stage_campaign_participations

actions/espace-hopital/d4-solicitation-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'campaign.hosting.respond')

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_types, etablisements

actions/espace-hopital/d4-solicitation-repondre.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-participation.php' ;

Permission(\$pdo,'campaign.hosting.respond')

Tables SQL visibles: stage_campaign_participations, stage_campaigns

actions/espace-hopital/encadreur-rotations-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; s(stage-execution.php')) ; _once __DIR__.'../../includes/stage-execution.php' ; AjaxRole'))requireAjaxRole(['ENCADREUR','EVALUATEUR_CLINIQUE']) ; Role(['ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_rotations, stage_rotation_supervisors, stage_assignments, stage_admissions, stage_reservations, stage_applications, stage_campaigns, etablisements, student_academic_enrollments, student_enrollments, student_profiles, host_units

actions/espace-hopital/expected-interns-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_admissions, stage_reservations, stage_applications, stage_campaigns, etablisements, student_academic_enrollments, student_enrollments, student_profiles, promotions, host_units, stage_assignments

actions/espace-hopital/feedback-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-feedback.php' ;

AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE','CHEF_SERVICE','AUTORITE_HOSPITALIERE'])

Tables SQL visibles: stage_rotations, stage_rotation_supervisors, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_supervision_feedbacks, stage_assignments, host_units, users

actions/espace-hopital/feedback-status.php

Dossier parent: actions/espace-hopital

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-feedback.php' ;

AjaxRole(['ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_supervision_feedbacks, stage_assignments

actions/espace-hopital/feedback-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-feedback.php' ;

AjaxRole(['ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_supervision_feedbacks

actions/espace-hopital/feedback-update.php

Dossier parent: actions/espace-hopital

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-feedback.php' ;

AjaxRole(['ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_supervision_feedbacks, stage_assignments

actions/espace-hopital/groupe-rotation-publish.php

Dossier parent: actions/espace-hopital

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Role(['CHEF_SERVICE']) ; Permission(\$pdo,'rotation.hosting.manage')

Tables SQL visibles: role_assignments, roles, host_units, users, stage_groups, stage_campaigns, stage_group_rotation_plans, stage_group_students, student_academic_enrollments, student_enrollments, student_profiles, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_rotations, stage_rotation_supervisors, principal, stage_group_history

actions/espace-hopital/groupe-rotation-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/stage-execution.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ;

Role(['CHEF_SERVICE']) ; Permission(\$pdo,'rotation.hosting.manage')

Tables SQL visibles: role_assignments, roles, host_units, stage_groups, stage_campaigns, users, stage_group_students, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_group_rotation_plans

actions/espace-hopital/groupe-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php'

Tables SQL visibles: role_assignments, roles, host_units, stage_groups, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, stage_assignments

actions/espace-hopital/groupe-students-save.php

Dossier parent: actions/espace-hopital

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ;

AjaxRole'))requireAjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','CHEF_SERVICE']) ;

Role(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','CHEF_SERVICE'])

Tables SQL visibles: role_assignments, roles, host_units, stage_groups, stage_group_students, student_academic_enrollments, stage_applications, stage_reservations, stage_admissions, stage_assignments

actions/espace-hopital/groupe-rotations-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/stage-execution.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ;

Role(['CHEF_SERVICE']) ; Permission(\$pdo,'group.hosting.view')

Tables SQL visibles: role_assignments, roles, host_units, stage_admissions, stage_reservations, stage_applications, stage_campaigns, etablisements, student_academic_enrollments, promotions, academic_levels, stage_assignments, users, etablisement_users, student_enrollments, student_profiles, stage_group_students, stage_groups, stage_group_rotation_plans

actions/espace-hopital/host-campaign-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; _once __DIR__.'../../includes/stage-type.php' ; Permission(\$pdo,'campaign.hosting.view')

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_types

actions/espace-hopital/host-campaign-status.php

Dossier parent: actions/espace-hopital

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; _once __DIR__.'../../includes/stage-host-campaign.php' ; Permission(\$pdo,'campaign.hosting.publish')

Tables SQL visibles: stage_campaigns, stage_campaign_participations

actions/espace-hopital/host-campaign-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; _once __DIR__.'../../includes/stage-host-campaign.php' ; Permission(\$pdo,'campaign.hosting.create')

Tables SQL visibles: stage_campaigns

actions/espace-hopital/host-campaign-update.php

Dossier parent: actions/espace-hopital

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; _once __DIR__.'../../includes/stage-host-campaign.php' ; Permission(\$pdo,'campaign.hosting.update')

Tables SQL visibles: stage_campaign_participations, stage_campaigns

actions/espace-hopital/host-unit-capacity.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'host.manage')

Tables SQL visibles: host_units

actions/espace-hopital/host-unit-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'host.view')

Tables SQL visibles: host_units, stage_rotations

actions/espace-hopital/host-unit-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'host.manage')

Tables SQL visibles: host_units

actions/espace-hopital/host-unit-update.php

Dossier parent: actions/espace-hopital

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'host.manage')

Tables SQL visibles: host_units

actions/espace-hopital/rotations.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; Permission(\$pdo,'group.hosting.view') ; _once __DIR__.'../../includes/app-header.php' ; d> ; d></select> ; _once __DIR__.'../../includes/app-footer.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/espace-hopital/structure-config-save.php

Dossier parent: actions/espace-hopital

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/host-structure.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: etablissement_host_structure_config, host_units, label_singular

actions/espace-hopital/structure-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/host-structure.php' ; Permission(\$pdo,'host.view')

Tables SQL visibles: host_units, stage_assignments

actions/espace-hopital/structure-save.php

Dossier parent: actions/espace-hopital

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/host-structure.php' ; Permission(\$pdo,'host.manage')

Tables SQL visibles: host_units

actions/espace-hopital/structure-status.php

Dossier parent: actions/espace-hopital

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'host.manage')

Tables SQL visibles: host_units, stage_assignments

actions/espace-hopital/supervisor-attendance-review.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/supervisor-access.php' ; Permission(\$pdo,'attendance.hosting.review') ; SupervisorRotation(

Tables SQL visibles: stage_rotations, stage_assignments, stage_admissions, stage_placements, stage_attendances, stage_attendance_review_history

actions/espace-hopital/supervisor-followup-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-execution.php' ; _once __DIR__.'../../includes/supervisor-access.php' ; Permission(\$pdo,'supervision.hosting.view')

Tables SQL visibles: stage_rotations, host_units, stage_assignments, stage_admissions, stage_placements, stage_campaigns, student_academic_enrollments, promotions, academic_levels, stage_group_students, stage_groups, stage_rotation_supervisors, student_profiles, stage_attendances, stage_logbook_activities, stage_logbook_entries

actions/espace-hopital/supervisor-logbook-review.php

Dossier parent: actions/espace-hopital

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/supervisor-access.php' ; Permission(\$pdo,'logbook.hosting.review') ; SupervisorRotation(

Tables SQL visibles: stage_logbook_entries, stage_logbook_activities, stage_logbook_review_history

actions/espace-hopital/task-list.php

Dossier parent: actions/espace-hopital

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-task.php' ;

AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE','AUTORITE_HOSPITALIERE'])

Tables SQL visibles: stage_rotations, stage_rotation_supervisors, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, host_units, stage_training_plan_items, stage_tasks

actions/espace-hopital/task-status.php

Dossier parent: actions/espace-hopital

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-task.php' ;

AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_tasks

actions/espace-hopital/task-store.php

Dossier parent: actions/espace-hopital

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-task.php' ;

AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_rotations, stage_rotation_supervisors, stage_tasks

actions/espace-hopital/task-update.php

Dossier parent: actions/espace-hopital

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-task.php' ;

AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_tasks

actions/etablissements/academique/departement-list.php

Dossier parent: actions/etablissements/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once

__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['SUPER_ADMIN']) ;

d'=>(bool)\$cfg['departement_obligatoire'],

Tables SQL visibles: etablissement_academic_settings, facultes, filieres, departements

actions/etablislements/academique/departement-status.php

Dossier parent: actions/etablislements/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: departements, filieres

actions/etablislements/academique/departement-store.php

Dossier parent: actions/etablislements/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablisement_academic_settings, facultes, departements

actions/etablislements/academique/departement-update.php

Dossier parent: actions/etablislements/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablisement_academic_settings, departements, facultes

actions/etablislements/academique/filiere-list.php

Dossier parent: actions/etablislements/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN']) ;
d'=>(bool)\$cfg['filiere_obligatoire'],

Tables SQL visibles: etablisement_academic_settings, facultes, departements, options_specialites, promotions, filieres

actions/etablislements/academique/filiere-status.php

Dossier parent: actions/etablislements/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: filieres, options_specialites, promotions, stage_referentials

actions/etablislements/academique/filiere-store.php

Dossier parent: actions/etablislements/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once __DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablisement_academic_settings, departements, facultes, filieres

actions/etablislements/academique/filiere-update.php

Dossier parent: actions/etablislements/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once

__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablisement_academic_settings, filieres, departements, facultes

actions/etablislements/academique/promotion-list.php

Dossier parent: actions/etablislements/academique

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once

__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN']) ;

d'=>(bool)\$cfg['promotion_obligatoire'],

Tables SQL visibles: etablisement_academic_settings, filieres, options_specialites, promotion_stage_configs, student_academic_enrollments, promotions

actions/etablislements/academique/promotion-status.php

Dossier parent: actions/etablislements/academique

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once

__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: promotions, student_academic_enrollments, promotion_stage_configs, stage_campaign_promotions

actions/etablislements/academique/promotion-store.php

Dossier parent: actions/etablislements/academique

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once

__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablisement_academic_settings, filieres, options_specialites, promotions

actions/etablislements/academique/promotion-update.php

Dossier parent: actions/etablislements/academique

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../.././config/database.php' ; _once

__DIR__.'../.././includes/permissions.php' ; _once __DIR__.'../.././includes/ajax.php' ; AjaxRole(['SUPER_ADMIN'])

Tables SQL visibles: etablisement_academic_settings, promotions, filieres, options_specialites

actions/etablislements/delete.php

Dossier parent: actions/etablislements

Role: supprime ou retire une donnee.

Fichiers parents directs: aucun require/include direct detecte

Tables SQL visibles: aucune table SQL litterale detectee

actions/etablislements/document.php

Dossier parent: actions/etablislements

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['SUPER_ADMIN'])

Tables SQL visibles: etablislements

actions/etablislements/statut.php

Dossier parent: actions/etablislements

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php'

Tables SQL visibles: etablislements

actions/etablislements/store.php

Dossier parent: actions/etablislements

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../services/MailService.php' ; _once __DIR__.'../../includes/academic-template-cloner.php' ; Role(['SUPER_ADMIN'])

Tables SQL visibles: etablislements, users, establishment_types, academic_structure_templates, demandes_adhesion, roles, etablisement_users

actions/etablislements/update-document-settings.php

Dossier parent: actions/etablislements

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/document-branding.php' ; Role(['ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL'])

Tables SQL visibles: etablislements

actions/etablislements/update-self.php

Dossier parent: actions/etablislements

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['ADMIN_ETABLISSEMENT','ADMIN_ACCUEIL'])

Tables SQL visibles: etablislements

actions/etablislements/update.php

Dossier parent: actions/etablislements

Role: modifie une donnee existante.

Fichiers parents directs: aucun require/include direct detecte

Tables SQL visibles: aucune table SQL litterale detectee

actions/etablislements/utilisateurs/list.php

Dossier parent: actions/etablislements/utilisateurs

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ;
_once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once
__DIR__.'../../includes/establishment-user-admin.php' ; EstablishmentAjaxPermission('user.view')

Tables SQL visibles: role_assignments, etablisement_users, users, roles

actions/etablislements/utilisateurs/resend-activation.php

Dossier parent: actions/etablislements/utilisateurs

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/establishment-user-admin.php' ; _once
__DIR__.'../../services/MailService.php' ; EstablishmentAjaxPermission('user.create')

Tables SQL visibles: users

actions/etablislements/utilisateurs/status.php

Dossier parent: actions/etablislements/utilisateurs

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ;
_once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once
__DIR__.'../../includes/establishment-user-admin.php' ; EstablishmentAjaxPermission('user.disable')

Tables SQL visibles: users

actions/etablislements/utilisateurs/store.php

Dossier parent: actions/etablislements/utilisateurs

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ;
_once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/establishment-user-admin.php' ; _once
__DIR__.'../../services/MailService.php' ; EstablishmentAjaxPermission('user.create')

Tables SQL visibles: roles, users, etablisement_users, role_assignments

actions/etablislements/utilisateurs/update.php

Dossier parent: actions/etablislements/utilisateurs

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/establishment-user-admin.php' ; EstablishmentAjaxPermission('user.update')

Tables SQL visibles: etablisement_users, users

actions/etudiants/student-academic-path.php

Dossier parent: actions/etudiants

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php'

Tables SQL visibles: student_profiles, student_academic_enrollments, student_enrollments, annees_academiques, promotions, filieres, etablisements

actions/etudiants/student-academic-status.php

Dossier parent: actions/etudiants

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_academic_enrollments, student_enrollments

actions/etudiants/student-academic-store.php

Dossier parent: actions/etudiants

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_enrollments, annees_academiques, promotions, student_academic_enrollments

actions/etudiants/student-account-activate.php

Dossier parent: actions/etudiants

Role: active un compte ou une ressource.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: student_profiles, student_enrollments, roles, users

actions/etudiants/student-application-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablisements, stage_reservations, stage_admissions, stage_assignments, stage_completions

actions/etudiants/student-attendance-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_attendances, stage_rotations, host_units, etablissements

actions/etudiants/student-attendance-punch-context.php

Dossier parent: actions/etudiants

Role: enregistre ou consulte un pointage.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/student-attendance-punch.php' ; Role(['STAGIAIRE'])

Tables SQL visibles: aucune table SQL litterale detectee

actions/etudiants/student-attendance-punch.php

Dossier parent: actions/etudiants

Role: enregistre ou consulte un pointage.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/student-attendance-punch.php' ; Role(['STAGIAIRE'])

Tables SQL visibles: stage_rotations, stage_attendances

actions/etudiants/student-convention-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: stage_conventions, stage_placements, stage_campaigns, stage_types, student_profiles, etablissements

actions/etudiants/student-current-rotation.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-execution.php' ; Permission(\$pdo,'stage.self.view')

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, stage_placements, stage_admissions, stage_assignments

actions/etudiants/student-detail.php

Dossier parent: actions/etudiants

Role: lit et retourne le detail demande.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_enrollments, student_profiles, student_academic_enrollments, annees_academiques, promotions, filieres, departements, facultes

actions/etudiants/student-document-archive.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_documents, student_enrollments

actions/etudiants/student-document-download.php

Dossier parent: actions/etudiants

Role: controle puis fournit un telechargement.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once
__DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ;
Role(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_documents, student_enrollments

actions/etudiants/student-document-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/convention-service.php' ; Role([

Tables SQL visibles: aucune table SQL litterale detectee

actions/etudiants/student-document-upload.php

Dossier parent: actions/etudiants

Role: controle puis enregistre un televersement.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_enrollments, student_academic_enrollments, student_documents

actions/etudiants/student-documents-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/certificate-service.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_certificates

actions/etudiants/student-enroll-status.php

Dossier parent: actions/etudiants

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: student_enrollment_jobs

actions/etudiants/student-enroll-store.php

Dossier parent: actions/etudiants

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: student_enrollment_jobs, annees_academiques, etablissements, departements, facultes,
promotions, filieres

actions/etudiants/student-evaluation-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ;
AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_evaluations, stage_rotations, stage_assignments, stage_admissions,
stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, host_units,
etablissements, users, stage_evaluation_scores

actions/etudiants/student-import-status.php

Dossier parent: actions/etudiants

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: student_import_jobs, student_import_job_items

actions/etudiants/student-import.php

Dossier parent: actions/etudiants

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole([; all denied\n"

Tables SQL visibles: student_import_jobs, etablissements, annees_academiques, departements, facultes,
promotions, filieres

actions/etudiants/student-invitations-send.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: information_schema, student_invitation_jobs, roles, student_profiles, student_enrollments, users, student_invitation_job_items

actions/etudiants/student-invitations-status.php

Dossier parent: actions/etudiants

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: student_invitation_jobs, student_invitation_job_items, student_profiles

actions/etudiants/student-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_enrollments, student_profiles, student_academic_enrollments, annees_academiques, promotions, filieres, departements, facultes

actions/etudiants/student-logbook-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_rotations, host_units, stage_campaigns, stage_logbook_activities, stage_logbook_entries

actions/etudiants/student-logbook-save.php

Dossier parent: actions/etudiants

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_logbook_entries, stage_logbook_activities, student_enrollments, student_academic_enrollments, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_rotations

actions/etudiants/student-logbook-submit.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_logbook_activities, stage_logbook_entries

actions/etudiants/student-my-stages.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_campaigns, stage_types, etablissements, host_units, promotions, stage_group_students, stage_groups, stage_completions, role_assignments, roles, stage_rotations, stage_rotation_supervisors, users, etablissement_users

actions/etudiants/student-note-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole([

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, annees_academiques, promotions, filieres, matieres, student_notes

actions/etudiants/student-note-store.php

Dossier parent: actions/etudiants

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_academic_enrollments, student_enrollments, matieres, student_notes

actions/etudiants/student-note-update.php

Dossier parent: actions/etudiants

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_notes, student_academic_enrollments, student_enrollments, matieres

actions/etudiants/student-parcours-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_academic_enrollments, student_enrollments, etablissements, promotions, filieres, departements, facultes, annees_academiques

actions/etudiants/student-payment-initiate.php

Dossier parent: actions/etudiants

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-payment.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_invoices, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_payments

actions/etudiants/student-payment-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE']) ; d=(int)\$row['frais_requis']==1 ; d&&\$row['invoice_id']}{ ; d, ; d?(\$paymentStatus?:'EMISE'):'NON_REQUIS', ; d)\$stats['sans_frais']++

Tables SQL visibles: student_profiles, stage_payments, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablissements, stage_reservations, stage_campaign_participations, stage_invoices

actions/etudiants/student-personal-document-delete.php

Dossier parent: actions/etudiants

Role: supprime ou retire une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_personal_documents, student_profiles

actions/etudiants/student-personal-document-file.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/permissions.php' ; Role(['STAGIAIRE'])

Tables SQL visibles: student_personal_documents, student_profiles

actions/etudiants/student-personal-document-list.php

Dossier parent: actions/etudiants

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_personal_documents

actions/etudiants/student-personal-document-upload.php

Dossier parent: actions/etudiants

Role: controle puis enregistre un televersement.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['STAGIAIRE']) ; all denied\n"

Tables SQL visibles: student_profiles, student_personal_documents

actions/etudiants/student-search.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: student_enrollments, student_profiles

actions/etudiants/student-stage-options.php

Dossier parent: actions/etudiants

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, stage_campaigns, stage_types, stage_campaign_promotions, annees_academiques, promotions, filieres, stage_campaign_participations, etablissements, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_completions

actions/geographie/gestion.php

Dossier parent: actions/geographie

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/admin-scope.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/geographie.php'

Tables SQL visibles: geographie_journal, geographie_unites, users, geographie_localisations

actions/geographie/options.php

Dossier parent: actions/geographie

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/geographie.php'

Tables SQL visibles: aucune table SQL litterale detectee

actions/ministere/dashboard.php

Dossier parent: actions/ministere

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php' ; AjaxAuth()

Tables SQL visibles: etablissements, role_assignments, roles, users, student_enrollments, student_academic_enrollments, annees_academiques, promotions, filieres, curriculum_references, establishment_types

actions/ministere/organisations.php

Dossier parent: actions/ministere

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php' ; AjaxAuth()

Tables SQL visibles: role_assignments, roles, users, student_enrollments, student_academic_enrollments, promotions, filieres, curriculum_references, etablissements, establishment_types

actions/national/dashboard-data.php

Dossier parent: actions/national

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: annees_academiques, etablissements, facultes, departements, promotions, student_enrollments, student_academic_enrollments, filieres, curriculum_references, establishment_types

actions/national/export-etudiants.php

Dossier parent: actions/national

Role: prepare un export.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/admin-scope.php'

Tables SQL visibles: student_enrollments, student_academic_enrollments, annees_academiques, promotions, filieres, curriculum_references, etablissements

actions/payments/host-payment-list.php

Dossier parent: actions/payments

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_payments, stage_invoices, student_profiles, stage_applications, stage_campaigns, etablissements

actions/payments/simulate-callback.php

Dossier parent: actions/payments

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/payment/stage-payment-callback.php' ; AjaxRole([

Tables SQL visibles: stage_payments, stage_invoices

actions/stages/attendance-device-credential-save.php

Dossier parent: actions/stages

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: attendance_devices, stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, attendance_device_credentials, student_id

actions/stages/attendance-device-credential-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: attendance_device_credentials, attendance_devices

actions/stages/attendance-device-ingest.php

Dossier parent: actions/stages

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/attendance-devices.php'

Tables SQL visibles: attendance_device_events, attendance_devices, attendance_device_credentials, stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_attendances

actions/stages/attendance-device-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: attendance_devices, host_units, attendance_device_credentials, stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles

actions/stages/attendance-device-regenerate-key.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: attendance_devices

actions/stages/attendance-device-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: attendance_devices

actions/stages/attendance-device-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/attendance-devices.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: host_units, attendance_devices

actions/stages/campagne-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; Permission(\$pdo,'campaign.university.view') ; mentsByCampaign=[] ; ment_type,code,libelle,obligatoire,ordre FROM stage_campaign_requirements WHERE campaign_id IN(\$ph) ORDER BY campaign_id,ordre,id") ; mentsByCampaign[(int)\$r['campaign_id']][]=\$r ; ments[]=\$requirementsByCampaign[(int)\$r['id']]??[]

Tables SQL visibles: stage_campaign_promotions, student_academic_enrollments, stage_campaign_participations, stage_campaigns, stage_types, annees_academiques, facultes, promotions, academic_levels, filieres, stage_campaign_requirements

actions/stages/campagne-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; Permission(\$pdo,\$permission)

Tables SQL visibles: stage_campaigns, stage_types, stage_campaign_promotions, stage_campaign_participations, capacite_demandee

actions/stages/campagne-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ;

Permission(\$pdo,'campaign.university.create') ;

ments=parseCampaignRequirements((string)(\$_POST['requirements_text']??'')) ;

ment_type,code,libelle,obligatoire,ordre) VALUES(?, 'DOCUMENT',?,?,1,?)") ; ments as \$i=>\$label)\$req-

>execute([\$id,'DOC-' .str_pad((string)(\$i+1),2,'0',STR_PAD_LEFT),\$label,(\$i+1)*10])

Tables SQL visibles: stage_campaigns, stage_campaign_promotions, stage_campaign_requirements

actions/stages/campagne-update.php

Dossier parent: actions/stages

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-campaign.php' ;

Permission(\$pdo,'campaign.university.update') ;

ments=parseCampaignRequirements((string)(\$_POST['requirements_text']??'')) ;

d']??\$old['payment_expected']??false) ; ment_type,code,libelle,obligatoire,ordre) VALUES(?, 'DOCUMENT',?,?,1,?)") ;

ments as \$i=>\$label)\$req->execute([\$id,'DOC-' .str_pad((string)(\$i+1),2,'0',STR_PAD_LEFT),\$label,(\$i+1)*10])

Tables SQL visibles: stage_campaigns, stage_campaign_promotions, stage_campaign_requirements

actions/stages/campaign-detail.php

Dossier parent: actions/stages

Role: lit et retourne le detail demande.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_campaigns, stage_types, annees_academiques, stage_campaign_promotions, promotions, filieres, departements, facultes, stage_campaign_participations, etablissements

actions/stages/campaign-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_campaigns, stage_campaign_promotions, stage_types, annees_academiques

actions/stages/campaign-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'/../../config/database.php' ; _once __DIR__.'/../../includes/permissions.php' ;
_once __DIR__.'/../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_campaigns, stage_types, stage_campaign_promotions, stage_campaign_participations

actions/stages/campaign-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'/../../config/database.php' ; _once __DIR__.'/../../includes/permissions.php' ;
_once __DIR__.'/../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_types, annees_academiques, promotions, stage_campaigns,
stage_campaign_promotions

actions/stages/campaign-update.php

Dossier parent: actions/stages

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'/../../config/database.php' ; _once __DIR__.'/../../includes/permissions.php' ;
_once __DIR__.'/../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_campaigns, stage_types, annees_academiques, promotions,
stage_campaign_promotions

actions/stages/certificate-pdf.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'/../../config/config.php' ; _once __DIR__.'/../../config/database.php' ; _once
__DIR__.'/../../includes/auth.php' ; _once __DIR__.'/../../includes/permissions.php' ; _once
__DIR__.'/../../includes/certificate-service.php' ;

Role(['SUPER_ADMIN','ADMIN_ACCUEIL','ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE','STAGIAIRE'])

Tables SQL visibles: stage_campaigns, student_profiles

actions/stages/convention-file.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'/../../config/database.php' ; _once __DIR__.'/../../includes/auth.php' ; _once
__DIR__.'/../../includes/permissions.php' ; _once __DIR__.'/../../includes/convention-service.php' ; Role([

Tables SQL visibles: aucune table SQL litterale detectee

actions/stages/convention-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/stage-convention.php' ; ConventionAjax()

Tables SQL visibles: stage_conventions, stage_placements, stage_campaigns, stage_types, student_profiles, etablissements

actions/stages/convention-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/stage-convention.php' ; ConventionAjax()

Tables SQL visibles: stage_conventions

actions/stages/convention-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/stage-convention.php' ; ConventionAjax()

Tables SQL visibles: stage_conventions

actions/stages/convention-update.php

Dossier parent: actions/stages

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/stage-convention.php' ; ConventionAjax()

Tables SQL visibles: stage_conventions

actions/stages/convention-upload.php

Dossier parent: actions/stages

Role: controle puis enregistre un televersement.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/stage-convention.php' ; ConventionAjax() ; all denied\n")

Tables SQL visibles: student_documents, stage_conventions

actions/stages/d4-campagne-open-students.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'campaign.university.update')

Tables SQL visibles: stage_campaigns, stage_campaign_participations

actions/stages/d4-offre-finaliser.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'campaign.university.update')

Tables SQL visibles: stage_campaign_participations, stage_campaigns, etablissements

actions/stages/d4-partenaires-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-participation.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; Permission(\$pdo,'campaign.university.view') ;
s_hosting']=(bool)stagePolicyValue(\$pdo,(int)\$c['stage_type_id'],'requires_hosting_participation',false) ;
s_hosting']?d4MinimumHospitals(\$pdo,(int)\$c['stage_type_id']):0 ;
s_hosting']||\$c['selected_count']>0||\$c['solicited_count']>0

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_types, annees_academiques, etablissements, establishment_types

actions/stages/d4-participation-annuler.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-participation.php' ;
Permission(\$pdo,'campaign.d4.cancel')

Tables SQL visibles: stage_campaign_participations, stage_campaigns

actions/stages/d4-placement-bulk-confirm.php

Dossier parent: actions/stages

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'placement.university.manage')

Tables SQL visibles: stage_campaigns, stage_campaign_participations, etablissements, stage_placements, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_admissions, stage_placement_history

actions/stages/d4-placement-confirm.php

Dossier parent: actions/stages

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'placement.university.manage')

Tables SQL visibles: stage_reservations, stage_applications, stage_campaigns, student_academic_enrollments, student_enrollments, stage_campaign_participations, etablissements, stage_placements, stage_admissions, stage_placement_history

actions/stages/d4-placements-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'placement.university.view')

Tables SQL visibles: stage_campaigns, stage_types, annees_academiques, stage_campaign_participations, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, promotions, academic_levels, etablissements, stage_placements

actions/stages/d4-solliciter.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/stage-d4-participation.php' ; Permission(\$pdo,'campaign.d4.solicit')

Tables SQL visibles: etablissements, establishment_types, stage_campaign_participations

actions/stages/host-assignment-bulk-start.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-assignment-service.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: stage_assignment_bulk_jobs, host_units, stage_admissions, stage_reservations, stage_applications, stage_campaigns, student_academic_enrollments, student_enrollments, student_profiles, stage_assignments, stage_assignment_bulk_job_items

actions/stages/host-assignment-bulk-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: stage_assignment_bulk_jobs, stage_assignment_bulk_job_items

[actions/stages/host-assignment-list.php](#)

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: `_once __DIR__.'../../config/database.php'; _once __DIR__.'../../includes/ajax.php'; _once __DIR__.'../../includes/permissions.php'; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES']);`

```
d=$stageFee||$stagiaFee||$invoiceAmount>0 ;
```

```
d)||($x['invoice_status']==='PAYEE'))||((int)$x['validated_payment_count']>0&&(float)$x['validated_payment_amount']>=$invoice
; d?1:0 ; d?($x['invoice_status']?:'NON_PAYEE'):'NON_REQUIS'
```

Tables SQL visibles: stage_assignments, stage_admissions, role_assignments, roles, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, promotions, filieres, stage_campaigns, etablissemments, host_units, stage_campaign_participations, stagia_hospital_level_fees, stage_invoices, stage_payments

[actions/stages/host-assignment-save.php](#)

Dossier parent: actions/stages

Role: enregistre les donnees recues.

Fichiers parents directs: `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/ajax.php'` ; `_once __DIR__.'../../includes/permissions.php'` ; `_once __DIR__.'../../includes/stage-assignment-service.php'` ;

```
AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES'])
```

Tables SQL visibles: aucune table SQL litterale detectee

[actions/stages/host-attendance-list.php](#)

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: `_once __DIR__.'../../config/database.php'` ; `_once __DIR__.'../../includes/ajax.php'` ; `_once __DIR__.'../../includes/permissions.php'` ;

```
AjaxRole(['ADMIN_ACCUEIL','ENCADREUR','EVALUATEUR_CLINIQUE','POINTEUR'])
```

Tables SQL visibles: stage_rotation_supervisors, role_assignments, roles, stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_campaigns, etablissements, host_units, stage_attendances, attendance_devices

[actions/stages/host-attendance-save.php](#)

Dossier parent: actions/stages

Role: enregistre les donnees recues.

Fichiers parents directs: `_once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ;`

```
AjaxRole(['ADMIN ACCUEIL','ENCADREUR','EVALUATEUR CLINIQUE','POINTEUR'])
```

Tables SQL visibles: stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage rotation supervisors, role assignments, roles, stage attendances, stage attendance review history

actions/stages/host-campaign-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php'

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_reservations, stage_applications, stage_capacity_pools, etablissements

actions/stages/host-campaign-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_campaigns, stage_capacity_pools, stage_campaign_participations

actions/stages/host-campaign-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: etablissements, stage_types, stage_campaigns, stage_capacity_pools

actions/stages/host-completion-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-completion.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: pour, stage_assignments, stage_admissions, stage_reservations, stage_applications, stage_placements, student_profiles, stage_campaigns, host_units, stage_completions, stage_certificates

actions/stages/host-completion-validate.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-completion.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_assignments, stage_certificates, stage_completions, stage_evaluations

actions/stages/host-evaluation-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole([

Tables SQL visibles: role_assignments, role_permissions, permissions, roles, host_units, stage_rotation_supervisors, stage_logbook_entries, stage_attendances, stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_campaigns, stage_campaign_promotions, promotion_stage_configs, stage_referentials, etablissements, stage_evaluations, users, stage_evaluation_scores, stage_referential_competencies, stage_competencies

actions/stages/host-evaluation-review.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole([

Tables SQL visibles: role_assignments, role_permissions, permissions, roles, host_units, stage_evaluations, stage_rotations, stage_evaluation_status_history

actions/stages/host-evaluation-save.php

Dossier parent: actions/stages

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ENCADREUR','EVALUATEUR_CLINIQUE','ADMIN_ACCUEIL'])

Tables SQL visibles: role_assignments, role_permissions, permissions, stage_rotation_supervisors, stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_campaigns, stage_campaign_promotions, promotion_stage_configs, stage_referentials, stage_referential_competencies, stage_competencies, stage_evaluations, stage_evaluation_scores, stage_evaluation_status_history

actions/stages/host-logbook-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL','ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_rotation_supervisors, stage_logbook_activities, stage_logbook_entries, student_profiles, stage_rotations, host_units, stage_assignments, stage_admissions, stage_reservations, stage_applications, stage_campaigns, etablissements

actions/stages/host-logbook-review.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL','ENCADREUR','EVALUATEUR_CLINIQUE'])

Tables SQL visibles: stage_logbook_entries, stage_rotations, stage_rotation_supervisors, stage_logbook_review_history

actions/stages/host-participation-response.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_capacity_pools

actions/stages/host-request-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES'])

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_types, etablisements, stage_capacity_pools

actions/stages/host-results-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-results.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','CHEF_SERVICE','AUTORITE_HOSPITALIERE'])

Tables SQL visibles: stage_assignments, stage_admissions, stage_reservations, stage_applications, stage_campaigns, etablisements

actions/stages/host-results-send.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-results.php' ; AjaxRole(['ADMIN_ACCUEIL','COORDINATEUR_STAGES','AUTORITE_HOSPITALIERE'])

Tables SQL visibles: stage_result_transmissions, stage_result_items

actions/stages/host-rotation-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_rotations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_campaigns, etablissements, host_units, stage_rotation_supervisors, users

actions/stages/host-rotation-save.php

Dossier parent: actions/stages

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_assignments, host_units, stage_rotations, etablissement_users, users, stage_rotation_supervisors, principal

actions/stages/host-rotation-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_rotations

actions/stages/host-student-admit.php

Dossier parent: actions/stages

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php'

Tables SQL visibles: stage_reservations, stage_applications, stage_admissions

actions/stages/host-student-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, promotions, filieres, stage_campaigns, etablissements, stage_admissions

actions/stages/host-supervisor-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: etablisement_users, users, roles

actions/stages/host-unit-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php'

Tables SQL visibles: host_units

actions/stages/host-unit-save.php

Dossier parent: actions/stages

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['ADMIN_ACCUEIL'])

Tables SQL visibles: host_units

actions/stages/host-unit-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php'

Tables SQL visibles: host_units

actions/stages/participation-cancel.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_campaign_participations, stage_campaigns

actions/stages/participation-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_campaigns, stage_types, etablisements, stage_campaign_participations

actions/stages/payment-simulate-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_payments, stage_invoices, stage_applications, stage_campaigns,
student_academic_enrollments, student_enrollments, student_profiles, etablissements

actions/stages/payment-simulate-success.php

Dossier parent: actions/stages

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ;
_once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE']) ;
d=(float)\$p['invoice_amount'] ; d){ ; d'=>\$required, ; d-\$paid)

Tables SQL visibles: stage_payments, stage_invoices, stage_reservations, stage_applications, stage_campaigns,
stage_admissions

actions/stages/stage-monitoring-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once
__DIR__.'../../includes/permissions.php' ; AjaxRole([

Tables SQL visibles: stage_rotations, stage_attendances, stage_logbook_entries, stage_evaluations,
stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments,
promotions, student_enrollments, stage_placements, student_profiles, stage_campaigns, etablissements, host_units,
information_schema

actions/stages/stage-notification-feed.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/config.php' ; _once __DIR__.'../../config/database.php' ; _once
__DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/auth.php' ; _once
__DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/chef-service-scope.php'

Tables SQL visibles: stage_campaign_participations, stage_campaigns, stage_types, etablissements,
stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments,
student_profiles, stage_assignments, host_units, stage_evaluations, stage_rotations, stage_result_transmissions,
stage_logbook_entries, stage_attendances, stage_rotation_supervisors, stage_tasks, stage_campaign_promotions,
stage_completions, stage_supervision_feedbacks

actions/stages/stage-type-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; _once __DIR__.'../../includes/stage-type.php' ; StageTypeManage(\$pdo)

Tables SQL visibles: stage_campaigns, stage_type_policies, stage_types, etablisements

actions/stages/stage-type-objective.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; Permission(\$pdo,'campaign.university.view')

Tables SQL visibles: stage_types

actions/stages/stage-type-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-type.php' ; StageTypeManage(\$pdo)

Tables SQL visibles: stage_types

actions/stages/stage-type-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-campaign.php' ; _once __DIR__.'../../includes/stage-type.php' ; StageTypeManage(\$pdo)

Tables SQL visibles: stage_types

actions/stages/stage-type-update.php

Dossier parent: actions/stages

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-type.php' ; StageTypeManage(\$pdo)

Tables SQL visibles: stage_types

actions/stages/student-my-stages.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_campaigns, etablissements, host_units, stage_completions, stage_certificates

actions/stages/student-reservation-confirm.php

Dossier parent: actions/stages

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php'

Tables SQL visibles: stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, student_profiles, stage_campaign_participations

actions/stages/student-reservation-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablissements, stage_campaign_participations

actions/stages/student-stage-options.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, stage_campaigns, stage_types, stage_campaign_promotions, annees_academiques, promotions, filieres, stage_applications, stage_reservations, stage_campaign_participations, etablissements

actions/stages/student-stage-reserve.php

Dossier parent: actions/stages

Role: enregistre une reservation.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['STAGIAIRE'])

Tables SQL visibles: student_profiles, student_academic_enrollments, student_enrollments, stage_campaigns, stage_campaign_promotions, stage_campaign_participations, etablissements, stage_reservations, stage_applications, stage_admissions

actions/stages/training-plan-item-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'update')

Tables SQL visibles: stage_training_plan_items

actions/stages/training-plan-item-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'update') ; d=!empty(\$_POST['obligatoire'])?1:0 ; d])

Tables SQL visibles: stage_training_plan_items

actions/stages/training-plan-item-update.php

Dossier parent: actions/stages

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'update') ; d=!empty(\$_POST['obligatoire'])?1:0 ; d,\$id])

Tables SQL visibles: stage_training_plan_items

actions/stages/training-plan-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'view')

Tables SQL visibles: stage_training_plan_items, stage_training_plans, stage_campaigns, stage_types, stage_referentials, stage_referential_objectives, host_units, users, etablissement_users

actions/stages/training-plan-status.php

Dossier parent: actions/stages

Role: modifie un statut.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'publish')

Tables SQL visibles: stage_training_plan_items, stage_training_plans

actions/stages/training-plan-store.php

Dossier parent: actions/stages

Role: cree et enregistre une donnee.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'create')

Tables SQL visibles: stage_training_plans

actions/stages/training-plan-update.php

Dossier parent: actions/stages

Role: modifie une donnee existante.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/auth.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-training.php' ; TrainingPlanAccess(\$pdo,'update')

Tables SQL visibles: stage_training_plan_items, stage_training_plans

actions/stages/university-application-decision.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_admissions, stage_applications, stage_campaigns, student_academic_enrollments, student_enrollments, stage_reservations, stage_campaign_participations, stage_invoices

actions/stages/university-application-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/ajax.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_applications, stage_campaigns, student_academic_enrollments, student_enrollments, student_profiles, promotions, filieres, etablissements, stage_reservations, stage_campaign_participations, stage_invoices

actions/stages/university-results-list.php

Dossier parent: actions/stages

Role: lit et retourne une liste de donnees.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-results.php' ; AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_result_transmissions, stage_campaigns, etablissements, stage_result_items, student_profiles, stage_assignments

actions/stages/university-results-review.php

Dossier parent: actions/stages

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; _once __DIR__.'../../includes/ajax.php' ; _once __DIR__.'../../includes/permissions.php' ; _once __DIR__.'../../includes/stage-results.php' ;

AjaxRole(['ADMIN_ETABLISSEMENT','RESPONSABLE_PEDAGOGIQUE'])

Tables SQL visibles: stage_result_transmissions

api/v1/api-auth.php

Dossier parent: api/v1

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; ApiUser(PDO \$pdo){ ; ApiMethod(string \$method){ ; ApiStudent(PDO \$pdo){ ; ApiUser(\$pdo)

Tables SQL visibles: api_tokens, users, roles, student_profiles

api/v1/auth/login.php

Dossier parent: api/v1/auth

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../bootstrap.php'

Tables SQL visibles: users, roles, student_profiles

api/v1/auth/logout.php

Dossier parent: api/v1/auth

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../_bootstrap.php'

Tables SQL visibles: api_mobile_sessions

api/v1/auth/refresh.php

Dossier parent: api/v1/auth

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../_bootstrap.php'

Tables SQL visibles: api_mobile_sessions

api/v1/bootstrap.php

Dossier parent: api/v1

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; ApiUser(PDO \$pdo){

Tables SQL visibles: api_tokens, users

api/v1/includes/auth.php

Dossier parent: api/v1/includes

Role: traite la requete et retourne une reponse JSON.

Fichiers parents directs: _once __DIR__.'../../config/database.php' ; ApiUser(; ApiMethod(; ApiStudent(

Tables SQL visibles: api_tokens, users, roles, student_profiles

api/v1/me.php

Dossier parent: api/v1

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'/api-auth.php' ; ApiMethod('GET') ; ApiUser(\$pdo)

Tables SQL visibles: users, roles, student_profiles

api/v1/student/academic-path.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../bootstrap.php' ; ApiUser(\$pdo)

Tables SQL visibles: student_profiles, student_enrollments, student_academic_enrollments, annees_academiques, promotions, filieres, departements, facultes

api/v1/student/admission.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablisements, stage_admissions, stage_assignments, host_units, stage_completions

api/v1/student/applications.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablisements, stage_reservations, stage_admissions, stage_assignments, stage_completions

api/v1/student/attendance.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_attendances, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablisements, host_units

api/v1/student/dashboard.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_applications, student_academic_enrollments, student_enrollments, stage_reservations, stage_assignments, stage_admissions, stage_completions, stage_certificates, stage_campaigns, etablissements, host_units

api/v1/student/documents.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; _once __DIR__.'../../config/config.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_certificates, stage_completions, stage_assignments, host_units, etablissements, stage_campaigns

api/v1/student/enrollments.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../bootstrap.php' ; ApiUser(\$pdo)

Tables SQL visibles: student_profiles, student_enrollments

api/v1/student/evaluations.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_evaluations, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablissements, host_units

api/v1/student/logbook-save.php

Dossier parent: api/v1/student

Role: enregistre les donnees recues.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('POST') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_rotations, stage_logbook_entries, stage_logbook_activities

api/v1/student/logbook-submit.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('POST') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_logbook_entries, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_completions, stage_logbook_activities

api/v1/student/logbook.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_logbook_entries, stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablisements, host_units, stage_logbook_activities

api/v1/student/payment-checkout.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('POST') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaign_participations, etablisements, stage_invoices

api/v1/student/payment-sync.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('POST') ; ApiStudent(\$pdo) ; dAmount= ; dAmount<=0 ; dAmount ; dAmount, ; dAmount>0 ; dAmount-\$paidTotal,2))

Tables SQL visibles: stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaign_participations, etablisements, stage_invoices, stage_payments

api/v1/student/payments.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_invoices, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablisements, stage_payments

api/v1/student/profile.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../includes/auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: student_profiles, users, student_enrollments, etablissements, student_academic_enrollments, annees_academiques, promotions, filieres

api/v1/student/reservations.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablissements, stage_campaign_participations, stage_admissions, stage_assignments, stage_completions

api/v1/student/reserve.php

Dossier parent: api/v1/student

Role: enregistre une reservation.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('POST') ; ApiStudent(\$pdo) ; d'=>

Tables SQL visibles: student_academic_enrollments, student_enrollments, stage_campaigns, stage_types, stage_campaign_promotions, stage_completions, stage_campaign_participations, etablissements, stage_reservations, stage_applications, stage_admissions, stage_assignments

api/v1/student/stage-options.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: student_academic_enrollments, student_enrollments, stage_campaigns, stage_types, stage_campaign_promotions, promotions, filieres, stage_applications, stage_reservations, stage_admissions, stage_assignments, stage_completions, stage_campaign_participations, etablissements

api/v1/student/stages.php

Dossier parent: api/v1/student

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__.'../../api-auth.php' ; ApiMethod('GET') ; ApiStudent(\$pdo)

Tables SQL visibles: stage_assignments, stage_admissions, stage_reservations, stage_applications, student_academic_enrollments, student_enrollments, stage_campaigns, etablissements, host_units, stage_completions, stage_certificates

api/v1/test.php

Dossier parent: api/v1

Role: execute l operation metier nommee par ce fichier.

Fichiers parents directs: _once __DIR__./bootstrap.php'

Tables SQL visibles: aucune table SQL litterale detectee

Fin de la cartographie fonctionnelle