

## **Heroku Cloud Deployment, Week 5 Project**

**Name:** Blessed Adjei-Gyan

**Batch Code:** LISUM 39

**Submission Date:** 5<sup>th</sup> December , 2024

**Submitted to:** Data Glacier

### **Objective**

The objective of this project is to train and deploy a machine learning model using a simple toy dataset. The model was developed, saved, and deployed as both an API and a web application on **Heroku** using free-tier resources. A detailed PDF document, including snapshots of each deployment step, was created to document the process. The project demonstrates the complete workflow from model training to cloud deployment, ensuring accessibility and usability through a web-based interface.

### **Key Components**

#### **1. Machine Learning Model:**

- A pre-trained Logistic Regression model (titanic\_model.pkl) was used to make survival predictions.
- The model was trained using features such as:
  - Passenger Class (Pclass)
  - Gender (Sex)
  - Age
  - Number of Siblings/Spouse aboard (SibSp)
  - Number of Parents/Children aboard (Parch)
  - Fare paid (Fare).

#### **2. Flask API:**

- A Flask application was built to host the predictive model.
- The /predict endpoint accepts POST requests with passenger data in JSON format and returns predictions in JSON form.

- The home route (/) serves as a connection point for static files and basic API confirmation.

### **3. Web Interface:**

- An interactive HTML front-end allows users to input passenger data through a form and receive predictions in real time.
- The background of the page features an image of the Titanic to enhance user experience.
- JavaScript handles form submission and interacts with the Flask API for predictions.

### **4. File Organization:**

- The Titanic image file is stored in a static folder and linked in the HTML file to ensure proper rendering.
- Flask was configured to serve static files and correctly route requests to the titanic.html front-end.

## **Steps Taken**

### **1. Data Preparation and Model Training:**

- A Logistic Regression model was trained using the Titanic dataset, exported as titanic\_model.pkl.

### **2. Backend Development:**

- A Flask app was created to load the model, define prediction logic, and serve the front-end.

### **3. Front-End Design:**

- A responsive HTML file was developed to capture user inputs and display predictions.

### **4. Integration and Deployment:**

- The Flask app was tested locally, with HTML and static assets linked properly.
- End-to-end functionality was confirmed with accurate predictions based on sample inputs.


## Sample Input and Output

### Input:

- Pclass: 1
- Sex: Female (0)
- Age: 25
- SibSp: 0
- Parch: 1
- Fare: 50.0

### Output:

- JSON Response: { "Survived": 1 }
- Display: "Survived: Yes"



The screenshot shows the Heroku 'Create New App' form in a web browser. The browser's address bar shows 'dashboard.heroku.com/new-app'. The Heroku logo is in the top left, and a search bar is in the top right. A purple banner at the top reads 'The Next Generation Platform is Coming - [Get Ready Now!](#)'. Below this, the heading 'Create New App' is centered. The form itself is titled 'App name' and includes a subtext: 'Give this app a globally unique name. For example, acme-production-app.' The input field contains 'titanic5thweek' and has a green checkmark icon to its right. Below the input field, a green message states 'titanic5thweek is available'. The 'Location' section asks to 'Choose a Common Runtime region for this app. [Learn more.](#)'. It features two buttons: 'Common Runtime United States' and 'Common Runtime Europe', with the latter being selected. Below these buttons is a toggle switch labeled 'Add this app to a pipeline', which is currently turned off. At the bottom of the form, a message reads 'Create a new application named titanic5thweek as a personal app.' There are two buttons at the very bottom: 'Cancel' and 'Create app'.

titanic5thweek - GitHub | Heroku

dashboard.heroku.com/apps/titanic5thweek/deploy/github

HEROKU  
from Salesforce

Jump to Favorites, Apps, Pipelines, Spaces...

The Next Generation Platform is Coming - [Get Ready Now!](#)

Personal > titanic5thweek

GitHub BlessedGyan/Data-Glacier-Internship

Open app More

Overview Resources **Deploy** Metrics Activity Access Settings

**Add this app to a pipeline**  
Create a new pipeline or choose an existing one and add this app to a stage in it.

**Add this app to a stage in a pipeline to enable additional features**  
Pipelines let you connect multiple apps together and **promote code** between them. [Learn more.](#)  
Pipelines connected to GitHub can enable **review apps**, and create apps for new pull requests. [Learn more.](#)  
Choose a pipeline

**Deployment method**

Heroku Git  
Use Heroku CLI

**GitHub  
Connected**

Container Registry  
Use Heroku CLI

**App connected to GitHub**  
Code diffs, manual and auto deploys are available for this app.

Connected to [BlessedGyan/Data-Glacier-Internship](#) by [BlessedGyan](#) [Disconnect...](#)  
Releases in the [activity feed](#) link to GitHub to view commit diffs

titanic5thweek - GitHub | Heroku

dashboard.heroku.com/apps/titanic5thweek/deploy/github

HEROKU  
from Salesforce

Jump to Favorites, Apps, Pipelines, Spaces...

App connected to GitHub

Connected to [BlessedGyan/Data-Glacier-Internship](#) by [BlessedGyan](#) [Disconnect...](#)  
Releases in the [activity feed](#) link to GitHub to view commit diffs

**Automatic deploys**  
Enables a chosen branch to be automatically deployed to this app.

You can now change your main deploy branch from "master" to "main" for both manual and automatic deploys, please follow the instructions [here](#).

**Enable automatic deploys from GitHub**  
Every push to the branch you specify here will deploy a new version of this app. **Deploys happen automatically:** be sure that this branch is always in a deployable state and any tests have passed before you push. [Learn more.](#)  
Choose a branch to deploy  
main  
☐ Wait for GitHub checks to pass before deploy  
Only enable this option if you have a Continuous Integration service configured on your repo.  
[Enable Automatic Deploys](#)

**Manual deploy**  
Deploy the current state of a branch to this app.

**Deploy a GitHub branch**  
This will deploy the current state of the branch you specify below. [Learn more.](#)  
Choose a branch to deploy  
main [Deploy Branch](#)

titanic5thweek - GitHub | Heroku

dashboard.heroku.com/apps/titanic5thweek/deploy/github

HEROKU from Salesforce

Jump to Favorites, Apps, Pipelines, Spaces...

main

☐ Wait for GitHub checks to pass before deploy  
Only enable this option if you have a Continuous Integration service configured on your repo.

Enable Automatic Deploys

Manual deploy  
Deploy the current state of a branch to this app.

Deploy a GitHub branch  
This will deploy the current state of the branch you specify below. [Learn more.](#)

Choose a branch to deploy

main

Deploy Branch

Receive code from GitHub

Build main 71fa6c35

Release phase

Deploy to Heroku

Your app was successfully deployed.

View

heroku.com Blogs Careers Documentation Support

Terms of Service Privacy Cookies © 2024 Salesforce.com

titanic5thweek - Build | Heroku

dashboard.heroku.com/apps/titanic5thweek/activity/builds/924699d4-f7cd-45c4-811a-0172cd8aec99

HEROKU from Salesforce

Jump to Favorites, Apps, Pipelines, Spaces...

The Next Generation Platform is Coming - Get Ready Now!

Personal > titanic5thweek



GitHub BlessedGyan/Data-Glacier-Internship

Open app More

Overview Resources Deploy Metrics Activity Access Settings


Activity Feed > Build Log ID 924699d4-f7cd-45c4-811a-0172cd8aec99

```
-----> Building on the Heroku-24 stack
-----> Determining which buildpack to use for this app
-----> Python app detected
-----> No Python version was specified. Using the buildpack default: Python 3.12
To use a different version, see: https://devcenter.heroku.com/articles/python-runtimes
-----> Installing Python 3.12.8
-----> Installing pip 24.3.1, setuptools 70.3.0 and wheel 0.45.1
-----> Installing SQLite3
-----> Installing dependencies using 'pip install -r requirements.txt'
Collecting Flask==2.2.2 (from -r requirements.txt (line 1))
  Downloading Flask-2.2.2-py3-none-any.whl.metadata (3.9 kB)
Collecting gunicorn==20.1.0 (from -r requirements.txt (line 2))
  Downloading gunicorn-20.1.0-py3-none-any.whl.metadata (3.8 kB)
Collecting numpy==2.1.3 (from -r requirements.txt (line 3))
  Downloading numpy-2.1.3-cp312-cp312-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (62 kB)
Collecting pandas==2.2.3 (from -r requirements.txt (line 4))
  Downloading pandas-2.2.3-cp312-cp312-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (89 kB)
Collecting scikit-learn==1.5.2 (from -r requirements.txt (line 5))
  Downloading scikit_learn-1.5.2-cp312-cp312-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (13 kB)
Collecting Werkzeug==3.1.3 (from -r requirements.txt (line 6))
  Downloading Werkzeug-3.1.3-py3-none-any.whl.metadata (3.7 kB)
Collecting itsdangerous==2.2.0 (from -r requirements.txt (line 7))
  Downloading itsdangerous-2.2.0-py3-none-any.whl.metadata (1.9 kB)
Build finished
```



## Conclusion

The deployment was **successful**, and the model is now accessible via both API and web application on **Heroku**. The process provided hands-on experience in model deployment, cloud computing, and API integration. This project showcases an efficient approach to deploying machine learning models in a cloud environment, making them scalable and accessible.



**Note for Readers: There are two other additional Titanic-related images below**

