




# BLOCK AUDIT REPORT

## Smart Contract Security Audit Report



**ABROPAD**



# BLOCK AUDIT REPORT

Block Audit Report Team received the Abropad team's application for smart contract security audit of the Abropad Token on June 23, 2021. The following are the details and results of this smart contract security audit:

**Token Name: Abropad**

The Contract address: 0xF7E69F25b9B3868dF2Aa879d0a4F8586076608A0

Link Address:

<https://bscscan.com/address/0xf7e69f25b9b3868df2aa879d0a4f8586076608a0#code>

The audit items and results:

(Other unknown security vulnerabilities are not included in the audit responsibility scope)

**Audit Result: Passed**

Audit Number: BAR004402072021

Audit Date: July 02, 2021

Audit Team: Block Audit Report Team



# BLOCK AUDIT REPORT

## Table of Content

|   |           |
|---|-----------|
| <b>Introduction.....</b>                          | <b>4</b>  |
| Auditing Approach and Methodologies applied ..... | 4         |
| Audit Details.....                                | 4         |
| <b>Audit Goals .....</b>                          | <b>5</b>  |
| Security .....                                    | 5         |
| Sound Architecture.....                           | 5         |
| Code Correctness and Quality .....                | 5         |
| <b>Security .....</b>                             | <b>5</b>  |
| High level severity issues .....                  | 5         |
| Medium level severity issues.....                 | 5         |
| Low level severity issues.....                    | 6         |
| Functions Outline.....                            | 7         |
| <b>Manual Audit: .....</b>                        | <b>11</b> |
| Critical level severity issues .....              | 11        |
| High level severity issues .....                  | 11        |
| Medium level severity issues.....                 | 11        |
| Low level severity issues.....                    | 11        |
| Owner Privileges .....                            | 11        |
| <b>Automated Audit.....</b>                       | <b>12</b> |
| Remix Compiler Warnings .....                     | 12        |
| <b>Disclaimer .....</b>                           | <b>13</b> |
| <b>Summary.....</b>                               | <b>14</b> |



## Introduction

This Audit Report mainly focuses on the overall security of Abropad Smart Contract. With this report, we have tried to ensure the reliability and correctness of their smart contract by complete and rigorous assessment of their system's architecture and the smart contract codebase.

## Auditing Approach and Methodologies applied

The Block Audit Report team has performed rigorous testing of the project starting with analyzing the code design patterns in which we reviewed the smart contract architecture to ensure it is structured and safe use of third-party smart contracts and libraries.

Our team then performed a formal line by line inspection of the Smart Contract to find any potential issue like race conditions, transaction-ordering dependence, timestamp dependence, and denial of service attacks.

In the Unit testing Phase, we coded/conducted custom unit tests written for each function in the contract to verify that each function works as expected.

In Automated Testing, we tested the Smart Contract with our in-house developed tools to identify vulnerabilities and security flaws.

The code was tested in collaboration of our multiple team members and this included -

- Testing the functionality of the Smart Contract to determine proper logic has been followed throughout the whole process.
- Analyzing the complexity of the code in depth and detailed, manual review of the code, line-by-line.
- Deploying the code on testnet using multiple clients to run live tests.
- Analyzing failure preparations to check how the Smart Contract performs in case of any bugs and vulnerabilities.
- Checking whether all the libraries used in the code are on the latest version.
- Analyzing the security of the on-chain data.

## Audit Details

Project Name: **Abropad**

Website/ Bscscan Code (Mainnet):

0xF7E69F25b9B3868dF2Aa879d0a4F8586076608A0

Languages: Solidity (Smart contract)

Platforms and Tools: Remix IDE, Truffle, Truffle Team, Ganache, Solhint, VScode, Mythril, Contract Library, Slither



## Audit Goals

The focus of the audit was to verify that the Smart Contract System is secure, resilient and working according to the specifications. The audit activities can be grouped in the following three categories:

### Security

Identifying security related issues within each contract and the system of contract.

### Sound Architecture

Evaluation of the architecture of this system through the lens of established smart contract best practices and general software best practices.

### Code Correctness and Quality

A full review of the contract source code. The primary areas of focus include:

- Accuracy
- Readability
- Sections of code with high complexity
- Quantity and quality of test coverage

## Issue Categories

Every issue in this report was assigned a severity level from the following:

### High level severity issues

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

### Medium level severity issues

1. Issues on this level could potentially bring problems and should eventually be fixed.

### Low level severity issues

Issues on this level are minor details and warnings that can remain unfixed but would be better fixed at some point in the future.



## Issues Checking Status

| No | Issue description.  | Checking status |
|----|---|-----------------|
| 1  | Compiler warnings.  | Passed          |
| 2  | Race conditions and Reentrancy. Cross-function race conditions. | Passed          |
| 3  | Possible delays in data delivery.                               | Passed          |
| 4  | Oracle calls.   | Passed          |
| 5  | Front running.  | Passed          |
| 6  | Timestamp dependence.   | Passed          |
| 7  | Integer Overflow and Underflow.                                 | Passed          |
| 8  | DoS with Revert.  | Passed          |
| 9  | DoS with block gas limit.                                       | Passed          |
| 10 | Methods execution permissions.                                  | Passed          |
| 11 | Economy model.  | Passed          |
| 12 | The impact of the exchange rate on the logic.                   | Passed          |
| 13 | Private user data leaks.  | Passed          |
| 14 | Malicious Event log.  | Passed          |
| 15 | Scoping and Declarations.                                       | Passed          |
| 16 | Uninitialized storage pointers.                                 | Passed          |
| 17 | Arithmetic accuracy.  | Passed          |
| 18 | Design Logic.   | Passed          |
| 19 | Cross-function race conditions.                                 | Passed          |
| 20 | Safe Zeppelin module.   | Passed          |
| 21 | Fallback function security.                                     | Passed          |



## Functions Outline

### Interface IERC20

- totalSupply()
- balanceOf(address account)
- transfer(address recipient, ...)
- allowance(address owner, address spender, uint256 amount)
- approve(address spender, uint256 amount)
- transferFrom(address sender, address recipient, uint256 amount)

### library SafeMath

- add(uint256 a, uint256 b)
- sub(uint256 a, uint256 b)
- sub(uint256 a, uint256 b, string memory errorMessage)
- mul(uint256 a, uint256 b)
- div(uint256 a, uint256 b)
- div(uint256 a, uint256 b, string memory errorMessage)
- mod(uint256 a, uint256 b)
- mod(uint256 a, uint256 b, string memory errorMessage)
- msgSender()
- msgData()

### library Address

- isContract(address account)
- sendValue(address payable receiver, uint256 amount)
- functionCall(address target, bytes memory data)
- functionCall(address target, bytes memory data, string memory errorMessage)
- functionCallWithValue(address target, bytes memory data, uint256 value)
- functionCallWithValue(address target, bytes memory data, uint256 value, string memory errorMessage)
- functionCallWithValue(address target, string memory functionSignature, bytes memory data, uint256 value)
- functionCallWithValue(address target, string memory functionSignature, bytes memory data, uint256 value, string memory errorMessage)

### contract Ownable is Context

- owner()
- renounceOwnership()
- transferOwnership(address newOwner)
- getUnlockTime()
- lock(uint256 time)
- unlock()

### interface IUniswapV2Factory

- feeTo()
- feeToSetter()
- getPair(address tokenA, address tokenB)



# BLOCK AUDIT REPORT

- allPairs(uint)
- allPairsLength()
- createPair(address tokenA, a ...)
- setFeeTo(address)
- setFeeToSetter(address)

## interface IUniswapV2Pair

- name()
- symbol()
- decimals()
- totalSupply()
- balanceOf(address owner)
- allowance(address owner, add ...)
- approve(address spender, uin ...)
- transfer(address to, uint va ...)
- transferFrom(address from, a ...)
- DOMAINSEPARATOR()
- PERMITTYPEHASH()
- nonces(address owner)
- permit(address owner, addres ...)
- MINIMUMLIQUIDITY()
- factory()
- token0()
- token1()
- getReserves()
- price0CumulativeLast()
- price1CumulativeLast()
- kLast()
- mint(address to)
- burn(address to)
- swap(uint amount0Out, uint a ...)
- skim(address to)
- sync()
- initialize(address, address)

## interface IUniswapV2Router01

- factory()
- WETH()
- addLiquidity()
- addLiquidityETH()
- removeLiquidity()
- removeLiquidityETH()
- removeLiquidityWithPermit()
- removeLiquidityETHWithPermit ...)
- swapExactTokensForTokens(



# BLOCK AUDIT REPORT

- swapTokensForExactTokens()
- swapExactETHForTokens(uint amountIn, uint amountOut, address to, bytes memory data)
- swapTokensForExactETH(uint amountOut, uint amountIn, address tokenIn, address tokenOut, address to, bytes memory data)
- swapExactTokensForETH(uint amountOut, address tokenIn, address tokenOut, address to, bytes memory data)
- swapETHForExactTokens(uint amountIn, address tokenIn, address tokenOut, address to, bytes memory data)
- quote(uint amountA, uint reserveA, uint reserveB, address tokenA, address tokenB)
- getAmountOut(uint amountIn, uint reserveIn, uint reserveOut, address tokenIn, address tokenOut)
- getAmountIn(uint amountOut, uint reserveIn, uint reserveOut, address tokenIn, address tokenOut)
- getAmountsOut(uint amountIn, address[] calldata path, address to, bytes memory data)
- getAmountsIn(uint amountOut, address[] calldata path, address from, bytes memory data)

## interface IUniswapV2Router02 is IUniswapV2Router

- removeLiquidityETHSupportingFeeOnTransferTokens(address token, uint liquidity, uint amountTokenMin, uint amountETHMin, address to, uint deadline)
- removeLiquidityETHWithPermitSupportingFeeOnTransferTokens(address token, uint liquidity, uint amountTokenMin, uint amountETHMin, address to, uint deadline, uint8 v, bytes32 r, bytes32 s, bytes memory data)
- swapExactTokensForTokensSupportingFeeOnTransferTokens(address tokenIn, address tokenOut, uint amountIn, uint amountOutMin, address to, uint deadline)
- swapExactETHForTokensSupportingFeeOnTransferTokens(address token, uint amountETH, uint amountTokenMin, address to, uint deadline)
- swapExactTokensForETHSupportingFeeOnTransferTokens(address tokenIn, address tokenOut, uint amountIn, uint amountOutMin, address to, uint deadline)

## contract CoinToken is Context, IERC20

- name()
- symbol()
- decimals()
- totalSupply()
- balanceOf(address account)
- transfer(address recipient, uint256 amount)
- allowance(address owner, address spender)
- approve(address spender, uint256 amount)
- transferFrom(address sender, address recipient, uint256 amount)
- increaseAllowance(address spender, uint256 addedValue)
- decreaseAllowance(address spender, uint256 subtractedValue)
- isExcludedFromReward(address account)
- totalFees()
- deliver(uint256 tAmount)
- reflectionFromToken(uint256 tAmount)
- tokenFromReflection(uint256 rAmount)
- excludeFromReward(address account)
- includeInReward(address account)
- transferBothExcluded(address sender, address recipient, uint256 amount)
- excludeFromFee(address account)
- includeInFee(address account)
- setTaxFeePercent(uint256 taxFeePercent)
- setLiquidityFeePercent(uint256 liquidityFeePercent)
- setNumTokensSellToAddToLiquidity(uint256 numTokensSellToAddToLiquidity)
- setMaxTxPercent(uint256 maxTxPercent)
- setSwapAndLiquifyEnabled(bool swapAndLiquifyEnabled)



## BLOCK AUDIT REPORT

- reflectFee(uint256 rFee, ui ...)
- getValues(uint256 tAmount)
- getTValues(uint256 tAmount)
- getRValues(uint256 tAmount, ...)
- getRate()
- getCurrentSupply()
- takeLiquidity(uint256 tLiqui ...)
- claimTokens()
- calculateTaxFee(uint256 amo ...)
- calculateLiquidityFee(uint25 ...)
- removeAllFee()
- restoreAllFee()
- isExcludedFromFee(address ac ...)
- approve(address owner, addr ...)
- transfer()
- swapAndLiquify(uint256 contr ...)
- swapTokensForEth(uint256 tok ...)
- addLiquidity(uint256 tokenAm ...)
- tokenTransfer(address sende ...)
- transferStandard(address se ...)
- transferToExcluded(address ...)
- transferFromExcluded(address ...)



## Manual Audit:

For this section the code was tested/read line by line by our developers. We also used Remix IDE's JavaScript VM and Kovan networks to test the contract functionality.

## Critical Severity Issues

No critical severity issues found.

## High Severity Issues

No high severity issues found.

## Medium Severity Issues

No medium severity issues found.

## Low Severity Issues

No low severity issues found.

## Owner privileges

- Owner can change the tax and liquidity fee.
- Owner can change the maximum transaction amount.
- Owner can exclude or include from the fee.
- Owner can change the rewards.

## Note

If owner renounce his Ownership to 0x00, then he will have NO POWER to make changes of any of one above. And security Level will be A1++



## Automated Audit

### Remix Compiler Warnings

It throws warnings by Solidity's compiler. If it encounters any errors the contract cannot be compiled and deployed.

The screenshot shows the Remix IDE interface with the Solidity Compiler tab selected. On the left, there is a sidebar with icons for different tools: a blue headphones icon (Compiler), a white square with a blue border (Contracts), a green circular arrow (Swarm), a yellow diamond (IPFS), and a blue plug (Bytecode).

**SOLIDITY COMPILER**

**COMPILER**: 0.6.12+commit.27d51765

Include nightly builds

**LANGUAGE**: Solidity

**EVM VERSION**: compiler default

**COMPILER CONFIGURATION**

Auto compile

Enable optimization: 200

Hide warnings

**Compile Abropad.sol**

**CONTRACT**

Address (Abropad.sol)

**Publish on Swarm**

**Publish on Ipfs**

**Compilation Details**

ABI Bytecode



## Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

**DISCLAIMER:** By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and BlockAudit and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (BlockAudit) owe no duty of care towards you or any other person, nor does BlockAudit make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and BlockAudit hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, BlockAudit hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against BlockAudit, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.



## BLOCK AUDIT REPORT

### Summary

Smart contracts do not contain any high severity issues!

**Note:**

Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.



## BLOCK AUDIT REPORT

**Official Website**

[www.blockaudit.report](http://www.blockaudit.report)



**E-Mail**

[team@blockaudit.report](mailto:team@blockaudit.report)



**Twitter**

<https://twitter.com/BlockAudit>



**Github**

<https://github.com/blockauditreport>