

NR	SYSCALL NAME	references	eax	ARG0 (ebx)	ARG1 (ecx)	ARG2 (edx)	ARG3 (esi)	ARG4 (edi)	ARG5 (ebp)
0	restart_syscall	man/ cs/	0	-	-	-	-	-	-
1	exit	man/ cs/	1	int error_code	-	-	-	-	-
2	fork	man/ cs/	2	-	-	-	-	-	-
3	read	man/ cs/	3	unsigned int fd	char *buf	size_t count	-	-	-
4	write	man/ cs/	4	unsigned int fd	const char *buf	size_t count	-	-	-
5	open	man/ cs/	5	const char *filename	int flags	umode_t mode	-	-	-
6	close	man/ cs/	6	unsigned int fd	-	-	-	-	-
7	waitpid	man/ cs/	7	pid_t pid	int *stat_addr	int options	-	-	-
8	creat	man/ cs/	8	const char *pathname	umode_t mode	-	-	-	-
9	link	man/ cs/	9	const char *oldname	const char *newname	-	-	-	-
10	unlink	man/ cs/	A	const char *pathname	-	-	-	-	-
11	execve	man/ cs/	B	const char *filename	const char *const *argv	const char *const *envp	-	-	-
12	chdir	man/ cs/	C	const char *filename	-	-	-	-	-
13	time	man/ cs/	D	time_t *tloc	-	-	-	-	-
14	mknod	man/ cs/	E	const char *filename	umode_t mode	unsigned dev	-	-	-

NR	SYSCALL NAME	references	eax	ARG0 (ebx)	ARG1 (ecx)	ARG2 (edx)	ARG3 (esi)	ARG4 (edi)	ARG5 (ebp)
15	chmod	man/ cs/	F	const char *filename	umode_t mode	-	-	-	-
16	lchown	man/ cs/	10	const char *filename	uid_t user	gid_t group	-	-	-
17	break	man/ cs/	11	?	?	?	?	?	?
18	oldstat	man/ cs/	12	?	?	?	?	?	?
19	lseek	man/ cs/	13	unsigned int fd	off_t offset	unsigned int whence	-	-	-
20	getpid	man/ cs/	14	-	-	-	-	-	-
21	mount	man/ cs/	15	char *dev_name	char *dir_name	char *type	unsigned long flags	void *data	-
22	umount	man/ cs/	16	char *name	int flags	-	-	-	-
23	setuid	man/ cs/	17	uid_t uid	-	-	-	-	-
24	getuid	man/ cs/	18	-	-	-	-	-	-
25	stime	man/ cs/	19	time_t *tptr	-	-	-	-	-
26	ptrace	man/ cs/	1A	long request	long pid	unsigned long addr	unsigned long data	-	-
27	alarm	man/ cs/	1B	unsigned int seconds	-	-	-	-	-
28	oldfstat	man/ cs/	1C	?	?	?	?	?	?
29	pause	man/ cs/	1D	-	-	-	-	-	-
30	utime	man/ cs/	1E	char *filename	struct utimbuf *times	-	-	-	-
31	stty	man/ cs/	1F	?	?	?	?	?	?
32	gtty	man/ cs/	20	?	?	?	?	?	?

NR	SYSCALL NAME	references	eax	ARG0 (ebx)	ARG1 (ecx)	ARG2 (edx)	ARG3 (esi)	ARG4 (edi)	ARG5 (ebp)
33	access	man/ cs/	21	const char *filename	int mode	-	-	-	-
34	nice	man/ cs/	22	int increment	-	-	-	-	-
35	ftime	man/ cs/	23	?	?	?	?	?	?
36	sync	man/ cs/	24	-	-	-	-	-	-
37	kill	man/ cs/	25	pid_t pid	int sig	-	-	-	-
38	rename	man/ cs/	26	const char *oldname	const char *newname	-	-	-	-
39	mkdir	man/ cs/	27	const char *pathname	umode_t mode	-	-	-	-
40	rmdir	man/ cs/	28	const char *pathname	-	-	-	-	-
41	dup	man/ cs/	29	unsigned int fildes	-	-	-	-	-
42	pipe	man/ cs/	2A	int *fildes	-	-	-	-	-
43	times	man/ cs/	2B	struct tms *tbuf	-	-	-	-	-
44	prof	man/ cs/	2C	?	?	?	?	?	?
45	brk	man/ cs/	2D	unsigned long brk	-	-	-	-	-
46	setgid	man/ cs/	2E	gid_t gid	-	-	-	-	-
47	getgid	man/ cs/	2F	-	-	-	-	-	-
48	signal	man/ cs/	30	int sig	__sighandler_t handler	-	-	-	-
49	geteuid	man/ cs/	31	-	-	-	-	-	-