





Project: QatarBet

Website: https://qatarbet.io/



BlockSAFU Score:

94

Contract Address:

0x4CcE7603910B5c388467da2e497D32BA37B934Af

DISCLAMER

BlockSAFU has completed this report to provide a summary of the Smart Contract functions, and any security, dependency, or cybersecurity vulnerabilities. This is often a constrained report on our discoveries based on our investigation and understanding of the current programming versions as of this report's date. To understand the full scope of our analysis, it is vital for you to at the date of this report. To understand the full scope of our analysis, you need to review the complete report. Although we have done our best in conducting our investigation and creating this report, it is vital to note that you should not depend on this report and cannot make any claim against BlockSAFU or its Subsidiaries and Team members on the premise of what has or has not been included in the report. Please remember to conduct your independent examinations before making any investment choices. We do not provide investment advice or in any way claim to determine if the project will be successful or not.

By perusing this report or any portion of it, you concur to the terms of this disclaimer. In the unlikely situation where you do not concur to the terms, you should immediately terminate reading this report, and erase and discard any duplicates of this report downloaded and/or printed by you. This report is given for data purposes as it were and on a non-reliance premise and does not constitute speculation counsel. No one should have any right to depend on the report or its substance, and BlockSAFU and its members (including holding companies, shareholders, backups, representatives, chiefs, officers, and other agents) BlockSAFU and its subsidiaries owe no obligation of care towards you or any other person, nor does BlockSAFU make any guarantee or representation to any individual on the precision or completeness of the report.

ABOUT THE AUDITOR:

BlockSAFU (BSAFU) is an Anti-Scam Token Utility that reviews Smart Contracts and Token information to Identify Rug Pull and Honey Pot scamming activity. BlockSAFUs Development Team consists of several Smart Contract creators, Auditors Developers, and Blockchain experts. BlockSAFU provides solutions, prevents, and hunts down scammers. BSAFU is a utility token with features Audit, KYC, Token Generators, and Bounty Scammers. It will enrich the crypto ecosystem.



OVERVIEW

BlockSAFU was commissioned by QatarBet to complete a Smart Contract audit. The objective of the Audit is to achieve the following:

- Review the Project and experience and Development team
- Ensure that the Smart Contract functions are necessary and operate as intended.
- Identify any vulnerabilities in the Smart Contract code.

DISCLAIMER: This Audit is intended to inform about token Contract Risks, the result does not imply an endorsement or provide financial advice in any way, all investments are made at your own risk. (https://blocksafu.com/)

SMART CONTRACT REVIEW

Token Name	Qatar Bet
Token Symbol	QB
Token Decimal	18
Total Supply	100,000,000 QB
Contract Address	0x4CcE7603910B5c388467da2e497D32BA37B934Af
Deployer Address	0x37C5387098C9432FF3763D93884c27FC8f059268
Owner Address	0x37c5387098c9432ff3763d93884c27fc8f059268
Tax Fees Buy	5%
Tax Fees Sell	6%
Gas Used for Buy	will be updated after the DEX listing
Gas Used for Sell	will be updated after the DEX listing
Contract Created	Aug-24-2022 01:49:38 PM +UTC
Initial Liquidity	will be updated after the DEX listing
Liquidity Status	Locked
Unlocked Date	will be updated after the DEX listing
Verified CA	Yes
Compiler	v0.7.6+commit.7338295f
Optimization	Yes with 200 runs
Sol License	Unlicense
Top 5 Holders	will be updated after the DEX listing
Other	default evmVersion

TAX

BUY	5%	SELL	6%
burn Fee	1%	Sell Fee	1%
ecosystem Fee	2%	Burn Fee	1%
liquidity Fee	2%	Ecosystem fee	2%
, s		Liquidity Fee	2%

OVERVIEW

Mint Function

- No mint functions.

Fees

- Buy 5% (owner can't set fees over 25% & can't zero).
- Sell 6% (owner can't set fees over 25% & can't zero).

Tx Amount

Owner cannot set the max tx amount.

Transfer Pausable

- Owner cannot pause.

Blacklist

- Owner cannot blacklist.

Ownership

- Owner cannot take back ownership.

Proxy

- This contract has no proxy.

Anti Whale

- Owner cannot limit the number of wallet holdings.

Trading Cooldown

- Owner cannot set the selling time interval.

Note: For investors please don't add liquidity, because only the owner has permission to remove liquidity

Token Holder

Rank	Address	Quantity	Percentage	Analytics
1	0x37c5367096c9432ff3763d93884c27(c6f059268	100,000,000	100.0000%	<u>~*</u>
				[Download CSV Export ±]
				[Download CSV Export ±]

Team Review

The QatarBet team has a nice website, their website is professionally built and the Smart contract is well developed, their social media is growing with over 4 people in their telegram group (count in audit date).

Official Website And Social Media

Website: https://qatarbet.io/

Telegram Group: https://t.me/qatarbetio

Twitter: https://twitter.com/Qatarbet68



MANUAL CODE REVIEW

Minor-risk

1 minor-risk code issue found

Could be fixed, and will not bring problems.

1. The return value of an external transfer/transferFrom return value is checked. Recommendation: use SafeERC20, or ensure that the transfer/transferFrom return value is checked

function transferFrom(
 address sender,
 address recipient,
 uint256 amount
) external returns (bool);

- 2. For investors please don't add liquidity, because only the owner has permission to remove liquidity
- Medium-risk

0 medium-risk code issue found

Should be fixed, could bring problems.

High-Risk

0 high-risk code issues found

Must be fixed, and will bring problem.

Critical-Risk

0 critical-risk code issue

Must be fixed, and will bring problem.

EXTRA NOTES SMART CONTRACT

1. IERC20

```
interface IERC20 {
   * @dev Returns the number of tokens in existence.
 function totalSupply() external view returns (uint256);
 function balanceOf(address account) external view returns (uint256);
 function transfer(address recipient, uint256 amount) external returns (bool);
 function allowance (address owner, address spender) external view returns (uint256);
 function approve(address spender, uint256 amount) external returns (bool);
 function transferFrom(
    address sender,
    address recipient,
    uint256 amount
  ) external returns (bool);
   * @dev Emitted when `value` tokens are moved from one account (`from`) to
  * another (`to`).
  * Note that `value` may be zero.
  event Transfer(address indexed from, address indexed to, uint256 value);
}
```

IERC20 Normal Base Template

2. SafeMath Contract

```
library SafeMath {
    function add(uint256 a, uint256 b) internal pure returns
(uint256) {
        uint256 c = a + b;
        require(c >= a, "SafeMath: addition overflow");
        return c;
    }
    function sub(uint256 a, uint256 b, string memory errorMessage)
internal pure returns (uint256) {
        require(b <= a, errorMessage);</pre>
        uint256 c = a - b;
        return c;
    }
     * @dev Returns the multiplication of two unsigned integers,
reverting on
     * overflow.
     * Counterpart to Solidity's `*` operator.
     * Requirements:
     * - Multiplication cannot overflow.
     */
    function mod(
        uint256 a,
        uint256 b,
        string memory errorMessage
    ) internal pure returns (uint256) {
        unchecked {
            require(b > 0, errorMessage);
            return a % b;
        }
    }
}
```

3. Qatar Bet Contract

```
contract QatarBet is ERC20Detailed, Ownable {
   using SafeMath for uint256;
   using SafeMathInt for int256;
   string public constant _name = "Qatar Bet";
   string public constant symbol = "QB";
   uint8 public constant _decimals = 18;
   IPancakeSwapPair public pairContract;
   mapping(address => bool) _isFeeExempt;
   modifier validRecipient(address to) {
       require(to != address(0x0));
       _;
   }
   uint256 public constant MAX UINT256 = ~uint256(0);
   uint8 public constant RATE_DECIMALS = 7;
   uint256 private constant MAX AMMOUT TO WITH DRAW = 1 * 10**6 *
10** decimals;
   uint256 private constant INITIAL FRAGMENTS SUPPLY =
       100 * 10**6 * 10**_decimals;
   //Buy 5%, Sell 6%
   uint256 public ecosystemFee = 2;
   uint256 public liquidityFee = 2;
   uint256 public burnFee = 1;
   uint256 public sellFee = 1;
   uint256 public totalFee =
ecosystemFee.add(liquidityFee).add(burnFee);
   uint256 public constant feeDenominator = 100;
   address constant DEAD =
address constant ZERO =
```

```
address public ecosystemReceiver;
    address public pairAddress;
    IPancakeSwapRouter public router;
    bool public antiBotEnable = false;
    uint256 public constant antiTime = 15 minutes;
    uint256 public lastAntiTime = 0;
    address public pair;
    bool inSwap = false;
    modifier swapping() {
        inSwap = true;
       inSwap = false;
    }
    uint256 private constant TOTAL_GONS =
        MAX UINT256 - (MAX UINT256 % INITIAL FRAGMENTS SUPPLY);
    bool public autoAddLiquidity;
    uint256 public lastAddLiquidityTime;
    uint256 public totalSupply;
    uint256 private _gonsPerFragment;
    uint256 public _amountToAddLP;
    uint256 public _timeToAddLP = 720 minutes;
    mapping(address => uint256) private _gonBalances;
    mapping(address => mapping(address => uint256)) private
allowedFragments;
    constructor() ERC20Detailed(_name, _symbol, uint8(_decimals))
Ownable() {
        router =
IPancakeSwapRouter(0x10ED43C718714eb63d5aA57B78B54704E256024E);
        pair = IPancakeSwapFactory(router.factory()).createPair(
            router.WETH(),
            address(this)
        );
```

```
ecosystemReceiver =
0x97A95C2837e611d46fD4f8c198cFB91D8F2eC179;
        _allowedFragments[address(this)][address(router)] =
uint256(-1);
        pairAddress = pair;
        pairContract = IPancakeSwapPair(pair);
        _totalSupply = INITIAL_FRAGMENTS_SUPPLY;
        _gonBalances[msg.sender] = TOTAL_GONS;
        _gonsPerFragment = TOTAL_GONS.div(_totalSupply);
        isFeeExempt[ecosystemReceiver] = true;
        _isFeeExempt[msg.sender] = true;
        isFeeExempt[address(this)] = true;
        emit Transfer(address(0x0), msg.sender, _totalSupply);
    }
    function transfer(address to, uint256 value)
        external
        override
        validRecipient(to)
        returns (bool)
    {
        _transferFrom(msg.sender, to, value);
        return true;
    }
    function transferFrom(
        address from,
        address to,
        uint256 value
    ) external override validRecipient(to) returns (bool) {
        if (_allowedFragments[from][msg.sender] != uint256(-1)) {
            _allowedFragments[from][msg.sender] =
_allowedFragments[from][
                msg.sender
            ].sub(value, "Insufficient Allowance");
        }
        _transferFrom(from, to, value);
```

```
return true;
    }
    function _basicTransfer(
        address from,
        address to,
        uint256 amount
    ) internal returns (bool) {
        uint256 gonAmount = amount.mul( gonsPerFragment);
        _gonBalances[from] = _gonBalances[from].sub(gonAmount);
        gonBalances[to] = gonBalances[to].add(gonAmount);
       return true;
    }
    function _transferFrom(
        address sender,
        address recipient,
        uint256 amount
    ) internal returns (bool) {
        require(amount > 100000000, "Amount must be higher than
1000000 wei");
        if (inSwap) {
            return _basicTransfer(sender, recipient, amount);
        }
        if (shouldAddLiquidity()) {
            addLiquidity();
        }
        if (shouldSwapBack()) {
            swapBack();
        }
        uint256 gonAmount = amount.mul( gonsPerFragment);
        _gonBalances[sender] =
_gonBalances[sender].sub(gonAmount);
        uint256 gonAmountReceived = shouldTakeFee(sender,
recipient)
            ? takeFee(sender, recipient, gonAmount)
            : gonAmount;
        _gonBalances[recipient] = _gonBalances[recipient].add(
            gonAmountReceived
```

```
);
        emit Transfer(
            sender,
            recipient,
            gonAmountReceived.div(_gonsPerFragment)
        );
        return true;
    }
    function takeFee(
        address sender,
        address recipient,
        uint256 gonAmount
    ) internal returns (uint256) {
        uint256 totalFee = totalFee;
        uint256 activeTime = lastAntiTime + antiTime;
        if (recipient == pair) {
            totalFee = totalFee.add(sellFee);
        }
        if(antiBotEnable && block.timestamp < activeTime){</pre>
            _totalFee = 25;
        }
        uint256 feeAmount =
gonAmount.mul(_totalFee).div(feeDenominator);
        _gonBalances[address(this)] =
_gonBalances[address(this)].add(feeAmount);
        _gonBalances[DEAD] =
_gonBalances[DEAD].add(gonAmount.mul(burnFee).div(feeDenominator))
        _amountToAddLP = _amountToAddLP +
gonAmount.mul(liquidityFee).div(feeDenominator);
        emit Transfer(sender, address(this),
feeAmount.div(_gonsPerFragment));
        return gonAmount.sub(feeAmount);
```

```
}
    function swapBack() internal swapping {
        uint256 amountToSwap = _gonBalances[address(this)].div(
            _gonsPerFragment
        );
        if (amountToSwap == 0) {
            return;
        }
        uint256 balanceBefore = address(this).balance;
        address[] memory path = new address[](2);
        path[0] = address(this);
        path[1] = router.WETH();
        router.swapExactTokensForETHSupportingFeeOnTransferTokens(
            amountToSwap,
            0,
            path,
            address(this),
            block.timestamp
        );
        uint256 amountETHToTreasuryAndReward =
address(this).balance.sub(
            balanceBefore
        );
        uint256 currentFee = ecosystemFee.add(burnFee);
        (bool success, ) = payable(ecosystemReceiver).call{
amountETHToTreasuryAndReward.mul(ecosystemFee).div( currentFee),
            gas: 30000
       }("");
        require(success, "TransferHelper: BNB_TRANSFER_FAILED");
   }
    function addLiquidity() internal swapping {
```

```
uint256 autoLiquidityAmount = _amountToAddLP.div(
            _gonsPerFragment
        );
        uint256 amountToLiquify = autoLiquidityAmount.div(2);
        uint256 amountToSwap =
autoLiquidityAmount.sub(amountToLiquify);
        if (amountToSwap == 0) {
            return;
        }
        address[] memory path = new address[](2);
        path[0] = address(this);
        path[1] = router.WETH();
        uint256 balanceBefore = address(this).balance;
        router.swapExactTokensForETHSupportingFeeOnTransferTokens(
            amountToSwap,
            0,
            path,
            address(this),
            block.timestamp
        );
        uint256 amountETHLiquidity =
address(this).balance.sub(balanceBefore);
        if (amountToLiquify > 0 && amountETHLiquidity > 0) {
            router.addLiquidityETH{value: amountETHLiquidity}(
                address(this),
                amountToLiquify,
                0,
                0,
                ecosystemReceiver,
                block.timestamp
            );
        }
        amountToAddLP = 0;
        _lastAddLiquidityTime = block.timestamp;
    }
```

```
function withdrawAllToTreasury() external swapping onlyOwner {
        uint256 amountToSwap = gonBalances[address(this)].div(
            _gonsPerFragment
        );
        require(
            amountToSwap > 0,
            "There is no token deposited in token contract"
        );
        //Max amount to swap 1% of total supply
        uint256 realAmountToSwap = amountToSwap >
MAX_AMMOUT_TO_WITH_DRAW ? MAX_AMMOUT_TO_WITH_DRAW : amountToSwap;
        address[] memory path = new address[](2);
        path[0] = address(this);
        path[1] = router.WETH();
        router.swapExactTokensForETHSupportingFeeOnTransferTokens(
            realAmountToSwap,
            0,
            path,
            ecosystemReceiver,
            block.timestamp
        );
    }
    function shouldTakeFee(address from, address to)
        internal
        view
        returns (bool)
        return (pair == from || pair == to) &&
! isFeeExempt[from];
    }
    function shouldSwapBack() internal view returns (bool) {
        return !inSwap && msg.sender != pair;
    }
    function shouldAddLiquidity() internal view returns (bool) {
        return
            autoAddLiquidity &&
            !inSwap &&
```

```
msg.sender != pair &&
            block.timestamp >= (_lastAddLiquidityTime +
timeToAddLP);
    }
    function allowance(address owner_, address spender)
        external
        view
        override
        returns (uint256)
    {
        return _allowedFragments[owner_][spender];
    }
    function decreaseAllowance(address spender, uint256
subtractedValue)
        external
        returns (bool)
    {
        uint256 oldValue = allowedFragments[msg.sender][spender];
        if (subtractedValue >= oldValue) {
            _allowedFragments[msg.sender][spender] = 0;
        } else {
            _allowedFragments[msg.sender][spender] = oldValue.sub(
                subtractedValue
            );
        }
        emit Approval(
            msg.sender,
            spender,
            _allowedFragments[msg.sender][spender]
        );
        return true;
    }
    function increaseAllowance(address spender, uint256)
addedValue)
       external
        returns (bool)
    {
        _allowedFragments[msg.sender][spender] =
_allowedFragments[msg.sender][
```

```
spender
        ].add(addedValue);
        emit Approval(
            msg.sender,
            spender,
            _allowedFragments[msg.sender][spender]
        );
        return true;
    }
    function approve(address spender, uint256 value)
        external
        override
        returns (bool)
    {
        allowedFragments[msg.sender][spender] = value;
        emit Approval(msg.sender, spender, value);
        return true;
    }
   function checkFeeExempt(address _addr) external view returns
(bool) {
        return isFeeExempt[ addr];
    }
   function getCirculatingSupply() public view returns (uint256)
{
        return
(TOTAL_GONS.sub(_gonBalances[DEAD]).sub(_gonBalances[ZERO])).div(
                _gonsPerFragment
            );
    }
    function isNotInSwap() external view returns (bool) {
        return !inSwap;
    }
    function manualSync() external {
        IPancakeSwapPair(pair).sync();
    }
```

```
function setFeeReceivers(
        address ecosystemReceiver
    ) external onlyOwner {
       ecosystemReceiver = _ecosystemReceiver;
    }
    function setTaxFee(uint256 ecosystemFee, uint256 burnFee,
uint256 _liquidityFee, uint256 _sellFee) external onlyOwner {
require(_ecosystemFee.add(_burnFee).add(_liquidityFee).add(_sellFe
e) <= 25, "Fees must be less than 25%");
require(_ecosystemFee.add(_burnFee).add(_liquidityFee).add(_sellFe
e) > 0, "Fees must be more than 0%");
       ecosystemFee = _ecosystemFee;
       burnFee = burnFee;
       liquidityFee = _liquidityFee;
       sellFee = sellFee;
       totalFee = ecosystemFee.add(liquidityFee).add(burnFee);
    }
    function setEnableAntiBot() external onlyOwner {
        require(lastAntiTime == 0, "Cannot enable the flag antibot
anymore");
       antiBotEnable = true;
       lastAntiTime = block.timestamp;
    }
    function setAutoAddLiquidity(bool flag, uint256 timeLp)
external onlyOwner {
       if ( flag) {
           autoAddLiquidity = flag;
           _lastAddLiquidityTime = block.timestamp;
           timeToAddLP = timeLp;
        } else {
           _autoAddLiquidity = _flag;
        }
    }
    function getLiquidityBacking(uint256 accuracy)
        external
        view
```

```
returns (uint256)
    {
       uint256 liquidityBalance =
_gonBalances[pair].div(_gonsPerFragment);
       return
accuracy.mul(liquidityBalance.mul(2)).div(getCirculatingSupply());
    }
    function setWhitelist(address _addr) external onlyOwner {
       isFeeExempt[ addr] = true;
    }
    function setPairAddress(address pairAddress) external
onlyOwner {
       pairAddress = pairAddress;
    }
   function setLP(address _address) external onlyOwner {
       pairContract = IPancakeSwapPair( address);
    }
   function totalSupply() external view override returns
(uint256) {
       return _totalSupply;
    }
    function balanceOf(address who) external view override returns
(uint256) {
       return _gonBalances[who].div(_gonsPerFragment);
    }
   receive() external payable {}
}
```

4. Tax Fee contract

The owner can't set fees over 25%

READ CONTRACT (ONLY NEED TO KNOW)


- 1. MAX_UINT256 1157920892373161954235709850086879078532699846656 40564039457584007913129639935 uint256 (Shows Contract Max UINT)
- 2. RATE_DECIMALS7 uint8(Shows the rate decimals)
- 3. _autoAddLiquidity
 True bool
 (Function For set auto add liquidity)
- 4. decimals18 uint8(Function for read decimals)
- 5. _lastAddLiquidityTime0 uint256(Function for read last add liquidity time)
- 6. _nameQatar Bet string(Function for read marketing fee)
- 7. _symbol
 QB string
 (Function for read Token symbol)


WRITE CONTRACT

- setAutoAddLiquidity
 _flag (bool)
 (The form is filled with the true or false for active auto add liquidity)
- 2. setEnableAntiBot(The call function for enable anti bot)
- 3. transferOwnership newOwner (address)(Its function is to change the owner)
- 4. setTaxFee (cannot set over 25%)
 _ecosystemFee uint256
 _burnFee uint256
 _liquidityFee uint256
 _sellFee uint256
 (The form is filled with new fee, for change all tax fee)


BlockSAFU TOKEN SCANNER

https://blocksafu.com/token-scanner









Indicator	Value
Hidden Owner	Not detected
Creator Address	0x37c53870268 ☐
Creator Balance	100,000,000 QB
Creator Percent	100%
Owner Address	0x37c53870268 ☐
Owner Balance	100,000,000 QB
Owner Percent	100%
p Holder Count	0
p Total Supply	NaN
Mint	Not detected

WEBSITE REVIEW



- Mobile Friendly
- Contains no code error
- SSL Secured (By E1 SSL)

Web-Tech stack: React, Next Js, Node js

Domain .io - Tracked by whois

First Contentful Paint:	771ms
Fully Loaded Time	1.7s
Performance	94%
Accessibility	73%
Best Practices	83%
SEO	82%

RUG-PULL REVIEW

Based on the available information analyzed by us, we come to the following conclusions:

- Locked Liquidity (Locked by pinksale)
 (Will be updated after DEX listing)
- TOP 5 Holder.
 (Will be updated after DEX listing)
- The Team Will KYC on Pinksale

HONEYPOT REVIEW

- Ability to sell.
- The owner is not able to pause the contract.
- The owner can't set fees over 25% & can't zero

Note: Please check the disclaimer above and note, that the audit makes no statements or warranties on the business model, investment attractiveness, or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by the project owner.