



BlockSAFU

ADVANCE MANUAL SMART CONTRACT AUDIT



Project: Rayons Energy

Website: <https://rayonsenergy.com/>



BlockSAFU Score:

97

Contract Address:

0x2a141b902A08fCEb902D414737F6553B7888757a

Disclaimer: BlockSAFU is not responsible for any financial losses.
Nothing in this contract audit is financial advice, please do your own reasearch.

DISCLAIMER

BlockSAFU has completed this report to provide a summary of the Smart Contract functions, and any security, dependency, or cybersecurity vulnerabilities. This is often a constrained report on our discoveries based on our investigation and understanding of the current programming versions as of this report's date. To understand the full scope of our analysis, it is vital for you to at the date of this report. To understand the full scope of our analysis, you need to review the complete report. Although we have done our best in conducting our investigation and creating this report, it is vital to note that you should not depend on this report and cannot make any claim against BlockSAFU or its Subsidiaries and Team members on the premise of what has or has not been included in the report. Please remember to conduct your independent examinations before making any investment choices. We do not provide investment advice or in any way claim to determine if the project will be successful or not.

By perusing this report or any portion of it, you concur to the terms of this disclaimer. In the unlikely situation where you do not concur to the terms, you should immediately terminate reading this report, and erase and discard any duplicates of this report downloaded and/or printed by you. This report is given for data purposes as it were and on a non-reliance premise and does not constitute speculation counsel. No one should have any right to depend on the report or its substance, and BlockSAFU and its members (including holding companies, shareholders, backups, representatives, chiefs, officers, and other agents) BlockSAFU and its subsidiaries owe no obligation of care towards you or any other person, nor does BlockSAFU make any guarantee or representation to any individual on the precision or completeness of the report.

ABOUT THE AUDITOR:

BlockSAFU (BSAFU) is an Anti-Scam Token Utility that reviews Smart Contracts and Token information to Identify Rug Pull and Honey Pot scamming activity. BlockSAFU's Development Team consists of several Smart Contract creators, Auditors Developers, and Blockchain experts. BlockSAFU provides solutions, prevents, and hunts down scammers. BSAFU is a utility token with features Audit, KYC, Token Generators, and Bounty Scammers. It will enrich the crypto ecosystem.

OVERVIEW

Mint Function

- No mint functions.

Fees

- Buy 13% (owner can't set fees over 25%).
- Sell 13% (owner can't set fees over 25%).

Tx Amount

- Owner can set max tx amount, but with limitation, can't be set lower than 0.1% of the total supply.

Transfer Pausable

- Owner cannot pause.

Blacklist

- Owner can't set blacklist.

Ownership

- Owner cannot take back ownership.

Proxy

- This contract has no proxy.

Anti Whale

- Owner can limit the number of wallet holdings but with limitation, can't be set lower than 0.1% from total supply.

Trading Cooldown

- Owner can set the selling time interval, but with limitation, can't set more than 1 hour.

SMART CONTRACT REVIEW

Token Name	RYS
Token Symbol	\$RYS
Token Decimal	18
Total Supply	20,000,000,000 \$RYS
Contract Address	0x2a141b902A08fCEb902D414737F6553B7888757a
Deployer Address	0xBc631F653EB4a90CfDC7D7faEFE3d189949e36C8
Owner Address	0x32fE0ba05C9ef96A7C78671E524bEE7732fC744E
Tax Fees Buy	13%
Tax Fees Sell	13%
Gas Used for Buy	<i>will be update after dex listing</i>
Gas Used for Sell	<i>will be update after dex listing</i>
Contract Created	Sep-29-2022 11:28:38 AM +UTC
Initial Liquidity	<i>will be update after dex listing</i>
Liquidity Status	Locked
Unlocked Date	<i>will be update after dex listing</i>
Verified CA	Yes
Compiler	v0.8.4+commit.c7e474f2
Optimization	Yes with 200 runs
Sol License	MIT License
Other	default evmVersion

TAX

BUY	13%	address	SELL	13%
Buy Fee	13%	send to RYS contract address	Sell Fee	13%

Token Holder

Txn Hash	Method ⓘ	Age	From	To	Quantity
0xaad5bd872e9dadb11d...	0x60806040	15 hrs 24 mins ago	Null Address: 0xc000...000	→ 0x32fe0ba05c9ef96a7c7...	20,000,000,000

[\[Download CSV Export ⬇\]](#)

Team Review

The RayonsEnergy team has a nice website, their website is professionally built and the Smart contract is well developed, their social media is growing with over 41 people in their telegram group (count in audit date).

Official Website And Social Media

Website: <https://rayonsenergy.com/>

Telegram Group: https://t.me/RayonsEnergy_En

Twitter: <https://twitter.com/rayonsenergy>

MANUAL CODE REVIEW

● Minor-risk

1 minor-risk code issue found

Could be fixed, and will not bring problems.

1. The return value of an external transfer/transferFrom return value is checked.
Recommendation: use SafeERC20, or ensure that the transfer/transferFrom return value is checked

```
function transferFrom(  
    address sender,  
    address recipient,  
    uint256 amount  
) external returns (bool);
```

● Medium-risk

0 medium-risk code issues found

Should be fixed, could bring problems.

● High-Risk

0 high-risk code issues found

Must be fixed, and will bring problem.

● Critical-Risk

0 critical-risk code issues found

Must be fixed, and will bring problem.

EXTRA NOTES SMART CONTRACT

1. IBEP20

```
interface IBEP20 {  
    /**  
     * @dev Returns the number of tokens in existence.  
     */  
    function totalSupply() external view returns (uint256);  
    ...  
    function balanceOf(address account) external view returns (uint256);  
    ...  
    function transfer(address recipient, uint256 amount) external returns (bool);  
    ...  
    function allowance(address owner, address spender) external view returns (uint256);  
    ...  
    function approve(address spender, uint256 amount) external returns (bool);  
    ...  
    function transferFrom(  
        address sender,  
        address recipient,  
        uint256 amount  
    ) external returns (bool);  
  
    /**  
     * @dev Emitted when `value` tokens are moved from one account (`from`) to  
     * another (`to`).  
     *  
     * Note that `value` may be zero.  
     */  
    event Transfer(address indexed from, address indexed to, uint256 value);  
    ...  
}
```

IBEP20 Normal Base Template

2. SafeMath Contract

```
library SafeMath {
...
    function add(uint256 a, uint256 b) internal pure returns
(uint256) {
        uint256 c = a + b;
        require(c >= a, "SafeMath: addition overflow");
        return c;
    }
...
    function sub(uint256 a, uint256 b, string memory errorMessage)
internal pure returns (uint256) {
        require(b <= a, errorMessage);
        uint256 c = a - b;

        return c;
    }
    /**
     * @dev Returns the multiplication of two unsigned integers,
reverting on
     * overflow.
     *
     * Counterpart to Solidity's `*` operator.
     *
     * Requirements:
     *
     * - Multiplication cannot overflow.
     */
...
    function mod(
        uint256 a,
        uint256 b,
        string memory errorMessage
    ) internal pure returns (uint256) {
        unchecked {
            require(b > 0, errorMessage);
            return a % b;
        }
    }
}
```

Standard Safemath contract

3. Rayons Energy Contract

```
contract RYSToken is IBEP20, Ownable {
    /*=== SafeMath ===*/
    using SafeMath for uint256;
    using Address for address;
    /*=== Endereços ===*/
    address private burnAddress = address(0); // Endereço de
    Queima
    address private internalOperationAddress; // Distribui as
    Recompensas para os Holders
    IUniswapV2Router02 public uniswapV2Router; // Endereço Router
    address public uniswapV2Pair; // Par LGK/BNB
    /*=== Mapeamento ===*/
    mapping (address => uint256) private _balance; // Saldo dos
    Holders
    mapping (address => bool) public _excludeFromFee; // Nao paga
    Taxas
    mapping (address => bool) private automatedMarketMakerPairs;
    // Automatizado de Trocas
    mapping (address => mapping(address => uint256)) private
    _allowances; // Subsidio
    mapping (address => bool) public isTimelockExempt; // Nao tem
    Tempo de Espera
    mapping (address => uint) public cooldownTimerBuy; // Tempo de
    Compra
    mapping (address => uint) public cooldownTimerSell; // Tempo
    de Venda
    /*=== Unitarios ===*/
    uint8 private _decimals = 18;
    uint256 public cooldownTimerInterval; // Tempo de espera entre
    compra e venda
    uint256 private _decimalFactor = 10**_decimals; // Fator
    Decimal
    uint256 private _tSupply = 20000000000 * _decimalFactor; //
    Supply Legitimik
    uint256 public buyFee = 13; // Taxa de Compra
    uint256 private previousBuyFee; // Armazena Taxa de Compra
    uint256 public sellFee = 13; // Taxa de Venda
    uint256 private previousSellFee; // Armazena Taxa de Venda
    uint256 private limitBurn = 200000000 * _decimalFactor;
    uint256 public liquidityPercent = 20; // Taxa de Liquidez 20%
    uint256 public maxWalletBalance = 5000000000 * _decimalFactor;
```

```

// 1% do Supply
uint256 public maxBuyAmount = 5000000000 * _decimalFactor; //
1% do Supply
uint256 public maxSellAmount = 5000000000 * _decimalFactor; //
1% do Supply
uint256 public numberOfTokensToSwapToLiquidity = 500 *
_decimalFactor; // 0,05% do Supply
/*=== Boolean ===*/
bool private inSwapAndLiquify;
bool private coolDownUser;
bool private swapping;
bool private activeDividends = true;
bool public buyCooldownEnabled = true;
bool public sellCooldownEnabled = true;
bool private isSendToken = true;
bool private blackEnabled = true;
bool private swapAndLiquifyEnabled = true;
/*=== Strings ===*/
string private _name = "RYRS";
string private _symbol = "$RYS";
/*=== Modifiers ===*/
modifier lockTheSwap {
    inSwapAndLiquify = true;
    _;
    inSwapAndLiquify = false;
}
modifier lockCoolDown {
    coolDownUser = true;
    _;
    coolDownUser = false;
}
/*=== Construtor ===*/
constructor() {
    // IUniswapV2Router02 _uniswapV2Router =
    IUniswapV2Router02(0xD99D1c33F9fC3444f8101754aBC46c52416550D1); //
    PancakeSwap Router Testnet
    IUniswapV2Router02 _uniswapV2Router =
    IUniswapV2Router02(0x10ED43C718714eb63d5aA57B78B54704E256024E); //
    PancakeSwap Router Mainnet
    address pairCreated =
    IUniswapV2Factory(_uniswapV2Router.factory()).createPair(address(t
his), _uniswapV2Router.WETH()); // Gera o Par RYS/BNB

```

```

        uniswapV2Router = _uniswapV2Router; // Armazena Rota
        uniswapV2Pair = pairCreated; // Armazena Par
        cooldownTimerInterval = 5;
        _balance[0x32fE0ba05C9ef96A7C78671E524bEE7732fC744E] =
        _tSupply; // Define Owner como Detentor dos _Tokens
        internalOperationAddress = owner(); // Define Endereço de
        Operações

        _excludeFromFee[0x32fE0ba05C9ef96A7C78671E524bEE7732fC744E] =
        true; // Define Owner como True para não pagar Taxas
        _excludeFromFee[owner()] = true; // Define Owner como True
        para não pagar Taxas
        _excludeFromFee[address(this)] = true; // Define Contrato
        como True para não pagar Taxas
        _excludeFromFee[internalOperationAddress] = true; //
        Define internalOperationAddress como True para não pagar Taxas

        isTimelockExempt[0x32fE0ba05C9ef96A7C78671E524bEE7732fC744E] =
        true; // Owner Nao tem tempo de espera para compra e venda
        isTimelockExempt[owner()] = true; // Owner Nao tem tempo
        de espera para compra e venda
        isTimelockExempt[address(this)] = true; // Contrato Nao
        tem tempo de espera para compra e venda
        _setAutomatedMarketMakerPair(pairCreated, true); // Pair é
        o Automatizador de Transações
        _approve(owner(), address(uniswapV2Router), ~uint256(0));
        // Aprova Tokens para Add Liquidez
        emit Transfer(address(0),
        0x32fE0ba05C9ef96A7C78671E524bEE7732fC744E, _tSupply); // Emite um
        Evento de Cunhagem
    }
    /*=== Receive ===*/
    receive() external payable {}
    /*=== Public View ===*/
    function name() public view override returns(string memory) {
    return _name; } // Nome do Token
    function symbol() public view override returns(string memory)
    { return _symbol; } // Simbolo do Token
    function decimals() public view override returns(uint8) {
    return _decimals; } // Decimais
    function totalSupply() public view override returns(uint256) {
    return _tSupply; } // Supply Total

```

```

function balanceOf(address account) public view override
returns(uint256) { return _balance[account]; } // Retorna o Saldo
em Carteira

function allowance(address owner, address spender) public view
override returns(uint256) { return _allowances[owner][spender]; }
// Subsidio Restante

/*=== Eventos ===*/

event SetAutomatedMarketMakerPair(address indexed pair, bool
indexed value);

event SwapAndLiquify(uint256 tokensSwapped, uint256
ethReceived, uint256 tokensIntoLiquidity);
event SwapAndLiquifyEnabledUpdated(bool indexed enabled);
event LiquidityAdded(uint256 tokenAmountSent, uint256
ethAmountSent, uint256 liquidity);
event SentBNBInternalOperation(address usr, uint256 amount);
/*=== Private/Internal ===*/

function _setRouterAddress(address router) private {
    IUniswapV2Router02 _uniswapV2Router =
    IUniswapV2Router02(router); // Router
    address pairCreated =
    IUniswapV2Factory(_uniswapV2Router.factory()).createPair(address(t
his), _uniswapV2Router.WETH()); // Gera o Par LGK/BNB
    uniswapV2Router = _uniswapV2Router; // Armazena Rota
    uniswapV2Pair = pairCreated; // Armazena Par
    _setAutomatedMarketMakerPair(uniswapV2Pair, true); //
Armazena o novo Par como o Automatizador de Trocas
}

function _setAutomatedMarketMakerPair(address pair, bool
value) private {
    require(automatedMarketMakerPairs[pair] != value, "0 pair
de AutomatedMarketMakerPair ja esta definido para esse valor");
    automatedMarketMakerPairs[pair] = value; // Booleano
    emit SetAutomatedMarketMakerPair(pair, value); // Emite um
Evento para um Novo Automatizador de Trocas
}

function _approve(address owner, address spender, uint256
amount) internal {
    require(owner != address(0), "Owner nao pode ser Address
0");
    require(spender != address(0), "Owner nao pode ser Address
0");
    _allowances[owner][spender] = amount;

```

```

        emit Approval(owner, spender, amount);
    }
    function _spendAllowance(address owner, address spender,
uint256 amount) internal {
        uint256 currentAllowance = allowance(owner, spender);
        if(currentAllowance != type(uint256).max) {
            require(currentAllowance >= amount, "subsidio
insuficiente");
            _approve(owner, spender, currentAllowance - amount);
        }
    }
    function _unlimitedAddress(address account) internal view
returns(bool) {
        if(_excludeFromFee[account]) {
            return true;
        }
        else {return false;}
    }
    function buyCoolDown(address to) private LockCoolDown {
        cooldownTimerBuy[to] = block.timestamp; // Ativa o Tempo
de Compra
    }
    function sellCoolDown(address from) private LockCoolDown {
        cooldownTimerSell[from] = block.timestamp; // Ativa o
Tempo de Venda
    }
    function LockToBuyOrSellForTime(uint256 lastBuyOrSellTime,
uint256 lockTime) private LockCoolDown returns (bool) {
        uint256 crashTime = lastBuyOrSellTime + lockTime;
        uint256 currentTime = block.timestamp;
        if(currentTime >= crashTime) {
            return true;
        }

        return false;
    }
    function getFromLastPurchaseBuy(address walletBuy) private
view returns (uint) {
        return cooldownTimerBuy[walletBuy];
    }
    function getFromLastSell(address walletSell) private view
returns (uint) {

```

```

        return cooldownTimerSell[walletSell];
    }
    function _beforeTokenTransfer( address from, address to,
uint256 amount ) internal virtual{}
    function _afterTokenTransfer( address from, address to,
uint256 amount ) internal virtual{}
    function _transferTokens(address from, address to, uint256
amount) internal {
        require(to != from, "Nao pode enviar para o mesmo
Endereco");
        require(amount > 0, "Saldo precisa ser maior do que
Zero");
        _beforeTokenTransfer(from, to, amount);

        uint256 fromBalance = _balance[from];
        require(fromBalance >= amount, "Voce nao tem Limite de
Saldo");
        _balance[from] = fromBalance - amount;

        uint256 contractTokenBalance = balanceOf(address(this));
        if (!automatedMarketMakerPairs[from] &&
automatedMarketMakerPairs[to]) {
            swapping = true;
            Liquify( contractTokenBalance, from );
            swapping = false;
        }

        bool takeFee = true;

        if(_excludeFromFee[from] || _excludeFromFee[to]){
            takeFee = false;
        }

        if(!takeFee) removeAllFee(); // Remove todas as Taxa

        uint256 fees; // Taxas de Compra, Vendas e
Transferencias!

        if(automatedMarketMakerPairs[from]) {

```



```

        fees = amount.mul(buyFee).div(100); // Define taxa
de Compra
        if (amount > maxBuyAmount &&
!_unlimitedAddress(from) && !_unlimitedAddress(to)) {
            revert("Montante de Venda nao pode ultrapassar
Limite");
        }

        if(buyCooldownEnabled && !isTimeLockExempt[to] &&
!cooldownUser) {

require(LockToBuyOrSellForTime(getFromLastPurchaseBuy(to),
cooldownTimerInterval), "Por favor, aguarde o cooldown entre as
compras");

            buyCooldown(to);
        }
    }
    else if(automatedMarketMakerPairs[to]) {
        fees = amount.mul(sellFee).div(100); // Define
taxa de Venda
        if (amount > maxSellAmount &&
!_unlimitedAddress(from) && !_unlimitedAddress(to)) {
            revert("Montante de Venda nao pode ultrapassar
Limite");
        }

        if(sellCooldownEnabled && !isTimeLockExempt[from]
&& !cooldownUser) {

require(LockToBuyOrSellForTime(getFromLastSell(from),
cooldownTimerInterval), "Por favor, aguarde o cooldown entre as
vendas");

            sellCooldown(from);
        }
    }

    if(maxWalletBalance > 0 && !_unlimitedAddress(from) &&
!_unlimitedAddress(to) && !automatedMarketMakerPairs[to]) {
        uint256 recipientBalance = balanceOf(to); //
Define o Maximo por Wallet
        require(recipientBalance.add(amount) <=
maxWalletBalance, "Nao pode Ultrapassar o Limite por Wallet");
    }

```



```

    }

    if(fees != 0) {
        amount = amount.sub(fees);
        _balance[address(this)] += fees;
        emit Transfer(from, address(this), fees); // Emite
um Evento de Envio de Taxas
    }

    _balance[to] += amount;

    emit Transfer(from, to, amount); // Emite um Evento de
Transferencia
    _afterTokenTransfer(from, to, amount);
    if(!takeFee) restoreAllFee(); // Retorna todas as Taxa
}
function removeAllFee() private {
    previousBuyFee = buyFee; // Armazena Taxa Anterior
    previousSellFee = sellFee; // Armazena Taxa Anterior
    buyFee = 0; // Taxa 0
    sellFee = 0; // Taxa 0
}
function restoreAllFee() private {
    buyFee = previousBuyFee; // Restaura Taxas
    sellFee = previousSellFee; // Restaura Taxas
}
function Liquify(uint256 contractTokenBalance, address sender)
internal {

    if (contractTokenBalance >=
numberOfTokensToSwapToLiquidity) contractTokenBalance =
numberOfTokensToSwapToLiquidity; // Define se a Quantidade de
Tokens para

    bool isOverRequiredTokenBalance = ( contractTokenBalance
>= numberOfTokensToSwapToLiquidity ); // Booleano

    if ( isOverRequiredTokenBalance && swapAndLiquifyEnabled
&& !inSwapAndLiquify && (!automatedMarketMakerPairs[sender]) ) {

```

```

        uint256 tokenLiquidity =
contractTokenBalance.mul(liquidityPercent).div(100); // Quantidade
de Tokens que vai para Liquidez
        uint256 toSwapBNB =
contractTokenBalance.sub(tokenLiquidity); // Quantidade de Tokens
para Venda
        _swapAndLiquify(tokenLiquidity); // Adiciona Liquidez
        _sendBNBToContract(toSwapBNB); // Troca Tokens por BNB
    }

}

function _swapAndLiquify(uint256 amount) private LockTheSwap {
    uint256 half = amount.div(2); // Divide para Adicionar
Liquidez
    uint256 otherHalf = amount.sub(half); // Divide para
Adicionar Liquidez
    uint256 initialBalance = address(this).balance; //
Armazena o Saldo Inicial em BNB
    _swapTokensForEth(half); // Efetua a troca de Token por
BNB
    uint256 newBalance =
address(this).balance.sub(initialBalance); // Saldo atual em BNB -
Saldo Antigo
    _addLiquidity(otherHalf, newBalance); // Adiciona Liquidez
    emit SwapAndLiquify(half, newBalance, otherHalf); // Emite
Evento de Swap
}

function _sendBNBToContract(uint256 tAmount) private
LockTheSwap {
    _swapTokensForEth(tAmount); // Vende os Tokens por BNB e
envia para o Contrato
    if(isSendToken) {
        uint256 initialBalance = address(this).balance;
        if(initialBalance > 0) {

            (bool sent, ) =
internalOperationAddress.call{value: address(this).balance}("");
            if(sent) {
                emit
SentBNBInternalOperation(internalOperationAddress,
initialBalance);
            }
        }
    }
}

```

```

    }
  }
}

function _swapTokensForEth(uint256 tokenAmount) private {
    address[] memory path = new address[](2); // Path Memory
    para inicia a venda dos Tokens
    path[0] = address(this); // Endereço do Contrato
    path[1] = uniswapV2Router.WETH(); // Par de Troca (BNB)
    _approve(address(this), address(uniswapV2Router),
tokenAmount); // Aprova os Tokens para Troca

    uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens
(
    tokenAmount, // Saldo para Swap
    0, // Amount BNB
    path, // Path [address(this), uniswapV2Router.WETH()]
    address(this), // Endereço de Taxa
    block.timestamp // Timestamp
);
}

function _addLiquidity(uint256 tokenAmount, uint256 ethAmount)
private {
    _approve(address(this), address(uniswapV2Router),
tokenAmount);
    (uint256 tokenAmountSent, uint256 ethAmountSent, uint256
liquidity) = uniswapV2Router.addLiquidityETH{value: ethAmount}(
    address(this),
    tokenAmount, // Saldo para Liquidez
    0, // Slippage 0
    0, // Slippage 0
    owner(), // Owner Adiciona Liquidez
    block.timestamp // Timestamp
);
    emit LiquidityAdded(tokenAmountSent, ethAmountSent,
liquidity); // Emite Evento de Liquidez
}

/*=== Public/External ===*/
function approve(address spender, uint256 amount) public
override returns(bool) {
    _approve(_msgSender(), spender, amount);
}

```

```

        return true;
    }
    function transfer(address to, uint256 amount) public override
returns(bool){
        _transferTokens(_msgSender(), to, amount);
        return true;
    }
    function transferFrom(address from, address to, uint256
amount) public override returns(bool) {
        _spendAllowance(from, _msgSender(), amount);
        _transferTokens(from, to, amount);
        return true;
    }

    /*=== Funções Administrativas ===*/

    function changeAutomatedMarketMakerPair(address pair, bool
value) external onlyOwner {
        require(pair != uniswapV2Pair, "uniswapV2Pair nao pode ser
removido de AutomatedMarketMakerPair");
        _setAutomatedMarketMakerPair(pair, value); // Define um
Novo Automatizador de Trocas
    }
    function changeFees(uint256 _buyFee, uint256 _sellFee, uint256
_liquidityPercent) external onlyOwner {
        require(_buyFee <= 25 && _sellFee <= 25, "A taxa nao pode
ser maior do que 25%");
        buyFee = _buyFee;
        sellFee = _sellFee;
        liquidityPercent = _liquidityPercent;
    }
    function changeAddress(address _internalOperationAddress)
external onlyOwner {
        internalOperationAddress = _internalOperationAddress; //
Define Endereço de Operações
    }
    function removeBNB() external payable onlyOwner {
        uint256 balance = address(this).balance;
        if(balance > 0) {
            (bool success, ) = _msgSender().call{ value: balance
}("");
            require(success, "Address: unable to send value,

```

```

    recipient may have reverted");
    }
}
function getTokenContract(address account, uint256 amount)
external onlyOwner {
    _transferTokens(address(this), account, amount);
}
function setLimitContract(uint256 _maxWalletBalance, uint256
_maxBuyAmount, uint256 _maxSellAmount) external onlyOwner {
    uint256 limit = _tSupply.div(10000);
    maxWalletBalance = _maxWalletBalance * _decimalFactor;
    maxBuyAmount = _maxBuyAmount * _decimalFactor;
    maxSellAmount = _maxSellAmount * _decimalFactor;
    require(maxWalletBalance >= limit && maxBuyAmount >= limit
&& maxSellAmount >= limit, "Limite de 0.1%");
}
function defineExcluded(address account, bool isTrue) external
onlyOwner {
    _excludeFromFee[account] = isTrue; // Exclui das Taxas e
dos Limites
}
function setRouter(address router) external onlyOwner {
    _setRouterAddress(router); // Define uma Nova Rota (Caso
Pancakeswap migre para a RouterV3 e adiante)
}
function setIsSwap(bool isTrue) external onlyOwner {
    swapAndLiquifyEnabled = isTrue; // Ativa e Desativa o Swap
    emit SwapAndLiquifyEnabledUpdated(swapAndLiquifyEnabled);
// Emite Evento de Swap Ativo/Inativo
}
function setActiveCoolDown(bool _buyCooldownEnabled, bool
_sellCooldownEnabled, uint256 _cooldownTimerInterval) external
onlyOwner {
    require(_cooldownTimerInterval <= 3600, "Limite de Compra
e Venda nao pode ser maior do que 1 Hora");
    buyCooldownEnabled = _buyCooldownEnabled; // Ativa e
Desativa Cooldown Buy
    sellCooldownEnabled = _sellCooldownEnabled; // Ativa e
Desativa Cooldown Sell
    cooldownTimerInterval = _cooldownTimerInterval; // Define
Segundos entre Compra e Venda
}

```

```
function activeSendDividends(bool _isSendToken) external  
onlyOwner {  
    isSendToken = _isSendToken;  
}  
function setBurn(uint256 _limitBurn) external onlyOwner {  
    limitBurn = _limitBurn * _decimalFactor;  
}  
function burn(uint256 bAmount) external onlyOwner {  
    require(bAmount <= limitBurn, "Nao pode queimar mais do  
que o programado");  
    _tSupply -= bAmount;  
    _balance[_msgSender()] -= bAmount;  
    emit Transfer(_msgSender(), burnAddress, bAmount);  
}  
function setSwapAmount(uint256 tAmount) external onlyOwner {  
    numberOfTokensToSwapToLiquidity = tAmount *  
_decimalFactor; // Define a quantidade de Tokens que o Contrato  
vai Vender  
}  
  
}
```

READ CONTRACT (ONLY NEED TO KNOW)

1. buyCooldownEnabled

true bool

(Shows Contract buy cooldown status)

2. buyFee

13 uint256

(Shows buy fee)

3. sellFee

13 uint256

(Shows sell fee)

4. name

RYS string

(Function for read Token name)

WRITE CONTRACT

1. renounceOwnership

(Renouncing ownership will leave the contract without an owner, thereby removing any functionality that is only available to the owner)

2. transferOwnership

newOwner (address)

(Its function is to change the owner)

3. changeBlacklistUser

user (address)


isTrue (bool)

(its function to blacklist address)

BlockSAFU TOKEN SCANNER

<https://blocksafu.com/token-scanner>

Welcome to BlockSAFU | Don't give a chance for scammers!

BlockSAFU

Products ▾



Knowledge ▾

Company ▾

Token

Earn

Request Service

BlockSAFU is Official Audit Partner Of PinkSale

BlockSAFU Token Scanner

0x10a8a428Dd90592Bd925C056901450D71f3Ad76

Scan

There is no liquidity available for this contract.

BlockSAFU Token Scanner Score:

75

Score

Token Information		Security Information	
Indicator	Value	Indicator	Value
Token Name	RYS	Honeypot	Liquidity Not Available
Token Symbol	\$RYS	Buy Fees	0%
Total Supply	20,000,000,000	Sell Fees	0%
Already Listed On Dex	Already Listed	Buy Gas	0 Gwei (0.000000 BNB / \$0.00)
Dex Listed	PancakeV2	Sell Gas	0 Gwei (0.000000 BNB / \$0.00)
Open Source	Open Source	Holder Count	1 Holders
Price	\$NaN		
Volume 24H	\$NaN		
Liquidity	\$NaN (NaN BNB)		
Tx Count 24H			
Marketcap	\$NaN		

Honeypot Safety		Rug Pull Safety	
Indicator	Value	Indicator	Value
Can Take Back Ownership	✔ Not detected	Hidden Owner	✔ Not detected
Owner Change Balance	✔ Not detected	Creator Address	0xbc631f65...8c8 🔗
Blacklist	✔ Not detected	Creator Balance	0 \$RYS
Modify Fees	❌ Detected	Creator Percent	0%
Proxy	✔ Not detected	Owner Address	0x32fe0ba0...44e 🔗
Whitelisted	✔ Not detected	Owner Balance	20,000,000,000 \$RYS
Anti Whale	❌ Detected	Owner Percent	100%
Trading Cooldown	✔ Not detected	Lp Holder Count	0
Transfer Pausable	✔ Not detected	Lp Total Supply	NaN
Cannot Sell All	✔ Not detected	Mint	✔ Not detected

WEBSITE REVIEW



- **Mobile Friendly**
- **Contains no code error**
- **SSL Secured (By Let's Encrypt SSL)**

Web-Tech stack: Nicepages, LazySizes

Domain .com (enom) - Tracked by whois

First Contentful Paint:	779s
Fully Loaded Time	2.0s
Performance	81%
Accessibility	85%
Best Practices	100%
SEO	80%

RUG-PULL REVIEW

Based on the available information analyzed by us, we come to the following conclusions:

- Locked Liquidity (Locked by pinksale)

will be updated after listing dex

- TOP 5 Holder.

will be updated after listing dex

- The Team KYC by PinkSale

HONEYPOT REVIEW

- Ability to sell.

- The owner can't set fees over 25%

- The owner can't set max tx amount below 0.1% of total supply

Note: Please check the disclaimer above and note, that the audit makes no statements or warranties on the business model, investment attractiveness, or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by the project owner.