

programs in the SNEP region will continue to evaluate the performance of the low gradient IBI as new data are collected.

8 References

- Barbour, M. T., J. Gerritsen, G.E. Griffith, R. Frydenborg, E. McCarron, J.S. White, and M.L. Bastian. 1996. A framework for biological criteria for Florida streams using benthic macroinvertebrates. *Journal of the North American Benthological Society* 15(2):185-211.
- Barbour, M. T., J. Gerritsen, B. D. Snyder, and J. B. Stribling. 1999. Rapid bioassessment protocols for use in streams and wadeable rivers: Periphyton, benthic macroinvertebrates and fish. Second Edition. EPA 841-B-99-002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C.
- Block, B. D., J. Stamp, and B. K. Jessup. 2020. MassDEP/SNEP index selection and evaluation with consideration of sub-sample sizes. Prepared for Massachusetts Department of Environmental Protection and Southeast New England Coastal Watershed Restoration Program.
- Burns, D., T. Vitar, J. McDonnell, J. Hassett, J. Duncan, and C. Kedall. 2005. Effects of suburban development on runoff generation in the Croton River basin, New York, USA. *Journal of Hydrobiology* 311:266 – 281.
- Cohen, J. 1992. A power primer. *Psychological Bulletin*, 112(1):155.
- DeShon, J. E. 1995. Development and application of the Invertebrate Community Index (ICI). In: Davis, W.S. and Simon, T.P., Eds., *Biological Assessment and Criteria—Tools for Water Resource Planning and Decision Making*, Lewis Publ., Boca Raton, 217-244.
- Gibbs, D. A., B. Bierwagen. 2017. Procedures for delineating and characterizing watersheds for stream and river monitoring programs. (EPA/600/R-17/448F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development.
- Gotelli, N. J. and G. R. Graves. 1996. *Null models in ecology*. Washington, DC: Smithsonian Institution Press.
- Hatt, B.E, T.D. Fletcher, C.J. Walsh, and S.L. Taylor. 2004. The influence of urban density and drainage infrastructure on the concentrations and loads of pollutants in small streams. *Environmental Management* 34:112 – 124.
- Hill, R.A., C.P. Hawkins, and D.M. Carlisle. 2013. Predicting thermal reference conditions for USA streams and rivers. *Freshwater Science* 32(1):39-55. doi:10.1899/12-009.1.
- Hill, R. A., M. H. Weber, S. G. Leibowitz, A. R. Olsen, and D. J. Thornbrugh. 2016. The Stream-Catchment (StreamCat) dataset: a database of watershed metrics for the Conterminous United States. *J. Am. Water Res. Assoc.* 52(1):120–128.
- Hughes, R. M., P. R. Kaufmann, A. T. Herlihy, T. M. Kincaid, L. Reynolds, and D. P. Larsen. 1998. A process for developing and evaluating indices of fish assemblage integrity. *Canadian Journal of Fisheries and Aquatic Sciences*, 55(7):1618-1631.
- Jessup, B. J. Stamp, J. Gerritsen, C. Carey, K. DeGoosh, S. Kiernan, and D. MacDonald. 2012. A Multimetric Biological Condition Index for Rhode Island Streams. Prepared for Rhode Island Department of Environmental Management, Office of Water Resources.