SOFTWARE REQUIREMENTS SPECIFICATION

BLOOD BANK MANAGEMENT SYSTEM

Version: 1.0

Technology: Python (Django) / JavaScript (Node.js)

Team Members

PES2UG24CS314 — Nidhi Karkada

PES2UG24CS361 — Pramay Dubey

PES2UG24CS343 — Pavan E Naik

PES2UG24CS326 — Nishit Suresh

Revision History

Version	Date	Author(s)	Change Summary
1.0	03-09-2026	Project Team	Initial SRS with diagrams

Approvals

Role	Name	Signature / Email	Date
Course Coordinator	–	–	–

Table of Contents

Revision History 2
Approvals 2
Table of Contents 2
1. Introduction 4
1.1 Purpose 4
1.2 Scope 4
1.3 Audience 4
1.4 Definitions 4
Division of Work 4
2. Overall Description 4
2.1 Product Perspective 4
2.2 Major Product Functions 4
2.3 User Roles and Characteristics 5
2.4 Operating Environment 5
2.5 Constraints 5
Division of Work 5
3. External Interface Requirements 5
3.1 User Interfaces 6
3.2 Hardware Interfaces 6
3.3 Software Interfaces 6
3.4 Communication Interfaces 6
Division of Work 6
4. System Features (Detailed) 6
4.1 User Authentication 6
4.2 Donor Management 7
4.3 Blood Donation Management 7
4.4 Blood Group Management 7
4.5 Blood Inventory Management 8

4.6 Blood Availability Search 8
4.7 Blood Request Management 8
4.8 Blood Issue and Distribution 8
4.9 Administrative Management 9
Division of Work 9
5. Non-Functional Requirements (Detailed) 9
Division of Work 10
5.1 Security 10
5.1.1 Security Objectives 10
5.1.2 Security Requirements 10
Division of Work 11
6. Quality Attributes & Acceptance Tests 11
Division of Work 11
7. System Models and Diagrams 12
7.1 UML Use-Case Diagram 12
Division of Work 13
8. Requirements Traceability Matrix (RTM) 13
Division of Work 14

1. Introduction

1.1 Purpose

This document is the Software Requirements Specification (SRS) for the Blood Bank Management System. It signifies the functional requirements and non-functional requirements of the system. The purpose of this system is to support blood banks in collecting data about donors, donations, blood types, blood supplies levels, and blood orders using one application.

1.2 Scope

The Blood Bank Management System includes the registration and management of donors, the recording of the donations, management of blood types, management of blood supply, searching for the available blood, submitting blood requests, and blood issuing and distribution. What the system does not include is the management of patients in the hospitals, health diagnosis, or monitoring the delivery of blood through external courier or logistics.

1.3 Audience

This document is intended for the following users of the system:

- Blood bank staff / administrator
- Donors
- Authorized users / requesters

1.4 Definitions

- Blood Bank — An organization or facility that collects, stores and distributes blood donations.
- Donor — A person who donates blood to the blood bank.
- Blood Group — A classification of blood (e.g. A+, O-) based on the presence of specific antigens.
- Blood Unit — A single collected quantity of blood available for storage or issue.
- Blood Inventory — The current stock of blood units maintained by the blood bank, organized by blood group.
- Blood Request — A request submitted by a requester for a specified blood group and quantity.
- Administrator — A staff user with rights to manage inventory, donors and requests.

Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	Purpose and Scope
Pramay Dubey (PES2UG24CS361)	Audience and user-related requirements
Pavan E Naik (PES2UG24CS343)	Definitions and terminology
Nishit Suresh (PES2UG24CS326)	Review and consistency checking

2. Overall Description

2.1 Product Perspective

Blood Bank Management System is an online technology that provides a single point for managing all the aspects related to the donor's details, blood donations, blood inventory, and blood requirements. The use of this technology replaces the old manual paper work of donor information and inventory management and provides the solution in terms of one single application for the staff as well as donors and requesters.

2.2 Major Product Functions

- User authentication
- Donor registration
- Donor information management
- Blood donation recording
- Blood group management
- Blood inventory management
- Blood availability search
- Blood request submission
- Blood request processing
- Blood issue / distribution recording
- Administrative record management

2.3 User Roles and Characteristics

Administrator / Blood Bank Staff:
Can manage donors, donations, inventory, requests and blood issue records.

Donor:
Can register and provide donor information and donation-related details.

Requester / Authorized User:
Can search blood availability and submit blood requests.

2.4 Operating Environment

- Standard web browser on the client side
- Python / Django backend
- JavaScript / Node.js for supporting services where applicable
- Relational database for persistent storage
- Windows or Linux development environment

2.5 Constraints

- Only authorized users shall access administrative operations.
- Blood inventory information depends on timely and accurate data entry by staff.
- User-provided information must be valid and complete before it is accepted.
- The system requires access to the application server and the database to function.

Division of Work

Team Member	Assigned Responsibility
Pramay Dubey (PES2UG24CS361)	Product Perspective
Pavan E Naik (PES2UG24CS343)	Major Product Functions
Nishit Suresh (PES2UG24CS326)	User Roles and Characteristics
Nidhi Karkada (PES2UG24CS314)	Operating Environment and Constraints

3. External Interface Requirements

3.1 User Interfaces

The system shall provide the following web interfaces:

- Login page
- Registration page
- Donor dashboard / profile
- Blood availability page
- Donation management page
- Blood request page
- Blood inventory page
- Administrator dashboard

3.2 Hardware Interfaces

The system does not require specialized hardware. It shall run on a standard computer or laptop with a working internet or network connection.

3.3 Software Interfaces

The system consists of a frontend, a backend and a database:

- The frontend communicates with the backend using standard HTTP requests.
- The backend is implemented using Python / Django, with JavaScript / Node.js used for supporting services where applicable.
- The backend communicates with a relational database for storing and retrieving donor, donation, inventory and request data.

3.4 Communication Interfaces

The system shall use standard HTTP/HTTPS protocols for communication between the client browser and the application server.

Division of Work

Team Member	Assigned Responsibility
Pavan E Naik (PES2UG24CS343)	User Interface requirements
Nishit Suresh (PES2UG24CS326)	Software Interfaces
Nidhi Karkada (PES2UG24CS314)	Hardware Interfaces
Pramay Dubey (PES2UG24CS361)	Communication Interfaces and consistency review

4. System Features (Detailed)

Each functional requirement below includes its acceptance criteria and a reference test case. Requirement IDs follow the format BBMS-F-###.

4.1 User Authentication

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-001	The system shall allow registered users to log in using a valid username/email and password.	Functional	High	System / All Users	AC-BBMS-F-001: Valid credentials authenticate the user; invalid credentials show an appropriate error message. Test: TC-Auth-01	Applies to all user roles
BBMS-F-002	The system shall allow an authenticated user to log out and end the current session.	Functional	Medium	System / All Users	AC-BBMS-F-002: Session is terminated and protected pages become inaccessible after logout. Test: TC-Auth-02	-

4.2 Donor Management

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-003	The system shall allow a new donor to register by providing personal, contact and blood group details.	Functional	High	Donor	AC-BBMS-F-003: A donor submitting valid registration details is added to the donor list. Test: TC-Donor-01	Depends on BBMS-F-001
BBMS-F-004	The system shall allow a donor to update their personal and contact information.	Functional	Medium	Donor	AC-BBMS-F-004: Updated details are saved and reflected on the donor profile. Test: TC-Donor-02	-
BBMS-F-005	The system shall allow blood bank staff to view a list of registered donors and individual donor records.	Functional	High	Blood Bank Staff	AC-BBMS-F-005: Staff can view donor records with correct and complete details. Test: TC-Donor-03	-
BBMS-F-006	The system shall allow staff to mark a donor's eligibility status (eligible / temporarily ineligible) based on donation history.	Functional	Medium	Blood Bank Staff	AC-BBMS-F-006: Donor eligibility status is updated and visible on the donor record. Test: TC-Donor-04	Depends on BBMS-F-007

4.3 Blood Donation Management

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-007	The system shall allow staff to record a new blood donation against a registered donor.	Functional	High	Blood Bank Staff	AC-BBMS-F-007: A donation entry is created with donor, blood group, quantity and date. Test: TC-Don-01	Triggers BBMS-F-010
BBMS-F-008	The system shall allow a donor to view their own past donation history.	Functional	Medium	Donor	AC-BBMS-F-008: Donor sees a chronological list of their previous donations. Test: TC-Don-02	-
BBMS-F-009	The system shall automatically update blood inventory when a donation is recorded.	Functional	High	System	AC-BBMS-F-009: Inventory count for the corresponding blood group increases by the donated quantity. Test: TC-Don-03	Depends on BBMS-F-007

4.4 Blood Group Management

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-010	The system shall maintain a master list of blood groups (A+, A-, B+, B-, AB+, AB-, O+, O-) used across donations, inventory and requests.	Functional	High	System / Administrator	AC-BBMS-F-010: All eight standard blood groups are available for selection in relevant forms. Test: TC-BG-01	-

4.5 Blood Inventory Management

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-011	The system shall allow staff to view a summary of blood inventory grouped by blood group.	Functional	High	Blood Bank Staff	AC-BBMS-F-011: A summary screen shows current unit count for each blood group. Test: TC-Inv-01	-

4.6 Blood Availability Search

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-012	The system shall allow a user to search blood availability by selecting a blood group.	Functional	High	Requester/User	AC-BBMS-F-012: Searching a blood group returns the current available unit count. Test: TC-Search-01	-
BBMS-F-013	The system shall display the list of currently available blood units to authenticated users.	Functional	Medium	Requester/User	AC-BBMS-F-013: Available units are listed with blood group and quantity. Test: TC-Search-02	-

4.7 Blood Request Management

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-014	The system shall allow a requester to submit a blood request specifying blood group, quantity and reason.	Functional	High	Requester/User	AC-BBMS-F-014: A submitted request is stored with status 'Pending'. Test: TC-Req-01	-
BBMS-F-015	The system shall allow a requester to view the current status of their submitted blood requests.	Functional	Medium	Requester/User	AC-BBMS-F-015: Requester can view request status as Pending, Approved, Rejected or Issued. Test: TC-Req-02	-
BBMS-F-016	The system shall allow authorized staff to approve or reject a pending blood request.	Functional	High	Blood Bank Staff	AC-BBMS-F-016: Staff decision updates the request status and is visible to the requester. Test: TC-Req-03	Depends on BBMS-F-014

4.8 Blood Issue and Distribution

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-017	The system shall allow staff to issue blood units against an approved blood request.	Functional	High	Blood Bank Staff	AC-BBMS-F-017: Approved request is marked 'Issued' once units are dispensed. Test: TC-Issue-01	Depends on BBMS-F-016
BBMS-F-018	The system shall automatically reduce blood inventory when units are issued against a request.	Functional	High	System	AC-BBMS-F-018: Inventory count for the issued blood group decreases by the issued quantity. Test: TC-Issue-02	Depends on BBMS-F-017
BBMS-F-019	The system shall maintain a record of all blood issue and distribution transactions.	Functional	Medium	Blood Bank Staff	AC-BBMS-F-019: Every issue transaction is logged with date, quantity and requester. Test: TC-Issue-03	-

4.9 Administrative Management

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-F-020	The system shall allow an administrator to create, update and deactivate user accounts.	Functional	Medium	Administrator	AC-BBMS-F-020: Administrator actions on a user account are reflected in the account's status. Test: TC-Admin-01	-
BBMS-F-021	The system shall allow staff to filter and search donor, donation and request records using common fields such as name or blood group.	Functional	Medium	Blood Bank Staff	AC-BBMS-F-021: Filtered search returns only matching records. Test: TC-Admin-02	-
BBMS-F-022	The system shall allow an administrator to record the expiry date of stored blood units and exclude expired units from availability.	Functional	Medium	Administrator	AC-BBMS-F-022: A unit past its expiry date is not shown in available inventory. Test: TC-Admin-03	Depends on BBMS-F-011

Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	User Authentication and Donor Management
Pramay Dubey (PES2UG24CS361)	Blood Donation Management and Blood Group Management
Pavan E Naik (PES2UG24CS343)	Blood Inventory Management and Blood Availability Search
Nishit Suresh (PES2UG24CS326)	Blood Request Management, Blood Issue and Distribution, and Administrative Management

5. Non-Functional Requirements (Detailed)

The non-functional requirements below are measurable and tied to test references. Requirement IDs follow the format BBMS-NF-###.

Req ID	Requirement	Category	Priority	Acceptance Criteria / Measurement
BBMS-NF-001	Common page operations (login, search, viewing records) shall complete within 3 seconds under normal load on a standard internet connection.	Performance	High	90th percentile page response time ≤ 3 seconds in test environment. Test: TC-Perf-01

Req ID	Requirement	Category	Priority	Acceptance Criteria / Measurement
BBMS-NF-002	The system shall remain available during normal working hours, excluding scheduled maintenance windows.	Reliability	Medium	No unplanned downtime during a 2-week monitoring period. Test: Ops log review
BBMS-NF-003	The system's screens shall follow a consistent and simple layout so that staff and donors can complete common tasks without prior training.	Usability	Medium	A first-time user completes donor registration and blood search without external help. Test: TC-UX-01
BBMS-NF-004	The system's codebase shall be organized into clearly separated modules (authentication, donor, inventory, request) to simplify future changes.	Maintainability	Medium	Each module can be modified independently with no unrelated module requiring changes. Test: Code review
BBMS-NF-005	Blood inventory counts shall remain consistent with recorded donation and issue transactions at all times.	Data Integrity	High	Sum of recorded donations minus issued units equals displayed inventory in all test cases. Test: TC-INT-01
BBMS-NF-006	The system shall be accessible to authorized users from any standard web browser without requiring additional software installation.	Availability	Medium	Application loads and functions correctly on the two most recent versions of major browsers. Test: TC-Compat-01

Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	Performance and Reliability requirements
Pramay Dubey (PES2UG24CS361)	Usability and Maintainability requirements
Pavan E Naik (PES2UG24CS343)	Data Integrity and Availability requirements
Nishit Suresh (PES2UG24CS326)	Review of NFR acceptance criteria and measurements

5.1 Security

5.1.1 Security Objectives

- Protect user and donor information from unauthorized access.
- Ensure that only authorized staff can modify blood inventory and request records.
- Maintain confidentiality and integrity of sensitive system data.

5.1.2 Security Requirements

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-SR-001	The system shall require a valid username/email and password before granting access to any protected page.	Security	High	-	AC-BBMS-SR-001: Unauthenticated requests to protected pages are redirected to the login page. Test: TC-Sec-01	-
BBMS-SR-002	The system shall restrict administrative functions (approving requests, managing inventory, managing user accounts) to users with the Administrator or Blood Bank Staff role.	Security	High	-	AC-BBMS-SR-002: A donor or requester account cannot access administrative pages or actions. Test: TC-Sec-02	-
BBMS-SR-003	The system shall use HTTPS for all communication between the client and the server.	Security	High	-	AC-BBMS-SR-003: All application traffic is served over HTTPS; plain HTTP requests are redirected. Test: TC-Sec-03	-

Req ID	Requirement (shall…)	Type	Priority	Source / Stakeholder	Acceptance Criteria / Test Case Ref	Comments / Dependencies
BBMS-SR-004	The system shall store user passwords using a secure hashing mechanism and shall not store passwords in plaintext.	Security	High	-	AC-BBMS-SR-004: Inspection of the user data store shows only hashed password values. Test: TC-Sec-04	-
BBMS-SR-005	The system shall record an audit entry whenever inventory levels or request statuses are modified.	Security	Medium	-	AC-BBMS-SR-005: Every inventory or request status change produces a corresponding audit log entry. Test: TC-Sec-05	-

Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	Security objectives and authentication-related security requirements
Pramay Dubey (PES2UG24CS361)	Role-based access control requirements
Pavan E Naik (PES2UG24CS343)	Communication and password-storage security requirements
Nishit Suresh (PES2UG24CS326)	Audit logging requirement and overall security review

6. Quality Attributes & Acceptance Tests

The system will be considered acceptable when:

- All functional requirements work correctly as specified.
- No critical security requirement fails during testing.
- Blood inventory updates remain consistent with donation and issue transactions.
- Blood requests are processed correctly from submission through to issue.
- Important user interactions (registration, login, search, request submission) work correctly.
- Non-functional requirements meet their stated acceptance criteria.

Acceptance testing will cover the following areas:

- Authentication
- Donor registration
- Donation recording
- Inventory management
- Blood availability search
- Blood request processing
- Blood issue / distribution
- Security
- Performance

Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	Performance and usability acceptance criteria review
Pramay Dubey (PES2UG24CS361)	Functional acceptance test area definitions
Pavan E Naik (PES2UG24CS343)	Security and reliability acceptance criteria review

Team Member	Assigned Responsibility
Nishit Suresh (PES2UG24CS326)	Overall acceptance criteria consolidation

7. System Models and Diagrams

7.1 UML Use-Case Diagram

The diagrams below show the main actors and use cases of the Blood Bank Management System.

Diagram 1: Donor / Requester interactions





Diagram 2: Administrator / Blood Bank Staff interactions



Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	Diagram 1 actor and use-case identification (Donor / Requester)
Pramay Dubey (PES2UG24CS361)	Diagram 1 layout and drawing
Pavan E Naik (PES2UG24CS343)	Diagram 2 actor and use-case identification (Administrator / Staff)
Nishit Suresh (PES2UG24CS326)	Diagram 2 layout and drawing

8. Requirements Traceability Matrix (RTM)

The table below maps each requirement to its section reference, corresponding module, and test case reference. Status 'N' indicates the requirement has not yet been implemented or verified.

Req ID	Requirement Short Description	Section Ref / Design Spec	Module	Test Case(s)	Status	Comments
BBMS-F-001	The system shall allow registered users to log in using a...	4.1 / DS-BBMS-F-001	User Authentication	TC-Auth-01	N	-
BBMS-F-002	The system shall allow an authenticated user to log out a...	4.1 / DS-BBMS-F-002	User Authentication	TC-Auth-02	N	-
BBMS-F-003	The system shall allow a new donor to register by providi...	4.2 / DS-BBMS-F-003	Donor Management	TC-Donor-01	N	-
BBMS-F-004	The system shall allow a donor to update their personal a...	4.2 / DS-BBMS-F-004	Donor Management	TC-Donor-02	N	-
BBMS-F-005	The system shall allow blood bank staff to view a list of...	4.2 / DS-BBMS-F-005	Donor Management	TC-Donor-03	N	-
BBMS-F-006	The system shall allow staff to mark a donor's eligibilit...	4.2 / DS-BBMS-F-006	Donor Management	TC-Donor-04	N	-
BBMS-F-007	The system shall allow staff to record a new blood donati...	4.3 / DS-BBMS-F-007	Blood Donation Management	TC-Don-01	N	-
BBMS-F-008	The system shall allow a donor to view their own past don...	4.3 / DS-BBMS-F-008	Blood Donation Management	TC-Don-02	N	-
BBMS-F-009	The system shall automatically update blood inventory whe...	4.3 / DS-BBMS-F-009	Blood Donation Management	TC-Don-03	N	-
BBMS-F-010	The system shall maintain a master list of blood groups (...	4.4 / DS-BBMS-F-010	Blood Group Management	TC-BG-01	N	-
BBMS-F-011	The system shall allow staff to view a summary of blood i...	4.5 / DS-BBMS-F-011	Blood Inventory Management	TC-Inv-01	N	-
BBMS-F-012	The system shall allow a user to search blood availabilit...	4.6 / DS-BBMS-F-012	Blood Availability Search	TC-Search-01	N	-
BBMS-F-013	The system shall display the list of currently available ...	4.6 / DS-BBMS-F-013	Blood Availability Search	TC-Search-02	N	-
BBMS-F-014	The system shall allow a requester to submit a blood requ...	4.7 / DS-BBMS-F-014	Blood Request Management	TC-Req-01	N	-
BBMS-F-015	The system shall allow a requester to view the current st...	4.7 / DS-BBMS-F-015	Blood Request Management	TC-Req-02	N	-
BBMS-F-016	The system shall allow authorized staff to approve or rej...	4.7 / DS-BBMS-F-016	Blood Request Management	TC-Req-03	N	-
BBMS-F-017	The system shall allow staff to issue blood units against...	4.8 / DS-BBMS-F-017	Blood Issue and Distribution	TC-Issue-01	N	-

Req ID	Requirement Short Description	Section Ref / Design Spec	Module	Test Case(s)	Status	Comments
BBMS-F-018	The system shall automatically reduce blood inventory whe...	4.8 / DS-BBMS-F-018	Blood Issue and Distribution	TC-Issue-02	N	-
BBMS-F-019	The system shall maintain a record of all blood issue and...	4.8 / DS-BBMS-F-019	Blood Issue and Distribution	TC-Issue-03	N	-
BBMS-F-020	The system shall allow an administrator to create, update...	4.9 / DS-BBMS-F-020	Administrative Management	TC-Admin-01	N	-
BBMS-F-021	The system shall allow staff to filter and search donor, ...	4.9 / DS-BBMS-F-021	Administrative Management	TC-Admin-02	N	-
BBMS-F-022	The system shall allow an administrator to record the exp...	4.9 / DS-BBMS-F-022	Administrative Management	TC-Admin-03	N	-
BBMS-NF-001	Common page operations (login, search, viewing records) s...	5 / DS-BBMS-NF-001	Performance	TC-Perf-01	N	-
BBMS-NF-002	The system shall remain available during normal working h...	5 / DS-BBMS-NF-002	Reliability	-	N	-
BBMS-NF-003	The system's screens shall follow a consistent and simple...	5 / DS-BBMS-NF-003	Usability	TC-UX-01	N	-
BBMS-NF-004	The system's codebase shall be organized into clearly sep...	5 / DS-BBMS-NF-004	Maintainability	-	N	-
BBMS-NF-005	Blood inventory counts shall remain consistent with recor...	5 / DS-BBMS-NF-005	Data Integrity	TC-INT-01	N	-
BBMS-NF-006	The system shall be accessible to authorized users from a...	5 / DS-BBMS-NF-006	Availability	TC-Compat-01	N	-
BBMS-SR-001	The system shall require a valid username/email and passw...	5.1.2 / DS-BBMS-SR-001	Security	TC-Sec-01	N	-
BBMS-SR-002	The system shall restrict administrative functions (appro...	5.1.2 / DS-BBMS-SR-002	Security	TC-Sec-02	N	-
BBMS-SR-003	The system shall use HTTPS for all communication between ...	5.1.2 / DS-BBMS-SR-003	Security	TC-Sec-03	N	-
BBMS-SR-004	The system shall store user passwords using a secure hash...	5.1.2 / DS-BBMS-SR-004	Security	TC-Sec-04	N	-
BBMS-SR-005	The system shall record an audit entry whenever inventory...	5.1.2 / DS-BBMS-SR-005	Security	TC-Sec-05	N	-

Division of Work

Team Member	Assigned Responsibility
Nidhi Karkada (PES2UG24CS314)	Traceability for Authentication and Donor Management requirements
Pramay Dubey (PES2UG24CS361)	Traceability for Donation, Blood Group and Inventory requirements
Pavan E Naik (PES2UG24CS343)	Traceability for Availability Search and Blood Request requirements
Nishit Suresh (PES2UG24CS326)	Traceability for Blood Issue, Administrative, NFR and Security requirements