

EuroToken

A Stable Digital Euro Based on TrustChain

R. W. Blokzijl

- Stablecoin
- Blockchain
- Cryptocurrencies
- TrustChain
- CBDC

R.W.Blokzijl@student.tudelft.nl

EuroToken

A Stable Digital Euro Based on TrustChain

by

R. W. Blokzijl

to obtain the degree of Master of Science
at the Delft University of Technology,
to be defended publicly on TODO.

Student number:	4269519
Project duration:	November 11, 2020 – TODO
Thesis committee:	Dr.ir. J.A. Pouwelse,, TU Delft, supervisor
	Member 1, TU Delft
	Member 2, TU Delft

This thesis is confidential and cannot be made public until December 31, 2013.

An electronic version of this thesis is available at <http://repository.tudelft.nl/>.

Preface

TODO: Add preface

R. W. Blokzijl
Delft, TODO

Contents

1	Introduction	1
2	Problem description	3
2.1	Background	3
2.2	What is a stablecoin / how to peg a currency	3
2.3	Stablecoins in the wild	3
2.4	Terms used	3
3	Design	5
3.1	System architecture	5
3.2	Token exchange	5
3.2.1	Automating bank transactions	5
3.3	TrustChain as an accounting platform for financial transactions	5
3.3.1	Day to day money transfer in the 21 century	5
3.4	System considerations	5
3.4.1	Security	5
3.4.2	Scalability	5
3.4.3	Usability	5
3.4.4	Audibility	5
4	Implementation	7
4.1	Gateway (Central Bank API)	7
4.1.1	Bank integration	7
4.1.2	TrustChain	7
4.2	Android Wallet	7
4.2.1	Trustchain	7
5	Field trial	9
6	Discussion	11
6.1	System dangers	11
6.1.1	Under-collateralization	11
6.2	System future	11
7	Conclusion	13
8	Related Work	15
	Bibliography	17

1

Introduction

(???)

Libra bad, CBDC better.

2

Problem description

2.1. Background

2.2. What is a stablecoin / how to peg a currency

2.3. Stablecoins in the wild

2.4. Terms used

- Token
- Gateway
- Wallet
- CBDC - Central Bank Digital Currency

3

Design

3.1. System architecture

2 sides

3.2. Token exchange

3.2.1. Automating bank transactions

3.3. TrustChain as an accounting platform for financial transactions

3.3.1. Day to day money transfer in the 21 century


3.4. System considerations

3.4.1. Security

3.4.2. Scalability

3.4.3. Usability

3.4.4. Audibility



Implementation

The implementation of the stablecoin system consists of 2 code bases: the wallet Android app, and the gateway REST API. A web front end for the rest API has also been created.

4.1. Gateway (Central Bank API)

The only way tokens are created is when a central bank creates them. In our implementation this only happens when a user has transferred an equal amount of euro into the central bank account.

The gateway is responsible for the exchange of euro for tokens and vice versa. This involves taking payments in both tokens and euros, and payments in both currencies.

4.1.1. Bank integration

When a user wants to convert a euro to a stablecoin token, a transaction is initiated with the gateway API.

4.1.2. TrustChain

4.2. Android Wallet

4.2.1. Trustchain

5

Field trial

6

Discussion

6.1. System dangers

6.1.1. Under-collateralization

Causes:

- By central bank printing without collateral
- Licenced gateway banks going bust, taking collateral with them

Effects:

Future bank runs could leave some token holders without their collateral, this makes token holders less confident in tokens. This would lower their value, but the direct exchange peg maintains the price. This hides the problem while undermining trust in the value of the tokens.

Solution:


- Don't print without collateral.
- Short term:
 - Keep collateral liquid at all times (also stops inflation)
- long term:
 - see system future

6.2. System future

- euros are deleted by banks on euro2token exchange, and created on token2euro exchange.
- Banks don't manage the collateral, only the CBDC exchange.
- Banks get a place in trust instead of investment.

7

Conclusion



Related Work

Bibliography

- [1] Tribler. Tribler/py-ipv8: Python implementation of the ipv8 layer. Accessed: June 13, 2020. URL <https://github.com/Tribler/py-ipv8>.