Carnegie Mellon University

Safer and responsible AI systems via Policy and Platforms

Ramayya Krishnan
Dean, **Heinz College Of Information Systems And Public Policy**
Founding Faculty Director, **Block Center for Technology and Society**

IITM Safe and RAI Summer School, June 2024

Acknowledgements

- Thanks to my CMU colleagues Rayid Ghani, Matt Fredrickson, Lauren McIlvenny, Rema Padman, Adam Papper
- Thanks to my NYU colleagues Prasanna Parasurama, Joao Sedoc and Arun Sundararajan
- Data Science for Social Good, Block Center for Technology and Society, Metro 21


NPTEL

Block Center for Technology & Society

The Future of Work

Responsible AI


Seeding Societal Futures



NPTEL

Carnegie Mellon University

Responsible AI



NPTEL

The Block C
FOR TECHNOLOGY AI

RAI Principles

Fairness

Explainability

Robustness


Privacy

Transparency

Inclusiveness

Accountability

An HR Application - the AI value chain



Data and information flow up and down the value chain. Evaluation of the “system” vs. just the AI. What about obligations? of the Model Developer, the Deployer and the User?

From Policy to Practice

- Measurement and tools to evaluate an AI model and AI system on each of these dimensions of responsible AI

- Role of these in procurement (most organizations will procure AI for consequential applications)
  - Contrast with office 365 or Google Docs which will integrate AI co-pilots for productivity

- See new NTIA report on accountable AI (https://www.ntia.gov/sites/default/files/publications/ntia_ai_report_final-3-27-24.pdf)

Key Areas of Policy Interest

AI and Democracy: Deep Fakes, Synthetic media

- **Code of conduct, standards, detection technology**
- **Synthid, c2pa.org**

AI Safety and security (pre-deployment)

- **Model transparency and auditing**

AI Safety and Security (post deployment)

- **CERT for AI**

NPTEL

Two Executive Orders on AI



September 20, 2023



October 30, 2023


Pre-Deployment AI safety and security



Model Transparency: Input Data Cards and Analysis

- Builders of AI models must make available information about their data sources (for high risk and safety critical AI systems)

- These inputs ("nutrition labels") can be audited to ensure compliance with data ownership (IP and copyright), Bias analysis, Data Poisoning attacks etc.
- Example: GPT 4 System Card https://cdn.openai.com/papers/gpt-4-system-card.pdf



Nutrition Facts

8 servings per container

Serving size 2/3 cup (55g)

Amount per 2/3 cup **Calories**	**230**
% DV*	
12%	**Total Fat** 8g
5%	Saturated Fat 1g
	Trans Fat 0g
0%	**Cholesterol** 0mg
7%	**Sodium** 160mg
12%	**Total Carbs** 37g
14%	Dietary Fiber 4g
	Sugars 1g
	Added Sugars 0g
	Protein 3g
10%	**Vitamin D** 2mcg
20%	**Calcium** 260mg
45%	**Iron** 8mg
5%	**Potassium** 235mg

* Footnote on Daily Values (DV) and calories reference to be inserted here.

Model Transparency: The AI Underwriters lab

- Our tolerance for errors will vary by use. Systems that protect life and limb should allow for very few mistakes regardless of the cost. Eg. air traffic control vs. an email spam filter

- We propose that mechanisms should be created to develop risk standards (expressed as AI RMF profiles) and auditors can assess if the AI system complies with the risk thresholds for safety critical and high risk applications

- Like FASB for accounting standards and Underwriters Lab



Challenges to be addressed


Documentation and processes
- Ethics by design

Measurement and metrics
- Operationalizing values
- Codifying tradeoffs
- Thresholds for capabilities

Evaluation
- Capabilities (knowledge, retrieval, robustness, adversarial robustness, reliability, accuracy, equity,..

Assurance
- What are the standards against which assurance is being checked?
- What is the GAAP for AI? Could AI RMF Profiles provide explicit thresholds for what is deemed acceptable for the multiple “values” of interest?

How should we design, develop, and deploy AI systems?



What values should we design for?

Fairness

Efficiency

Robustness

Privacy


Transparency

Inclusiveness

Accountability

Adopting a Systems Approach to AI design and development - focus on the system rather than just the AI model

Illustration with Fairness



NPTEL

Societal USe Cases

Increasing Educational Outcomes in Schools (10+ school districts across the US and with Department of Education, El Salvador



Matching interventions to students in need of extra support

A Machine Learning Framework to Identify Students at Risk of Adverse Academic Outcomes. *Lakkaraju et al. KDD 2015*

Reducing number of people going to Jail (Johnson County, KS)

Reducing Incarceration through Prioritized Interventions. Bauman et. Al. ACM COMPASS 2018


11 MILLION
people move through 3,100 Jails

$22 BILLION
in cost


64%
suffer from mental illness

68%
have a substance abuse disorder

44%
suffer from chronic health problems



Reducing Health and Safety Issues in Rental Housing



http://www.donorschoose.com/

Predict priority and allocate scarce resource pattern

Table 1: Policy Settings and Data Details


	Inmate Mental Health	**Housing Safety**	**Student Outcomes**	**Education Crowdfunding**
Prediction Task	Jail booking within the next 12 months	Housing unit having a violation within the next year	Student not returning to school next year	Project not getting fully funded within 4 months
Timespan	2013-01-01 to 2019-04-01	2011-01-01 to 2017-06-01	2009-01-01 to 2018-01-01	2010-01-01 to 2014-01-01
# of Entities	61,192	4,593	801,242	210,310
# of Features	3,465	1,657	220	319
Base Rate	0.12	0.43	0.25	0.24
Evaluation Metric	Precision at top 500	Precision at top 500	Precision at top 10,000	Precision at top 1,000
Sensitive Attribute	Race	Median Income	Age Relative to Grade	Poverty Level

Measuring Fairness


- Variety of measures
- Makhlouf et al. (2020) (2022), Rodolfa et al. (2020)
- Group measures, individual measures
- Fairness Tree (Ghani et al.)
- Also what about process fairness in addition to output fairness?

NPTEL


Fairness Tree Framework



Accuracy vs. Disparity




How should we design AI systems?



What values should we design for?

- Fairness
- Explainability
- Robustness
- Privacy
- Transparency
- Inclusiveness
- Accountability

Health Literacy: Retrieving quality understandable content



Framework to Assess Healthcare Video Understandability

A video is understandable when

- Consumers of diverse backgrounds and varying levels of health literacy can process and explain key messages

https://www.ahrq.gov/health-literacy/patient-education/pemat1.html

- Evaluation of patient educational videos have relied on the judgment of domain experts on several critical dimensions (Backinger et al. 2011)
  - Content understandability by end users (Ruppert et al. 2017)
  - The volume of medical information (Liu et al. 2020)
  - The complexity of medical information provided (Stellefson et al. 2014)
- Agency for Healthcare Research and Quality (AHRQ) proposed the Patient Education Materials Assessment Tool (PEMAT) (Shoemaker et al. 2014)
  - Evaluates and compares patient education materials in written, audio and video formats
  - PEMAT highlights the need to emphasize the understandability of patient educational materials

(Liu et al. 2020, 2023

Patient Educational Material Assessment Tool – Video Understandability		
Content	Scoring: 0 = disagree, 1 = Agree, N/A = Not applicable	
1	The material makes its purpose completely evident.	0, 1
Word Choice & Style		
2	The material uses common, everyday language.	0, 1
3	Medical terms are used only to familiarize audience with the terms. When used, medical terms are defined.	0, 1
4	The material uses the active voice.	0, 1
Organization		
5	The material breaks or "chunks" information into short sections.	0, 1, N/A
6	The material's sections have informative headers.	0, 1, N/A
7	The material presents information in a logical sequence.	0, 1
8	The material provides a summary.	0, 1, N/A
Layout & Design		
9	Text on the screen is easy to read.	0, 1, N/A
10	The material allows the user to hear the words clearly (e.g., not too fast, not garbled).	0, 1, N/A
11	The material uses illustrations and photographs that are clear and uncluttered.	0, 1, N/A
12	The material uses simple tables with short and clear row and column headings.	0, 1, N/A


- https://www.ahrq.gov/health-literacy/patient-education/pemat.html
- Liu et al. 2002, 2023

$$\left(Understandability = \frac{The\ total\ number\ of\ 1's\ in\ PEMAT\ result}{12 - the\ total\ number\ of\ NA's\ in\ the\ PEMAT\ result} \times 100\% \right)$$

Features for Video Understandability Classification (Liu et al. 2020, 2023)

Classifier F1 based on Video Metadata		Classifier F2 based on Video Content Analysis	
The material makes its purpose evident	• Has title • Has video description • Has tags	Use common everyday language	Automated readability index (Webster 2019; McCallum et al. 1982)
Use common everyday language	Automated readability index	Materials uses active voice	The number of verbs in active voice in the video transcripts
Material uses active voice	The number of verbs in active voice in the video description	Video sections have informative title	Text recognition in videos
The material provides a summary	The number of summary words in video description	The material provides a summary	The number of summary words in video transcripts
Other features	• Video duration • The total # of words in the video description • The total # of unique words in the video description • Total # of sentences in the video description • The total # of medical terms in the video description	Materials may allow users to hear the words clearly	video transcription confidence scores
		Text on screen is easy to read	text recognition confidence score
		• Other features	• Total # of words in the video transcript • Total # of unique words in video transcript • Total # of sentences in the video transcript • Total # of medical terms in the video transcripts • Total # of scenes in the video • Total # of unique objects in the videos

weaudit.org (Hong and Parer, CMU)




Example: kindergarten teacher VS college professor

Here we can see that all images generated for kindergarten teacher are female whereas all generated for a college professor are male.

AI Evaluation Made Easy

Discover how your AI performs with **Zeno**.
Explore your data, uncover failures, and create beautiful, interactive charts.

Get Started Explore Projects



Harms and impact

Who bears of the cost of these errors?

Is it borne disproportionately by disadvantaged groups?

How can these be assessed prior to deployment?

NPTEL

Post Deployment AI Safety and Security


AI Lead Emergency Response Team (ALRT)

- Even with due diligence pre-deployment, need to respond to failures and vulnerabilities discovered post deployment
- Catalog failures, vulnerabilities and incidents, forensic analysis and risk tiering and sharing of data upstream to developers and downstream to deployers
- Similar to CMU's Cyber Emergency Response Team (CERT). Needed for .mil, .com and .gov domains



Suffix attacks (work of Fredrikson et al.)

Chatbots are “aligned” to a policy when they are trained



They are good at following these policies under normal circumstances

…but fail when probed *adversarially*

Attacking (proprietary) public LLMs




Step 1:
Find a *universal* attack that breaks several open-source LLMs



Step 2:
Paste the attack into public chatbots



Step 3:
… there is no Step 3…


Attack Success Rate on Black-Box Models
100%
80%
60%
40%
20%
0%
87%
2%
47%
8%
66%
48%
2%
GPT-3.5
GPT-4
PaLM-2 (Bard)
Claude-1
Claude-2
No Attack
With Attack

Is this significant?



Language models are being used fundamentally differently than previous forms of machine learning

1. Replacement for human-coded functionality
2. Autonomous decision-making
3. …

This vulnerability lets an attacker wrest control of an AI component, disregarding common guardrails

Closing thoughts

Much to learn about how to evaluate frontier AI models

Research needed to develop a science of measurement, evaluation and assurance of AI systems

Multi-disciplinary approaches are required that draw on social science, engineering, and computer science to respond to this challenge