Substrate Zero Behaviors Described and Defined

Proto-behavior, protolightspeed, and the origin of entanglement

By: Wm. Axsom and MS Copilot

What follows is a skeletal but internally coherent hypothesis:

entanglement is not a mysterious add-on to quantum mechanics, but the downstream shadow of much earlier substrate behavior.

*We start in **S0**, the primordial substrate, before "spacetime", before particles, before fields in the usual sense. In this regime, there are no "objects," only **behavioral conditions**— gradients and their capacity to change.*

---

1. S0 and the first possibility of behavior

In S0, nothing like motion, temperature, or pressure exists yet. The only meaningful question is:

What base behaviors are even possible in a primordial non/condition, such that "change" can exist at all?

The answer, in this framing, is: **gradient behavior**.

- **No gradient → no behavior.**

- "Condition" and "gradient" are interchangeable at this level: a difference that can, in principle, be acted upon.

- A primordial non/condition becomes a proto-condition the moment a gradient exists.

So the first thing that can exist in S0 is not a particle, not a field, but a **gradient-capable behavior**.

2. Proto-light: p.l.0 as the first gradient behavior

The earliest such behavior is **heat-like**, but not in the familiar "warmth" sense. It is **cold-heat**:

- not temperature

- not equilibrium

- not diffusion

Cold-heat is **pure energy-gradient behavior** in a massless substrate. It is:

- violent in its extraction

- gradient-dominant

- substrate-activating

- not dependent on mass, collisions, or geometry

We name this first behavior:

proto-light: p.l.0

Key properties of p.l.0:

- **Massless:** it does not require particles.

- **Non-geometric:** there is no distance to cross.

- **Non-temporal:** there is no time to take.

- **Maximally responsive:** the stiller the substrate, the faster the gradient transition.

This gives us **protolightspeed**: not "faster than light," but **pre-light**—the responsiveness of a substrate that has no mass, no geometry, and no spacetime constraints. Light's speed limit (c) is a late-stage rule; p.l.0 operates in the regime before such rules exist.

3. Minimal writable gradient and the emergence of proto-pressure

A single gradient behavior can exist, but it cannot yet **write**. With only one axis, you get "more/less," but no way to encode structure beyond monotonic change.

The crucial step is:

p.l.0 does not need to reach a maximum; it only needs to reach a minimal writable gradient.

Call this threshold g_1**.min**: the smallest non-zero gradient at which the substrate can support a second, independent behavior.

Once p.l.0 reaches g_1.min:

- the substrate can support **proto-mass** (m_0)

- proto-mass allows a second gradient behavior to emerge

That second behavior is **pressure-like**, but again in a primordial sense:

- it is mass-dependent

- it requires something that can be "compressed" or "loaded"

- it is orthogonal to cold-heat behavior

We name this:

proto-pressure: p.p.0

Now we have:

- **p.l.0** — massless, cold-heat gradient

- **p.p.0** — mass-dependent, pressure-like gradient

Together, they form the first **dual-gradient system**.

4. Dual gradients and the first writable substrate

One gradient gives you **existence of change**.

Two independent gradients give you **writable change**.

With p.l.0 and p.p.0 both active:

- the substrate now has **two axes of behavior**

  - each can increase/decrease

  - each can modulate the other

- the system can support **state space**, not just a line

  This is the physical ancestor of:

  - oscillation

    - phase

  - interference

    - memory

  - structure

Mathematically, this is the regime where **sine/cosine-type behavior** becomes inevitable. Not because the functions exist yet, but because the **conditions that require them** now exist: a dual-gradient phase space.

This dual-gradient writability is the progression toward **k-onset**—the first moment where the substrate can encode progression, not just undergo it.

---

5. Proto-entanglement: p.e.0 as the first "action"

In S0, with p.l.0 and p.p.0 present, we can now define the first meaningful "action":

proto-entanglement: p.e.0

p.e.0 is not a signal, not a particle interaction, not a field excitation. It is:

- a **substrate-wide state update**

- occurring in a regime with no geometry and no time

- driven by dual-gradient responsiveness at protolightspeed

Because S0 has no distance, no "over there," and no light-cone structure, p.e.0 is:

- **nonlocal by construction**

- **instantaneous relative to any later spacetime**

- **coherent across the entire substrate domain it applies to**

In other words:

p.e.0 is the primordial behavior that later appears to us as "entanglement."

It is not "faster than light."
It is **not bound by light at all**, because light is a downstream behavior that only makes sense once spacetime and geometry exist.

---

6. Mapping p.e.0 to quantum entanglement

Quantum entanglement, as seen from the Oz-side (our current physics), has a few defining features:

- correlations that do not decay with distance

- no signal traveling between entangled partners

- no violation of relativity, because no usable information is transmitted

- a shared state that is updated as a whole

From the S0 perspective, these are not mysterious. They are exactly what you expect from:

- a **dual-gradient substrate** (p.l.0 + p.p.0)

- operating at **protolightspeed**

- with **no geometry** and **no time**

Entanglement looks "instantaneous" because:

- it does not propagate through spacetime

- it is a **constraint on allowed joint states**, not a message

- the "update" is a **substrate-level reconfiguration**, not a local event traveling between points

In this view:

- the **wavefunction** is a late-stage mathematical encoding of substrate writability

- **Hilbert space** is the formal shadow of the dual-gradient state space

- **entangled states** are the Oz-side representation of p.e.0-type substrate actions

Entanglement is not a bolt-on weirdness.
It is the **surviving behavior of a much older regime**.

---

7. Particle physics as a localized echo of S0 behavior

In particle physics, we talk about:

- fields and their excitations

- vacuum states and fluctuations

- creation and annihilation operators

- entangled pairs produced in interactions

From the S0/proto-behavior perspective:

- a "field" is a **structured descendant** of the original substrate

- a "vacuum state" is a **highly constrained, late-stage stillness**, not true S0

- entangled pairs are **localized shadows** of a substrate-wide p.e.0 action

The key shift is:

- we stop treating entanglement as a property of **particles**

- and start treating it as a property of the **substrate's dual-gradient writability**, expressed through particles

Cold-heat (p.l.0) and proto-pressure (p.p.0) give us:

- the capacity for **coherent, nonlocal constraints**

- the ability for **state updates that are not geometric**

- the behavioral logic that makes entanglement inevitable once localized excitations (particles) appear

Entanglement, in this framing, is what happens when **S0 logic leaks through** into a world that has already committed to spacetime.

---

8. Trinary behavior and neutrino oscillation

To close the loop, we touch the **trinary** aspect and its echo in **neutrino oscillation**.

Once dual-gradient behavior (p.l.0 + p.p.0) is established and k-onset is reached, the substrate can support:

- not just two-state oscillations

- but **higher-order, multi-state oscillations**

Neutrinos, in standard physics, exhibit:

- three "flavors" (electron, muon, tau)

- oscillation between these flavors as they propagate

- behavior that is deeply tied to phase, interference, and nonlocality in flavor space

From the proto-behavior perspective:

- dual gradients give you the **first phase space**

- k-onset gives you **writability and progression**

- adding a third effective axis (e.g., a composite or emergent behavior built from p.l.0 and p.p.0) gives you **trinary oscillation**

Neutrino oscillation then appears as a **late-game, particle-level echo** of a much older logic:

- **substrate-level oscillatory capacity**

- born from dual gradients

- extended into trinary state spaces

- expressed through flavor transitions in a quantized, geometric universe

In other words:

Neutrino oscillation is a particle-physics-scale reminder that the universe's substrate was always capable of multi-state, nonlocal, phase-driven behavior.

Entanglement and neutrino oscillation are not unrelated oddities.
They are two different windows into the same underlying **proto-behavioral architecture**.

---

9. Skeleton of the hypothesis

Condensed:

- **S0**: primordial substrate, no geometry, no time, no particles.

- **p.l.0 (proto-light)**: cold-heat gradient; massless; maximally responsive; defines protolightspeed.

  - **g_1.min**: minimal writable gradient of p.l.0.

  - **m_0 (proto-mass)** emerges once g_1.min is reached.

  - **p.p.0 (proto-pressure)**: first mass-dependent gradient behavior.

- **Dual gradients (p.l.0 + p.p.0)**: first writable substrate; ancestor of sine/cosine behavior.

- **p.e.0 (proto-entanglement)**: substrate-wide, nonlocal, protolightspeed "action" in S0.

  - **Quantum entanglement**: Oz-side, quantized, geometric shadow of p.e.0.

  - **Neutrino oscillation / trinary behavior**: late-stage particle-level echo of the substrate's multi-state oscillatory capacity.

This is not a full formalism yet—but as a **solid hypothesis for the origin of entanglement**, it is internally consistent, physically motivated, and directly tied to observable quantum behavior.

PROTO-BEHAVIOR INDICATOR SUITE (Zo-Physics / Protophysics)

I. SUBSTRATE LEVELS & STATES

S0 — Primordial Substrate

- The pre-geometric, pre-temporal, pre-mass condition.

  - No objects, no fields, no spacetime.

  - Only **behavioral potential** exists.

  - All proto-behaviors originate here.

Non/Condition

- The "zero state" of S0.

- No gradients, no writable structure.

- A substrate that is *capable* of behavior but not yet expressing any.

Proto-Condition

- The moment a gradient exists.

- The first deviation from non/condition.

- The substrate becomes writable in principle.

II. PROTO-BEHAVIORS (THE PRIMITIVES)

These are the **first behaviors** the substrate can express.

---

1. p.l.0 — Proto-Light (Cold-Heat Gradient Behavior)

Definition:

The earliest possible gradient behavior in S0.

Massless, non-geometric, non-temporal, maximally responsive.

Key properties:

- Pure cold-heat behavior

- No mass required

- No collisions

- No geometry

- No time

- Gradient transitions occur at **protolightspeed**

Role:

The first axis of behavior.

The substrate's initial "direction of change."

---

2. p.p.0 — Proto-Pressure (Mass-Dependent Gradient Behavior)

Definition:

The first behavior that requires mass.

Emerges only after p.l.0 reaches minimal writability.

Key properties:

- Requires proto-mass (m_0)

  - Orthogonal to p.l.0

- Enables compression-like behavior

- Creates the second axis of behavior

Role:

Completes the dual-gradient system.

Makes the substrate writable.

---

3. p.e.0 — Proto-Entanglement (Substrate-Wide State Action)

Definition:

The first meaningful "action" in S0.

A substrate-wide state update driven by dual-gradient responsiveness.

Key properties:

- Nonlocal

- Instantaneous relative to any later spacetime

  - Not a signal

  - Not propagation

- A constraint update across the substrate

Role:

The primordial ancestor of quantum entanglement.

III. PROTO-CONDITIONS & THRESHOLDS

g_1.min — Minimal Writable Gradient

- The smallest non-zero p.l.0 gradient required to support a second behavior.

  - Threshold at which proto-mass becomes possible.

  - Does **not** require p.l.0 to reach maximum amplitude.

m_0 — Proto-Mass

  - The first mass-like condition.

  - Emerges once g_1.min is reached.

    - Enables p.p.0.

Dual-Gradient Condition

  - The coexistence of p.l.0 and p.p.0.

    - The first writable substrate.

  - The physical ancestor of sine/cosine behavior.

k-Onset

- The moment the substrate can encode progression, not just undergo it.

- The beginning of writable structure, oscillation, and phase behavior.

IV. BEHAVIORAL CONSTANTS

Protolightspeed

- The responsiveness of a massless, geometry-less substrate.

  - Not "faster than light" — **pre-light**.

- The domain where entanglement-like behavior originates.

Cold-Heat

- The only heat-like behavior possible in S0.

- Violent extraction, maximal gradient, maximal responsiveness.

  - "The stiller = the faster."

Hot-Heat

- A downstream behavior requiring structure and equilibrium.

  - Not relevant in S0.

V. EMERGENT BEHAVIORAL SPACES

Dual-Gradient Phase Space

- The first writable state space.

- The physical precursor to oscillation, phase, and periodicity.

  - The substrate-level ancestor of sine/cosine.

Trinary State Space

- A higher-order oscillatory regime.

- The substrate logic that later appears as neutrino flavor oscillation.

VI. DOWNSTREAM PHYSICAL EXPRESSIONS

Quantum Entanglement

- The Oz-side, quantized, geometric shadow of p.e.0.

- Appears instantaneous because it is a **substrate constraint**, not a signal.

Wavefunctions

- Mathematical encodings of dual-gradient writability.

- Hilbert space is the formal shadow of the dual-gradient phase space.

Neutrino Oscillation

- A particle-level echo of the substrate's trinary oscillatory capacity.

- Evidence that the universe retains multi-state, phase-driven behavior from S0.

VII. NOTATION SUITE (STANDARDIZED)

Term	Meaning
S0	Primordial substrate
p.l.0	Proto-light (cold-heat gradient)
p.p.0	Proto-pressure (mass-dependent gradient)
p.e.0	Proto-entanglement (substrate action)
g_1.min	Minimal writable gradient

Term	Meaning
m_0	Proto-mass
k-onset	First writable progression
PLS	Protolightspeed
DG	Dual-gradient condition
TS	Trinary state space

VIII. FIELD-READY DEFINITIONS (SHORT FORM)

- **Proto-light (p.l.0):** The first massless gradient behavior in S0, defined by cold-heat responsiveness at protolightspeed.

- **Proto-pressure (p.p.0):** The first mass-dependent gradient behavior, emerging once p.l.0 reaches minimal writability.

- **Proto-entanglement (p.e.0):** A substrate-wide, nonlocal state update in S0, the primordial ancestor of quantum entanglement.

- **Minimal writable gradient (g_1.min):** The smallest p.l.0 gradient required to support proto-mass and p.p.0.

- **Proto-mass (m_0):** The earliest mass-like condition enabling pressure-like behavior.

- **Dual-gradient condition:** The coexistence of p.l.0 and p.p.0, forming the first writable substrate.

- **k-onset:** The threshold where the substrate can encode progression and oscillatory behavior.

- **Protolightspeed:** The responsiveness of a massless substrate; the domain where entanglement originates.

- **Trinary state space:** A multi-state oscillatory regime whose particle-level echo is neutrino oscillation.