

TEST SCRIPTS

TEST ID : 18 - Admin Login									
Designed By : Russel Andrade					Module or Screen : Admin Login Screen				
Test Data Source : User data entry					Objectives : To test if registered admin can log in to the system.				
Test Case #	Description	Test Steps	Expected Results	Actual Result	Performed By/ Date				
18-1	Invalid Admin Key Combination	In the input admin key page : 1.The admin should input up, down,left right	Upon completing the steps : - Verify that an error message is shown indicating the invalidity of the key combination. - Verify that the key combination inputted by the user is not valid - The admin log-in page should not be shown	- Admin Log - in Unsuccessful - User was not redirected to the admin log-in page. - User still sees the default sign-in page.	Russel Andrade/ March 28,2015				
18-2	Valid Admin Key Combination	In the log-in page : 1.The admin should input U Up, Down,Down, Left,Right, Left,Right,B,A	Upon completion of the steps : - Verify that a message indicating a valid key combination was inputted. - The admin log-in page must be shown - The user must be able to input in the admin log-in page.	- Admin key accepted - The user was redirected to the admin sign-in page. - The user can now sign-in as an admin. - The user can input username and password for the final stage of the admin sign-in process	Russel Andrade/ March 28,2015				
18-3	Valid Admin Log-in	After successfully inputting the correct admin key combination : 1. Input "experts.prime@yahoo.com" in the email field. 2. Input "experts!" in the password field. 3. Click the submit button.	Upon completion of the steps - Verify that the admin page is shown - Verify that the admin can access all admin features	- Admin Sign-in Successful. - The user was redirected to the Company Account Registration. - The admin user can now create company accounts for their partners.	Russel Andrade/ March 28,2015				

QA Test Script – User Story 18

[illegible]

QA Test Script – User Story 18

[illegible]

QA Test Script – User Story 18

18-13	Invalid Password input (One of the character in the password is wrong)	In the admin log-in page : 1. Input "experts.prime@yahoo.com" in the email field 2. Input "expert!" in the password field 3. Click the Submit button	Upon completion of the steps - Verify that the user was not able to log-in as an admin - Verify that a message stating that the password input is wrong - Verify that the admin page is not shown.	- Admin Page was not shown. - Admin features was not accessible to the user - The user had an option to re do his/her log-in as an admin.	Russel Andrade/ March 28,2015
18-15	Cancelled Log-in	In the admin log – in page 1. Input "experts.prime@yahoo.com" in the email field. 2. Input "experts" in the password field. 3. Click the browser refresh button	Upon completion of the steps - Verify that the user was not able to log-in as an admin - Verify that a message informing the user of a cancelled log-in was shown. - Verify that the user is redirected to the main page	- No Effect since there was no cancel feature implemented for the admin log-in page.	Russel Andrade/ March 28,2015
18-15	Cancelled key submit	In the Log – in page : 1. The keys ,Up, Left, Right, Down, Left, Left, Up,Down was pressed 2. User refreshed the browser	Upon completion of the steps - Verify that the user was not able to log-in as an admin - Verify that the admin log-in page was not shown - Verify that the admin page was not shown - Verify that the user was redirected back to the home page.	- Admin log-in unsuccessful. - The user was not able to access the admin page. - The user may opt to re input the admin key combination. - The user may opt to log-in as an applicant or company.	Russel Andrade/ March 28,2015
18-16	Admin Log-in No input value for the password field.	In the Admin Key Log – in 1. Input "ToysRUs " in the username field 2. Input " " in the password field 3. Click the Submit button	Upon completion of the steps - Verify that no new account was made - Verify that the user was notified that the password contained no input - Verify that the user will not able to access		Russel Andrade/ March 28,2015
18-17	Admin Log-in No input value	In the Admin Key Log-In 1. Input " " in	Upon completion of the Steps - Verify that no input was		Russel Andrade/ March 28,2015

QA Test Script – User Story 18

TEST SCRIPTS

[illegible]

TEST SCRIPTS

TEST ID : 1 - The User can login to the System through his / her account.					
Designed By : Michael Ramos				Module or Screen :	
Test Data Source :				Objectives : Checks if the System allows the User to login through his / her account.	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
01 - 1	Checks that the System will not accept if the email and password fields are empty.	1. In the Login screen the User inputs: Email: Password: 2. Clicks the "Login" button	Upon completing the steps : <ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "Enter your email address and password." The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "Enter your email address and password." The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	Michael Ramos/ March 30, 2015
01 - 2	Checks that the System will allow leading spaces in email and the password is correct.	1. In the Login screen the User inputs: Email: <space><space><space>sample_email@gmail.com Password: sample_p@ssword! 2. Clicks the "Login" button	Upon completing the steps : <ul style="list-style-type: none"> The User will be able to login successfully. The System will direct and display to the User his / her main page. Check that the System will not make the email and password of the User be visible in the page url. 	<ul style="list-style-type: none"> The User will be able to login successfully. The System will direct and display to the User his / her main page. Check that the System will not make the email and password of the User be visible in the page url. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 3	Checks that the System will allow trailing spaces in email and the password is correct.	<p>1. In the Login screen the User inputs: Email: sample_email@gmail.com<space><space> Password: sample_p@ssword!</p> <p>2. Clicks the "Login" button</p>	<p>Upon completing the steps :</p> <ul style="list-style-type: none"> The User will be able to login successfully. The System will direct and display to the User his / her main page. Check that the System will not make the email and password of the User be visible in the page url. 	<ul style="list-style-type: none"> The User will be able to login successfully. The System will direct and display to the User his / her main page. Check that the System will not make the email and password of the User be visible in the page url. 	Michael Ramos/ March 30, 2015
01 - 4	Not allow middle spaces in email and the password is correct.	<p>1. In the Login screen the User inputs: Email: sam<space>ple_email<space>@<space>gmail.com Password: sample_p@ssword!</p> <p>2. Clicks the "Login" button</p>	<p>Upon completing the steps :</p> <ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "Enter your email address and password. The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "Enter your email address and password. The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 5	Checks that the System will allow the User to login if the email matches with the password in the database.	<p>1. In the Login screen the User inputs: Email: correct_email@gmail.com Password: correct_p@ssword!</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The User will be able to login successfully. The System should direct and display to the User his / her main page. The System should not make the email and password of the User be visible in the page url. 	<ul style="list-style-type: none"> The User will be able to login successfully. The System should direct and display to the User his / her main page. The System should not make the email and password of the User be visible in the page url. 	Michael Ramos/ March 30, 2015
01 - 6	Checks that the System will not allow the User to login if the entered email does not matches with the entered password using the database or vice versa.	<p>1. In the Login screen the User inputs: Email: correct_email@gmail.com Password: wrong_p@ssword!</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "The email or password you entered is incorrect." The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "The email or password you entered is incorrect." The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 7	Checks that the System will not allow the User to login if the email field is empty.	<p>1. In the Login screen the User inputs: Email: correct_p@ssword! Password: correct_p@ssword!</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "The email or password you entered is incorrect." The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "The email or password you entered is incorrect." The email and password fields should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	Michael Ramos/ March 30, 2015
01 - 8	Checks that the System will not allow if the password field is empty.	<p>1. In the Login screen the User inputs: Email: correct_email@gmail.com Password:</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "Enter your password." The password field should also be highlighted in red. The email and password fields should be editable and should accept new inputs. 	<ul style="list-style-type: none"> There was a run-time error. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 8	Checks that the System will allow simultaneous login of multiple different Users on different web browsers.	<p>1. In the Login screen the User inputs: FIREFOX (User 1) Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1!</p> <p>GOOGLE CHROME (User 2) Email: correct_email2@gmail.com</p> <p>Password: correct_p@ssword2!</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The two Users should be able to login successfully. The System should direct and display to each of the Users their own respective main pages. The System should not make the emails and passwords of the two Users be visible in the page url of both browsers. 	<ul style="list-style-type: none"> The two Users should be able to login successfully. The System should direct and display to each of the Users their own respective main pages. The System should not make the emails and passwords of the two Users be visible in the page url of both browsers. 	Michael Ramos/ March 30, 2015
01 - 9	Checks that the System will allow simultaneous login of the same User on different web browsers.	<p>1. In the Login screen the User inputs: FIREFOX (User 1) Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1!</p> <p>GOOGLE CHROME (User 1) Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1!</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The User should be able to login successfully on both web browsers. The System should direct and display to the User to his / her main pages on both browsers. The System should not make the emails and passwords of the User be visible in the page url on both browsers. 	<ul style="list-style-type: none"> The User should be able to login successfully on both web browsers. The System should direct and display to the User to his / her main pages on both browsers. The System should not make the emails and passwords of the User be visible in the page url on both browsers. 	Michael Ramos/ March 30, 2015
01 - 12	Checks that the System will allow login of two different Users on different web browsers though not necessarily simultaneous.	<p>1. In the Login screen the User inputs: FIREFOX (User 1) Email:</p>	<ul style="list-style-type: none"> The two Users should be able to login successfully. The System should direct and display to each of the Users 	<ul style="list-style-type: none"> The two Users should be able to login successfully. The System should direct and display to each of the Users 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 12	Checks that the System will allow login of the same User on different web browsers though not necessarily simultaneous.	<p>1. In the Login screen the User inputs: FIREFOX (User 1) Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1!</p> <p>GOOGLE CHROME (User 1) Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1!</p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The two Users should be able to login successfully. The System should direct and display to each of the Users their own respective main pages. The System should not make the emails and passwords of the two Users be visible in the page url on both browsers. 	<ul style="list-style-type: none"> The two Users should be able to login successfully. The System should direct and display to each of the Users their own respective main pages. The System should not make the emails and passwords of the two Users be visible in the page url on both browsers. 	Michael Ramos/ March 30, 2015
01 - 13	Checks that the System will not allow to login if the password entered contain extra spaces.	<p>1. In the Login screen the User inputs: Email: correct_email1@gmail.com</p> <p>Password: <space>correct_p@ssword1!<space></p> <p>2. Clicks the "Login" button</p>	<ul style="list-style-type: none"> The User will still be in the Login screen. The System will inform the User a message: "The email or password you entered is incorrect." The email and password fields should also be highlighted in red. The email and password 	<ul style="list-style-type: none"> The User was able to login successfully. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 15	Checks that the System will not allow a User to login using a direct url without logging into application.	<p>1. In the Login screen the User inputs: FIREFOX Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1! Url: http://JobIT.com/client=#/Profile=John/webhp?sourceid=chrome-instant&ion=1&espv=2&es_th=1&ie=UTF-8#q=importance%20of%20software%20negineering&es_th=1</p> <p>[Copies the url and paste it in GOOGLE CHROME...]</p>	<ul style="list-style-type: none"> The User should not be able to login successfully. The System should direct and display the User to the home page of the website. 	<ul style="list-style-type: none"> The User should not be able to login successfully. The System should direct and display the User to the home page of the website. 	Michael Ramos/ March 30, 2015
01 - 15	Checks that the System will not allow a User to login if it's already logged in on that same web browser on the same window.	<p>1. In the Login screen the User inputs: FIREFOX Email: correct_email1@gmail.com</p> <p>Password: correct_p@ssword1!</p> <p>[Opens a new tab and go to login page...]</p>	<ul style="list-style-type: none"> The System should direct and display the Users his / her own main page. 	<ul style="list-style-type: none"> The System should direct and display the Users his / her own main page. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 1

01 - 16	Checks that the System will not allow the password to be copied and pasted.	<p>1. In the Login screen the User inputs: FIREFOX Email: correct_email1@gmail.com</p> <p>Password: *****</p> <p>[Copies the contents of password field and pastes its contents to another screen]</p>	<ul style="list-style-type: none"> The System should not allow the password to be copied and pasted. 	<ul style="list-style-type: none"> The System should not allow the password to be copied and pasted. 	<p style="text-align: right;">Michael Ramos/ March 30, 2015</p>

TEST SCRIPTS

TEST ID : 6 - The Applicant can create an account to gain access to the System.					
Designed By : Michael Ramos			Module or Screen :		
Test Data Source :			Objectives : Checks if the System allows the User to create an account to gain access to the System.		
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
06 - 1	Checks that the System will not accept if at least one or more required fields are empty.	1. In the Registration screen the user inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 08288662350 *Address: *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror.com *Password: 12345 *Confirm Password: 12345 2. Clicks "Create Account" button	<ul style="list-style-type: none"> The User will still be in the Registration screen. The System will not reset all fields entered correctly by the User instead just the wrong ones. The System will inform the User a message: "Enter all the required fields." The empty required fields should also be highlighted in red. The empty required fields should be editable and should accept new inputs. 	<ul style="list-style-type: none"> The User will still be in the Registration screen. The System will not reset all fields entered correctly by the User instead just the wrong ones. The System will inform the User a message: "Enter all the required fields." The empty required fields should also be highlighted in red. The empty required fields should be editable and should accept new inputs. 	Michael Ramos/ March 30, 2015
06 - 2	Checks that the System will allow if the cell phone number entered includes country code.	1. In the Registration screen the user inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May	<ul style="list-style-type: none"> The User should be able to register successfully. The System will inform the User a message: "Registration Successful" The System will now direct the User to the Set Up 	<ul style="list-style-type: none"> The User was not able to register successfully. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 6

06 - 3	Checks that the System will allow if the cell phone number entered does not include the first digit "0".	<p>1. In the Registration screen the user inputs:</p> <p>ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror.com *Password: 12345 *Confirm Password: 12345</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> The User should be able to register successfully. The System will inform the User a message: "Registration Successful" The System will now direct the User to the Set Up page in order to complete the profile of the User. 	<ul style="list-style-type: none"> The User was not able to register successfully. 	Michael Ramos/ March 30, 2015
06 - 4	Checks that the System will allow if the cell phone number entered includes the first digit "0".	<p>1. In the Registration screen the User inputs:</p> <p>ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 08288662350</p>	<ul style="list-style-type: none"> The User should be able to register successfully. The System will inform the User a message: "Registration Successful" The System will now direct the User to the Set Up page in order to complete the profile of the User. 	<ul style="list-style-type: none"> The User should be able to register successfully. The System will inform the User a message: "Registration Successful" The System will now direct the User to the Set Up page in order to complete the profile of the User. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 6

06 - 5	Checks that the System will not allow if the email address contains spaces in between.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong<space><space>@omgteror.com *Password: 12345 *Confirm Password: 12345</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015
06 - 6	Checks that the System will not allow if there's more than one "@" sign on the email address.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 6

06 - 7	Checks that the System will not allow if there are invalid characters like parentheses, colons, semicolons, etc.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: (sonia_reyes_ong)_equals_4.0@omgterror.com *Password: 12345 *Confirm Password: 12345</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015
06 - 8	Checks that the System will not allow if the User accidentally / deliberately entered @gmail or @yahoo instead of @gmail.com or @yahoo.com.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror *Password: 12345 *Confirm Password: 12345</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Invalid Email Address" The email address field should also be highlighted in red. The email address field should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 6

06 - 8	Checks that the System will not allow if the password is less than the number of required characters.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror *Password: 1 *Confirm Password: 1</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Password should be at least 6 up to maximum of 15 characters." The password field should also be highlighted in red. The password field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User was able to register successfully. 	Michael Ramos/ March 30, 2015
06 - 9	Checks that the System will not allow if the password exceeds than the number of required characters.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror *Password: delasalleuniversity *Confirm Password: delasalleuniversity</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Password should be at least 6 up to maximum of 15 characters." The password field should also be highlighted in red. The password field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User was able to register successfully. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 6

06 - 12	Checks that the System will not allow if the password does not matches with the confirm password.	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror *Password: 12345 *Confirm Password: 123456</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> • The User should not be able to register successfully. • The System will inform the User a message: "Confirm Password and Password do not match." • The password and confirm password fields should also be highlighted in red. • The password and confirm password fields should still be editable and should accept new input. 	<ul style="list-style-type: none"> • The User should not be able to register successfully. • The System will inform the User a message: "Confirm Password and Password do not match." • The password and confirm password fields should also be highlighted in red. • The password and confirm password fields should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015
06 - 12	Checks that the System will not allow if the password contains spaces (i.e. trailing, middle and leading spaces).	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror *Password: my<space>sql *Confirm Password: my<space>sql</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> • The User should not be able to register successfully. • The System will inform the User a message: "Password should not contain spaces." • The password field should also be highlighted in red. • The password field should still be editable and should accept new input. 	<ul style="list-style-type: none"> • The User should not be able to register successfully. • The System will inform the User a message: "Password should not contain spaces." • The password field should also be highlighted in red. • The password field should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015

QA Test Script – User Story 6

06 - 13	Checks that the System will not allow if the password contains other characters aside from these: ".", "!", "@", and "#".	<p>1. In the Registration screen the User inputs: ID Number: *First Name: Sonia Middle Name: Reyes *Last Name: Ong *Birth Month: May *Birth Day: 8 *Birth Year: 1887 Cell Number: 8288662350 *Address: Malate, Manila *Marital Status: Single *Gender: Female *Email: sonia_reyes_ong@omgterror *Password: my***sql *Confirm Password: my***sql</p> <p>2. Clicks "Create Account" button</p>	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Password should not contain other characters aside from these: ".", "!", "@", and "#". The password field should also be highlighted in red. The password field should still be editable and should accept new input. 	<ul style="list-style-type: none"> The User should not be able to register successfully. The System will inform the User a message: "Password should not contain other characters aside from these: ".", "!", "@", and "#". The password field should also be highlighted in red. The password field should still be editable and should accept new input. 	Michael Ramos/ March 30, 2015
06 - 15	Valid data entry	<p>In the Applicant Setup Profile Page, the tester should:</p> <p>1. Enter the following information:</p> <p>Education High School: Second Philippine International School College: De La Salle University – Manila College Course: Computer Science Skills: Coding Work Experience Job Title: Quality Manager Years of Experience: 2 Certification(s): Windows 8 Microsoft Certified Technology Specialist</p> <p>2. Press the Submit button.</p>	<ul style="list-style-type: none"> All of the data input is saved into the database The user is redirected to the main page 	<ul style="list-style-type: none"> Applicant profile page was updated. PDF File acceptance was not verified since, upload resume feature was not implemented. All other inputs were stored in the database. 	Jonah Syfu/ March 28, 2015
06 - 15	Empty values	In the Applicant Setup Profile Page, the tester should:	<ul style="list-style-type: none"> None of the data is saved 	- The applicant profile page was not	Jonah Syfu/ March 28, 2015

QA Test Script – User Story 6

06 - 16	Only the Work Experience fields are filled with info	<p>In the Applicant Setup Profile Page, the tester should:</p> <ol style="list-style-type: none"> Enter the following information: <p>Education High School: <empty> College: <empty> College Course: <empty> Skills: <empty> Work Experience Job Title: Quality Manager Years of Experience: 2 Certification(s): Windows 8 Microsoft Certified Technology Specialist</p> <ol style="list-style-type: none"> Press the Submit button. 	<ul style="list-style-type: none"> All of the data input is saved into the database The user is redirected to the main page 	<ul style="list-style-type: none"> The applicant profile page was updated. The Input for the work experience field was reflected on the applicant profile page. Input was stored in the database. 	Jonah Syfu/ March 28, 2015
06 - 17	Only the Education fields are filled with info.	<p>In the Applicant Setup Profile Page, the tester should:</p> <ol style="list-style-type: none"> Enter the following information: <p>Education High School: Second Philippine International School College: De La Salle University – Manila College Course: Computer Science Skills: Coding Work Experience Job Title: <empty> Years of Experience: <empty> Certification(s): <empty></p> <ol style="list-style-type: none"> Press the Submit button. 	<ul style="list-style-type: none"> All of the data input is saved into the database The user is redirected to the main page 	<ul style="list-style-type: none"> Applicant profile page was updated. Educational Info updates are reflected on the database. Applicant's inputs on his/her Educational Info are reflected on his/her profile page. Inputs are stored in the database. 	Jonah Syfu/ March 28, 2015

QA Test Script – User Story 6

06 - 18	LETTER is entered in Years of Experience.	<p>In the Applicant Setup Profile Page, the tester should:</p> <ol style="list-style-type: none"> 1. Enter the following information: Education High School: Second Philippine International School College: De La Salle University – Manila College Course: Computer Science Skills: Coding Work Experience Job Title: Quality Manager Years of Experience: a Certification(s): Windows 8 Microsoft Certified Technology Specialist 2. Press the Submit button. 	<ul style="list-style-type: none"> • An error message will appear: "Only numbers can be placed in Years of Experience." • None of the above data will be saved 	<ul style="list-style-type: none"> - Applicant profile page was not updated. - The Applicant received an error message regarding invalid data type input on the Years of Experience field. - No new data was stored in the database. 	<p>Jonah Syfu/ March 28, 2015</p>
---------	---	---	--	---	---------------------------------------

TEST SCRIPTS

TEST ID :2 / The User (except the Admin/Super Admin) can manage their profile.					
Designed By : Jonah Syfu				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To test if the user can actually manage their profiles.	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
2 - 1	Changing info normally.	<p>In the manage profile page the user must input these values to the specified field :</p> <p>High School: Riyadh International School //changed College: De La Salle University – Manila College Course: Computer Science Skills: Coding</p> <p>Work Experience Job Title: Field Manager //changed Years of Experience: 1 //changed Certification(s): Windows 8 Microsoft Certified Technology Specialist Resume: resume.pdf //Is a file</p>	<ul style="list-style-type: none"> Verify if the fields contain valid data types The PDF file is accepted All of the data above is saved into the database The user is redirected to the main page 		
2 - 2	Checking when nothing is changed.	<p>In the manage profile page the user must input these values to the specified field :</p> <p>Education</p>	<ul style="list-style-type: none"> Verify if the fields contain valid data types The PDF file is accepted All of the data above is 		

QA Test Script – User Story # 2

2 - 3	Checking when the fields are left empty.	<p>In the manage profile page the user must input these values to the specified field :</p> <p>Education High School: <empty> College: <empty> College Course: <empty> Skills: <empty></p> <p>Work Experience Job Title: <empty> Years of Experience: <empty> Certification(s): <empty> Resume: <empty></p>	<ul style="list-style-type: none"> • None of the data is saved • An alert will notify the user that he / she has empty fields • Reverts the data back to the original one 		

QA Test Script – User Story # 2

2 - 4	Checking what happens when CANCEL is pressed	<p>In the manage profile page the user must input these values to the specified field :</p> <p>Education High School: Second Philippine International School College: De La Salle University – Manila College Course: Computer Science Skills: Coding</p> <p>Work Experience Job Title: Quality Manager Years of Experience: 2 Certification(s): Windows 8 Microsoft Certified Technology Specialist Resume: resume.pdf //Is a file</p>	<ul style="list-style-type: none"> • None of the data is saved • The user is redirected to the main page 		
-------	--	---	--	--	--

TEST SCRIPTS

TEST ID : 3					
Designed By :				Module or Screen :	
Test Data Source :				Objectives :	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
3 - 1	Checks if the software accepts password having a character count of 6.	In the new password field, the user must input : Password : russel	Password Change Successful. New Password must be valid during user log-in. Old password must not be valid during user log-in. New password must be stored in the database. Old password must not be in the database. User can still change his/her password.		
3 - 2	Checks if the software accepts password having a character count of 15.	In the new password field, the user must input : Password : MrDayDreamer003	Password Change Successful. New Password must be valid during user log-in. Old password must not be		

QA Test Script – User Story # 3

3 - 3	Checks if the software will not accept password having a character count below 6.	<p>In the new password field, the user must input :</p> <p>Password : Helo!</p>	<p>Password Change Unsuccessful.</p> <p>User will be notified that the new password is not valid.</p> <p>New Password must not be valid during user log-in.</p> <p>Old password must still be valid during user log-in.</p> <p>New password must not be stored in the database.</p> <p>Old password should still be in the database.</p> <p>User can still change his/her password.</p>		
3 - 4	Checks if the software will not accept password having a	<p>In the new password field, the user must input :</p>	<p>Password Change Unsuccessful.</p>		

QA Test Script – User Story # 3

3 - 5	Checks if the software will not allow passwords with spaces in the beginning.	<p>In the new password field, the user must input :</p> <p>Password : helloWorld!</p>	<p>Password Change Unsuccessful. User will be notified that the new password is not valid. New Password must not be valid during user log-in. Old password must still be valid during user log-in. New password must not be stored in the database. Old password should still be in the database. User can still change his/her password.</p>		

QA Test Script – User Story # 3

3 - 6	Checks if the software will not accept trailing spaces in the password.	<p>In the new password field, the user must input :</p> <p>Password : helloWorld !</p>	<p>Password Change Unsuccessful. User will be notified that the new password is not valid. New Password must not be valid during user log-in. Old password must still be valid during user log-in. New password must not be stored in the database. Old password should still be in the database. User can still change his/her password.</p>		
3 - 7	Checks if the software will not accept middle spaces.	<p>In the new password field, the user must input :</p> <p>Password : spsweng is life!</p>	<p>Password Change Unsuccessful. User will be notified that the new password is not valid. New Password must not be valid during user log-in. Old password must still be valid during user log-in. New password must not be stored in the database. Old password should still be in the database. User can still change his/her password.</p>		

QA Test Script – User Story # 3

3 - 8	Checks if the software will allow passwords with no spaces.	<p>In the new password field, the user must input :</p> <p>Password : spswenglsLife!</p>	<p>Password Change Successful.</p> <p>New Password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>New password must be stored in the database.</p> <p>Old password must not be in the database.</p> <p>User can still change his/her password.</p>		
3 - 9	Checks if the software will allow passwords with character "." Inside a pipeline.	<p>In the new password field, the user must input :</p> <p>Password : iteration2 . </p>	<p>Password Change Successful.</p> <p>New Password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>New password must be stored in the database.</p> <p>Old password must not be in the database.</p> <p>User can still change his/her password.</p>		

QA Test Script – User Story # 3

3 - 9	Checks if the software will allow passwords with character "!" inside a pipeline.	<p>In the new password field, the user must input :</p> <p>Password : abscbn! TVPlus</p>	<p>Password Change Successful.</p> <p>New Password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>New password must be stored in the database.</p> <p>Old password must not be in the database.</p> <p>User can still change his/her password.</p>		
3 - 12	Checks if the software will allow passwords with character "@" inside a pipeline.	<p>In the new password field, the user must input :</p> <p>Password : ariel @ ToMe!</p>	<p>Password Change Successful.</p> <p>New Password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>New password must be stored in the database.</p> <p>Old password must not be in the database.</p> <p>User can still change his/her password.</p>		

QA Test Script – User Story # 3

3 - 12	Checks if the software will allow passwords with character “#” inside the a pipeline.	<p>In the new password field, the user must input :</p> <p>Password : # plebPaMoreHa</p>	<p>Password Change Successful.</p> <p>New Password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>New password must be stored in the database.</p> <p>Old password must not be in the database.</p> <p>User can still change his/her password.</p>		
3 - 13	Checks if the software will allow passwords with characters “. ! @ #” inside the pipeline.	<p>In the new password field, the user must input :</p> <p>Password :done .!@# deal</p>	<p>Password Change Successful.</p> <p>New Password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>New password must be stored in the database.</p> <p>Old password must not be in the database.</p> <p>User can still change his/her password.</p>		

QA Test Script – User Story # 3

3 - 15	Checks if the software will not allow passwords with characters not equal to ". ! @ #" inside the pipeline.	<p>In the new password field, the user must input :</p> <p>Password : fernbrook[%^*& </p>	<p>Password Change Unsuccessful.</p> <p>User will be notified that the new password is not valid.</p> <p>New Password must not be valid during user log-in.</p> <p>Old password must still be valid during user log-in.</p> <p>New password must not be stored in the database.</p> <p>Old password should still be in the database.</p> <p>User can still change his/her password.</p>		
3 - 15	Checks if the new valid password is stored in the database.	<p>In the new password field, the user must input :</p> <p>Password : iteration2!</p>	<p>Password change Successful.</p> <p>New password must be valid during user log-in.</p> <p>Old password must not be valid during user log-in.</p> <p>Old Password must not be visible in the database.</p>		
3 - 16	Checks if system will not store the new password if it's equal to the last valid password used.	<p>In the new password field, the user must input :</p> <p>New Password : iteration1!!!</p> <p>Old Password : iteration1!!!</p>	<p>Password change Unsuccessful.</p> <p>New password must not be valid during user log-in.</p> <p>New password must not be in the database.</p> <p>Old password must be valid during user log-in.</p> <p>Old Password must be visible</p>		

QA Test Script – User Story # 3

3 - 17	Checks if the system will not store invalid passwords.	<p>In the new password field, the user must input :</p> <p>Password : DasalgoOpersysHUHU!!!!!!</p>	<p>Password change Unsuccessful. New password must not be valid during user log-in. New password must not be in the database. Old password must be valid during user log-in. Old Password must be visible in the database. User may change his/her password.</p>		
3 - 18	Checks if the system will store the new valid password if it's not equal to the last valid password.	<p>In the new password field, the user must input :</p> <p>Old Password : fernbrook008! New Password : fernwood345!</p>	<p>Password change Successful. New password must be valid during user log-in. Old password must not be valid during user log-in. Old Password must not be visible in the database.</p>		
3 - 19	Checks if the software will not store null inputs.	<p>In the new password field, the user must input :</p> <p>Password : (null)</p>	<p>Password Change Unsuccessful. User will be notified that he/she didn't enter any input. No new password must be stored in the database. Old password must be valid during log-in. User may input his/her new password.</p>		
3 - 20	Checks if the software will not allow password change if the user is not logged in.	<p>In the new password field, the user must input :</p>	<p>Password Change Unsuccessful. User should not have any</p>		

QA Test Script – User Story # 3

3 - 21	Checks if the software will not allow password change if the user is not registered.	In the new password field, the user must input : (No Possible Input)	Password Change Unsuccessful. User should not have any access to the change password page. User will be notified that he/she must be registered in the system to change a current password.		

TEST SCRIPTS

TEST ID : 4 / The User can choose how to receive notifications.					
Designed By : Michael Ramos				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if the system allows the user to choose his/her mode of notification.	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
4 - 1	Checks that the System will not allow the User to go to the page using direct url without logging into application	In the browser, the tester type the direct url without logging into application: 1. Enter "http://jobit.php/edit_notifications.php" as url.	Upon completing the steps on the left, the Login Screen should be displayed. • The tester will be prompted to login.		
4 - 2	Checks that the System will not allow the User to choose how to receive notifications if the password field is empty.	After having successfully login, the tester should be able to see his profile page: 1. Clicks the "Settings" button.	Upon completing the steps on the left, the tester should still be prompted to input his / her password again. • Verify that the following		

QA Test Script – User Story #4

4 - 3	Checks that the System is password space-sensitive.	<p>After having successfully login, the tester should be able to see his profile page:</p> <ol style="list-style-type: none"> 1. Clicks the "Settings" button. 2. Clicks the "Edit Account" button. 3. Enters password with spaces in between characters. 	<p>Upon completing the steps on the left, the tester should still be prompted to input his / her password again.</p> <ul style="list-style-type: none"> • Verify that the following error message is shown: "Incorrect Password" • Verify that the Password field is highlighted in red. 		
4 - 4	Checks that the System will not allow the password to be copied and pasted.	<p>After having successfully login, the tester should be able to see his profile page:</p> <ol style="list-style-type: none"> 1. Clicks the "Settings" button. 	<p>Upon completing the steps on the left, the tester should still be able to enable / disable options.</p> <ul style="list-style-type: none"> • Verify that the tester 		

QA Test Script – User Story #4

4 - 5	Checks if the system can allow the user enable a notification mode.	<p>After having successfully login, the tester should be able to see his profile page:</p> <ol style="list-style-type: none"> 1. Clicks the "Settings" button. 2. Clicks the "Edit Account" button. 3. Enters password. 4. Enable options. 	<p>Upon completing the steps on the left, the tester should still be able to enable / disable options.</p> <ul style="list-style-type: none"> • Verify that the tester should enable options. 		
4 - 6	Checks if the system can allow the user disable a notification mode.	<p>After having successfully login, the tester should be able to see his profile page:</p> <ol style="list-style-type: none"> 1. Clicks the "Settings" button. 	<p>Upon completing the steps on the left, the tester should still be able to enable / disable options.</p> <ul style="list-style-type: none"> • Verify that the tester 		

QA Test Script – User Story #4

QA Test Script – User Story #4

QA Test Script – User Story #4

QA Test Script – User Story #4

					Michael Ramos/ March 30, 2015

TEST SCRIPTS

TEST ID : 5 The User can log out of the System					
Designed By : Michael Ramos				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if the system allows the user to log out.	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
5 - 1	Check that the System will not allow the back button to push the User to his / her logged in page just after he / she logout from his / her specific account.	In the browser, the tester is already logged in: 1. Clicks the “Log out” button. 2. Clicks the back button of the browser.	<ul style="list-style-type: none"> The System should not allow another User to access the account of the previous User just by going back even the previous User has logged out. The System will just direct the User to the home page. 		
5 - 2	Check that the System will not allow the back button to push the User to his / her logged in page just after he / she logout from his / her	In the browser, the tester is already logged in: 1. Clicks the “Log out” button. 2. Logouts successfully.	<ul style="list-style-type: none"> The System should not allow another User to access the account of the previous User just by going back even the previous User has logged 		

QA Test Script – User Story #5

TEST SCRIPTS

TEST ID : 7 / The Applicant can upload his / her resume to make it visible to Companies who have set appointments with the Applicant.

Designed By : Jonah Syfu

Module or Screen :

Test Data Source : User Data Screen

Objectives :
To check if the system allows the user to upload his/her resume for prospective companies to see.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
7 - 1	Checks if the uploaded file is of PDF format.	In the upload resume portion, the user must upload, Resume : my_resume.pdf	Applicant Resume file must be accepted. Applicant Resume must be accessible to a company if necessary. The applicant must be able to upload a new version of the file. The PDF file must be stored in the database. A prospective company must be able to view the uploaded resume. A prospective company must be able to download the Applicant Resume file must be accepted.		
7 - 2	Checks if the software allows the user upload a resume of	In the upload resume portion, the user must upload,			

QA Test Script – User Story #7

7 - 3.a	Check if a file other than a PDF is accepted.	<p>In the upload resume portion, the user must upload,</p> <p>Resume: resume.docx //is a file</p>	<ul style="list-style-type: none"> • The file is not accepted • None of the changes are reflected in the database • A message will say: "Incorrect file type" <p>A prospective company must not be able to view the uploaded resume.</p> <p>A prospective company must not be able to download the uploaded resume.</p>		

QA Test Script – User Story #7

7 - 3.b	Check if a file other than a PDF is accepted.	<p>In the upload resume portion, the user must upload,</p> <p>Resume: resume.jpeg //is a file</p>	<ul style="list-style-type: none"> • The file is not accepted • None of the changes are reflected in the database • A message will say: "Incorrect file type" <p>A prospective company must not be able to view the uploaded resume.</p> <p>A prospective company must not be able to download the uploaded resume.</p>		
7 - 3.c	Check if a file other than a PDF is accepted.	<p>In the upload resume portion, the user must upload,</p> <p>Resume: resume.xls //is a file</p>	<ul style="list-style-type: none"> • The file is not accepted • None of the changes are reflected in the database • A message will say: "Incorrect file type" <p>A prospective company must not be able to view the uploaded resume.</p> <p>A prospective company must not be able to download the uploaded resume.</p>		

QA Test Script – User Story #7

7 - 3.d	Check if a file other than a PDF is accepted.	<p>In the upload resume portion, the user must upload,</p> <p>Resume: resume.png //is a file</p>	<ul style="list-style-type: none"> • The file is not accepted • None of the changes are reflected in the database • A message will say: "Incorrect file type" <p>A prospective company must not be able to view the uploaded resume.</p> <p>A prospective company must not be able to download the uploaded resume.</p>		
7 - 3.e	Check if a file other than a PDF is accepted.	<p>In the upload resume portion, the user must upload,</p> <p>Resume: resume.exe //is a file</p>	<ul style="list-style-type: none"> • The file is not accepted • None of the changes are reflected in the database • A message will say: "Incorrect file type" <p>A prospective company must not be able to view the uploaded resume.</p> <p>A prospective company must not be able to download the uploaded resume.</p>		

QA Test Script – User Story #7

7 - 4	Checks if the system stores the PDF version of the resume	<p>In the upload resume portion, the user must upload,</p> <p>New Resume : myResume.pdf</p>	<p>Applicant Resume file must be accepted.</p> <p>Applicant Resume must be accessible to a company if necessary.</p> <p>The applicant must be able to upload a new version of the file.</p> <p>The PDF file must be reflected in the database.</p> <p>A prospective company must be able to view the uploaded resume.</p> <p>A prospective company must be able to download the uploaded resume.</p>		
7 - 5	Checks if the software will not store non PDF resume's.	<p>In the upload resume portion, the user must upload,</p> <p>Resume : applicant_resume.jpg</p>	<p>Applicant Resume file must not be accepted.</p> <p>Applicant Resume must not be accessible to a company if necessary.</p> <p>The applicant can upload a PDF file.</p> <p>The PDF file must not be reflected in the database.</p> <p>The user will be notified that only PDF files is accepted.</p> <p>A prospective company must not be able to view the uploaded resume.</p> <p>A prospective company must not be able to download the uploaded resume.</p>		

QA Test Script – User Story #7

7 - 6	Checks if the company can view the uploaded PDF resume file	<p>In the upload resume portion, the user must upload,</p> <p>Resume : applicant_resume.pdf</p>	<p>Resume PDF file must be on the database. Chosen applicant resume must be viewable by the company. The company must see the chosen applicant's resume only.</p>		
7 - 7	Checks if the company will not be able to view the resume if, the file uploaded is not a PDF file format.	<p>In the upload resume portion, the user must upload,</p> <p>Resume : my_resume.pdf</p>	<p>No resume can be downloaded/viewed by a company. No resume associated to the chosen applicant must not be stored in the database. The applicant may upload his/her resume in PDF format.</p>		

QA Test Script – User Story #7

7 - 8	Checks if the system overwrites the OLD Resume PDF if the applicant uploads a new PDF resume file.	<p>In the upload resume portion, the user must upload,</p> <p>Old Resume : old_resume.pdf New Resume : new_resume.pdf</p>	<p>An existing resume must be stored in the database. The applicant uploaded a new file. The new uploaded file is in PDF format.</p>		
7 - 9	Checks if the company can download an applicant's Resume.	<p>In the upload resume portion, the user must upload,</p> <p>Resume : resume.pdf</p>	<p>The chosen applicant's resume was downloaded by the concerned company. Correct resume was downloaded by the company. The company can download the new resume if the applicant uploaded a new version.</p>		

QA Test Script – User Story #7

7 - 9	Checks if the concerned company will be the only one to have access to a desired applicant's resume	<p>In the upload resume portion, the user must upload,</p> <p>Resume : resume.pdf</p>	<p>Non chosen applicant resume must not be accessible to the company.</p> <p>Correct resume file can be viewed/downloaded by the company.</p> <p>The resume file must still be in the database.</p> <p>Resume files must be associated to the correct applicant.</p>		
7 - 12	Checks if the concerned company can view an applicant's resume.	<p>In the upload resume portion, the user must upload,</p> <p>Resume : chosen_applicant_resume.pdf</p>	<p>Non chosen applicant resume must not be accessible to the company.</p> <p>Correct resume file is viewed by the company.</p> <p>The resume file must still be in the database.</p> <p>Resume files must be associated to the correct applicant.</p>		

TEST SCRIPTS

TEST ID : 8 / The Applicant can search the Job Listings offered by the Companies to find the suitable job for him / her.

Designed By : Russel Andrade

Module or Screen :

Test Data Source : User Data Entry

Objectives :
To check if, the system allows an applicant to search for Job Listings of companies.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
8 - 1	Checks if the software will not display results if, user did not indicate any keyword during search but placed some filters.	1. In the keywords input field, the user must input : Keyword : (Null) In the filters area, the user must choose : Company Name : Accenture Course Required : BS Computer Science	No result will be displayed. User will be notified that there was no keyword input. The user may input a new keyword and/or filters.		
8 - 2	Checks if the software will not display result if, user did not	1. In the keywords input field, the user must input :	No result will be displayed. User will be notified that there		

QA Test Script – User Story #8

8 - 3	Checks if the software will display result if, the user indicated any keyword without filters during search.	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Software Engineering</p> <p>In the filters area, the user must choose :</p> <p>Company Name : (Null) Job Position : (Null) Course Required : (Null) Skills Required : (Null) Location : (Null) Work Hours : (Null) Salary : (Null) Work Experience : (Null)</p> <p>2. The user presses the search button</p>	<p>All possible results matching the keyword will be displayed. No duplicate inputs will be shown. All closed Job Listing should not be shown. Job Listings with no available slots should not be displayed.</p>		

QA Test Script – User Story #8

8 - 4	Checks if the software will display result if, the user indicated any keyword with filters during search.	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Computer Engineer</p> <p>In the filters area, the user must choose :</p> <p>Company Name : Google Philippines Job Position : (Null) Course Required : (Null) Skills Required : (Null) Location : Quezon City Work Hours : 8 Salary : Php 30,000 Work Experience : (Null)</p> <p>2. The user presses the search button</p>	<p>All possible results matching the keyword and filters will be displayed. No duplicate inputs will be shown. All closed Job Listing should not be shown. Job Listings with no available slots should not be displayed.</p>		
8 - 5	Checks if the software will not display results for keywords having all possible job listing to be closed.	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Tester</p> <p>In the filters area, the user must choose :</p> <p>2. The user presses the search button</p>	<p>No result will be shown. User will be notified that all possible job listing for the keyword input are closed. The user may input a new keyword and/or filter for a new job listing search.</p>		

QA Test Script – User Story #8

8 - 6	Checks if the software will display results for keywords having at least one of the possible job listing to be closed.	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Engineer</p> <p>In the filters area, the user must choose :</p> <p>2. The user presses the search button</p>	<p>All possible results will be shown. Closed Job Listing should not be shown. No duplicate results should be seen. Job Listings with no available slots should not be seen.</p>		
8 - 7	Checks if the software will display results for keywords having all of the possible job listing to be open .	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Software Tester</p> <p>In the filters area, the user must choose :</p> <p>2. The user presses the search button</p>	<p>All possible results matching the keyword will be displayed. No duplicate inputs will be shown. All closed Job Listing should not be shown. Job Listings with no available slots should not be displayed.</p>		

QA Test Script – User Story #8

8 - 8	Checks if the software will accept any keyword.	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Pleb</p> <p>In the filters area, the user must choose :</p> <p>2. The user presses the search button</p>	<p>All possible results matching the keyword will be displayed. No duplicate inputs will be shown. All closed Job Listing should not be shown. Job Listings with no available slots should not be displayed.</p>		
8 - 9	Checks if the software will not allow job listing search when an applicant is not logged in	<p>1. In the keywords input field, the user must input :</p> <p>In the filters area, the user must choose :</p> <p>2. The user presses the search button</p>	<p>No results will be displayed. User will be notified that job listing search will only be accessible to users who are logged in to the system.</p>		

QA Test Script – User Story #8

8 - 9	Checks if the software will not allow job listing search when an applicant is not registered in the system.	<p>1. In the keywords input field, the user must input :</p> <p>In the filters area, the user must choose :</p> <p>2. The user presses the search button</p>	<p>No results will be displayed. User will be notified that job listing search will only be accessible to users who are registered in to the system.</p>		
8 - 12	Checks if the software will not display results if the user cancelled the job listing search.	<p>1. In the keywords input field, the user must input :</p> <p>Keyword : Project Manager</p> <p>2. The user presses the refresh button</p>	<p>No results will be displayed. The user may input a keyword and/or filter for job listing search.</p>		

QA Test Script – User Story #8

TEST SCRIPTS

TEST ID : 9 / The Applicant can apply for a job in a Job Listing.

Designed By : Michael Ramos

Module or Screen :

Test Data Source : User Data Entry

Objectives :
To check if the software allows an applicant to apply for a job listing.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
9 - 1	Check that the apply option is enabled if the Applicant has not applied for the Job Listing.	1. The applicant views the list of Job Listings. 2. The applicant chooses a Job Listing. 3. The applicant presses the apply option.	The applicant can apply for the job listing. The company who posted the job listing will be notified. The job listing will be disabled for the applicant after applying. The company may do necessary action for this job listing application by the applicant. The database will be updated.		
9 - 2	Check that the apply option is enabled if the Applicant is not employed.	1. The applicant views the list of Job Listings. 2. The applicant chooses a Job Listing.	The applicant can apply for the job listing. The company who posted the job listing will be notified if the applicant applied.		

QA Test Script – User Story #9

9 - 3	Check that the Applicant is notified that he / she applied for the Job Listing.	<ol style="list-style-type: none"> 1. The applicant views the list of Job Listings. 2. The applicant chooses a Job Listing. 3. The applicant presses the apply option. 	<p>The applicant will receive the notification. The applicant may respond to the notification. The applicant may be employed by the company. The database will be updated.</p> <p>The company received the job listing application notification.</p>		
9 - 4	Check that the Company was notified that an Applicant has	1. The applicant views the list of Job Listings.			

QA Test Script – User Story #9

TEST SCRIPTS

TEST ID : 9 The Applicant can view the list of appointments and accept, reject, or reschedule the appointment.

Designed By : Russel Andrade

Module or Screen :

Test Data Source : User Data Entry

Objectives :
To check if the software allows an applicant to, accept, reject, reschedule a company appointment.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
9 - 1	Checks if the software will allow the applicant to accept a pending appointment.	1. In the appointments tab, the applicant chooses a company appointment to respond to : Accenture Appointment Google PH Appointment Globe Telecom Appointment 2. The user presses the accept button for all chosen company appointment	Status of accepted pending appointments will be changed. The company who posted the appointment will be notified. The accepted appointment will be restricted from being changed. Pending appointments status will not be changed.		
9- 2	Checks if the software re-notifies the applicant regarding near expiration appointments.	1. The applicant logs-in to his/her account. 2. The applicant checks his/her notifications.	Applicant is notified to perform necessary actions for near expiration appointments.		

QA Test Script – User Story #10

9- 3	Checks if the software notifies the applicant regarding expired appointments.	1. The applicant logs-in to his/her account. 2. The applicant checks his/her notifications.	Expired appointments should not be accessible. The applicant is notified when an expired appointment exists. The company will be notified that their posted appointment expired.		
9- 4	Checks if the software will not allow applicant access to	1. The applicant logs-in to his/her account.	The system notified the applicant regarding expired		

QA Test Script – User Story #10

9- 5	Checks if software will allow the applicant to reject a pending appointment.	<p>1. In the appointments tab, the applicant chooses a company appointment to respond to :</p> <p>Smart Appointment GMA 7 Appointment Shell PH Appointment</p> <p>2. The applicant presses the reject option for all chosen company appointments.</p>	<p>The status of the pending appointment should be changed. The applicant should be able to input a message regarding his/her rejection on the said appointment. The company is notified regarding the applicant's action on their appointment posting. The company should be able to receive the applicant's message regarding his/her rejection on the company's appointment.</p>		

QA Test Script – User Story #10

9- 6	Checks if the software will allow the applicant to reschedule a pending appointment.	<p>1. In the appointments tab, the applicant chooses a company appointment to respond to :</p> <p>ABS – CBN Appointment : Reschedule LRTA Appointment : Reschedule Boysen Philippines Appointment : Reschedule</p> <p>2. The applicant presses the reschedule option for all chosen company appointments</p>	<p>The status of the pending appointment should be changed.</p> <p>The applicant should be able to input a message regarding his/her rescheduling on the said appointment including the applicant's preferred schedule.</p> <p>The company is notified regarding the applicant's action on their appointment posting.</p> <p>The company should be able to receive the applicant's message regarding his/her rescheduling action on the company's appointment.</p>		
9- 7	Checks if the pending notification is still visible to the applicant if, he/she did not perform any actions on the said pending appointment.	<p>1. The applicant logs-in to his/her account.</p> <p>2. The applicant views his/her appointments tab.</p> <p>3. The applicant did not chose any available company appointment.</p> <p>4. The applicant checks his/her notifications.</p>	<p>Pending appointments status will not be changed.</p> <p>The user may accept, reject or reschedule a pending appointment.</p> <p>Pending appointments should be visible to the applicant.</p>		

QA Test Script – User Story #10

9- 8	Checks if the user can optionally add a message when rejecting an appointment.	<p>1. In the appointments tab, the applicant chooses a company appointment to respond to : Smart Appointment GMA 7 Appointment Shell PH Appointment</p> <p>2. The applicant chooses the reject option for all chosen company appointment.</p> <p>3. The applicant inputs his/her message for rejecting a company appointment.</p>	<p>The user must be able to reject an appointment. The user must be able to input a message if necessary. The reject action and message(if available) must be seen by the concerned company.</p>		
9 - 8	Checks if the user can optionally add a message when rescheduling an appointment.	<p>1. In the appointments tab, the applicant chooses a company appointment to respond to : ABS – CBN Appointment LRTA Appointment : Reschedule Boysen Philippines Appointment</p> <p>2. The applicant chooses the reschedule option for all chosen company appointment.</p> <p>3. The applicant inputs his/her message for rescheduling a company appointment.</p>	<p>The user must be able to reschedule an appointment. The user must be able to input a message (if necessary) stating his/her reasons plus his/her preferred schedule . The reschedule action and message(if available) must be seen by the concerned company.</p>		

QA Test Script – User Story #10

QA Test Script – User Story #10

TEST SCRIPTS

TEST ID : 12 / The Company can search for the Applicants to look for potential employees to hire.

Designed By : Russel Andrade

Module or Screen :

Test Data Source : User Data Entry

Objectives :
To check if the software allows a company to search for potential applicants.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
12 - 1	Checks if the software accepts any keyword.	1. In the keyword input field, the user will input, Keyword : Java Programmer 2. The user presses the search button.	A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be displayed. Results must be related to the keyword. Company is notified if no result can be shown.		
12 - 2	Check if the system will allow if a keyword input was made without any filter.	1. In the keyword input field, the user will input, Keyword : Programmer	A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be		

QA Test Script – User Story#12

12 - 3	Check if the system will allow if a keyword input was made with filter.	<p>1. In the keyword input field, the user will input, Keyword : Database</p> <p>2. In the filter field, the user must chose : Age : 18 City : Las Pinas Skill/s : (Null) Schools : CSA, DLSZ,DLSU Certification Exams Taken : (Null) Course : CS - ST Work Experience : (Null)</p> <p>3. The user presses the search button.</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be displayed. Results must be related to the keyword and the necessary filters used. Company is notified if no result can be shown.</p>		
12 - 4	Check if company is notified when a keyword input results to no result.	<p>1. In the keyword input field, the user will input, Keyword : Singer</p>	<p>A valid applicant search was made. Company received the notification. The company can invoke a</p>		

QA Test Script – User Story#12

12 - 5	Check if employed applicants are not shown.	<p>1. In the keyword input field, the user will input, Keyword : Singer</p> <p>2. In the filter input field, Age : 21 City : Manila Skill/s : Eating Food Schools : (Null) Certification Exams Taken : (Null) Course : (Null) Work Experience : (Null)</p> <p>3. The user presses the search button.</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Applicant from experts must be a priority when applying for a position.</p>		
12 - 6	Check if applicant from experts are prioritized in the display of list of applicants.	<p>1. In the keyword input field, the user will input, Keyword : Singer</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Expert's students must be on</p>		

QA Test Script – User Story#12

12 - 7	Check if the system will not allow blank inputs for the keyword.	<p>1. In the keyword input field, the user will input, Keyword : (Null)</p> <p>2. In the filter input field, (Null)</p> <p>3. The user presses the search button.</p>	<p>Company will be notified that a valid search requires a keyword. Company will be notified to input a value to a mandatory field.</p> <p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be</p>		
12 - 8	Check if the software displays the correct applicants if a keyword input was made with age as filter.	<p>1. In the keyword input field, the user will input, Keyword : Android Developer</p>			

QA Test Script – User Story#12

12 - 9	Check if the software displays the correct applicants if a keyword input was made with city as filter.	<p>1. In the keyword input field, the user will input, Keyword : Android Developer</p> <p>2. In the filter input field, City : Manila City</p> <p>3. The user presses the search button.</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be displayed. Results must be related to the keyword and with the city filter. Company is notified if no result can be shown.</p> <p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be</p>		
12 - 9	Check if the software displays the correct applicants if a keyword input was made with school as filter.	<p>1. In the keyword input field, the user will input, Keyword : Android Developer</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be</p>		

QA Test Script – User Story#12

12 - 11	Check if the software displays the correct applicants if a keyword input was made with certification exams taken as filter.	<p>1. In the keyword input field, the user will input, Keyword : Android Developer</p> <p>2. In the filter input field, Certification Exam : CCNP</p> <p>3. The user presses the search button.</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be displayed. Results must be related to the keyword and with the certification exam filter Company is notified if no result can be shown.</p> <p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be</p>		
12- 12	Check if the software displays the correct applicants if a keyword input was made with course as filter.	<p>1. In the keyword input field, the user will input, Keyword : Android Developer</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be</p>		

QA Test Script – User Story#12

12 - 13	Check if the software displays the correct applicants if a keyword input was made with work experience as filter.	<p>1. In the keyword input field, the user will input,</p> <p>Keyword : Android Developer</p> <p>2. In the filter input field,</p> <p>Work Experience : 2 Years</p> <p>3. The user presses the search button.</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be displayed. Results must be related to the keyword and with the work experience filter Company is notified if no result can be shown.</p>		

QA Test Script – User Story#12

12 - 15	Checks if the software displays the correct list of applicants when a company searches for an applicant.	<p>1. In the keyword input field, the user will input,</p> <p>Keyword : Programmer</p> <p>2. In the filter input field,</p> <p>Age : 28 City : Quezon City Skill/s : Software Testing, Java programming Schools : San Beda College Alabang Certification Exams Taken : (Null) Course : CS - CSE Work Experience : 3 Months</p> <p>3. The user presses the search button.</p>	<p>A valid applicant search was made. Result must not contain duplicate applicants. Hired applicants must not be displayed. Results must be related to the keyword. Company is notified if no result can be shown.</p>		
---------	--	--	--	--	--

TEST SCRIPTS

TEST ID : 13 / The Company can post Job Listings for Applicants to see and apply.					
Designed By : Michael Ramos				Module or Screen :	
Test Data Source : User Data Entry				Objectives :	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
13 - 1	Check if all mandatory fields are filled up with correct data types then the post option will be enabled.	1. The company goes to the post job listings. 2. Input in the job position field. Job Position : Junior Software Engineer Skills Required : Good in programming 4. Input in the work experience field. Work Experience : atleast 6 months 5. The company submits the job listing. 1. The company goes to the post job listings. 2. The company inputs value on the ff fields, Job Position : Junior Software	Job position, Skills required, work experience required fields must have an input. Job position and skills required must be of string data type. Work experience required must be of integer data type. All inputs must be stored in the database. The job listing will be included in the list of job listings that applicants can apply and see.		
13 - 2	Check if the inputs in the fields are of the right data type.	Job Position : Junior Software	Job position,skills required,course required, location, work hours schedule, certification exams and job title needed must be of string data type. Work experience required and years required must be of integer data type. All inputs must be stored in the		

QA Test Script – User Story #13

13 - 3	Check if at least one of the mandatory fields are empty, the post option will be disabled and the Company will be notified of the required fields that were left empty.	<p>1. The company goes to the post job listings.</p> <p>2. The company inputs value on the ff fields,</p> <p>Job Position : Skills Required : Good in programming Work Experience : 6 Course Required : IT Related Courses Location : Makati Work Hours : 6 Hours Certification Exams : none</p> <p>3. The company submits the job listing.</p> <p>2. The company inputs value on the ff fields,</p>	<p>The company must not be able to post the job listing. The company will be notified that a required field has no input. The job listing will not be included in the list of job listings that applicants can apply and see. The company may post a job listing.</p>		
13 - 4	Check if the job listing has been posted		<p>The company was notified that a successful job listing post was made. The applicants can view the posted job listing. The applicants can apply for the job listing.</p>		

QA Test Script – User Story #13

13 - 5	Check if the file containing the job details are uploaded.	<ol style="list-style-type: none">1. The company goes to the post job listings.2. The company uploads a job listing file joblisting.docs3. The company submits the job listing.	<p>The company was notified that the file has been successfully uploaded to the system. The contents of the file can be seen by the company and the applicants. The file is stored in the database. The contents of the file is associated to the correct job listing.</p>		

QA Test Script – User Story #13

--	--	--	--	--	--

TEST SCRIPTS

TEST ID : 15 / The Company can set appointments with Applicant/s to conduct an interview with them.

Designed By : Russel Andrade

Module or Screen :

Test Data Source : User Data Entry

Objectives :
To check if a company can set an appointment with an applicant.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
15 - 1	Checks if the software will not allow blank inputs for all fields.	1. The company goes to the appointments tab. 2. In the date input field, Date : (Null) 3. In the time input field, Time : (Null) 4. In the place of appointment field, Place of Appointment : (Null) 5. The company presses enter.	No new appointment will be made. Company is notified to input values for all fields. No new applicant is notified for a new company appointment.		
15 - 2	Checks if the software will not allow a non-date data type	1. The company goes to the appointments tab.	No new appointment will be made.		

QA Test Script – User Story #14

15 - 3	Checks if the software will not allow a non-time data type input for the time field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : April 19, 1994</p> <p>3. In the time input field,</p> <p>Time : 1915</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : Santolan LRT2 Station</p> <p>5. The company presses enter.</p>	<p>No new appointment will be made.</p> <p>Company is notified to input a time data type value for the time field.</p> <p>No new applicant is notified for a new company appointment.</p>		

QA Test Script – User Story #14

15 - 4	Checks if the software will not allow a non-string data type input for the place of appointment field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : July 4, 1998</p> <p>3. In the time input field,</p> <p>Time : 3:30pm</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : 12345678</p> <p>5. The company presses enter.</p>	<p>No new appointment will be made.</p> <p>Company is notified to input a string data type value for the place of appointment field.</p> <p>No new applicant is notified for a new company appointment.</p>		
15 - 5	Checks if the software will not allow blank inputs for the date field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : (Null)</p> <p>3. In the time input field,</p> <p>Time : 8:00am</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : SM Mall of Asia</p> <p>5. The company presses enter.</p>	<p>No new appointment will be made.</p> <p>Company is notified to input a value for the date field.</p> <p>No new applicant is notified for a new company appointment.</p>		

QA Test Script – User Story #14

15 - 6	Checks if the software will not allow blank inputs for the time field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : November 1, 1996</p> <p>3. In the time input field,</p> <p>Time : (Null)</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : Alabang Town Center</p> <p>5. The company presses enter.</p>	<p>No new appointment will be made.</p> <p>Company is notified to input a value for the time field.</p> <p>No new applicant is notified for a new company appointment.</p>		
15 - 7	Checks if the software will not allow blank inputs for the place of appointment field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : December 25, 1990</p> <p>3. In the time input field,</p> <p>Time : 9:30am</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : (Null)</p> <p>5. The company presses enter.</p>	<p>No new appointment will be made.</p> <p>Company is notified to input a value for the place of appointment field.</p> <p>No new applicant is notified for a new company appointment.</p>		

QA Test Script – User Story #14

15 - 8	Checks if the software will allow a date data type input for the date field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : November 3, 1989</p> <p>3. In the time input field,</p> <p>Time : 3:00pm</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : Araneta Coliseum</p> <p>5. The company presses enter.</p>	<p>Date input should be accepted.</p> <p>A valid applicant appointment may be made.</p>		
15 - 9	Checks if the software will allow a time data type input for the time field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : September 2, 1999</p> <p>3. In the time input field,</p> <p>Time : 9:30am</p> <p>4. In the place of appointment field,</p> <p>Time : 9:30am</p> <p>Place of Appointment : Jollibee EDSA</p> <p>5. The company presses enter.</p>	<p>Time input should be accepted.</p> <p>A new applicant appointment may be made.</p>		

QA Test Script – User Story #14

15 - 9	Checks if the software will allow a string data type input for the place of appointment field.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : August 8, 1980</p> <p>3. In the time input field,</p> <p>Time : 7:30pm</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : NLEX Balintawak Toll Plaza</p> <p>5. The company presses enter.</p>	Place of appointment input should be accepted. A new applicant appointment may be made.		
15 - 11	Checks if the software will not allow duplicate appointment by a company for an applicant.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : May 8, 1974</p> <p>3. In the time input field,</p> <p>Time : 8:30am</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : Accenture Mckinley</p> <p>5. The company presses</p>	No new appointment will be made. The company will be notified that there's an existing and similar appointment with the applicant. The applicant will not receive a new appointment notification.		

QA Test Script – User Story #14

15 - 12	Checks if the software notifies an applicant regarding a valid company appointment.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : April 5, 1966</p> <p>3. In the time input field,</p> <p>Time : 12:30pm</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : NAIA Terminal 2</p> <p>5. The company presses enter.</p>	<p>New appointment is made. The appointment should be included in the applicant's appointments list.</p>		
15 - 13	Checks if the applicant receives the company's message(if applicable)regarding the appointment.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : May 1, 1989</p> <p>3. In the time input field,</p> <p>Time : 8:00pm</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment :</p>	<p>New appointment was made. The message from the company should be included in the applicant's notification regarding a company's appointment.</p>		

QA Test Script – User Story #14

15 - 15	Checks if a valid applicant appointment is possible.	<p>1. The company goes to the appointments tab.</p> <p>2. In the date input field,</p> <p>Date : March 19, 1976</p> <p>3. In the time input field,</p> <p>Time : 7:30pm</p> <p>4. In the place of appointment field,</p> <p>Place of Appointment : Makati City</p> <p>5. The company presses enter.</p>	<p>A new appointment will be made.</p> <p>The concerned applicant should be able to receive the company appointment notification.</p> <p>The concerned applicant should be able to receive the message from the company(if applicable).</p> <p>A duplicate appointment should not be allowed for the said applicant.</p>		

TEST SCRIPTS

TEST ID : 15 / The Company can view the list of Applicants of a Job Listing and inform Applicants if they are hired or rejected to let them respond accordingly.

Designed By : Jonah Syfu

Module or Screen :

Test Data Source : User Data Entry

Objectives :
To check if the software allows a company to view the the list of job applicants for a job listing.

Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
15- 1	Checks if the system will not allow if feedback form is blank.	1. The company goes to the view list of applicants. 2. The company chooses an applicant. Chosen Applicant : Regipleb Chua 3. The company submits their decision.	Chosen applicant will not be notified. No feedback will be stored in the database. No changes will be made to the chosen applicant's status. Company will be notified that the feedback form is mandatory and not blank. The company can input a feedback for the chosen applicant.		
15 - 2	Checks if the system will allow if feedback form is filled.	1. The company goes to the view	Chosen applicant will be notified.		

QA Test Script – User Story #15

15 - 3	Checks if the software allows the company to hire an applicant.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>Applicant : George : Hire</p> <p>3. The company chooses the hire option</p> <p>4. The company submits their decision.</p>	<p>Hired applicant will be notified regarding the company's action through his/her chosen mode of notification.</p> <p>Chosen applicant status will be changed in the database.</p> <p>The company feedback must be seen by the hired applicant.</p>		

QA Test Script – User Story #15

15 - 4	Checks if the software allows the company to reject an applicant.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>Applicant : Borgy : Reject</p> <p>3. The company chooses the reject option</p> <p>4. The company submits their decision.</p>	<p>Hired applicant will be notified regarding the company's action through his/her chosen mode of notification.</p> <p>Chosen applicant status will be changed in the database.</p> <p>The company feedback must be seen by the hired applicant.</p>		
15 - 5	Checks if the applicant is notified regarding the concerned company's action.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>Chosen Applicant : George : Hired</p> <p>3. The company submits their decision.</p>	<p>The applicant receives a notification through the correct mode of notification.</p> <p>Company actions is stored in the database.</p> <p>The company feedback must be seen by the hired applicant.</p>		

QA Test Script – User Story #15

15 - 6	Checks if the system will not allow non-string data type for the feedback form.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>3. The company inputs their feedback</p> <p>Feedback : 01</p> <p>4. The company submits their decision.</p>	<p>The company is notified that the feedback form only accepts string inputs. No new feedback will be stored in the database. The company can input a feedback for their desired applicant. No applicant will receive a notification.</p>		
15 - 7	Checks if the system will allow string data type for the feedback form.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>3. The company inputs their feedback</p> <p>Feedback : We regret to inform you that, we can't accept you in our company.</p> <p>4. The company submits their decision.</p>	<p>A new feedback will be stored in the database. Chosen applicant will receive a notification. Only the chosen applicant receives the company feedback.</p>		

QA Test Script – User Story #15

15 - 8	Checks if the system will store the company feedback in the database.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>Chosen Applicant : Julius : Hired</p> <p>3. The company inputs their feedback</p> <p>Feedback : Hello! We are pleased to announced that, you are now part of this company.</p> <p>4. The company submits their decision.</p>	<p>The feedback must be stored in the database.</p> <p>The feedback must be seen by the chosen applicant.</p>		
15 - 9	Checks if the viewing of feedback is restricted to concerned applicant and company only.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>3. The company inputs their feedback</p> <p>4. The company submits their decision.</p>	<p>The feedback must be in the database.</p> <p>Chosen applicant was notified.</p> <p>Non-chosen applicant and non-concerned companies will not see the feedback.</p>		

QA Test Script – User Story #15

15 - 10	Checks if the software will not allow and inform the applicant if, the feedback form is the only one with values.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>3. The company inputs their feedback</p> <p>Feedback : Hi! We are pleased to announced that, you are now part of this company.</p> <p>4. The company submits their decision.</p>	<p>No new applicant will be notified.</p> <p>No new data will be stored in the database.</p> <p>The company is notified that they should input a hire/reject action along with the feedback.</p>		
15 - 11	Checks if the applicant is notified through email if he/she chose email as the mode of notification.	<p>1. The company goes to the view list of applicants.</p> <p>2. The company chooses an applicant.</p> <p>Chosen Applicant : Pierre Chua</p> <p>3. The company hires the chosen applicant</p> <p>4. The company submits their decision.</p>	<p>Company actions was stored in the database.</p> <p>The applicant was notified through email.</p> <p>The email contained the messages regarding company actions.</p> <p>The company feedback is seen by the applicant.</p>		

QA Test Script – User Story #15

TEST SCRIPTS

TEST ID : 16 / The Company can view the list of appointments and cancel or reschedule the appointment.					
Designed By : Russel Andrade				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if a company can cancel or reschedule an applicant appointment	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
16 - 1	Checks if the software allows a company to cancel an appointment.	1. The company goes to the appointments tab. 2. The company chooses an applicant appointment. Jolly Bee Appointment Juan De La Porto Appointment Phi Koh Appointment 3. The company cancels the applicant appointment. 4. The company inputs its feedback for appointment 1. We regret to inform you that your appointment is cancelled as we saw some discrepancies on your resume during our second round of background check. We appreciate your effort in applying for our company. We still hope to work with you in the near future. 5. The company inputs its feedback	The concerned applicant will notified. The company should input a message regarding the cancellation an appointment. The status of the appointment should be changed.		

QA Test Script – User Story #16

16 - 2	Checks if the software allows a company to re schedule an appointment.	<p>1. The company goes to the appointments tab.</p> <p>2. The company chooses an applicant appointment.</p> <p>Seh Koya Appointment Foo Sha Appointment Koh Pih Koh Appointment</p> <p>3. The company reschedules all of the chosen applicant appointment.</p> <p>4. The company inputs its feedback for appointment 1. We regret that we can't accommodate your preferred schedule since, your interviewer won't be around that time so, if it's alright with you, can we set it on Feb 13, 1916 around 8am? Thank You.</p> <p>5. The company inputs its feedback</p>	<p>The concerned applicant will notified.</p> <p>The company should input a message regarding the rescheduling of an appointment.</p> <p>The status of the appointment should be changed.</p>		

QA Test Script – User Story #16

16 - 3	Checks if the software allows a company to view the list of appointments.	1. The company goes to the appointments tab.	<p>The company should be able to view the list of appointments.</p> <p>The company should be able to cancel or reschedule an appointment.</p> <p>The company should be able to access the details of associated applicants to an appointment.</p>		
16 - 4	Checks if the software allows a company to view the details of the applicant associated with an appointment.	1. The company goes to the appointments tab.	<p>The full name, contact details (email and contact number), and a link where the Company can view and / or download the Applicant's resume should be visible and accessible to the company.</p>		

QA Test Script – User Story #16

16 - 5	Checks if the software allows a company to download the resume of the applicant associated with an appointment.	<p>1. The company goes to the appointments tab.</p> <p>2. The company chooses an applicant appointment.</p> <p>Seh Koya Appointment</p> <p>3. The company downloads the chosen applicant's resume.</p>	The link to download the applicant's resume should be accessible to the company. The resume associated with the link should be the correct resume of the chosen applicant.		
16 - 6	Checks if the software allows a company to view the resume of the applicant associated with an appointment.	<p>1. The company goes to the appointments tab.</p> <p>2. The company chooses an applicant appointment.</p> <p>Jolly Bee Appointment</p> <p>3. The company downloads the chosen applicant's resume.</p>	The link to view the applicant's resume should be accessible to the company. The resume associated with the link should be the correct resume of the chosen applicant.		

QA Test Script – User Story #16

TEST SCRIPTS

TEST ID : 17 / The Company can view the list of Job Listings and edit or delete them.					
Designed By : Russel Andrade				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if the software will allow to edit or delete a job listing.	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
17 - 1	Checks if the company can edit ALL job listings	1. The company goes to the Job listings. 2. The company choses all job listing. 3. The company edits all chosen job listing.	All job listings by the company must be edited. Changes done during edit must be stored in the database. The list of job listings must be updated accordingly depending on the company's action.		
17 - 2	Checks if the company can delete ALL job listings	1. The company goes to the Job listings. 2. The company choses all job listing.	All job listings by the company must be deleted. Changes done during delete must be stored in the database.		

QA Test Script – User Story #17

17 - 3	Checks if the company can edit a job listing	<p>1. The company goes to the Job listings.</p> <p>2. The company choses job listing. Chosen Job listing. : Database Manager</p> <p>3. The company edits the chosen job listing.</p>	<p>Chosen job listing by the company must be edited. Changes done during edit must be stored in the database. The list of job listings must be updated accordingly depending on the company's action.</p> <p>Chosen job listing by the company must be deleted.</p>		
17 - 4	Checks if the company can delete a job listing	1. The company goes to the Job listings.			

QA Test Script – User Story #17

17 - 5	Checks if the list of job listings will be updated if all job listings were deleted.	<ol style="list-style-type: none">1. The company goes to the Job listings.2. The company choses job listing. Chosen Job Listing : Project Manager3. The company deletes the chosen job listing.	<p>No job listing will be associated with the company. Changes must be reflected on the database. The company may add a new job listing</p>		

QA Test Script – User Story #17

17 - 6	Checks if the list of job listings will be updated if all job listings were edited.	<p>1. The company goes to the Job listings.</p> <p>2. The company choses job listing. Chosen Job Listing : Senior Programmer</p> <p>3. The company edits the chosen job listing.</p>	<p>Changes done during edit must be stored in the database. The list of job listings must be updated accordingly depending on the company's action. The company's list of job listings will be updated.</p>		
17 - 7	Checks if the list of job listings will be updated if a job listing was deleted.	<p>1. The company goes to the Job listings.</p> <p>2. The company choses job listing. Chosen Job Listing : Junior Tester</p> <p>3. The company deletes the chosen job listing.</p>	<p>Deleted job listing will not be associated to the company. Deleted job listing must not be seen in the database. The company's list of job listings will be updated.</p>		

QA Test Script – User Story #17

17 - 8	Checks if the list of job listings will be updated if a job listing was edited.	<p>1. The company goes to the Job listings.</p> <p>2. The company choses job listing. Chosen Job Listing : Assistant Project Manager</p> <p>3. The company edits the chosen job listing.</p>	<p>Changes done during edit must be reflected on the database. Edited job listing must be seen in the database. The company's list of job listings will be updated.</p>		
17 - 9	Checks if the company can re upload the job listing file.	<p>1. The company goes to the Job listings.</p> <p>2. The company uploads a job listing file. job_listing.file</p>	<p>The software accepts the job listing file. The company's list of job listings will be edited. The company must be able to see the changes.</p>		

QA Test Script – User Story #17

17 - 9	Checks if the company can successfully save changes	<p>1. The company chooses a job listing.</p> <p>Chosen Job Listing : IT Representative</p> <p>2. The company edits some details of the job listing.</p> <p>3. The company submits the changes.</p>	<p>Changes must be stored in the database.</p> <p>Changes must be seen by the company.</p> <p>The company's list of job listing must be updated.</p>		
17 - 11	Check if the system will allow the company to not edit a job listing.	<p>1. The company views the list of job listings</p>	<p>No changes will be made in the contents of the database.</p> <p>The company's list of job listing will not be updated.</p> <p>No job listing was edited.</p> <p>The company has an option to edit a job listing.</p> <p>The company has an option to delete a job listing.</p>		

QA Test Script – User Story #17

17 - 12	Check if the system will allow the company to not delete a job listing.	<p>1. The company views the list of job listings</p>	<p>No changes will be made in the contents of the database. The company's list of job listing will not be updated. No job listing was deleted. The company has an option to edit a job listing. The company has an option to delete a job listing.</p>		
17 - 13	Check if the system will allow the company to not edit ALL job listings.	<p>1. The company views the list of job listings</p> <p>2. The company chooses a job listing.</p> <p>Chosen Job Listings : Project Manager Software Tester</p> <p>3. The company edits the chosen job listing.</p>	<p>No changes will be made in the contents of the database. The company's list of job listing will not be updated. No job listing was edited. The company has an option to edit all job listing. The company has an option to delete all job listing.</p>		

QA Test Script – User Story #17

17 - 15	Check if the system will allow the company to not delete ALL job listings.	<p>1. The company views the list of job listings</p> <p>2. The company chooses a job listing.</p> <p>Chosen Job Listings : Intern Database Engineer</p> <p>3. The company deletes the chosen job listing.</p>	<p>No changes will be made in the contents of the database. The company's list of job listing will not be updated. No job listing was deleted. The company has an option to edit all job listing. The company has an option to delete all job listing.</p>		
17 - 15	Check if the system will not allow a company to edit a job listing if they didn't post it.		<p>No changes will be made in the contents of the database. The company's list of job listing will not be updated. No job listing was deleted. The company has an option to edit their job listing. The company has an option to delete their job listing.</p>		
17 - 16	Check if the system will not allow a company to delete a job listing if they didn't post it.		<p>No changes will be made in the contents of the database. The company's list of job listing will not be updated. No job listing was deleted. The company has an option to edit their job listing. The company has an option to delete their job listing.</p>		

QA Test Script – User Story #17

17 - 17	Checks if the system allows the company who posted the job listing to edit.	<p>1. The company views the list of job listings</p> <p>2. The company chooses a job listing. Chosen Job Listing : Associate Software Engineer</p> <p>3. The company edits the chosen job listing.</p>	<p>Changes will be made in the contents of the database. The company's list of job listing will be updated. A job listing was edited. The company has an option to edit their job listing. The company has an option to delete their job listing.</p>		
17 - 18	Checks if the system allows the company who posted the job listing to delete.	<p>1. The company views the list of job listings</p> <p>2. The company chooses a job listing. Chosen Job Listing : Senior Database Manager</p> <p>3. The company deletes the chosen job listing.</p>	<p>Changes will be made in the contents of the database. The company's list of job listing will be updated. A job listing was deleted. The company has an option to edit their job listing. The company has an option to delete their job listing.</p>		

TEST SCRIPTS

TEST ID : 19 / The Admin / Super Admin can create an account for a Company to give them access to the System.					
Designed By : Russel Andrade				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if the admin/super admin can create an account	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
19-1	Checks if the software stores correctly stores into the database all the inputs.	1. The admin/super admin goes to the create admin account page 2. The admin/super admin inputs the necessary data for the admin account. Email : companyName@mail.com Password : companyname1234 3. The admin/super admin submits the admin account.	Company Account creation successful. The inputs must be verified as valid inputs when the company logs – in to the system. All inputs must be reflected on the database file.		
19-2	Checks if the software will not store cancelled registration	1. The admin/super admin goes to the create admin account page 2. The admin/super admin inputs	The inputs must not be validated during company log-in. Any input made must not be stored in the database.		

QA Test Script – User Story 19

19-3	Checks if the software will not allow blank mandatory fields.	<p>1. The admin/super admin goes to the create admin account page</p> <p>2. The admin/super admin inputs the necessary data for the admin account.</p> <p>Username : (null) Password : teenageDream</p> <p>3. The admin/super admin submits the admin account.</p>	<p>1. The admin/super admin goes to the create admin account page</p> <p>Registration unsuccessful. User will be notified that some fields does not contain any value. Any input must not be stored in the database.</p>		
19-4	Checks if the software will not allow duplicate registration for one company.	<p>2. The admin/super admin inputs</p>	<p>The user should be notified that a previous successful registration used the same inputs. Any Input made must not be</p>		

QA Test Script – User Story 19

19-5	Check if the software can identify correct data type inputs for each field.	<p>1. The admin/super admin goes to the create admin account page</p> <p>2. The admin/super admin inputs the necessary data for the admin account.</p> <p>Username : companyName Password :companyPassword</p> <p>3. The admin/super admin submits the admin account.</p> <p>1. The admin/super admin goes to the create admin account page</p>	<p>Registration Successful. All inputs must be reflected on the database. The inputted username & password must be considered valid during company log-in process.</p>		
19-6	Check if the software can identify incorrect data type inputs for each field.	<p>2. The admin/super admin inputs</p>	<p>Registration Successful. All inputs must be reflected on the database. The inputted username & password must be considered</p>		

QA Test Script – User Story 19

19-7	Check if the software restricts company account creation when a used username is used.	<p>1. The admin/super admin goes to the create admin account page</p> <p>2. The admin/super admin inputs the necessary data for the admin account.</p> <p>Username : companyName Password : helloWorld1234!</p> <p>3. The admin/super admin submits the admin account.</p> <p>1. The admin/super admin goes to the create admin account page</p>	<p>Company Account creation unsuccessful. The user will be notified that no new company account was created due to similarity in username.</p>		
19-8	Check if the software will restrict company account creation when a used password was inputted in the password field	<p>2. The admin/super admin inputs</p>	<p>Company Account creation unsuccessful. The user will be notified that no new company account was created due to similarity in</p>		

QA Test Script – User Story 19

19-9	Check if the software will not allow company account creation when username is the only variable with value.	<p>1. The admin/super admin goes to the create admin account page</p> <p>2. The admin/super admin inputs the necessary data for the admin account.</p> <p>Username : SmartFesti Password : null</p> <p>3. The admin/super admin submits the admin account.</p> <p>1. The admin/super admin goes to the create admin account page</p>	<p>Company Account creation unsuccessful. The user will be notified that no new company account was created due to similarity in username.</p>		
19-10	Check if the software will not allow company account creation when the one and only field with value is the password	<p>2. The admin/super admin inputs</p>	<p>Company Account creation unsuccessful. The user will be notified that no new company account was created due to similarity in</p>		

QA Test Script – User Story 19

19-11	Check if the software can validate valid password inputs.	<p>1. The admin/super admin goes to the create admin account page</p> <p>2. The admin/super admin inputs the necessary data for the admin account.</p> <p>Username : companyUserName Possible Password Inputs : Password : companyPassword(6-14 characters inclusive, a-z or A-Z) Password : password (insert any valid character inside = ., #, !, @) Password : not_a_blank_space(no spaces) Password : 123456788(#s : 0 - 8)</p> <p>3. The admin/super admin submits the admin account.</p>	<p>Company Account Creation Successful. The user will be notified that all inputs were valid. The inputs must be deemed valid during company log-in. The company must be able to access admin features using the inputs. All Inputs must be stored in the database.</p>		

QA Test Script – User Story 19

19-12	Check if the software can validate invalid password inputs.	<p>1. The admin/super admin goes to the create admin account page</p> <p>2. The admin/super admin inputs the necessary data for the admin account.</p> <p>Username : companyUserName Possible Password Inputs : Password : companyPassword1234(Not 6-14 characters inclusive, a-z or A-Z) Password : password 45 (y valid character inside = ., #, !, @) Password : not a blank space(must have no spaces)</p> <p>3. The admin/super admin submits the admin account.</p>	<p>Company Account Creation unsuccessful. The user will be notified that password input were invalid. The inputs must be deemed not valid during company log-in. The company will not be able to access admin features using the inputs. Any inputs must not be stored in the database.</p>		
-------	---	---	---	--	--

TEST SCRIPTS

TEST ID : 20 / The Super Admin can create more admin accounts in the System.					
Designed By : Michael Ramos				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if the software will allow a super admin to create	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
20 - 1	Checks that the created Admin accounts can login to JobIT with its respective email address and password.	1. The super admin goes to the create admin account. 2. The super admin inputs the necessary inputs. Name : Plebbity Email : plebbity@mail.com Password : plebForLife005! 3. The super admin submits the admin account details.	The name, email and password inputs are stored in the database. The email and password is deemed correct during log-in. The admin has access to all its features. Name, email and password must have an input. Having no input to atleast one field will merit an invalid admin account creation.		
20 - 2	Checks that all mandatory fields are filled	1. The super admin goes to the create admin account. 2. The super admin inputs the			

QA Test Script – User Story #20

20 - 3	Checks that all fields contain the correct data type.	<p>1. The super admin goes to the create admin account.</p> <p>2. The super admin inputs the necessary inputs.</p> <p>Name : Company Name Email : company@mail.com Password companyName!!!!</p> <p>3. The super admin submits the admin account details.</p>	<p>All inputs will be stored in the database. A new admin account is created. The new admin account is stored in the database. Inputs must allow the admin to access the system and all admin features.</p>		

QA Test Script – User Story #20

--	--	--	--	--	--

TEST SCRIPTS

TEST ID : 21 / The Super Admin can deactivate / reactivate an admin account.					
Designed By : Russel Andrade				Module or Screen :	
Test Data Source : User Data Entry				Objectives : To check if a super admin can activate/reactivate an admin account	
Test Case #	Description	Test Steps	Expected Results	Actual Results	Performed By/ Date
21 - 1	Checks if the super admin can reactivate an admin account.	1. The super admin views the list of admin accounts. 2. The super admin chooses an admin account to reactivate. Juan De La Cruz Mr. Green Taylor Swift 3. The super admin chooses the reactivate option.	Selected Admin account should be activated. Reactivated admin account must be able to logged into the system. Reactivated admin account status must be updated in the database. Reactivated admin account must be able to access all admin features. Reactivated admin account details must be accessible.		
21 - 2	Checks if the super admin can deactivate an admin account.	1. The super admin views the list of admin accounts. 2. The super admin chooses an admin account to	Selected Admin account should be deactivated. Deactivated admin account must not be able to logged into the system.		

QA Test Script – User Story #21

21 - 3	Check if the reactivated admin account can logged into the system.	<p>1. The super admin views the list of admin accounts.</p> <p>2. The super admin chooses an admin account to Admin : Mr. Green</p> <p>3. The super admin chooses the reactivate option.</p> <p>4. The reactivated admin account tries to logged-in to the system.</p> <p>1. The super admin views the list of admin accounts.</p>	<p>Reactivated admin account must be able to logged into the system.</p> <p>Reactivated admin account must be able to access all admin features.</p> <p>Reactivated admin account details must be accessible.</p> <p>Reactivated admin account status must be updated in the database</p> <p>Deactivated admin account must not be able to logged</p>		
21 - 4	Checks if the system restricts access for deactivated admin				

QA Test Script – User Story #21

21 - 5	Checks if the database is updated when an admin account is deactivated.	<p>1. The super admin views the list of admin accounts.</p> <p>2. The super admin chooses an admin account to deactivate</p> <p>Daniel Siochi Spongebob CirclePants</p> <p>3. The super admin chooses the option.</p>	<p>Deactivated admin account status must be updated and evident on the database. Deactivated admin account must not be able to logged – in.</p>		

QA Test Script – User Story #21

21 - 6	Checks if the database is updated when an admin account is reactivated.	<p>1. The super admin views the list of admin accounts.</p> <p>2. The super admin chooses an admin account to</p> <p>Juan De La Cruz Mr. Green Taylor Swift</p> <p>3. The super admin chooses the option.</p>	<p>Reactivated admin account status must be updated and evident on the database.</p> <p>Reactivated admin account must be able to logged in to the system.</p>		
21 - 7	Checks if the the selected admin account is the only account reactivated.		<p>Unselected admin accounts must not change status.</p> <p>Selected Admin account must be reactivated</p> <p>Reactivated account must be able to successfully log-in.</p> <p>Reactivated Account must be able to access all admin features</p>		

QA Test Script – User Story #21

21 - 8	Checks if the the selected admin account is the only account deactivated.		Unselected admin accounts must not change status. Selected Admin account must be deactivated Deactivated account must not be able to successfully log-in. Deactivated Account must not be able to access all admin features		

QA Test Script – User Story #21

--	--	--	--	--	--