 <ide_opened_file>The user opened the file
/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2/describtion.md in the IDE.
This may or may not be related to the current task.</ide_opened_file>

 □□□□ @describtion.md □□□□□□□□□□□□□□□□□
□□□□□□□□□□□github.io □□□□□□□□streamlit
  Read describtion.md (187 lines)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && ls -la && find
. -path ./node_modules -prune -o -path ./.venv -prune -o -type f -print |
grep -v '/\.' | head...)
  (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && cat README.md
requirements.txt .gitignore analysis.py && wc -l data/*.csv && head -2
data/*.csv)
  (No output)

Read 1 file (ctrl+o to expand)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && which node
python3; node -v; ls .venv/bin | head; .venv/bin/python -c "import
statsmodels,sklearn,pandas;print...)
  (No output)

 Project status is clear. Next I'll check one detail: how the current Streamlit
app handles data, so the static version behaves the same.

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" &&
.venv/bin/python - <<'EOF'
import pandas as pd...)
  (No output)

 GitHub Pages can't run Python, so I'm converting the site to plain HTML +
JavaScript with all the regression math (OLS, CI/PI, RFE, SelectKBest,
LassoCV, VIF, assumption tests) running in-browser. Starting with the
statistics core.

 Write(assets/stats.js)
  Wrote 556 lines to assets/stats.js
1 /*
2 * stats.js — □□□□□□□□□□□□□□□□□□□□□□ JavaScript□
□□□□□□□
□□□□
4 *   VIF□SelectKBest□RFE□LassoCV□□□□□□□□□
5 */
6 (function (root) {
8
9   // ---------- □□□□□□□□ ----------
10   function mulberry32(seed) {
... +602 lines (ctrl+o to expand)

 Now I'll check the math against statsmodels/sklearn on the real data before
building the UI, using macOS's built-in JavaScript engine since Node isn't
installed:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" &&
S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69d
bd-56a7-4307-9f3a-247732253316/scrat...)

  (No output)

 Validation confirms the JS engine matches statsmodels to 10+ significant
  digits across coefficients, SE, p-values, R², AIC/BIC, CI/PI, and diagnostic
  tests, with LassoCV also selecting nearly the same α and feature set. Now I'll
  check the page itself.

 Write(index.html)
    Wrote 101 lines to index.html
      1 <!doctype html>
      3 <head>
      4   <meta charset="utf-8">
        le=1">
      6   <title>HW2 □□□□□□ · CRISP-DM</title>
        □□□□□□□□□□□□□□□□□□□□95% □□□□□□□□□□□□□□□
        □□□□□□□□">
      9   <script src="https://cdnjs.cloudflare.com/ajax/libs/PapaParse/
        5.4.1/papaparse.min.js"></script>
        t>
     ... +113 lines (ctrl+o to expand)

 Write(assets/style.css)
    Wrote 136 lines to assets/style.css
      1 :root {
      2   --bg: #f6f7f9;
      3   --surface: #ffffff;
      4   --text: #1f2933;
      5   --muted: #5b6673;
      6   --border: #e1e5ea;
      7   --accent: #1d4ed8;
      8   --accent-soft: #e8efff;
      9   --good: #15803d;
     10   --good-soft: #dcfce7;
     ... +163 lines (ctrl+o to expand)

 Now the main app logic. It covers the seven tabs, the dataset dropdown, custom
  URL/upload, and the live simulator:

 Write(assets/app.js)
    Wrote 771 lines to assets/app.js
      1 /*
      2 * app.js — □□□ CRISP-DM □□□□□□
      3 * □□□□□□□□□□□□□□□□□□□□□□□□□□ GitHub Pages□□□
        □□□
      4 */
      5 (function () {
      6   'use strict';
      7
      8   const S = window.Stats;
      9   const $ = id => document.getElementById(id);
     ... +1038 lines (ctrl+o to expand)

 Cleaning up a few rough spots before testing:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2/assets" && python3
     - <<'EOF'
     import re...)
    No matches found

 Now an end-to-end test in headless Chrome, served over a local HTTP server the

same way GitHub Pages serves it:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" &&
S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69d
bd-56a7-4307-9f3a-247732253316/scrat...)
  No matches found
  (timeout 2m)

 The first tab loads with no JS errors. To exercise every tab and all three datasets, I'll use a temporary test harness that drives the page in an iframe (deleted afterwards):

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" &&
S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69d
bd-56a7-4307-9f3a-247732253316/scrat...)
  (No output)
  (timeout 5m)

 I've found that P2 fails everywhere except Lasso because sqft_living = sqft_above + sqft_basement exactly, making the design matrix singular (statsmodels masks this with a pseudo-inverse). I'll explicitly detect and drop perfectly collinear columns, noting the drop in Data Preparation.

 Update(assets/stats.js) Added 26 lines
```
412      return inv ? inv.map((row, i) => row[i]) : Array(p).fill(I
     nfinity);
413    }
414
415 +  // □□□□□□□□□□□□□□□□ Cholesky □□□□□□□□□□
    +□□□□□□□□□□□□□
416 +  // □□ 0 □□□□□□□□□□□□□□□□□□ { index, basis }
417 +  function dependentColumns(X, tol = 1e-9) {
418 +    const p = X[0].length, n = X.length;
419 +    const { Z } = standardize(X);
420 +    const { G } = crossProducts(Z, new Float64Array(n));
421 +    const R = G.map(row => Array.from(row, v => v / n));
422 +    const kept = [], L = [], dropped = [];
423 +    for (let j = 0; j < p; j++) {
424 +      const w = [];
425 +      for (let a = 0; a < kept.length; a++) {
426 +        let s = R[kept[a]][j];
427 +        for (let b = 0; b < a; b++) s -= L[a][b] * w[b];
428 +        w.push(s / L[a][a]);
429 +      }
430 +      const resid = R[j][j] - w.reduce((s, v) => s + v * v, 0)
    +;
431 +      if (resid < tol) {
432 +        dropped.push({ index: j, basis: kept.filter((_, a) =>
    +Math.abs(w[a]) > 1e-6) });
433 +      } else {
434 +        L.push([...w, Math.sqrt(resid)]);
435 +        kept.push(j);
436 +      }
437 +    }
438 +    return dropped;
439 +  }
440 +
441    // ---------- □□□□ ----------
442    // f_regression□F = r²/(1-r²)·(n-2)
443    function fRegression(X, y) {
```

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2/assets" && python3
    - <<'EOF'
    p='stats.js'; s=open(p).read()...)
   (No output)
   (timeout 5m)

 All 12 dataset × method combinations now run cleanly across all 7 tabs. P2 drops to 17 features, which still meets the >13 requirement. Next, a visual check with screenshots:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" &&
    S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69d
    bd-56a7-4307-9f3a-247732253316/scrat...)
   (No output)

 Read 2 files (ctrl+o to expand)

 Found two issues: the WebGL overlay fails in headless Chrome (and could affect real browsers too), so I'll remove WebGL and downsample large scatter plots instead; and the collinearity message is showing intermediate Cholesky weights rather than actual regression coefficients, obscuring the real relation sqft_basement = sqft_living − sqft_above. I'll fix both next.

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2/assets" && python3
    - <<'EOF'
    p='stats.js'; s=open(p).read()...)
   (No output)

 Read 1 file (ctrl+o to expand)

 The model tab looks good, just the coefficient table needs a scroll fix and p-values underflowing to 0 should display as "< 1e-16" instead. I'll make that change, then check the collinearity message.

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && python3 -
    <<'EOF'
    p='assets/app.js'; s=open(p).read()...)
   (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" &&
    S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69d
    bd-56a7-4307-9f3a-247732253316/scrat...)
   (No output)

 Read 1 file (ctrl+o to expand)

 The collinearity note now names the right columns. I'll tidy the wording, remove the test harness, and update the README for GitHub Pages:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && python3 -
    <<'EOF'
    p='assets/app.js'; s=open(p).read()...)
   (No output)

 Now the README: I'll replace the Streamlit sections with GitHub Pages instructions.

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && python3 -
    <<'EOF'

p='README.md'; s=open(p).read()...)
 No matches found

 The site is now a static web page that GitHub Pages can host, and it no longer uses Streamlit. I tested it in headless Chrome: all three datasets work with all four feature-selection methods, across all 7 tabs. It isn't on GitHub yet, because the folder isn't a git repository so far.

What's already done (from before)

Requirement	Status
Kaggle dataset with >13 features	WHO Life Expectancy, 20 features
Feature selection and model evaluation	RFE / SelectKBest / Lasso; R², RMSE, MAE
Prediction plot with intervals	95% confidence and prediction intervals
CRISP-DM write-up	in README.md
+1 bonus: dropdown with two problems	adds a second problem, King County house prices
+2 bonus: any dataset URL	
Exported GPT chat PDF	not in the project
NotebookLM summary	the text exists, but nothing shows it came from NotebookLM

What I changed

- Rewrote the site in HTML + JavaScript. Pages can't run Python, so the regression math now runs in the browser: OLS, the 95% intervals, VIF, the three feature-selection methods and the assumption tests.
  - The results match statsmodels/sklearn to more than 10 significant digits.
  - Files: index.html, assets/stats.js, assets/app.js, assets/style.css.
- Kept the bonus features. The dropdown still switches between the two problems. The custom-dataset option takes a URL as before, and now also accepts an uploaded CSV file.
- Fixed a bug in the second problem. In the King County data, sqft_living equals sqft_above + sqft_basement, so the regression can't be solved. The site now drops sqft_basement automatically and says so on the Data Preparation tab. That leaves 17 features, still above the 13 required.
- Corrected the method:
  - Missing values are now filled using only the training data, so the test set doesn't leak into training.
  - The Durbin-Watson independence test now runs in the data's original order. On the WHO data it now flags autocorrelation, because each country appears in several years.
- Added:
  - A table comparing the four feature-selection strategies.
  - A chart showing how Lasso chose its penalty.
  - The share of test points that fall inside the prediction interval: 94.2% for a 95% interval.

- A single-feature regression chart with interval bands.
- Updated README.md with local preview steps and deployment steps, and added .nojekyll.

What you need to do

1. Publish to GitHub Pages. Create a repository on GitHub and push this folder to it; the commands are in the README. Then go to Settings Pages and choose main / (root). The site will be at https://<your-account>.github.io/<repo>/. I can run git init and make the first commit if you want.
2. Replace the NotebookLM summary with your real one. Run NotebookLM yourself and paste its summary into ai() in assets/app.js and into the README. The assignment requires it to come from NotebookLM.
3. Add the GPT chat PDF. Export it and put it in docs/; the AI tab says it's there.
4. Optional: app.py (the old Streamlit version) and streamlit in requirements.txt are no longer needed. You can delete them, or keep them as the Python version. analysis.py still works as an offline script.

To preview locally, run python3 -m http.server 8000 and open http://localhost:8000. Opening index.html directly won't load the CSV files.

 <ide_opened_file>The user opened the file /Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2/README.md in the IDE. This may or may not be related to the current task.</ide_opened_file>

 <prompt>
<task>
Apply this visual style to the user's existing project. Inspect and preserve its stack, copy, routes, and behavior. Follow existing component and styling conventions. Treat framework, library, and page examples in these design instructions as illustrations; they do not require a stack change or new sections. Scope changes to the user's requested work.

Keep controls keyboard accessible, focus visible, and text legible. Preserve reading order, responsive behavior, and reduced-motion preferences. Verify actual states at the rendered width. The user's stack and content take precedence over illustrative implementation details.
</task>

<design-system>
Sketch

Identity

Use a shared working sheet with warm paper, handwritten text, pencil-like drawings, blue notes, red corrections, and yellow highlights. Slightly uneven lines and taped references give the page a drawn quality, while consistent spacing keeps it easy to read.

Layout

Open with a large handwritten statement beside a smaller cluster of notes and a simple line drawing. An irregular underline and a hand-drawn arrow can direct attention toward the main action. Facts, when useful, sit beneath a drawn bracket.

Arrange longer reading as open thoughts with generous space between them. Features can use small line illustrations beside notes, with a little

vertical staggering on wide layouts. Editorial images look like taped references, and a process can sit on a slightly darker irregular paper strip with circled numbers and connecting arrows. Quotes can use outlined speech notes; comparisons can use broad horizontal rows with one highlighted sheet. End with a large red statement above a lightly divided footer.

Use only the content groups the brief calls for. The working-sheet treatment does not require team doodles, fabricated comments, prices, or a fixed sequence of sections.

Typography

Use Working Sheet Marker for large statements and headings, bound to "Sketch Working Marker". Use Working Sheet Hand for reading, bound to "Sketch Working Hand". These are separate original drawn fonts. Keep the marker face heavier and the hand face large enough for continuous reading; its base is intentionally larger than a typical sans body face. If these font files are unavailable, choose a legible handwritten pair with the same weight distinction and reassess the line breaks.

Keep lines loosely spaced and headings slightly irregular. Avoid tight typesetting that makes the handwriting run together. Small rotations belong to selected notes or headings, not every paragraph.

Color and surfaces

Warm paper carries dark pencil ink. Muted ink supports secondary text; erased-line grey supplies quiet rules. Blue marks annotations, red marks actions and emphasis, and pale yellow supplies highlights. Lighter scraps distinguish a few notes and image mounts.

Use faint paper grain, uneven thin strokes, irregular corner curves, and small hard offsets. Tape can have torn ends and partial transparency. Keep the page mostly open paper, with each scrap or highlight serving a clear reading purpose.

Components

Buttons have irregular outlined edges and a small pencil or red offset shadow. Hover can straighten or tilt them slightly while compressing the shadow; press settles onto the page. Use a clear dashed blue focus outline.

Features and benefits pair small drawings or checks with text. Optional comparison rows use yellow behind the featured choice, while selection changes the action's treatment separately. Disclosures use hand-drawn marks with an obvious open state. Keep real button, link, and disclosure semantics beneath the drawn appearance.

Images

Use natural-color photographs or artwork inside pale paper mounts, with small rotations and a tape strip near the edge. Contain artwork when its margins matter; crop scenes around the subject. Preserve the photograph's detail instead of converting every image into a drawing. Reserve dimensions, provide useful alternative text, and hide decorative tape, arrows, and doodles from assistive technology.

Motion

Use very brief changes for button tilt and pressed depth. Keep handwriting,

arrows, paper, and sketches still. Reduced motion removes transforms and transitions while preserving visible state feedback. Do not animate strokes drawing themselves across the page.

Responsive behavior

Start with a single-column working sheet, two-column facts, and two-column footer groups. At 680px, features and references can form two-column groups, facts expand across a row, and comparisons gain a second column. At 1050px, use the full split opening, staggered reference row, horizontal process, and wider comparison ledger. On small screens, reduce rotations and decorative offsets, let notes stack, and keep handwritten reading text generously sized.

Design limits

Avoid illegible cursive, heavy crumpled-paper textures, dense doodle borders, and polished geometric cards. Drawn marks should direct attention or group content. They must not obscure text, alter the reading order, or make controls look unfinished.

Authoritative tokens

CSS variable	Value
--dp-color-ground	#f7f2e7
--dp-color-ink	#38352f
--dp-color-ink-muted	#514d44
--dp-color-line	#b3ac9d
--dp-color-accent	#9e3a2e
--dp-color-annotation	#344c69
--dp-color-highlight	#f0dfa0
--dp-color-scrap	#fcf8ef
--dp-typography-reading-face	"Sketch Working Hand", cursive
--dp-typography-display-face	"Sketch Working Marker", cursive
--dp-typography-body	24px
--dp-typography-reading	23px
--dp-typography-detail	21px
--dp-spacing-item-gap	16px
--dp-radius-control	9px 4px 17px 5px / 4px 12px 5px 9px
--dp-border-fine-stroke	1.5px
--dp-motion-control	100ms

</design-system>
</prompt>

I'll restyle the existing static site in place. The structure, copy, controls and behavior stay the same; only the CSS, the font link, a few decorative marks, and the chart colors change.

The "Sketch Working Hand/Marker" font files don't exist here, and the copy is Traditional Chinese, so I'm using a legible handwritten pair from Google Fonts. LXGW WenKai TC handles the Chinese and Kalam the Latin, with heavier weights for headings. First the stylesheet:

Write(assets/style.css)
Added 280 lines, removed 92 lines

```
1  :root {
2 -  --bg: #f6f7f9;
3 -  --surface: #ffffff;
4 -  --text: #1f2933;
5 -  --muted: #5b6673;
```

```
 6 -  --border: #e1e5ea;
 7 -  --accent: #1d4ed8;
 8 -  --accent-soft: #e8efff;
 9 -  --good: #15803d;
10 -  --good-soft: #dcfce7;
11 -  --warn: #a16207;
12 -  --warn-soft: #fef3c7;
13 -  --bad: #b91c1c;
14 -  --bad-soft: #fee2e2;
15 -  --radius: 10px;
16 -  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI",
   -"Noto Sans TC", "PingFang TC", sans-serif;
 2 +  --dp-color-ground: #f7f2e7;
 3 +  --dp-color-ink: #38352f;
 4 +  --dp-color-ink-muted: #514d44;
 5 +  --dp-color-line: #b3ac9d;
 6 +  --dp-color-accent: #9e3a2e;
 7 +  --dp-color-annotation: #344c69;
 8 +  --dp-color-highlight: #f0dfa0;
 9 +  --dp-color-scrap: #fcf8ef;
10 +  --dp-color-strip: #efe7d5;
11 +  --dp-color-accent-wash: rgba(158, 58, 46, 0.14);
12 +  --dp-color-annotation-wash: rgba(52, 76, 105, 0.1);
13 +
14 +  /* □□□□□□□□□□□□□□□□□□□□□□□□□□□□□Kalam□
   +□□□□ □□□□ TC□□□□ */
15 +  --dp-typography-reading-face: "Sketch Working Hand", "Kalam"
   +, "LXGW WenKai TC", cursive;
16 +  --dp-typography-display-face: "Sketch Working Marker", "Kala
   +m", "LXGW WenKai TC", cursive;
17 +  --dp-typography-body: 24px;
18 +  --dp-typography-reading: 23px;
19 +  --dp-typography-detail: 21px;
20 +
21 +  --dp-spacing-item-gap: 16px;
22 +  --dp-radius-control: 9px 4px 17px 5px / 4px 12px 5px 9px;
23 +  --dp-radius-sheet: 14px 6px 18px 5px / 6px 16px 7px 12px;
24 +  --dp-radius-note: 5px 16px 7px 14px / 14px 5px 16px 6px;
25 +  --dp-border-fine-stroke: 1.5px;
26 +  --dp-shadow-offset: 3px 4px 0 rgba(56, 53, 47, 0.13);
27 +  --dp-motion-control: 100ms;
28 +
29 +  --paper-grain: url("data:image/svg+xml,%3Csvg xmlns='http://
   +www.w3.org/2000/svg' width='180' height='180'%3E%3Cfilter id='
   +n'%3E%3CfeTurbulence type='fractalNoise' baseFrequency='.85' n
   +umOctaves='2' stitchTiles='stitch'/%3E%3CfeColorMatrix values=
   +'0 0 0 0 .22 0 0 0 0 .2 0 0 0 0 .18 0 0 0 .06 0'/%3E%3C/filter
   +%3E%3Crect width='100%25' height='100%25' filter='url(%23n)'/%
   +3E%3C/svg%3E");
30   }
31
32   * { box-sizing: border-box; }
33
34   body {
35     margin: 0;
23 -   background: var(--bg);
24 -   color: var(--text);
25 -   line-height: 1.6;
36 +   background-color: var(--dp-color-ground);
37 +   background-image: var(--paper-grain);
```

```
 color: var(--dp-color-ink);
 font-family: var(--dp-typography-reading-face);
 font-size: var(--dp-typography-body);
 line-height: 1.7;
 }

+h1, h2, h3 {
 font-family: var(--dp-typography-display-face);
 font-weight: 700;
 line-height: 1.3;
+}
+
+:focus-visible {
 outline: 2px dashed var(--dp-color-annotation);
 outline-offset: 3px;
+}
+
+/* ---------- □□ ---------- */
 .site-header {
-  padding: 20px 24px 12px;
-  background: var(--surface);
-  border-bottom: 1px solid var(--border);
 display: flex;
 flex-wrap: wrap;
 align-items: flex-end;
 justify-content: space-between;
 gap: 20px 40px;
 padding: 36px 24px 20px;
 max-width: 1500px;
 margin: 0 auto;
 }
-.site-header h1 { margin: 0; font-size: 1.5rem; }
-.subtitle { margin: 4px 0 0; color: var(--muted); font-size: 0.92rem; }
+.site-header h1 {
 display: inline-block;
 position: relative;
 margin: 0;
 font-size: clamp(2.1rem, 5vw, 3.3rem);
 transform: rotate(-0.8deg);
+}
+.site-header h1 .scribble {
 position: absolute; left: -2%; bottom: -14px; width: 104%; height: 18px;
 color: var(--dp-color-accent);
+}
 .tag {
-  font-size: 0.75rem; vertical-align: middle; padding: 2px 8px; border-radius: 99px;
-  background: var(--accent-soft); color: var(--accent); font-weight: 600;
 display: inline-block;
 font-size: 0.42em; vertical-align: middle; padding: 0 10px; margin-left: 6px;
 border: var(--dp-border-fine-stroke) solid var(--dp-color-annotation); border-radius: var(--dp-radius-control);
 color: var(--dp-color-annotation); transform: rotate(3deg);
 }
+.subtitle {
 position: relative;
```

```
 85 +  max-width: 520px;
 86 +  margin: 0;
 87 +  padding: 14px 18px 12px;
 88 +  background: var(--dp-color-scrap);
 89 +  border: var(--dp-border-fine-stroke) solid var(--dp-color-li
   +ne);
 90 +  border-radius: var(--dp-radius-note);
 91 +  box-shadow: var(--dp-shadow-offset);
 92 +  color: var(--dp-color-annotation);
 93 +  font-size: var(--dp-typography-detail);
 94 +  line-height: 1.55;
 95 +  transform: rotate(1.2deg);
 96 +}
 97 +.subtitle::before {
 98 +  content: "";
 99 +  position: absolute; top: -11px; left: 38%; width: 92px; heig
   +ht: 22px;
100 +  background: rgba(240, 223, 160, 0.72);
101 +  clip-path: polygon(3% 12%, 97% 0, 100% 40%, 96% 88%, 4% 100%
   +, 0 55%);
102 +  transform: rotate(-4deg);
103 +}
104
105 +/* ---------- □□ ---------- */
106  .layout {
107    display: grid;
 42 -  grid-template-columns: 300px minmax(0, 1fr);
 43 -  gap: 20px;
 44 -  padding: 20px 24px 40px;
108 +  grid-template-columns: minmax(0, 1fr);
109 +  gap: 28px;
110 +  padding: 16px 16px 48px;
111    max-width: 1500px;
112    margin: 0 auto;
113  }
114
115  .panel {
 50 -  position: sticky; top: 16px; align-self: start;
 51 -  max-height: calc(100vh - 32px); overflow-y: auto;
 52 -  background: var(--surface); border: 1px solid var(--border);
   - border-radius: var(--radius);
 53 -  padding: 16px;
116 +  background: var(--dp-color-scrap);
117 +  border: var(--dp-border-fine-stroke) solid var(--dp-color-li
   +ne);
118 +  border-radius: var(--dp-radius-sheet);
119 +  box-shadow: var(--dp-shadow-offset);
120 +  padding: 18px 20px;
121 +  font-size: var(--dp-typography-detail);
122  }
 55 -.panel section + section { border-top: 1px solid var(--border)
   -; margin-top: 14px; padding-top: 6px; }
 56 -.panel h2 { font-size: 0.95rem; margin: 6px 0 8px; }
 57 -.panel label { display: block; font-size: 0.85rem; color: var(
   ---muted); margin: 10px 0 4px; }
 58 -.panel select, .panel input[type=url], .panel input[type=numbe
   -r] {
 59 -  width: 100%; padding: 7px 8px; border: 1px solid var(--borde
   -r); border-radius: 6px;
 60 -  font: inherit; font-size: 0.88rem; background: var(--surface
```

```
-); color: var(--text);
+.panel section + section {
+  margin-top: 18px; padding-top: 8px;
+  border-top: var(--dp-border-fine-stroke) dashed var(--dp-col
+or-line);
+ }
-.panel input[type=range] { width: 100%; }
-.row { display: flex; gap: 8px; margin-top: 8px; }
+.panel h2 { font-size: 1.15em; margin: 6px 0 6px; color: var(-
+-dp-color-accent); }
+.panel label { display: block; color: var(--dp-color-ink-muted
+); margin: 12px 0 4px; line-height: 1.4; }
+.panel select, .panel input[type=url], .panel input[type=numbe
+r], .tab select {
+  width: 100%; padding: 6px 10px;
+  border: var(--dp-border-fine-stroke) solid var(--dp-color-in
+k-muted);
+  border-radius: var(--dp-radius-control);
+  background: var(--dp-color-ground); color: var(--dp-color-in
+k);
+  font: inherit; font-size: 0.9em;
+}
+.tab select { width: auto; margin-left: 6px; }
+input[type=range] { width: 100%; accent-color: var(--dp-color-
+accent); }
+output { font-variant-numeric: tabular-nums; }
+
+.row { display: flex; gap: 12px; margin-top: 10px; }
 button, .file-btn {
-  flex: 1; padding: 7px 10px; border-radius: 6px; border: 1px
--solid var(--accent);
-  background: var(--accent); color: #fff; font: inherit; font-
--size: 0.85rem; cursor: pointer; text-align: center;
+  flex: 1;
+  padding: 6px 14px;
+  border: var(--dp-border-fine-stroke) solid var(--dp-color-in
+k);
+  border-radius: var(--dp-radius-control);
+  background: var(--dp-color-scrap); color: var(--dp-color-ink
+);
+  box-shadow: 3px 3px 0 var(--dp-color-accent);
+  font: inherit; font-family: var(--dp-typography-display-face
+); font-weight: 700;
+  cursor: pointer; text-align: center;
+  transition: transform var(--dp-motion-control) ease-out, box
+-shadow var(--dp-motion-control) ease-out;
 }
-.panel .file-btn { margin: 0; color: var(--accent); background
--: var(--surface); }
-.file-btn input { display: none; }
-.hint { font-size: 0.78rem; color: var(--muted); margin: 6px 0
- 0; }
+button:hover, .file-btn:hover { transform: rotate(-1.2deg); bo
+x-shadow: 2px 2px 0 var(--dp-color-accent); }
+button:active, .file-btn:active { transform: translate(2px, 2p
+x); box-shadow: 0 0 0 var(--dp-color-accent); }
+.panel .file-btn { margin: 0; color: var(--dp-color-ink); }
+.file-btn input { position: absolute; opacity: 0; width: 1px;
+height: 1px; }
+.file-btn:focus-within { outline: 2px dashed var(--dp-color-an
```

```
   +notation); outline-offset: 3px; }
157 +.hint { font-size: 0.85em; color: var(--dp-color-ink-muted); m
   +argin: 6px 0 0; }
158  .checklist {
 72 -  max-height: 160px; overflow-y: auto; border: 1px solid var(-
   --border); border-radius: 6px; padding: 4px 8px;
159 +  max-height: 200px; overflow-y: auto; padding: 4px 10px;
160 +  border: var(--dp-border-fine-stroke) dashed var(--dp-color-l
   +ine); border-radius: var(--dp-radius-note);
161  }
 74 -.panel .checklist label { display: flex; gap: 6px; align-items
   -: center; margin: 2px 0; color: var(--text); }
 75 -.status { font-size: 0.82rem; color: var(--muted); margin: 14p
   -x 0 0; }
 76 -.status.error { color: var(--bad); }
162 +.panel .checklist label { display: flex; gap: 8px; align-items
   +: center; margin: 4px 0; color: var(--dp-color-ink); }
163 +.checklist input { accent-color: var(--dp-color-accent); width
   +: 18px; height: 18px; }
164 +.status { color: var(--dp-color-annotation); margin: 16px 0 0;
   + line-height: 1.5; }
165 +.status.error { color: var(--dp-color-accent); }
166
167 +/* ---------- □□ ---------- */
168  .tabs {
 79 -  display: flex; gap: 4px; overflow-x: auto; border-bottom: 1p
   -x solid var(--border); margin-bottom: 16px;
169 +  display: flex; gap: 6px; overflow-x: auto; margin-bottom: 24
   +px; padding-bottom: 4px;
170 +  border-bottom: var(--dp-border-fine-stroke) solid var(--dp-c
   +olor-line);
171  }
172  .tabs button {
 82 -  flex: none; background: none; color: var(--muted); border: n
   -one; border-bottom: 2px solid transparent;
 83 -  border-radius: 0; padding: 10px 12px; font-size: 0.9rem; whi
   -te-space: nowrap;
173 +  flex: none; position: relative;
174 +  padding: 8px 12px 10px; border: none; border-radius: 0; box-
   +shadow: none; background: none;
175 +  color: var(--dp-color-ink-muted); font-family: var(--dp-typo
   +graphy-reading-face); font-weight: 400;
176 +  font-size: var(--dp-typography-detail); white-space: nowrap;
177  }
 85 -.tabs button[aria-selected=true] { color: var(--accent); borde
   -r-bottom-color: var(--accent); font-weight: 600; }
178 +.tabs button:hover { transform: none; box-shadow: none; color:
   + var(--dp-color-ink); }
179 +.tabs button:active { transform: none; }
180 +.tabs button[aria-selected=true] { color: var(--dp-color-accen
   +t); font-family: var(--dp-typography-display-face); font-weigh
   +t: 700; }
181 +.tabs button[aria-selected=true]::after {
182 +  content: ""; position: absolute; left: 8px; right: 6px; bott
   +om: 2px; height: 4px;
183 +  background: var(--dp-color-accent); border-radius: 60% 40% 7
   +0% 30% / 100%;
184 +  transform: rotate(-1deg);
185 +}
186
```

```
 87 -.tab h2 { font-size: 1.25rem; margin: 0 0 12px; }
 88 -.tab h3 { font-size: 1.05rem; margin: 24px 0 8px; }
187 +/* ---------- □□ ---------- */
188 +.tab h2 {
189 +  display: inline-block;
190 +  font-size: clamp(1.5rem, 3vw, 2.1rem);
191 +  margin: 0 0 18px;
192 +  transform: rotate(-0.6deg);
193 +  background: linear-gradient(transparent 58%, var(--dp-color-
    +highlight) 58%, var(--dp-color-highlight) 92%, transparent 92%
    +);
194 +  padding: 0 6px;
195 +}
196 +.tab h3 { font-size: 1.15em; margin: 28px 0 10px; color: var(-
    +-dp-color-ink); }
197 +.tab p, .tab li { font-size: var(--dp-typography-reading); }
198 +.tab .hint, .tab label.hint { font-size: var(--dp-typography-d
    +etail); }
199 +.tab li + li { margin-top: 6px; }
200 +
201  .card {
 90 -  background: var(--surface); border: 1px solid var(--border);
    - border-radius: var(--radius); padding: 16px; margin-bottom: 1
    -6px;
202 +  background: var(--dp-color-scrap);
203 +  border: var(--dp-border-fine-stroke) solid var(--dp-color-li
    +ne);
204 +  border-radius: var(--dp-radius-sheet);
205 +  box-shadow: var(--dp-shadow-offset);
206 +  padding: 20px 22px;
207 +  margin-bottom: 28px;
208  }
 92 -.grid-2 { display: grid; grid-template-columns: repeat(2, minm
    -ax(0, 1fr)); gap: 16px; }
 93 -.metrics { display: grid; grid-template-columns: repeat(auto-f
    -it, minmax(150px, 1fr)); gap: 12px; margin-bottom: 16px; }
 94 -.metric { background: var(--surface); border: 1px solid var(--
    -border); border-radius: var(--radius); padding: 12px 14px; }
 95 -.metric .label { font-size: 0.8rem; color: var(--muted); }
 96 -.metric .value { font-size: 1.35rem; font-weight: 650; font-va
    -riant-numeric: tabular-nums; }
 97 -.metric .sub { font-size: 0.78rem; color: var(--muted); }
209 +.grid-2 { display: grid; grid-template-columns: minmax(0, 1fr)
    +; gap: 0 28px; }
210
 99 -.table-wrap { overflow-x: auto; max-height: 520px; overflow-y:
    - auto; }
100 -table { border-collapse: collapse; width: 100%; font-size: 0.8
    -4rem; font-variant-numeric: tabular-nums; }
101 -th, td { padding: 6px 10px; border-bottom: 1px solid var(--bor
    -der); text-align: right; white-space: nowrap; }
102 -th { position: sticky; top: 0; background: var(--surface); col
    -or: var(--muted); font-weight: 600; }
211 +.metrics { display: grid; grid-template-columns: repeat(2, min
    +max(0, 1fr)); gap: var(--dp-spacing-item-gap); margin-bottom:
    +28px; }
212 +.metric {
213 +  background: var(--dp-color-scrap);
214 +  border: var(--dp-border-fine-stroke) solid var(--dp-color-li
    +ne);
```

```
215 +  border-radius: var(--dp-radius-note);
216 +  padding: 10px 14px;
217 +}
218 +.metric:nth-child(3n+1) { transform: rotate(-0.4deg); }
219 +.metric:nth-child(3n+2) { transform: rotate(0.5deg); }
220 +.metric .label { font-size: var(--dp-typography-detail); color
    +: var(--dp-color-ink-muted); line-height: 1.35; }
221 +.metric .value {
222 +  font-family: var(--dp-typography-display-face); font-weight:
    + 700;
223 +  font-size: 1.45em; line-height: 1.3; font-variant-numeric: t
    +abular-nums; overflow-wrap: anywhere;
224 +}
225 +.metric .sub { font-size: 18px; color: var(--dp-color-annotati
    +on); line-height: 1.4; }
226 +
227 +.table-wrap { overflow-x: auto; max-height: 560px; overflow-y:
    + auto; }
228 +table { border-collapse: collapse; width: 100%; font-size: var
    +(--dp-typography-detail); font-variant-numeric: tabular-nums;
    +}
229 +th, td { padding: 6px 12px; border-bottom: 1px solid var(--dp-
    +color-line); text-align: right; white-space: nowrap; }
230 +th {
231 +  position: sticky; top: 0; z-index: 1; background: var(--dp-c
    +olor-scrap); color: var(--dp-color-annotation);
232 +  font-family: var(--dp-typography-display-face); font-weight:
    + 700;
233 +  border-bottom: 2px solid var(--dp-color-ink-muted);
234 +}
235  th:first-child, td:first-child { text-align: left; }
104 -td.text { text-align: left; white-space: normal; }
236 +td.text { text-align: left; white-space: normal; min-width: 26
    +0px; }
237 +tr.featured td { background: var(--dp-color-highlight); }
238
106 -.badge { display: inline-block; padding: 1px 8px; border-radiu
    -s: 99px; font-size: 0.78rem; font-weight: 600; }
107 -.badge.good { background: var(--good-soft); color: var(--good)
    -; }
108 -.badge.warn { background: var(--warn-soft); color: var(--warn)
    -; }
109 -.badge.bad { background: var(--bad-soft); color: var(--bad); }
110 -.cell-good { background: var(--good-soft); }
111 -.cell-warn { background: var(--warn-soft); }
112 -.cell-bad { background: var(--bad-soft); }
239 +.badge {
240 +  display: inline-block; padding: 0 10px; font-size: 0.9em; li
    +ne-height: 1.5;
241 +  border: var(--dp-border-fine-stroke) solid currentColor; bor
    +der-radius: var(--dp-radius-control);
242 +  white-space: nowrap;
243 +}
244 +.badge.good { color: var(--dp-color-annotation); }
245 +.badge.warn { color: var(--dp-color-ink); background: var(--dp
    +-color-highlight); border-color: var(--dp-color-line); }
246 +.badge.bad { color: var(--dp-color-accent); background: var(--
    +dp-color-accent-wash); }
247 +.cell-good { color: var(--dp-color-annotation); }
248 +.cell-warn { background: var(--dp-color-highlight); }
```

```
249 +.cell-bad { background: var(--dp-color-accent-wash); color: va
   +r(--dp-color-accent); }
250
114 -.callout { border-left: 4px solid var(--accent); background: v
   -ar(--accent-soft); padding: 10px 14px; border-radius: 6px; mar
   -gin: 12px 0; }
115 -.callout.ai { border-left-color: #7c3aed; background: #f3e8ff;
   - }
116 -.callout.nlm { border-left-color: #0f766e; background: #ccfbf1
   -; }
117 -.plot { width: 100%; min-height: 380px; }
251 +.callout {
252 +  position: relative;
253 +  margin: 18px 0 4px; padding: 14px 18px;
254 +  border: var(--dp-border-fine-stroke) solid var(--dp-color-an
   +notation);
255 +  border-radius: var(--dp-radius-note);
256 +  background: var(--dp-color-annotation-wash);
257 +  color: var(--dp-color-annotation);
258 +  font-size: var(--dp-typography-reading);
259 +}
260 +.callout.ai { border-color: var(--dp-color-annotation); }
261 +.callout.nlm {
262 +  border-color: var(--dp-color-line); background: var(--dp-col
   +or-highlight); color: var(--dp-color-ink);
263 +}
264 +.callout ul { margin: 8px 0; }
265 +.plot { width: 100%; min-height: 400px; }
266
119 -.sliders { display: grid; grid-template-columns: repeat(auto-f
   -ill, minmax(230px, 1fr)); gap: 10px 20px; }
120 -.sliders label { display: block; font-size: 0.82rem; color: va
   -r(--muted); }
121 -.sliders input { width: 100%; }
122 -.sliders output { color: var(--text); font-weight: 600; font-v
   -ariant-numeric: tabular-nums; }
267 +.sliders { display: grid; grid-template-columns: minmax(0, 1fr
   +); gap: 14px 28px; }
268 +.sliders label { display: block; font-size: var(--dp-typograph
   +y-detail); color: var(--dp-color-ink-muted); line-height: 1.4;
   + }
269 +.sliders output { color: var(--dp-color-accent); font-family:
   +var(--dp-typography-display-face); font-weight: 700; }
270
124 -.flow { display: flex; flex-wrap: wrap; gap: 6px; align-items:
   - center; margin: 8px 0 16px; font-size: 0.85rem; }
125 -.flow span { padding: 4px 10px; border-radius: 99px; backgroun
   -d: var(--accent-soft); color: var(--accent); }
126 -.flow i { color: var(--muted); font-style: normal; }
271 +/* CRISP-DM □□□□□□□□□□□□□□□□ */
272 +.process {
273 +  list-style: none; margin: 4px 0 30px; padding: 16px 18px;
274 +  display: flex; flex-direction: column; gap: 8px;
275 +  background: var(--dp-color-strip);
276 +  border: var(--dp-border-fine-stroke) solid var(--dp-color-li
   +ne);
277 +  border-radius: 4px 22px 6px 18px / 18px 5px 20px 6px;
278 +  counter-reset: step;
279 +}
280 +.process li { display: flex; align-items: center; gap: 10px; f
```

```
   +ont-size: var(--dp-typography-detail); margin: 0; }
281 +.process li + li { margin: 0; }
282 +.process li::before {
283 +  counter-increment: step; content: counter(step);
284 +  flex: none; display: inline-grid; place-items: center; width
   +: 34px; height: 34px;
285 +  border: 2px solid var(--dp-color-accent); border-radius: 52%
   + 48% 55% 45% / 48% 55% 45% 52%;
286 +  color: var(--dp-color-accent); font-family: var(--dp-typogra
   +phy-display-face); font-weight: 700;
287 +}
288 +.process .arrow { display: none; color: var(--dp-color-ink-mut
   +ed); }
289
128 -a { color: var(--accent); }
129 -code { background: #eef1f5; padding: 1px 5px; border-radius: 4
   -px; font-size: 0.85em; }
290 +a { color: var(--dp-color-annotation); text-decoration-thickne
   +ss: 1.5px; text-underline-offset: 3px; overflow-wrap: anywhere
   +; }
291 +a:hover { color: var(--dp-color-accent); }
292 +code {
293 +  font-family: ui-monospace, SFMono-Regular, Menlo, monospace;
   + font-size: 0.72em;
294 +  background: var(--dp-color-highlight); padding: 1px 6px; bor
   +der-radius: 3px 6px 4px 5px;
295 +}
296
131 -@media (max-width: 900px) {
132 -  .layout { grid-template-columns: minmax(0, 1fr); padding: 16
   -px; }
133 -  .panel { position: static; max-height: none; }
134 -  .grid-2 { grid-template-columns: minmax(0, 1fr); }
135 -  .site-header { padding: 16px; }
297 +@media (min-width: 680px) {
298 +  .layout { padding: 16px 24px 56px; }
299 +  .metrics { grid-template-columns: repeat(auto-fit, minmax(17
   +0px, 1fr)); }
300 +  .grid-2 { grid-template-columns: repeat(2, minmax(0, 1fr));
   +}
301 +  .sliders { grid-template-columns: repeat(2, minmax(0, 1fr));
   + }
302 +  .grid-2 > .card:nth-child(2) { margin-top: 14px; }
303  }
304 +
305 +@media (min-width: 1050px) {
306 +  .layout { grid-template-columns: 340px minmax(0, 1fr); }
307 +  .panel { position: sticky; top: 16px; align-self: start; max
   +-height: calc(100vh - 32px); overflow-y: auto; }
308 +  .sliders { grid-template-columns: repeat(3, minmax(0, 1fr));
   + }
309 +  .process { flex-direction: row; flex-wrap: wrap; align-items
   +: center; gap: 10px 14px; }
310 +  .process .arrow { display: inline; }
311 +}
312 +
313 +@media (max-width: 679px) {
314 +  .site-header { padding: 24px 16px 12px; }
315 +  .site-header h1, .subtitle, .tab h2, .tag { transform: none;
   + }
```

```
316 +  .metric:nth-child(n) { transform: none; }
317 +  .card { padding: 16px; box-shadow: 2px 2px 0 rgba(56, 53, 47
    +, 0.12); }
318 +  .tab p, .tab li { font-size: var(--dp-typography-detail); }
319 +}
320 +
321 +@media (prefers-reduced-motion: reduce) {
322 +  *, *::before, *::after { transition: none !important; }
323 +  button:hover, button:active, .file-btn:hover, .file-btn:acti
    +ve { transform: none; }
324 +}
```

 Now the font link and the hand-drawn underline in the header:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && python3 -
<<'EOF'
p='index.html'; s=open(p).read()...)
  (No output)

 Next, the charts and markup in app.js: pencil/blue/red chart palette, handwritten chart fonts, the CRISP-DM process strip, and a yellow highlight on the current method's comparison row.

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && grep -n
"COLORS\|colorscale\|class=\"flow\"\|function table\|const body =
rows\|getComputedStyle\|cmpRows\|rgb...)
  (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && sed -n 93,104p
assets/app.js && python3 - <<'EOF'
p='assets/app.js'; s=open(p).read()...)
  (No output)

 Two more edits: support a row class in the table helper, and wait for the handwritten fonts before drawing the first charts so Plotly measures the right glyphs.

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && python3 -
<<'EOF'
p='assets/app.js'; s=open(p).read()...)
  (No output)
 Now I'll verify the rendered result at desktop and phone widths:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" &&
S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69d
bd-56a7-4307-9f3a-247732253316/scrat...)
  (No output)
  (timeout 5m)

Read 2 files (ctrl+o to expand)

 Desktop looks right. The one defect is that chart legends now collide with the x-axis titles, because the handwritten font is larger. I'll check mobile before fixing it:

Read 2 files (ctrl+o to expand)

 Mobile stacks correctly and stays readable. Now the legend fix: legends anchor to the bottom of the whole figure instead of the plot area. I'm also making interval values a bit smaller on phones:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && python3 -
    <<'EOF'
    p='assets/app.js'; s=open(p).read()...)
   (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && sed -i ''
    "s/yaxis: { visible: false, range: \[-1, 1\] }, margin: { l: 30, r: 30, t:
    40, b: 50 },/yaxis: { vis...)
   (No output)

  Read 1 file (ctrl+o to expand)

 The legends are clear now. Last, I'll check the keyboard focus ring:

 Bash(cd /private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d6
    9dbd-56a7-4307-9f3a-247732253316/scratchpad && ls -la s_focus.png)
   (No output)

 Bash(S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69
    dbd-56a7-4307-9f3a-247732253316/scratchpad && "/Applications/Google
    Chrome.app/Contents...)
   (No output)

  Read 1 file (ctrl+o to expand)

 The dashed blue focus ring shows. Cleaning up the test harness and server:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && rm _test.html
    && pkill -f "http.server 8765"; ls)
   (No output)

 The site now has the hand-drawn "working sheet" style. I checked it in
  headless Chrome at 1400px and at 390px phone width. The text, controls, tabs
  and regression results are the same as before.

  Fonts: The design's "Sketch Working Hand/Marker" fonts don't exist here, and
  they wouldn't cover Chinese anyway. I used a readable handwritten pair from
  Google Fonts instead: Kalam for Latin letters and numbers, and LXGW WenKai TC
  (□□□□) for Chinese. Headings and numbers use the bold weight, reading text
  the regular one. The original font names stay first in the font list, so
  they'll be used if you ever add those files.

  What changed:
  - Header: the big handwritten title has a red hand-drawn underline. The
    subtitle sits beside it as a slightly tilted note with a strip of yellow
    tape.
  - Colours and paper: warm paper with a faint grain, pencil-ink text, blue for
    notes, red for actions and emphasis, yellow for highlights. All values come
    from the design's colour list.
  - Panels and cards: pale paper scraps with uneven corners and a small hard
    shadow. The number boxes are tilted very slightly, and stop tilting on
    phones.
  - Buttons: uneven outline with a red offset shadow. Hover tilts the button a
    little, and pressing pushes it down onto the page.
  - Keyboard focus: a dashed blue outline on every control.
  - CRISP-DM steps: a darker paper strip with circled numbers and arrows. It
    runs across on wide screens and stacks on phones.
  - Tables and labels: the active tab gets a red uneven underline, and section
    headings have a yellow highlighter stroke. In the strategy comparison table,

the row for the current method is highlighted yellow.
- Charts: recoloured to match, with handwritten chart text. The first charts are drawn after the fonts load, so the text lines up.
- Layout: one column below 680px, two-column chart groups from 680px, and the side panel sits beside the content from 1050px.
- Reduced motion: button tilting and transitions are off. The hover shadow change still shows.

Fixed while checking: with the larger font, chart legends overlapped the x-axis titles. Legends now sit at the bottom of each chart. On phones, the long interval values in the number boxes are a bit smaller.

The changes are in assets/style.css, index.html (font link and the drawn underline) and assets/app.js (chart colours and fonts, the step strip and the highlighted row).

□ □□□□□□□□□□□□□□□□□□□□□□□□

□ A big wave under the title with the rest of the page unchanged points to a stale cache: your browser got the new index.html (which added the wave SVG) but is still using the old cached style.css. Without the new CSS, the wave has no size limit, so it renders large. I'll check whether you've already pushed to GitHub:

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && git status -sb
2>&1 | head -5; git remote -v 2>&1 | head -2; git log --oneline -3 2>&1;
head -5 assets/style.c...)
□ (No output)

□ Since the folder still isn't a git repo, you're viewing it locally and the new style.css is already saved. I'll now add version numbers to the CSS/JS links so the browser fetches the updated files instead of cached ones.

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && sed -i ''
's|href="assets/style.css"|href="assets/style.css?v=2"|;
s|src="assets/stats.js"|src="assets/stats.j...)
□ (No output)

□ The style files on disk are already the new version; your browser was most likely still using the old cached style.css. That's why the big wave appeared: index.html had loaded the new version with the wave, but without the new CSS the wave has no size limit, so it shows up large. The screenshots I took in headless Chrome showed the full restyle (warm paper, handwritten fonts, red/blue marks, scrap-paper cards), so the files themselves are fine.

I added version numbers to the CSS/JS links in index.html (style.css?v=2 and so on), so the browser has to fetch the new files.

Please:
1. Reload with a hard refresh: Cmd + Shift + R on Mac.
2. If it still looks the same, make sure you're opening this folder (HW2/index.html) through a local server (python3 -m http.server 8000, then http://localhost:8000), not another copy.

If it's still wrong after that, send me a screenshot and I'll look at it.

When you change CSS/JS later, bump the number (?v=3). GitHub Pages also caches files, so the same thing can happen after you deploy.

□ https://github.com/BlueET1/AIot-HW2-MLR-web-.git

□□push □□□

□ I'll check whether the GitHub repository already has content before pushing:

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && git ls-remote
https://github.com/BlueET1/AIot-HW2-MLR-web-.git 2>&1 | head; cat
.gitignore; git config user.na...)
□ Error: Exit code 1
.venv/
__pycache__/
*.pyc
.DS_Store

□ The repo is empty and git isn't configured with a user name/email on this machine. I'll set the author for this repo to your GitHub username BlueET1 and account email, then commit and push.

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && git init -q -b
main && git config user.name "BlueET1" && git config user.email
"a23144408@gmail.com" && git ad...)
□ (No output)

□ The push was rejected with HTTP 400, which often happens on a first push larger than git's default HTTP buffer (about 2.4 MB here). I'll raise the buffer for this repo and retry:

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && git config
http.postBuffer 524288000 && git push -u origin main 2>&1 | tail -5)
□ (file diff unavailable for this command)
□ The push worked. I'll replace the placeholder site link in the README with the real address, and check whether I can turn on GitHub Pages from here:

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && sed -i ''
's|https://<□□ GitHub □□>.github.io/<repo
□□>/|https://blueet1.github.io/AIot-HW2-MLR-web-/|' README...)
□ (file diff unavailable for this command)

□ Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□/□□□/HW2" && git commit
-qam "README: add live site URL...)
□ (No output)
□ (timeout 2m)

□ Pages is turned on. I'll wait for the first build to finish and confirm the site loads:

□ Bash(for i in $(seq 1 18); do s=$(gh api
repos/BlueET1/AIot-HW2-MLR-web-/pages/builds/latest --jq .status
2>/dev/null); echo "$s"; ["$s" = built] && break; ["$s"...)
□ (No output)
□ (timeout 4m)

□ The build is done. I'll load the live page in headless Chrome to confirm the analysis actually runs:

□ Bash(S=/private/tmp/claude-501/-Users-chenzhiheng-Desktop----------HW2/31d69
dbd-56a7-4307-9f3a-247732253316/scratchpad; "/Applications/Google
Chrome.app/Contents/M...)
□ (No output)
□ (timeout 2m)

 The project is on GitHub and the site is live on GitHub Pages. I opened the live page in headless Chrome: it loads the data and finishes the analysis ("□□□□□□□2,928 □□□□20 □□□□RFE □□ 14 □").

- Repository: https://github.com/BlueET1/AIot-HW2-MLR-web-
- Website: https://blueet1.github.io/AIot-HW2-MLR-web-/

What I did:
- Pushed the whole project to the main branch. .venv is excluded by .gitignore.
- The first push failed with HTTP 400 because the push was larger than git's default upload buffer. I raised the buffer for this repo only, and the retry went through.
- Turned on GitHub Pages using the gh CLI, which is logged in as BlueET1, with source main / (root).
- Replaced the placeholder site link at the top of README.md with the real address, in a second commit.

This machine had no git user name or email configured, so I set them for this repo only. Commits show as BlueET1 <a23144408@gmail.com>; tell me if you'd prefer a different name.

Still to do:
1. Replace the NotebookLM summary with one you actually got from NotebookLM. It's in ai() in assets/app.js and in the README.
2. Put the exported GPT chat PDF in the docs/ folder; the AI tab says it's there.
3. After editing CSS/JS, bump the ?v=2 in index.html to ?v=3. Otherwise browsers may keep the old cached file, as happened with the style earlier.

To update the site later, run git add . && git commit -m "..." && git push. Pages redeploys automatically in about a minute.

□ □□□□□ NotebookLM □□□□□□□□ ? □□□□prompt

 NotebookLM only answers from the sources you add to a notebook, so first add some web write-ups that solve the same problem, then give it the prompt.

Step 1: Add sources (5–10 is enough)

Create a new notebook and use □□□□□□(Discover sources). Type:

WHO Life Expectancy dataset Kaggle multiple linear regression feature selection

It will find related articles for you to add. You can also paste links via □□□□ □ □□ (Add source □ Website). Good search terms:

- kumarrajarshi life expectancy who regression notebook
- life expectancy WHO linear regression multicollinearity VIF
- life expectancy prediction Lasso RFE feature selection

Kaggle notebook pages sometimes don't import completely. Medium articles, GitHub READMEs, and blog posts work more reliably.

Step 2: Prompt (paste it into the NotebookLM chat box)

□□□□□□□□□□□□□□□□□WHO Life Expectancy□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□
1. □□ 200□300 □□□□□□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□□□□□□□□□
   -
□□□
   - □□□
   - □□□□□□□□□□□□□□□□□□□□□□□□□□□□ VIF □□□
   - □□□□□□□□□□□□□ Lasso□RFE□□□□□□□□□□□□□□□□□□□□□□
   - □□□□□□□□R²□RMSE □□□□□□□□□□□□□□□□□□□□□□□□
3. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
4. □□
□□□□
5. □□□□□□□□□□□□□□□□□□□□□□□□

Step 3: Use the result

1. Copy NotebookLM's answer into the □NotebookLM □□□ section of ai() in assets/app.js, and into the NotebookLM section of README.md.
2. Take a screenshot of the NotebookLM page, or export it as a PDF. You can put it in docs/ as proof that it came from NotebookLM.

Once you have the summary, paste it here and I'll put it in both places and push it to GitHub.

 /model sonnet
  Set model to claude-sonnet-5-5

 <ide_opened_file>The user opened the file /Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2/notebooklm.md in the IDE. This may or may not be related to the current task.</ide_opened_file>

 @notebooklm.md □□□□□□□□□readme□□
  Read notebooklm.md (3 lines)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && grep -n "NotebookLM" assets/app.js README.md)
  (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && sed -n 76,84p README.md && sed -n 722,736p assets/app.js)
  (No output)

 I'll use the notebooklm.md text verbatim, just cleaning up stray spaces left from removed citation numbers and converting markup like bold and (R^2) into plain text, then apply this across the site, including the README. · summary

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && python3 -<<'EOF'
   import re...)
  (No output)

 The text is in both places. I'll commit and push:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && git add -A && git status --short && git commit -q -m "Update NotebookLM summary on site and README...)
  No matches found

 The push was rejected because the remote has commits I don't have, so nothing was deployed (the 0 is the old file). I'll look at what's there before

merging:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && git fetch -q
  && git log --oneline HEAD..origin/main && git diff --stat
  HEAD...origin/main)
  (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && git diff
  HEAD...origin/main)
  (No output)

 The remote commit is a README edit made on GitHub, which touches the same area as mine. I'll rebase my commit on top of it so their edit is kept:

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && git pull
  --rebase 2>&1 | tail -5; git status -sb | head -5)
  (No output)

 Bash(cd "/Users/chenzhiheng/Desktop/□□□□□□□/□□□/HW2" && sed -n 1,8p
  README.md && grep -c "□□□□□□□" README.md && git push -q 2>&1 | tail
  -2; for i in $(seq 1 15); do sl...)
  (No output)
  (timeout 4m)

 NotebookLM □□□□□□□□□□ README□□□□□
 GitHub□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

 - □□□AI □□ / NotebookLM □□□□ □NotebookLM □□□
   □□□□□□□□□assets/app.js□□
 - README□□□□□□□□□□□□□□README.md□□
 - □□□□□□□□□ notebooklm.md □□□□□□□□□□□
   - □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
     □□□□□□□□□□□□□□□□□□
   - □ **...** □ \(R^2\) □□□□□□□□□□ R²□
 - □□□□□index.html □□□□□□ ?v=3□□□□□□□□□□□□

 □□□□□□□□□□□□□□□ GitHub □□□ README□□□□ "Refine README content
 and structure"□□
 □□□□□□□

 □□□□□ GitHub □□□□
 README□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ Problem □ 1 □□□□
 CSV □ 2 □□□
 □□□□□□□□□□□

 □□□README □□□ AI □□ PDF □□□ docs/ □□□□□□□□