

Frederick Harrington Fred Barnes CO600: API - Game 14 January 2016

API Functions: Game

Table Creation

```
CREATE TABLE Game (
 gameID INT NOT NULL AUTO_INCREMENT
 ,creatorID INT NOT NULL
 ,name VARCHAR(64) NOT NULL
 ,date_created TIMESTAMP NOT NULL
 ,PRIMARY KEY (gameID)
 ,FOREIGN KEY (creatorID) REFERENCES Users(userID)
 );
```

Select Information

Select * on GameID

- SELECT * FROM Game Where gameID = '?';
- url/getFromGameID?gameID=12515
- app.get("getFromGameID", function(req,res){
 connection.query('SELECT * FROM Game WHERE gameID = 'req.gameID';');

Selecting * on CreatorID

- SELECT * FROM Game WHERE creatorID ='?';
- url/getFromCreatorID?creatorID=12515
- app.get("getFromCreatorID",function(req,res){ //creatorID passed
 connection.query('SELECT * FROM Game WHERE creatorID = 'req.creatorID';');

Select * on Date

- SELECT date_created FROM Game WHERE gameID = "?";
- url/getFromDate?date=13/11/2015
- app.get("getFromDate",function(req,res){ //date_created passed connection.query('SELECT * FROM Game WHERE creatorID 'req.date_created';');

Inserting Information

Inserting a New Record

- INSERT INTO Game(creator, name, date_created) VALUES('?', '?', '?');
- url/newGame?title=fredLobby&name=satantest11&date=10/11/2015
- app.get("newGame",function(req,res){ connection.query('INSERT INTO Game(creator, name, date_created) VALUES('req.creator', 'req.name', 'req.date_created''),

Inserting new Name on GameID

- INSERT INTO game(name) VALUES('?'), WHERE gameID = '?';
- url/newLobbyTitle?name=fredLobby&gameID=13412
- app.get("newNameonGameID",function(req,res) {connection.query('INSERT INTO Lobby(title) VALUES('req.name'), WHERE gameID = 'req.gameID');