Accessory Dwelling Unit
1 Bedroom - 746 s.f.
City of Riverside, CA

APPLICANT AGREEMENT

APPLICANT AGREES TO PROVIDE ALL NECESSARY INFORMATION REQUIRED TO COMPLETE THESE CONSTRUCTION DOCUMENTS. MODIFICATIONS TO THE PERMIT READY DOCUMENTS PROVIDED BY DESIGN PATH STUDIO ARE TO BE DISCLOSED BY THE APPLICANT AND APPROVED BY THE AUTHORITY HAVING JURISDICTION. ANY MODIFICATIONS TO THESE CONSTRUCTION DOCUMENTS REQUIRES EACH SHEET TO BE SIGNED BY THE PERSON WHO MADE THE CHANGES. ANY ADDITIONAL SHEETS INCORPORATED INTO THESE DOCUMENTS ALSO REQUIRES A SIGNATURE BY THE PERSON WHO PREPARED THE INFORMATION. THE FOUNDATION DESIGN FOR THESE PERMIT READY CONSTRUCTION DOCUMENTS ASSUMES STANDARD SOILS CONDITIONS AND LEVEL TOPOGRAPHY. IF SITE SPECIFIC CONDITIONS REQUIRE A FOUNDATION DESIGN BEYOND WHAT IS PROVIDED IN THESE DOCUMENTS THEN THE APPLICANT IS TO PROVIDE A NEW FOUNDATION DESIGN WHICH COMPLIES WITH THE RECOMENDATIONS OF THE GEOTECHNICAL ENGINEER'S REPORT.

BY SIGNING BELOW THE APPLICANT AGREES TO THE STATEMENT ABOVE AND WILL COMPLY WITH ALL LOCAL CODE REQUIREMENTS.

SIGNATURE:_____ DATE:_____

SHEET INDEX

T1.1	TITLE SHEET
T1.2	EXTERIOR STYLE OPTIONS
AS.1	SITE INFORMATION
AS.2	SITE PLAN (PROVIDED BY OWNER)
G0.1	RESIDENTIAL MANDATORY FEATURES 2022 CALGREEN
G0.2	GENERAL NOTES
G0.3	GENERAL NOTES
A0.1	DOOR AND WINDOW SCHEDULES
A1.1	FLOOR PLAN/ ROOF PLAN CRAFTSMAN
A1.2	FLOOR PLAN/ ROOF PLAN RANCH
A1.3	FLOOR PLAN/ ROOF PLAN SPANISH
A2.1	MECHANICAL/PLUMBING/ELECTRICAL PLANS
A3.1	EXTERIOR ELEVATIONS CRAFTSMAN
A3.2	EXTERIOR ELEVATIONS RANCH
A3.3	EXTERIOR ELEVATIONS SPANISH
A4.1	BUILDING SECTIONS CRAFTSMAN
A4.2	BUILDING SECTIONS CRAFTSMAN
A4.3	BUILDING SECTIONS RANCH
A4.4	BUILDING SECTIONS RANCH
A4.5	BUILDING SECTIONS SPANISH
A4.6	BUILDING SECTIONS SPANISH
A5.1	ARCHITECTURAL WALL FINISH DETAILS
A5.2	ARCHITECTURAL ROOF FINISH DETAILS
A5.3	ARCHITECTURAL DETAILS
S.1	STRUCTURAL NOTES & SPECIFICATIONS
S.2	FOUNDATION AND FRAMING PLANS CRAFTSMAN
S.3	FOUNDATION AND FRAMING PLANS RANCH
S.4	FOUNDATION AND FRAMING PLANS SPANISH
S.5	STRUCTURAL DETAILS
S.6	STRUCTURAL DETAILS
T24.1	ENERGY CALC.
T24.2	ENERGY CALC.
T24.3	ENERGY CALC.

BUILDING INFORMATION

GOVERNING CODES: APPROVAL OF THIS PROJECT SHALL COMPLY WITH THE 2022 CALIFORNIA BUILDING CODE, CALIFORNIA RESIDENTIAL CODE (CRC), CALIFORNIA MECHANICAL CODE (CMC), CALIFORNIA PLUMBING CODE (CPC), CALIFORNIA ELECTRICAL CODE (CEC), CALIFORNIA ENERGY CODE (CEC), CALIFORNIA GREEN BUILDING CODE (CGBC) AND CITY OF RIVERSIDE MUNICIPAL CODE.

SITE ADDRESS:

GOVERNING AGENCY: CITY OF RIVERSIDE, CA.
OCCUPANCY GROUP: R3
STORIES: 1
TYPE OF CONSTRUCTION: VB

CONTACT LOCAL UTILITY COMPANIES REGARDING GAS AND ELECTRIC SERVICES TO THIS DETACHED ADU. SEE EXAMPLE SITE PLAN, SHEET AS.2, FOR MORE INFORMATION

ZONING INFORMATION

CONTACT CITY OF RIVERSIDE FOR THE INFORMATION BELOW
EMAIL: CDINFO@RIVERSIDECA.GOV PHONE: 951-826-5800

ZONING :

OVERLAY :

LOT SIZE :

ADU SETBACKS FROM PROPERTY LINE

ALLOWED :	PROPOSED :
FRONT-	FRONT-
REAR-	REAR-
SIDE-	SIDE-
STREET SIDE-	STREET SIDE-

ADU SETBACKS FROM MAIN RESIDENCE

ALLOWED :	PROPOSED :

OFF STREET PARKING :

REQUIRED:	PROVIDED:

APN

DIRECTORY

SITE PLAN & TITLE SHEET INFORMATION PREPARED BY:

COMPANY
CONTACT PERSON
ADDRESS

PHONE
EMAIL

PROPERTY OWNER:_____

NAME
ADDRESS

PHONE
EMAIL

BUILDING DEPARTMENT:

CITY OF RIVERSIDE BUILDING & SAFETY DEPARTMENT
3900 MAIN STREET,
RIVERSIDE, CA 92522
P. (951)826-5800

PROJECT DESCRIPTION

NEW CONSTRUCTION OF A ONE STORY, 1 BEDROOM 1 BA[illegible] ACCESSORY DWELLING UNIT

PORCH AREAS:
CRAFTSMAN: 283 S.F. RANCH: 121[illegible] SPANISH: 46 S.F.

LEGAL DESCRIPTION

VICINITY MAP

HERS NOTES

1. PROPERLY COMPLETED AND ELECTRONICALLY SIGNED CERTIFICATE OF INSTALLATION (CF2R FORMS) SHALL BE POSTED WEATHER PROTECTED WITHIN BUILDING FOR REVIEW BY INSPECTORS – EES 10-103(a)3, 10-103(b)1.A – BY TH[illegible] INSTALLING CONTRACTOR AND SUBMITTED TO THE FIELD INSPECTOR DURING CONSTRUCTION AT THE SITE. FOR PROJECTS REQUIRING HERS VERIFICATION, THE CF2R FORMS SHALL BE REGISTERED WITH A CALIFORNIA APPROVED [illegible]RS PROVIDER DATA REGISTRY WITH ITS OWN UNIQUE 21 DIGIT REGISTRA[illegible] NUMBER LOCATED AT THE BOTTOM OF EACH PAGE. THE FIRST 12 DI[illegible] MATCH THE REGISTRATION NUMBER ASSOCIATED WITH THE CF1R FORM. CERTIFICATE OF OCCUPANCY WILL NOT BE ISSUED UNTIL THE CF2R FOR[illegible] REVIEWED AND APPROVED.

2. PROPERLY COMPLETED & ELECTRONICALLY SIGN[illegible] CERTIFICAT(E)S OF FIELD VERIFICATION AND DIAG[illegible] TESTING (CF3R) SHALL BE POSTED WEATHER PROTECTED WITHIN [illegible] BUILDING SITE BY A CERTIFIED HERS RATER. A REGISTERED CF3R MU[illegible] BE A UNIQ[illegible] REGISTRATION NUMBER LOCATED AT THE BOTTO[illegible] 20 DIGITS OF THE NUMBER WILL MA[illegible] THE REG[illegible] ASSOCIATED WITH THE CF2R. CFI[illegible] DOC[illegible] NOT BE ISSUED UNTIL THE CF3R IS P[illegible] APPROVA[illegible] 10-103(a)3, 1[illegible] (b)1.A.

3. CF1R REGISTRATION [illegible] LOCA[illegible] THE PLANS [illegible] REGIST[illegible] IS REQUIRED, A WATER-[illegible] REGISTRA[illegible] NUMBER M[illegible]

4. HERS TESTS REQUIR[illegible] THIS [illegible] VARIABLE [illegible]TY HEA[illegible] [illegible] located in conditioned space, Airflow [illegible] rooms, [illegible] zones greater than 150 s.f., verify heat pump [illegible] capacity, and [illegible] charge.
[illegible] RANGE HOOD CFM [illegible] TION (160 CFM) PER CEC TABLE 150.0-G
[illegible] MECHANICAL VENTILATION [illegible] SHARE STANDARD 62.2 TABLE 7.1 – SEE MECHANICAL FOR MORE [illegible] MATION.

[illegible] TAO [illegible] REQUIRED [illegible] CONTINUOUSLY OPERATING E[illegible] PROVIDE A TIMER SW[illegible] WITH A MANUAL OFF AND A SOUND RA[illegible] LINE (3 SONE [illegible] FOR AN INTERMITTENT FAN). THIS FAN TO PROV[illegible] WHOLE BUILDI[illegible] AIR QUALITY VENTILATION WITH OUTDO[illegible] COMP[illegible] ASHRAE STANDARD 62.2 AS ADOPTED BY THE CA[illegible] EN[illegible] COMMISSION. SEE SITE SPECIFIC REPORT FOR CFM REQUIRED.SEE SITE SPECIFIC [illegible] REQUIRED.

6. SOLAR IS [illegible] APPROXIMATE BASED ON INITIAL REPORTS
POSSIBLE PV [illegible] EPTION 2: NO PV REQUIRED WHEN MINIMUM PV SIZE < 1.8 KWDC (SECTION 50.1(C)14) PV EXEMPTION BASED ON UPDATED ENERGY CALCULATIONS WITH SITE SPECIFIC [illegible]FORMATION.

SPECIAL FEATURES:VCHP required items listed above, exposed slab flooring, and NEEA rated heat pump water heater; specific brand/model or eq.

8. NEW 2022 ELECTRIC READY REQUIREMENTS: PROVIDE SPACE FOR HEAT PUMP WATER HEATER, WITH ELECTRICAL PROVISIONS PER CEC 150.0(n)1.A – SEE ELECTRICAL NOTE #16 ON SHEET G0.2. A 240v OUTLET IS REQUIRED FOR WATER HEATER, DRYER, AUTO CHARGING, AND STOVE INCLUDING BREAKER SPACE. ENERGY STORAGE SYSTEM FOR A FUTURE BATTERY SYSTEM (BATTERY READY) IS REQUIRED IF FULL SYSTEM IS NOT INSTALLED.

EXAMPLE GAS PIPE DIAGRAM

TO BE UPDATED FOR SITE SPECIFIC CONDITIONS

NOTE: EXISTING GAS SERVICE AND METER SIZE TO BE PROVIDED BY HOMEOWNER AND UPDATED ISOMETRIC LAYOUT PROVIDED BY DESIGNER OF CHOICE. CFH & BTUS PROVIDED AS SUGGESTED LOADS. OWNER/DESIGNER IS TO PROVIDE ACCURATE INFORMATION.

SPECIFICATIONS FOR EQUIPMENT SHALL BE KEPT ON SITE TO PROVIDE TO THE CITY OF RIVERSIDE BUILDING INSPECTOR

PIPE SIZE SCHEDULE 40 METALLIC PIPE 125" LENGTH PER TABLE 1216.2(1) CALIFORNIA PLUMBING CODE

SIZE	¾"	¾"	1"	1¼"	1½"	2"
CFH	44	92	173	355	532	1,020



GAS CALCULATIONS			
APPLIANCE	QTY	CFH	TOTAL CFH
(NEW) DRYER	1	35	35
(NEW) OVEN & RANGE	1	65	65
TOTAL GAS LOAD FOR HOUSEHOLD APPLIANCES = 299,000 BTU/h 299 CFH			

CITY STAFF CHECKLIST

site characteristics

X SELECTION(S)

- [ ] THE BUILDING IS IN THE FLOOD HAZARD AREA. NOTE: CITY STANDARD ADU PLANS ARE NOT APPLICABLE TO BUILDINGS IN THE FLOOD HAZARD AREA. A LICENSED PROFESSIONAL SHOULD BE CONSULTED FOR A SITE-SPECIFIC DESIGN.
- [ ] THE BUILDING IS LOCATED IN A VERY HIGH FIRE SEVERITY ZONE (VHFSZ)
- [ ] THE BUILDING IS IN AN AREA IMPACTED BY A CNEL NOISE LEVEL OF 60dBA OR ABOVE. NOTE: APPLICANT MUST COMPETE THE PRESCRIPTIVE NOISE INSULATION REQUIREMENTS CHECKLIST ON AS.1
- [ ] THE BUILDING IS IN A CULTURAL RESOURCES OVERLAY ZONE. NOTE: CITY STANDARD ADU PLANS ARE NOT APPLICABLE. A LICENSED PROFESSIONAL SHOULD BE CONSULTED FOR A SITE-SPECIFIC DESIGN
- [ ] PARK OR TRAIL IMPACT ASSESSMENT NOTE: A TRAIL EASEMENT SHALL BE DEDICATED PRIOR TO CERTIFICATE OF OCCUPANCY FOR ADUs THAT ARE 750 SF OR LARGER AND LOCATED ADJACENT TO A TRAIL CORRIDOR

fire rated details:

X SELECTION(S)

- [ ] ROOF EAVE DETAIL 1,2,3,5,6,7/A5.2
- [ ] WALL FINISH DETAIL 99,12B,15B/ A5.1

FIRE RATED DETAILS ABOVE ARE TO BE USED WHEN TH[illegible]TY IS LOCATED IN THE VERY HIGH FIRE SEVERITY ZONE (VHFSZ) OR WHEN [illegible] OF EAVES ARE LESS THAN 5 FT FROM PROPERTY LINE IN AN UNSPRI[illegible] LESS THAN 3 FT FROM PROPERTY LINE IN SPRINKLERED BUIL[illegible] TABLE [illegible] (1) & R302.1(2). FIRE RATED DETAILS ABOVE ARE ALSO TO[illegible] WHEN THE [illegible] LESS THAN 10 FT FROM THE MAIN DWELLING UNIT IN AN UN[illegible]RED BUIL[illegible] LESS THAN 6 FT FROM THE MAIN DWELLING UNIT IN A SPRINKLERE[illegible]NG. SE[illegible]TION SHEET AS.1 FOR FURTHER INFORMATION ON BUILDING S[illegible]N [illegible] FIRE RATING REQUIREMENTS.

deferred su[illegible] a separate p[illegible]mit (to [illegible]tained by ap[illegible]ca[illegible]:

X [illegible] COMPLETED

- [ ] [illegible]TINK[illegible] REQU[illegible]
- [ ] TRU[illegible]TIONS (WHEN REQUIRED)
- [ ] PHOTOVO[illegible]STEM - THE PV SYSTEM MUST BE INSTALLED, OPERATIONAL AND FINAL PROV[illegible], BUILDING INSPECTION AND APPROVAL FOR THE ADU.

exterior style:

X SELECTION (SEE SHEET T1.2 FOR EXTERIOR RE[illegible]

- [ ] CRAFTSMAN
- [ ] RANCH
- [ ] SPANISH

exterior w[illegible]material:

X SELECTION(S)

EXTERIOR WALL COLO[illegible]WELLING UNIT_____
(EX[illegible] COLOR[illegible] MATCH PRIN[illegible] DWELLING UNIT)

- [ ] [illegible]
- [ ] [illegible]
- [ ] [illegible]
- [ ] [illegible]ONE VENEER[illegible]
- [ ] WOOD SIDING / COLO[illegible]
- [ ] OTHE[illegible]

[illegible]OPER[illegible]TED IN VHFHSZ OR WUI ZONES ARE TO USE WUI COMPLIANT [illegible]CIFICATION, APPLICANT IS TO PROVIDE WUI COMPLIANT INFORMATION IF [illegible]FERENT THAN LISTING ON SHEET G0.3

[illegible]of framing:

X SELECTION

- [ ] ROOF FRAMING PER PLAN
- [ ] ROOF TRUSSES - IN LIEU OF ROOF DETAILS PROVIDED ON THESE PLANS, HOMEOWNER IS TO CONTRACT WITH AN INDEPENDENT TRUSS COMPANY AND SUBMIT TRUSS CALCULATIONS TO THE CITY OF RIVERSIDE FOR APPROVAL. INDICATE ON DEFERRED SUBMITTAL CHECKLIST ABOVE IF TRUSS PACKAGE WILL BE PROVIDED AS A DEFERRED SUBMITTAL

fire sprinklers:

X SELECTION

- [ ] ADU TO BE EQUIPPED WITH AUTOMATIC FIRE SPRINKLERS

roof m[illegible]al:

X SELECTION

ROOFING MATERIAL MUST MEET CLASS A

ROOF COLOR OF PRINCIPAL DWELLING UNIT_____
(ROOF COLOR OF ADU IS TO MATCH PRINCIPAL DWELLING UNIT)

- [ ] TRIM COLOR OF PRINCIPAL DWELLING_____
(TRIM COLOR OF ADU TO MATCH PRINCIPAL DWELLING UNIT TRIM)
- [ ] CONCRETE TILE ROOF - EAGLE ROOF PRODUCTS INC. - IMPO UES-ER 1900 MINIMUM 2-12:12 ROOF SLOPE.
COLOR OF CONCRETE TILE ROOF_____
- [ ] ARCHITECTURAL GRADE SHINGLE - CERTAINTEED - ICC-ES ESR-3537 MINIMUM 2:12 ROOF SLOPE.
COLOR OF ARCHITECTURAL GRADE SHINGLES_____

OTHER ROOF MATERIAL / COLOR / ICC / UL: _____

PROPERTIES LOCATED IN VHFHSZ OR WUI ZONES ARE TO USE WUI COMPLIANT SPECIFICATION. APPLICANT IS TO PROVIDE WUI COMPLIANT INFORMATION IF DIFFERENT THAN LISTING ON SHEET G0.3

window and trim color:

X SELECTION

WINDOW COLOR OF PRINCIPAL DWELLING UNIT_____
(WINDOW COLOR SELECTION BELOW FOR THE ADU IS TO MATCH PRINCIPAL DWELLING)

- [ ] WHITE
- [ ] TAN
- [ ] DARK BRONZE
- [ ] OTHER WINDOW COLOR_____

gas service:

X SELECTION

- [ ] UPGRADED SERVICE
- [ ] EXISTING SERVICE TO REMAIN
- [ ] NEW SERVICE

SIZE OF EXISTING SERVICE_____ SIZE OF NEW SERVICE_____

FOR USE IN CITY OF RIVERSIDE

DESIGN PATH STUDIO
architecture + engineering + planning
DESIGNPATHSTUDIO.COM

BY USING THESE PERMIT READY CONSTRUCTION DOCUMENTS, THE RECIPIENT ACKNOWLEDGES, ACCEPTS AND VOLUNTARILY AFFIRMS THE FOLLOWING CONDITIONS:
1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED FOR THE PERMIT READY ACCESSORY DWELLING UNIT (ADU) PROGRAM FOR THE CITY OF RIVERSIDE ONLY. THIS IS A LIMITED SET OF STANDARDIZED ADU PLANS AND SPECIFICATIONS APPROVED BY THE CITY OF RIVERSIDE BUILDING DEPARTMENT. BUILDING CODES DO CHANGE OVER TIME AND RECIPIENT SHALL ENSURE FULL COMPLIANCE UNDER ALL CODES THEN IN EFFECT AT THE TIME OF THE SUBJECT PERMIT. THIS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THE PROJECT. DESIGN PATH STUDIO SHALL NOT BE RESPONSIBLE FOR TRANSLATION ERRORS. DO NOT USE THESE CONSTRUCTION DOCUMENTS IF THE PERMIT HAS EXPIRED OR IS REVOKED AT ALL.
2. THE RECIPIENT RECOGNIZES AND ACKNOWLEDGES THAT THE USE OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO DESIGN PATH STUDIO. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, DEFEND, INDEMNIFY AND HOLD DESIGN PATH STUDIO AND ITS ARCHITECTS HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ANY USE OF THESE CONSTRUCTION DOCUMENTS FOR OR ON ACCOUNT OF ANY INJURY, DEATH, DAMAGE OR LOSS TO PERSONS OR PROPERTY, DIRECT OR CONSEQUENTIAL DAMAGES IN ANY AMOUNT. THIS INDEMNITY DOES NOT APPLY TO THE SOLE NEGLIGENCE OR WILLFUL MISCONDUCT OF DESIGN PATH STUDIO OR ITS ARCHITECTS.
3. THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION.
4. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, DO NOT PROCEED WITH CONSTRUCTION OF AN ADU OR OTHER IMPROVEMENT UNDER THESE PLANS AT ALL.

project
City of Riverside
Pre-Approved
ADU Program

revisions
△
△
△
△
△

description
Title Sheet
1 Bedroom

date	October 2023
project no.	Riverside ADU
drawn by	DESIGN PATH STUDIO
sheet no.	T1.1