STD.: SEC.: _____ROLL'NO.: _____ SUB.: Network Observation Harish Rayavandar. s. NAME: _____

	and the second second	7001 05		
S. No.	Date	Title	Page No.	Teacher's Sign / Remarks
1.	13/4/2024	Basic Networking	A tone	ild at
		Corumando.	1-4	V.
2.	8417/2024	Study of different types	4	24/7
		network cable.	9-1210	0 9
3.	31/7/2024	drudy of Packet Fracer	ı	3/7
	21-101-21	tool a 1ts weer interface	13-14	V317 (8
4.	05/8/2024		1/ -3109	1170
		of LAN network using		118
۲.	05/8/2024	Cable ((Now).	15-17	1 of a
5	109 10 (2027	Packet tracer tool: Wireshowk	18	118
	·	Wiseswar	10	(('
۲.	21-8-2024	Implement conor detection using		
	410 2021	.).	19-24	2/9/12/9
		Jan		
7.	\$2.09.2024	oliding Window		
		Protoot.	25-28	18/9/14
		11.7		(3)
		1 101		
<u>8a·</u>	9.10.2024	Vistual LAN		Valli
85.	16.10.2024	Wireless LAN		
	10.10.000	Q Dr. Hisa is grans	<u>'</u>	1. 0
9.	18'10 .2024	Packet Frace	,	VII.
ň		ruces lower		alin
10.	50 Jn 12 004	Internetworking with		0, ~
	10 202	soutes in cisco		19/11
D.				
11,	211.2029	dinulate stratic		With
		fruulate stratic Poutry		90
1 ,	1			
		The state of the s		
		+	*	

Sep Noning Rubnetting in Cisco. Packet Traces. Data ? fin son of subnetting with cisco, packet toace unation, all 2017 a). Draw your implementation of subrethings? Cubnet Subnet ? Switch 2 PCB PCG b). White down your understanding of Dubrotting classless ip subnetting is a technique that allow for source efficient live of 11 address by allowing for subnet marks that are not just the default washs for each 10 class. Très means that we can devide unou 1801 oddres spæle into knaller kubent.

c). What is the advantage of suplementation within a network? alabretting is useful when we have a unted number of IP addirete but fo create lecurity.

Unuted number of This also enhances decurity.

Multiple infrable. It will have for the formation of the fo witherday of griderdeadured may must effected (a it infundades. Is believed in al section white of the effective buse of main at in tall show heading of plants. Rejult: Tury, Lubnetting trad been implemented in cisco, packet traces and opp is verified.