B2 selected raw-source embedding intervention
eac4b392b7b448a2b6ec77e8936abe1b | original Fig. 4 row 1, failure-enriched development object

	GT metric target	Cached embedding	Selected raw-source embedding
view 14 SOURCE			
view 15 UNSEEN			
view 0 UNSEEN			
view 16 UNSEEN			
view 12 UNSEEN			
view 13 UNSEEN			


Object mean over five unseen views: ΔFG-CIEDE2000=+0.077; ΔFG-PSNR=-0.170 dB; ΔFG-LPIPS=+0.0015; Δforeground L* SSIM-to-GT=+0.0055
Selected source RGB SHA-256: 1ac53d34aec0659dd5c416f33b97c8b911ed02267916e04e3a048e71a64a761d
Panels use the locked unique6 order; no GT RGB was used to build the treatment.

B2 selected raw-source embedding intervention
ea7601dbeb2c46188571cb86e8fdb5bf | original Fig. 4 row 2, failure-enriched development object

	GT metric target	Cached embedding	Selected raw-source embedding
view 14 SOURCE			
view 15 UNSEEN			
view 0 UNSEEN			
view 16 UNSEEN			
view 12 UNSEEN			
view 13 UNSEEN			

Object mean over five unseen views: ΔFG-CIEDE2000=+0.007; ΔFG-PSNR=+0.014 dB; ΔFG-LPIPS=+0.0005; Δforeground L* SSIM-to-GT=-0.0083
Selected source RGB SHA-256: 4dc5935e3f1e1008abd9670a99346e2ec83a30b978bfcfab2641bae42f7ad865
Panels use the locked unique6 order; no GT RGB was used to build the treatment.

B2 selected raw-source embedding intervention
c76ac44df995482185077da81939b306 | previous Fresh C normal-color case; development only

	GT metric target	Cached embedding	Selected raw-source embedding
view 0 SOURCE			
view 15 UNSEEN			
view 12 UNSEEN			
view 16 UNSEEN			
view 13 UNSEEN			
view 14 UNSEEN			

Object mean over five unseen views: ΔFG-CIEDE2000=+0.906; ΔFG-PSNR=-0.209 dB; ΔFG-LPIPS=+0.0024; Δforeground L* SSIM-to-GT=+0.0108
Selected source RGB SHA-256: 111d732a38b2d9023696f66e40f58019f85f861be9c571aab35b3edf31e51ad5
Panels use the locked unique6 order; no GT RGB was used to build the treatment.

B2 selected raw-source embedding intervention
8bd93fcae54940bd903a94a9094da4ee | Fresh C GT-only high-texture stratum median above frozen Fresh B cutpoint 0.0313924523; development only

	GT metric target	Cached embedding	Selected raw-source embedding
view 0 SOURCE			
view 15 UNSEEN			
view 12 UNSEEN			
view 16 UNSEEN			
view 13 UNSEEN			
view 14 UNSEEN			

Object mean over five unseen views: ΔFG-CIEDE2000=-0.298; ΔFG-PSNR=+0.081 dB; ΔFG-LPIPS=-0.0006; Δforeground L* SSIM-to-GT=+0.0059
Selected source RGB SHA-256: b1bdabc12d7a27b29e92959c1505adea440fd5f6255d19120079e39e6b55d6e8
Panels use the locked unique6 order; no GT RGB was used to build the treatment.