



BLUFFLINE

Brand Kit

Visual identity, voice, and usage standards for
Pensacola's greenway.

VERSION 1.1

SEPTEMBER 2026

THEBLUFFLINE.ORG



FOUNDATIONS

01	Logo & clear space	03
02	Logo variants & misuse	04
03	Core color	05
04	Extended palette & contrast	06
05	Typeface — Fraunces	07
06	Typeface — Source Sans 3	08
07	Typography in use	09

EXPRESSION

08	Voice & tone	10
09	Trust & ground rules	11
10	Writing the Bluffline way	12
11	Photography	13
12	Illustration & archive	14
13	Iconography	15

APPLICATION

14	UI elements	16
15	Shape, depth & layout	17
16	Assets & contact	18

THE BLUFFLINE IN BRIEF

A 20-mile vision six decades *in the making*

Bluffline, Inc. is a 501(c)(3) nonprofit organization advancing a 20-mile multimodal corridor connecting the University of West Florida to Naval Air Station Pensacola — waterfront access, the Scenic Bluffs, Jackson Lakes, and everyday walking, cycling, and transit working together as one system.

20 mi	Corridor connecting UWF to Naval Air Station Pensacola
2021	Bluffline, Inc. incorporated to advance a vision pursued since the 1930s
2024	Merger with the Pensacola Scenic Highway Foundation, carrying 26+ years of corridor stewardship
\$1.2M	USDOT Reconnecting Communities planning grant, awarded December 2024

HOW TO USE THIS KIT

Everything here is drawn from the live Bluffline identity — the same colors, type, logos, and components that run on thebluffline.org. Use it when producing anything that carries the Bluffline name: decks, one-pagers, signage, grant packages, social graphics, partner materials, and web work.

Where a rule says **always** or **never**, treat it as fixed. Everything else is judgment — make the call that keeps the work civic, warm, and plainspoken.

The mark

Two arcs trace the bluffs above the bay — spring green rising into forest green — over a quiet navy wordmark. It is the only Bluffline mark. Never redraw it, never set the name in another face.



CLEAR SPACE

Keep free space on all four sides equal to the **height of the wordmark**. Nothing enters it — no type, no rules, no photo edges, no other logos.



MINIMUM SIZE

Below these sizes the wordmark loses legibility and the arcs close up. For anything smaller, use the app mark on page 04.



PRINT • 1.5 IN WIDE



DIGITAL • 120 PX WIDE

PLACEMENT


Sit the logo on warm-white, cream, mist, or a light photo scrim. On dark or busy grounds use the reverse lockup. Left-align it in document headers; center it only on covers and title cards.

Variants & misuse



REVERSE LOCKUP

On navy, forest, and dark photography. The wordmark reverses to white; the arcs keep spring green and white.



APP MARK

Arcs alone in a navy rounded square, for favicons, avatars, and app tiles. Minimum 24 px. Never use the arcs without their container as a standalone logo.

NEVER DO THIS



Don't stretch, condense, or scale the lockup non-proportionally.



Don't recolor the arcs or wordmark outside the brand palette.



Don't rotate, tilt, or arc the logo.



Don't place the standard logo on spring green or any mid-tone fill.



Don't set the logo on busy photography without a scrim — use the reverse lockup.





Don't add shadows, glows, outlines, or gradients to the mark.

Core color

Greens of the bluffs lead. Bay blues and warm papers support. Ink is navy — *never pure black*, never sterile white.

 Forest #41521F R 65 · G 82 · B 31 Primary. Headings, CTAs, links, eyebrow labels, stat figures on light grounds.	 Spring #99CC63 R 153 · G 204 · B 99 Bright accent. Highlights, progress dots, active states, figures on dark. Not for body text.	 Navy #2D3047 R 45 · G 48 · B 71 Ink for all body copy, plus the footer and "Challenge" dark surfaces.
--	---	---

PAPERS & WASHES


 Warm white #FDFCFA Default page ground.	 Cream #F2ECDF Content sections, article bodies, quiet panels.	 Mist #DFAF6 Alternating sections and gradient starts.	 Water #C9FBFF Gradient highlights and glows only — never a solid fill.
--	--	---	---

GRADIENTS



Hero gradient — 135°, mist → water → cream, with faint radial glows: water top-right, spring bottom-left. No purple, no dark-to-bright gradients, no gradient text.


PROPORTION



Roughly 60 / 18 / 12 / 6 / 4 — paper, cream panels, forest for structure and action, navy for dark bands, spring as the smallest note. If a layout feels loud, there is too much spring in it.

Extended palette

FOREST RAMP




forest-deep · forest · forest-soft. Deep is the button hover and the darkest green permitted for text.

SPRING RAMP




spring-deep · spring · spring-soft · spring-tint. Tint is the quiet highlight panel behind callouts and tags.

INK SCALE



Navy at decreasing opacity. 900 headings · 700 body · 500 secondary · 400 captions · 200 hairline borders · 100 dividers and quiet fills.

PROJECT STATUS



Planning #6E86A8 · Funded #7FB048 · Construction #C58B3C · Complete #41521F. Status colors are dots and small indicators only — they never become backgrounds or type colors.

CONTRAST — CHECKED PAIRS

FOREGROUND ON BACKGROUND	RATIO	USE
● Navy on warm white	12.6 : 1	Body copy — the default pairing.
● Forest on warm white	8.4 : 1	Headings, links, eyebrow labels.
● Forest on cream	7.3 : 1	Headings inside cream panels.
● Forest on mist	7.0 : 1	Headings in alternating mist sections.
○ White on navy	12.9 : 1	Dark bands and the footer.
○ White on forest	8.6 : 1	Primary button labels.
● Spring on navy	6.9 : 1	Stat figures and accents on dark.
● Spring on white	1.9 : 1	Fails. Decorative only — never text or icons.
● Construction amber on warm white	2.9 : 1	Fails. Dots and fills only; label it in navy.

Text meets 4.5:1 minimum; large text (24 px and above), icons, and control borders meet 3:1. When a light green must carry text, drop to forest-deep #313E18.

Fraunces

The display serif. Every headline, every big number. Set light, set tight, and let it breathe.

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890 & — “ ” ’ % \$ →

WEIGHTS IN USE

Reconnecting

LIGHT 300 · HEROES, H1, H2

Reconnecting

REGULAR 400 · H3, PULL QUOTES

Reconnecting

MEDIUM 500 · STAT FIGURES, H4

Reconnecting

ITALIC 400 · THE KEYWORD
FLOURISH

SETTING RULES

- Line-height **1.2** on display sizes, 1.35 on H3–H4.
- Tracking **–0.02em** at hero sizes, –0.01em on headings, 0 below 20 px.
- Sentence case always. Never all-caps a Fraunces headline.
- Optical size axis follows the point size; do not override it.
- Fraunces is never used for body copy, captions, buttons, or UI labels.

THE HEADLINE DEVICE

Reconnecting Pensacolians to *nature and neighbors*

One or two italic forest-green keywords inside an otherwise plain serif headline — the signature editorial flourish. Choose the words that carry the meaning, never a whole clause, and never more than two per headline. Everything else stays navy and upright.

Source Sans 3

Body, UI, and every label. Generous line-height, light to semibold, nothing heavier.

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 & — “ ” ’ % \$ →

Corridor

LIGHT 300

Corridor

REGULAR 400

Corridor

MEDIUM 500

Corridor

SEMIBOLD 600

TYPE SCALE

Hero headline

text-hero

32–56 px · Fraunces 300 · lh 1.2

Section heading

text-h2

28–40 px · Fraunces 300 · lh 1.2

Card heading

text-h3

18 px · Fraunces 500 · lh 1.35

Lead paragraph, one size up from body

text-lead

18.4 px · Sans 300 · lh 1.7

Body copy — the default for running text

text-body-md

16 px · Sans 400 · lh 1.7

Small copy, captions, metadata

text-caption

14.4 px · Sans 400 · lh 1.5

EYEBROW LABEL

text-label

13.6 px · Sans 600 · caps · +0.15em

271

text-display-stat

32 px · Fraunces 500 · lh 1.0

MEASURE

Cap running text at **650 px** (about 70 characters). Long-form copy always sets at 1.7 line-height — the generosity is deliberate and is part of the brand's register.

FALLBACKS

Fraunces → Georgia, Times New Roman, serif. Source Sans 3 → system-ui, Segoe UI, sans-serif. Both load from Google Fonts on the web; embed the woff2 files for print and offline decks.

Typography in use

PENSACOLA'S GREENWAY

A 20-mile vision *six decades* in the making

20 miles of waterfront parks, protected trails, and transit connections along Pensacola Bay.

Get Involved

Learn More

STATS ON LIGHT

271

crashes involving people walking or biking

11

fatalities — 9 pedestrians, 2 cyclists

17.8%

of households without a vehicle

STATS ON DARK

\$1.2M

federal planning grant awarded December 2024

26+

years of scenic highway stewardship carried forward

HIERARCHY RULES

- One hero headline per page or screen. Never two competing display sizes.
- Eyebrow → headline → lead → body. The eyebrow names the section; the headline carries the idea.
- Buttons are sentence case, pill-shaped, and never longer than three words.
- Stat figures are forest on light, spring on dark — always paired with a plain-language caption.

SPACING

- Section padding 5 rem, rising to 7 rem on large screens and full-page layouts.
- Content maximum 1400 px; gutters 1.5 rem mobile, 3 rem desktop.
- Air is the brand. When a layout feels tight, remove an element before shrinking the type.

Voice & tone

Civic, warm, hopeful, plainspoken. The Bluffline writes as an organized community addressing fellow Pensacolians — *never as a faceless agency*.

Person

First-person plural for the organization: "We merged with the Pensacola Scenic Highway Foundation in 2024." Second person sparingly, and only for calls to action: "Help build a more connected Pensacola."

Tone

Optimistic and forward-looking, but candid about problems. Name Florida's pedestrian-safety record and count the fatalities without spin. Earnestness over hype.

Story first, data second

Lead with what changes for people; let the figures support it. Never open with a statistic that hasn't been given a reason to matter.

Numbers

Figures become hero stats — 271, 11, 17.8%, \$1.2M, 20 miles, 60 years. Always pair a number with its plain-language consequence: "11 — fatalities, 9 pedestrians and 2 cyclists killed."

Casing

Sentence case for headlines and buttons. UPPERCASE only for small eyebrow labels and footer column headers, always letter-spaced at 0.15em.

Calls to action

"Get Involved" is the one recurring primary action. Secondary links take the arrow-forward pattern: "Learn more about our history and mission →".

Punctuation

The em dash without surrounding spaces is house style for parenthetical asides—like this. Serial commas. No exclamation points in institutional copy.

Emoji

None. Ever. This is a civic nonprofit; the register is sincere and professional. Icons are line-drawn SVG, not emoji.

WORKING VOCABULARY

corridor · greenway · multimodal · active transportation · reconnection · waterfront · the Scenic Bluffs · Jackson Lakes · neighborhoods · planning corridor · locally preferred alignment · master planning · stewardship · phases

Avoid "world-class", "game-changing", "activate", "leverage", "unlock" — and "the route" or "approved" for anything still a planning corridor.

TONE BY AUDIENCE

Supporters & community

Warmest register. Name neighborhoods and the people who showed up. Invite rather than announce — and always leave a concrete next step.

Neighbors with concerns

Slowest and plainest. Take privacy, property, and affordability seriously; never treat a critic as acting in bad faith. Success can be "I still have questions, but these people are credible."

Agencies & funders

Precise and evidence-led, still plainspoken. Cite figures exactly as published, and describe status honestly — awarded, obligated, procured, and built are four different things.

Trust & ground rules

Trust is the standard, not a content pillar. It is not a campaign we run — it is the thing every post, page, and grant narrative either *earns or spends*.

Optimistic

without overpromising

Accurate

without being defensive

Values-driven

without becoming
partisan

Transparent

about uncertainty,
without sounding
directionless

BE SPECIFIC ABOUT

The destination

Reconnection — with our bodies, our environment, and one another. A 20-mile multimodal corridor, waterfront access, safer everyday mobility. Say this confidently and often.

BE APPROPRIATELY OPEN ABOUT

The path

What is mapped today is a **planning corridor, not a final alignment**. The planning process evaluates alternatives and produces a locally preferred alignment. Never let a graphic imply otherwise.

This distinction is the load-bearing wall of Bluffline communications. Speak confidently about purpose; cautiously about solutions.

THE GROUND RULES

1. We speak confidently about purpose and cautiously about solutions. The route is a planning corridor, not an approved alignment.
2. We protect the openness of the process. Communications build understanding — they never manufacture a false sense that decisions are already made.
3. Affected communities help determine what the Bluffline becomes. Participation and self-determination are how trust is built.
4. We take concerns seriously — privacy, displacement, affordability — and never dismiss critics as acting in bad faith.
5. We label concept renderings and AI-generated images clearly, every time. Aspiration is never presented as approved fact.
6. We credit the people who came before us, and we don't argue for sport. The goal is understanding, not winning threads.

Writing the Bluffline way

COPY THAT IS ON-BRAND

"The Bluffline is a unified vision for restoring access to the waterfront through interconnected infrastructure—parks, trails, and transit working together as one integrated system."

"We're entering a master planning phase—and community participation will directly shape outcomes."

Both sentences name a concrete thing, use the em dash to add the consequence, and put people at the end of the sentence rather than the institution.

WRITE THIS

- "This map shows a planning corridor. The alignment will be chosen through the master planning process."
- "Concept rendering — not an approved design."
- "That's a fair question. Here's how the process is set up to answer it."
- "A \$1.2 million federal planning grant was awarded in December 2024; the agreement is being finalized now."
- "11 people were killed walking or biking on Escambia County roads."
- "Help build a more connected Pensacola."

NOT THIS

- "Here's where the trail is going."
- An unlabeled rendering, or "a preview of the finished greenway."
- "Critics are spreading misinformation about this project."
- "Construction is fully funded and underway."
- "Safety outcomes in the region remain suboptimal."
- "Join the movement! 🌳" • "CLICK HERE TO LEARN MORE"

Naming

"The Bluffline" on first reference, capital T in running text only at the start of a sentence. Never "Bluff Line", "BluffLine", or "the bluffline". The tagline is "Pensacola's Greenway".

Attribution

This did not start with us. Credit the Pensacola Scenic Highway Foundation, J. Earle Bowden's decades of advocacy, and the agencies and partners carrying the work now. Continuity is a credibility asset.

Process words


Awarded, obligated, procured, designed, funded, and built mean different things. Use the one that is actually true today, and say what happens next.

Photography

Warm, natural light. Documentary, never staged. The corridor as it is today, and the people standing in it.



Aerials — the corridor read as a line through the landscape.



Community — people in the corridor, shot from behind or in profile.



Water — the bay and bayous as the constant backdrop.

DIRECTION

- Golden or overcast daylight. No flash, no heavy HDR, no crushed blacks.
- Real Pensacola places — bluffs, bayous, the rail corridor, neighborhood streets.
- People appear at human scale in the landscape, not as posed subjects.
- Keep greens natural; do not push saturation to match spring green.
- No stock imagery of generic parks, and no AI-generated photography.

CROPS & CORNERS

- Hero media: 24 px radius, or full bleed to the page edge.
- Cards: 16 px radius, image flush to the card's top edge.
- Landscape 16:9 or 3:2. Avoid square crops except for avatars.
- Never add borders, vignettes, or drop shadows to a photograph.

TEXT OVER PHOTOGRAPHY — THE SCRIM



Type never sits directly on an unmodified photo. Lay a mist-to-cream gradient scrim at **82–88% opacity** over the text side, fading to clear over the image. Verify 4.5:1 against the lightest pixel the text crosses.

Illustration & archive




THE GREEN-PENCIL SKETCH

Monochrome green-pencil drawings of the future corridor — people walking, footbridges, native planting. Warm, hand-drawn, human. This is the brand's language for **what could be**, where photography shows what is.

- Use for aspirational, vision-led moments: renderings, concept sections, campaign covers.
- Always on cream or warm white — never on navy, never knocked out in white.
- Single green ink. No color fills, no second hue, no digital gradients.
- One illustration per spread. It is a moment, not a texture.
- Label it: "Concept illustration — not an approved design." Same rule for any AI-generated image.

ARCHIVAL MATERIAL



Historic clippings, maps, and photographs carry the 60-year advocacy story. Reproduce them honestly — no coloring, no filters, no cropping that changes the meaning. Always caption with source and date: *Pensacola News Journal*, December 8, 1968.

Maps

Corridor maps use forest for the alignment, ink-200 for base geography, and spring only for the segment under discussion. Label in Source Sans 3, never in a map default face.

Diagrams


Line-drawn, 2 px strokes, round caps — the same language as the icons. Forest on cream. No 3D, no isometric renderings, no clip art.

What to avoid

Noise and grain, busy patterns, purple gradients, glassmorphism, emoji cards, and any texture that competes with the photography.

Iconography

Line-drawn, evenly weighted, quietly functional. Icons label things — they never decorate.



SPECIFICATION

- 24 × 24 viewBox · stroke-width 2 · fill none · round caps and joins.
- Rendered 12–24 px, colored `currentColor` — they inherit the text color around them.
- Source: **Lucide** (lucide.dev). It matches the stroke weight exactly; take new icons from there rather than drawing them.
- No icon font, no filled glyphs, no emoji anywhere in the product.

IN CONTEXT



Learn more about our history and mission →

 **Waterfront access**

Social icons (Facebook, Instagram, LinkedIn) ship as 24 × 24 inline SVG in white circles on the navy footer.

SIZING & ALIGNMENT

SIZE	WHERE
12–14 px	Inline with small copy — meta rows, footer links.
15–16 px	Inside buttons and text links, optically centered on the cap height.
20–24 px	Section pictograms and nav controls.


Icons sit on the baseline of the text they accompany, with 6–8 px of space between glyph and word. Never scale an icon above 24 px — enlarge the container instead.

NEVER

- Fill an icon, or mix filled and outlined glyphs in one interface.
- Change the stroke weight to match a heavier type weight.
- Put an icon inside a colored circle except for social links on navy.
- Use an icon as decoration where a label would do the work.
- Draw a new icon by hand when Lucide already has one.

UI elements

BUTTONS



Full pill (100 px radius), forest fill, white label. Hover darkens to navy and lifts 1 px; the outline variant fills forest. On dark bands: white fill, spring on hover. No shrink-on-press; transitions 0.2–0.25 s, ease.

TAGS



Uppercase, 0.11em tracking, pill-shaped, no border. Status tags use the spring-tint ground; topic tags use ink-100. Never more than two tags on a card.

PHASE TRACKER




Completed phases forest, the current phase spring with a gently pulsing dot, future phases ink-200. It is the only looping animation in the system.

CARDS



White surface, 16 px radius, soft navy-tinted shadow 0 2px 12px rgba(45,48,71,.06) — **never** a colored left-border accent. On hover the card lifts 4 px, the shadow deepens, and any image scales to 1.05.

INPUTS




8 px radius; focus adds a forest ring, never removed.

LINKS

Inline links are forest with a hairline underline, darkening to navy on hover. Standalone links use the arrow pattern, no underline.


Never blue, and never color alone to mark a link in running text.

DARK BANDS




Shape, depth & layout

CORNER RADII




SHADOWS — ALWAYS SOFT, DIFFUSE, NAVY-TINTED



Opacity stays between 0.06 and 0.12. Shadows never carry color other than navy — and a faint forest tint only in the layered hero drop.

SPACING SCALE



LAYOUT

- Content maximum **1400 px**; text measure **650 px**.
- Gutters 1.5 rem mobile → 3 rem desktop. Section padding 5 rem → 7 rem.
- Breakpoints at 768 / 900 / 1024 px, mobile-first.
- Borders are hairline `rgba(45,48,71,.15)`; button outlines 1.5 px forest.
- The fixed header is translucent warm white with a 10 px backdrop blur and a 1 px bottom hairline — the only use of blur in the system.

MOTION

Fades, 1–4 px lifts, gentle 1.05 scale. Durations 0.15–0.3 s on cubic-bezier(.4,0,.2,1). Respect prefers-reduced-motion — when set, no lifts, no zooms, no pulse.

Everything here lives in the *Bluffline Design System*

DOWNLOAD THE LOGO FILES

Bluffline-Logo_Standard.svg	Primary lockup, vector
Bluffline-Logo_Reverse.svg	Reverse lockup, vector
Bluffline_Logo_Main.png	Primary lockup, raster
Bluffline_Logo_Reverse.png	Reverse lockup, raster

PAGES WORTH BOOKMARKING

thebluffline.org/press	Media kit, palette, boilerplate
/about/corridor	The corridor, phase by phase
/documents/annual-reports/2025	2025 annual report
shop.thebluffline.org	Merchandise and co-branding

Not published for download: the app mark, the green-pencil illustration, corridor maps, and the photography library. Request those from the media contact.

MEDIA CONTACT

press@thebluffline.org

For logo files, co-branding, partner lockups, imagery requests, or anything that bends a rule in this kit — ask before you publish.

BOILERPLATE

"Bluffline, Inc. is a 501(c)(3) nonprofit organization advancing a 20-mile multimodal corridor connecting the University of West Florida to Naval Air Station Pensacola."

FOLLOW

Facebook	/bluffline
Instagram	@thebluffline
LinkedIn	/company/bluffline

Fonts: Fraunces and Source Sans 3, open-licensed via Google Fonts.
Icons: Lucide (ISC).
Brand Kit v1.1 · September 2026

