





| Comment | Description | Designator | Footprint | Quantity |
|-------------|---------------|---|-----------------|----------|
| 105 | 无极性贴片电容 | C1, C2 | C 0805_L | 2 |
| 103 | 无极性贴片电容 | C3 | C 0603_L | 1 |
| 22pF | 无极性贴片电容 | C4, C5, C7, C8 | C 0603_L | 4 |
| 104 | 无极性贴片电容 | C6, C9, C10, C11, C12, C13, C14, C15, C16, C17 | C 0603_L | 10 |
| TF_Card | TF卡座 | J1 | Micro SD | 1 |
| HDR-1X1 | 1P接插件 | JP1, JP2 | HDR2.54-LI-1P | 2 |
| Header 4X2 | 4*2P接插件 | JP3, JP4 | HDR2.54-WI-2x4P | 2 |
| HDR-1X8 | 8P接插件 | JP5, TFTLCD1 | HDR2.54-M-LI-8P | 2 |
| HDR-1X4 | 4P接插件 | JP6 | HDR2.54-LI-4P | 1 |
| MT008-A | | KM1 | JOY_MT008-A | 1 |
| LED-RGB | 三基色LED | LED1 | LED 5050 | 1 |
| 22R | 贴片电阻 | R1, R4 | R 0603_L | 2 |
| 4.7K | 贴片电阻 | R2, R10, R11, R13, R14 | R 0603_L | 5 |
| 1K | 贴片电阻 | R3, R5, R7, R8, R9, R15, R16, R17, R18, R19, R20, R21 | R 0603_L | 12 |
| 1.5K | 贴片电阻 | R6 | R 0603_L | 1 |
| 10K | 贴片电阻 | R12 | R 0603_L | 1 |
| M3铜柱 | 铜柱 | SP1, SP2, SP3, SP4 | M3x4_L | 4 |
| 3x6x5 | 3x6轻触开关 | SW1 | TSW SMD-3*6*2.5 | 1 |
| CSW-2P | 2路编码开关 | SW2 | CSW1.27 SMD-2P | 1 |
| 6x6x5 | 贴片6x6轻触开关 | SW3, SW4 | SODFL700X110-2N | 2 |
| TEST | 测试点 | TP1, TP2 | TEST 1.6 | 2 |
| ESP-01S | ESP-01S | U1 | ESP-01S | 1 |
| STM32F103RE | 32位STM单片机 | U2 | LQFP64 10X10_N | 1 |
| SHT20 | | U3 | sht20 | 1 |
| AP3216C | ALS+PS Sensor | U4 | DFN8 | 1 |
| USB-5P | 微型USB母座 | USB1 | USB-MICRO_A | 1 |
| AMS1117-3V3 | 三端稳压芯片 | V1 | SOT223_L | 1 |
| 12MHz | 2脚晶振 | X1 | OSC 5032-2P | 1 |
| 32.768KHz | 2脚晶振 | X2 | XTAL-3215 | 1 |