

Carer Vista Pro Public Release Readiness Checklist

Last updated: June 4, 2026

Use this checklist before public launch, agency onboarding, Vercel production deployment, app store submission, native packaging, or billing rollout. This is a verification checklist, not a substitute for attorney review, tax/payroll review, healthcare compliance review, app-store policy review, or production security review.

1. Git and Deployment

- ☐ Current branch is `main`.
 - ☐ `git status` is clean before deployment.
 - ☐ `npm run build` passes locally.
 - ☐ Production Vercel deployment completes successfully.
 - ☐ Latest commit is deployed to the intended public Vercel project.
 - ☐ Production environment variables are verified in Vercel.
 - ☐ Production URLs are set correctly.
 - ☐ Supabase Auth site URL and redirect URLs match production.
 - ☐ Custom domain is verified.
 - ☐ No `.env` files are committed.
 - ☐ `supabase/.temp` is not committed.
 - ☐ Supabase service role key is used only server-side.
 - ☐ Browser bundles do not expose server-only secrets.
 - ☐ Public support, privacy, terms, and deletion URLs are reachable.
 - ☐ Deployment rollback plan is documented.
-

2. Supabase Database

- ☐ All migrations are applied with `supabase db push`.
- ☐ No `supabase db reset` is used against production.
- ☐ RLS is enabled on user, organization, client, shift, task, document, invoice, billing, and notification tables.
- ☐ RLS policies are verified for admin, organization admin, caregiver, client, and family roles.

- ☐ Organization scoping prevents cross-agency and cross-client access.
 - ☐ Agency/company mode tables are scoped by organization.
 - ☐ Personal/family mode behavior remains scoped.
 - ☐ Client-directed care mode behavior remains scoped.
 - ☐ Solo caregiver mode behavior remains scoped.
 - ☐ Storage metadata tables match the application queries.
 - ☐ `profiles.organization_id` is present for every active user.
 - ☐ Setup/onboarding completion fields are present and populated.
 - ☐ Notification preferences and tutorial fields are present.
 - ☐ Invoice, year-end, audit, correction, and dispute tables preserve history.
 - ☐ Billing/paywall tables are present if the feature is enabled.
 - ☐ Seed or test data is removed or clearly marked as test data.
 - ☐ Backup/export process is documented.
-

3. Supabase Storage

Verify each bucket exists with the expected public/private setting:

- ☐ `avatars` exists and is private.
- ☐ `pet-photos` exists and is private.
- ☐ `client-photos` exists and is private.
- ☐ `client-files` exists and is private.
- ☐ `documents` exists and is private.
- ☐ `app-assets` exists and contains only non-sensitive public app/branding assets.

For each bucket:

- ☐ Upload works for allowed users.
- ☐ View/display works for allowed users.
- ☐ Delete works only where allowed.
- ☐ Signed URLs work for private files.
- ☐ Unauthorized users cannot fetch private files.
- ☐ No sensitive files are stored in `app-assets`.
- ☐ Organization custom logo/app assets are non-sensitive.
- ☐ Old public URL values still resolve through the signed URL path when possible.

4. Authentication and Onboarding

- ☐ Login works.
- ☐ Logout works.
- ☐ Forgot password works.
- ☐ Reset password works.
- ☐ Email change works.
- ☐ Password change works.
- ☐ Public signup path works if enabled.
- ☐ Setup wizard completes without looping.
- ☐ Public app organization modes save correctly.
- ☐ Agency/company mode setup creates the expected organization records.
- ☐ Personal/family mode setup creates the expected records.
- ☐ Client-directed care mode setup creates the expected records.
- ☐ Solo caregiver mode setup creates the expected records.
- ☐ Invite flow works for caregivers, clients, and family users.
- ☐ No setup loop occurs after login.
- ☐ Tutorial shows after first login/setup completion.
- ☐ Tutorial can be skipped.
- ☐ Tutorial can be restarted from Help.
- ☐ Tutorial does not block emergency access.
- ☐ Onboarding checklist can be dismissed.
- ☐ Missing intro video is skipped without runtime errors.

5. Roles and Permissions

- ☐ Admin can manage allowed organization records.
- ☐ Organization admin can manage allowed agency records.
- ☐ Caregiver can view assigned shifts and allowed client information.
- ☐ Client can view/manage only allowed client-side records.
- ☐ Family can view only allowed family records.
- ☐ Agency/company mode permissions are verified.
- ☐ Personal/family mode permissions are verified.
- ☐ Client-directed care mode permissions are verified.

- ☐ Solo caregiver mode permissions are verified.
 - ☐ No role can access unrelated data by URL guessing.
 - ☐ Read-only users do not see edit/delete actions.
 - ☐ Public app agency clients cannot manage caregiver photos unless explicitly allowed.
 - ☐ Server APIs enforce role checks, not just UI hiding.
-

6. Clients and Care Recipients

- ☐ Create client/care recipient.
 - ☐ View client/care recipient without entering edit mode.
 - ☐ Edit client/care recipient with allowed role.
 - ☐ Profile photo upload works.
 - ☐ Profile photo displays through signed URL or fallback.
 - ☐ Emergency info is visible to allowed users.
 - ☐ Home info is visible to allowed users.
 - ☐ Pets are visible from the client profile.
 - ☐ Documents are visible from the client profile.
 - ☐ Emergency guide is visible where implemented.
 - ☐ Geofence/address validation works.
 - ☐ Structured and fallback addresses display correctly.
 - ☐ Sensitive home access details are not exposed to unrelated users.
 - ☐ Agency client assignment restrictions are enforced.
-

7. Pets

- ☐ Add pet.
- ☐ Edit pet.
- ☐ Remove pet where allowed.
- ☐ Upload pet photo.
- ☐ Choose pet preset avatar if allowed.
- ☐ Pet photo/preset displays without broken image icons.
- ☐ Pet photo preview opens where implemented.
- ☐ Pet appears from client profile.
- ☐ Pet summary appears before accepting a shift where applicable.
- ☐ Pet wording is neutral.

- ☐ Duplicate pet sections are not shown on shift screens.
 - ☐ Allergy/safety reminder is visible without exposing private notes to unauthorized users.
-

8. Documents and Print Approval

- ☐ Upload documents from allowed screens.
 - ☐ View documents from client profile.
 - ☐ View relevant documents from shift detail.
 - ☐ Document count matches document list.
 - ☐ Documents are not hidden only inside edit mode.
 - ☐ Private document access uses signed/authenticated URLs.
 - ☐ Request print approval works.
 - ☐ Admin/client can approve print request.
 - ☐ Admin/client can deny print request with reason.
 - ☐ Approved users can print approved documents.
 - ☐ Unapproved users cannot print restricted documents.
 - ☐ Mobile print flow is usable.
 - ☐ Print view is clean and supports Save as PDF.
 - ☐ Print approval notification reaches the correct client/admin.
-

9. Scheduling and Shifts

- ☐ Create shift.
- ☐ Edit shift.
- ☐ Delete/cancel shift with correct permissions.
- ☐ Agency cancellation request flow works where enabled.
- ☐ Cancellation fee settings are applied only where configured.
- ☐ Force assign works for admins.
- ☐ Force accept works only where allowed.
- ☐ Caregiver can accept shift.
- ☐ Caregiver can decline or request removal.
- ☐ 48-hour warning appears where required.
- ☐ Trade/coverage request works if enabled.
- ☐ Bulk select shifts works.
- ☐ Add tasks to selected shifts works.

- ☐ Export one shift to calendar.
 - ☐ Export selected shifts to calendar.
 - ☐ Export all my shifts to calendar.
 - ☐ Shift tracking number appears only at bottom of shift detail.
 - ☐ Shift tracking number auto-fills disputes/reports/corrections.
 - ☐ Duplicate shift summary boxes are removed.
-

10. Tasks

- ☐ Required tasks display and can be completed.
 - ☐ Optional tasks display and can be completed.
 - ☐ PRN/if-needed tasks display and can be marked.
 - ☐ PRN unchecked does not warn as missed.
 - ☐ Needs follow-up PRN status notifies the right users.
 - ☐ Time-of-day metadata is preserved when tasks are copied to shifts.
 - ☐ Exact scheduled time is preserved.
 - ☐ Task sort order is preserved.
 - ☐ Default tasks apply only on selected days.
 - ☐ Task categories display without raw enum labels.
 - ☐ Bulk add tasks avoids duplicates where expected.
 - ☐ Existing future/incomplete task timing repair is verified.
-

11. Check-In and Check-Out

- ☐ Check in works.
- ☐ Check out works.
- ☐ Incomplete required tasks show checkout warning/blocking behavior.
- ☐ Optional tasks do not block checkout.
- ☐ PRN behavior matches settings.
- ☐ Break/lunch works if enabled.
- ☐ Geofence check works if enabled.
- ☐ Outside-geofence reason is captured.
- ☐ Time correction request works.
- ☐ Admin correction reason is required.
- ☐ Audit trail records actor, timestamp, and reason.

- ☐ Auto checkout behavior is verified.
-

12. Emergency

- ☐ Top emergency button is visible.
 - ☐ Emergency information card is present only once where useful.
 - ☐ Emergency guide is linked from the emergency card if available.
 - ☐ Duplicate emergency sections are removed.
 - ☐ Emergency icon is the correct red emergency icon.
 - ☐ Emergency disclaimer is reachable.
 - ☐ Terms state the app is not a substitute for 911/emergency services.
 - ☐ Public marketing/app-store text does not claim emergency dispatch.
 - ☐ Emergency access is not blocked by tutorial/onboarding UI.
-

13. Notifications

- ☐ In-app notifications appear.
- ☐ Push enable flow waits for an active service worker.
- ☐ Browser permission is re-checked after Allow.
- ☐ Test push arrives on supported devices.
- ☐ Test push diagnostics explain failures.
- ☐ Android Chrome push test passes.
- ☐ Android installed PWA push test passes.
- ☐ iPhone installed Home Screen PWA push test passes.
- ☐ iPhone browser tab limitation is documented.
- ☐ Notification categories are configurable.
- ☐ In-app sound/tone settings work after user interaction.
- ☐ Quiet hours work if configured.
- ☐ Urgent override behavior is verified.
- ☐ Notification privacy-safe body setting is respected.
- ☐ Push payloads contain no sensitive details when privacy-safe mode is enabled.
- ☐ App does not claim "sent" without diagnostics when delivery cannot be confirmed.
- ☐ Native notification channel/category plan is documented for app store packaging.

14. PWA and Install

- ☐ `manifest.json` is valid.
- ☐ Icons load.
- ☐ Maskable icon is valid.
- ☐ iPhone home screen icon appears correctly.
- ☐ Android icon appears correctly.
- ☐ Install prompt suppression works after "Do not show again".
- ☐ Install prompt suppression works after "Do not show for 24 hours".
- ☐ Manual install button is available from Settings.
- ☐ Installed standalone mode is detected.
- ☐ Basic offline shell behavior works.
- ☐ Service worker update does not break push subscription.
- ☐ Public install copy is accurate and does not overpromise offline or push behavior.

15. Profile Photos and Avatars

- ☐ User avatar upload works.
- ☐ Admin can upload caregiver avatar.
- ☐ Client/care recipient photo upload works.
- ☐ Pet photo upload works.
- ☐ Avatar preset picker opens from change photo flow.
- ☐ Preset avatars load from `public/avatar-presets`.
- ☐ Vecteezy attribution is present.
- ☐ Image preview modal works where implemented.
- ☐ Uploaded private avatars use signed URLs.
- ☐ Missing images show fallback initials or preset fallback.
- ☐ No broken image icons are visible.

16. Invoices, Payroll, and Year-End

- ☐ Invoice generation works.
- ☐ Payment recording works.
- ☐ Balance updates after payment.

- ☐ Invoice adjustment line can be added.
 - ☐ Invoice dispute/correction workflow works.
 - ☐ Caregiver pay summary is accurate.
 - ☐ Year-end summary generation works.
 - ☐ Year-end summary can be voided/deleted by admin with `CONFIRM`.
 - ☐ Original totals are preserved when corrections are made.
 - ☐ Audit trail captures actor, reason, timestamp, and original values.
 - ☐ Public app agency responsibility wording is present.
 - ☐ No unsupported payroll, tax, legal, or accounting claims are made.
 - ☐ Worker classification responsibility is assigned to the organization/client.
 - ☐ W-2/1099 support wording is reviewed by qualified counsel if shown.
-

17. Public Billing, Paywall, and Custom Branding

- ☐ Organization mode is selected and saved.
 - ☐ Custom branding can be enabled only for allowed plans.
 - ☐ Custom logo upload uses `app-assets` only for non-sensitive branding.
 - ☐ Brand colors apply without breaking accessibility.
 - ☐ "Powered by Carer Vista Pro" remains visible where required.
 - ☐ Plan/feature gating is documented.
 - ☐ Paywall behavior is documented if implemented.
 - ☐ Billing setup docs are reviewed.
 - ☐ App store billing docs are reviewed.
 - ☐ Google Play billing policy impact is reviewed.
 - ☐ Apple App Store billing policy impact is reviewed.
 - ☐ Subscription/paywall test accounts are prepared if billing is enabled.
 - ☐ Agency/client-facing billing disclaimers are reviewed.
-

18. Legal, Privacy, and Help

- ☐ Terms are reachable.
- ☐ Privacy policy is reachable.
- ☐ Emergency disclaimer is reachable.
- ☐ Billing/pay disclaimer is reachable.
- ☐ Data deletion process is documented.

- ☐ Account deletion URL is reachable.
 - ☐ Google Play Data Safety notes are prepared.
 - ☐ Photo/document privacy is documented.
 - ☐ Push notification disclaimer is documented.
 - ☐ Intro video and tutorial stored settings are disclosed.
 - ☐ Custom branding ownership disclaimer is present.
 - ☐ Agency responsibility for payroll/tax/legal compliance is clear.
 - ☐ No unsupported medical claims are made.
 - ☐ No emergency-service claims are made.
 - ☐ Attorney review is completed before public launch.
-

19. Spanish and I18n

- ☐ Navigation labels are translated.
 - ☐ Dashboard labels are translated.
 - ☐ Schedule labels are translated.
 - ☐ Shift detail labels are translated.
 - ☐ Task labels and PRN statuses are translated.
 - ☐ Client labels are translated.
 - ☐ Pet labels are translated.
 - ☐ Document labels are translated.
 - ☐ Emergency labels are translated.
 - ☐ Invoice/settings/help/legal titles are translated where supported.
 - ☐ Public setup/organization mode labels are translated where supported.
 - ☐ No raw enum labels or underscores are visible.
 - ☐ User-entered data is not translated.
-

20. Accessibility and Mobile

- ☐ Text contrast is readable.
- ☐ Tap targets are large enough.
- ☐ Buttons have accessible names.
- ☐ Images have alt text or decorative handling.
- ☐ Keyboard navigation basics work.
- ☐ Modal close actions are reachable.

- ☐ Mobile layout works on small phones.
 - ☐ Tablet layout is acceptable.
 - ☐ Bottom nav does not cover content.
 - ☐ Print views are usable on mobile.
 - ☐ Public signup/setup flows are usable on small screens.
-

21. Performance and Logging

- ☐ No huge client payloads are sent unnecessarily.
 - ☐ Images are optimized or constrained.
 - ☐ Signed URL generation does not cause excessive reloads.
 - ☐ Errors are logged safely.
 - ☐ No secrets appear in console logs.
 - ☐ No sensitive info appears in push payloads.
 - ☐ Vercel logs are reviewed after smoke testing.
 - ☐ Supabase logs are reviewed after smoke testing.
 - ☐ Public launch monitoring plan is documented.
 - ☐ Error reporting process is documented.
-

22. Browser and Device Test Matrix

- ☐ Android Chrome.
 - ☐ Android installed PWA.
 - ☐ iPhone Safari.
 - ☐ iPhone Home Screen PWA.
 - ☐ Desktop Chrome.
 - ☐ Desktop Edge.
 - ☐ Small phone screen.
 - ☐ Tablet if possible.
 - ☐ Slow network/basic offline behavior.
 - ☐ Public signup/setup on mobile.
 - ☐ Agency admin workflow on desktop.
-

23. Native Packaging Readiness

- ☐ Android package name is selected.
 - ☐ Android signing key strategy is documented.
 - ☐ `versionCode` and `versionName` strategy is documented.
 - ☐ Adaptive icon is verified.
 - ☐ App icon border/cropping is fixed.
 - ☐ Native notification channel strategy is documented.
 - ☐ Native notification category strategy is documented.
 - ☐ In-app update strategy is documented.
 - ☐ Apple bundle ID is reserved for future iOS packaging.
 - ☐ iOS icon set is verified.
 - ☐ TestFlight plan is documented.
 - ☐ Deep link/universal link strategy is documented if packaging.
 - ☐ Native wrapper privacy disclosures are reviewed.
 - ☐ App store billing requirements are reviewed if subscriptions are sold in-app.
-

24. Final Launch Checklist

- ☐ Production env vars verified.
- ☐ Domain verified.
- ☐ Supabase Auth URLs verified.
- ☐ Redirect URLs verified.
- ☐ SMTP/email sending verified.
- ☐ VAPID public/private/subject verified.
- ☐ Storage buckets verified.
- ☐ RLS verified.
- ☐ App icons verified.
- ☐ Screenshots captured.
- ☐ Privacy policy URL verified.
- ☐ Support email/contact path verified.
- ☐ Account deletion path verified.
- ☐ Monitoring plan documented.
- ☐ Backup/export plan documented.
- ☐ Launch support owner assigned.
- ☐ Incident response owner assigned.
- ☐ Final smoke test completed.

- ☐ Legal/compliance owner signs off.
 - ☐ Product/release owner signs off.
-

Public App Store Release Checklist

Google Play Console

- ☐ Google Play Console developer account is ready.
- ☐ App name, short description, and full description are reviewed.
- ☐ App category is selected.
- ☐ Screenshots are captured for required device classes.
- ☐ Feature graphic is prepared if required.
- ☐ Privacy policy URL is public and reachable.
- ☐ Account deletion URL is public and reachable.
- ☐ Support email is public and monitored.
- ☐ Test account credentials for review are prepared.
- ☐ Data Safety form is completed from current app behavior.
- ☐ Data collection disclosures include account, role, client, care, pet, document, location-at-check-in/out, notification, billing, and technical metadata as applicable.
- ☐ Data sharing disclosures match hosting, database, email, push, and analytics providers.
- ☐ Security practices disclose encryption in transit.
- ☐ Account deletion path is documented in app and listing.
- ☐ No unsupported medical claims are present.
- ☐ No emergency-service claims are present.
- ☐ Push notification behavior and limitations are described accurately.
- ☐ Subscriptions/paywall details are configured if implemented.
- ☐ Native app store billing requirements are followed if digital subscriptions are sold in the app.

Apple App Store and TestFlight Future Packaging

- ☐ Apple Developer account is ready if iOS packaging is planned.
- ☐ Bundle ID is reserved.
- ☐ App privacy nutrition labels are drafted.
- ☐ TestFlight test plan is documented.
- ☐ Review notes explain that the app is care coordination and recordkeeping, not medical advice or emergency dispatch.
- ☐ Reviewer test account is prepared.

- ☐ Push notification capability is configured if native push is used.
- ☐ Background mode usage is reviewed and minimized.
- ☐ In-app purchase requirements are reviewed if subscriptions are sold in-app.
- ☐ Native wrapper requirements are documented.

Native Wrapper Requirements

- ☐ Native shell does not expose service role keys.
- ☐ Native notification channels/categories map to Messages, Shift updates, Urgent/emergency alerts, Documents and print approvals, Payments and invoices, Schedule requests, Feedback/commendations, and Reminders.
- ☐ OS-level notification sound expectations are documented separately from PWA in-app tones.
- ☐ App icon and splash assets are verified.
- ☐ Versioning and release notes are documented.
- ☐ Store review privacy, support, and deletion URLs match production.