

Maji Ndongo

Water Quality Report

Comprehensive analysis across 5 provinces • 200 sites surveyed

May 2026



Key Metrics

200

Sites Surveyed

55K

People Served

2.78K

Children Reached

72% of sites show pollution above safe thresholds

Biological contamination ranges from 44 to 144 CFU across provinces.

Immediate intervention required in Sokoto and Hawassa regions.

Biological Contamination

Average CFU by Province



● Critical (>120)

● Warning (80-120)

● Safe (<80)

Children Reached by Province



Children Vulnerability Index

Risk Score = Children × Contamination Level

Province	Children	CFU	Risk Score	Priority
Hawassa	580	126	73,080	Critical
Kilimani	640	108	69,120	Critical
Sokoto	400	144	57,600	High
Akatsi	820	44	36,080	High
Amanzi	340	82	27,880	Monitor

Pollution Status



72%

Polluted

Key Insights

- 145 of 200 sites exceed safe limits
- Sokoto has the highest contamination
- Akatsi is the safest province
- 72% pollution rate demands action
- Emergency purification recommended

Recommendations

Immediate

Deploy emergency water purification in Sokoto & Hawassa

Short-term

Install filtration systems at 145 polluted sites

Medium-term

Expand children health monitoring in high-risk areas

Long-term

Build sustainable water infrastructure across all provinces



Thank You