



Friendfy

Project Phase 2

By

Group 10

Mr. Nattapat	Trebunjerdsakul	6488144
Miss Jinnapat	Jaiphoom	6688033
Miss Pornthita	Sukprapaipat	6688168
Miss Wimonwan	Hengsunthorn	6688190
Miss Boonaum	Siangchokyoo	6688244

A Report Submitted in Partial Fulfillment of
the Requirements for

ITCS223 Introduction to Web Development

Faculty of Information and Communication Technology

Mahidol University

2024

Table of Contents

	PAGE
Project Overview	1
Business Domain	2
Navigation Diagram	4
Details of Web Application	5
User	5
Administrator	38
Details of Web Services	67
Front-end	67
Back-end	70
Testing Results of Web Services	80
POST method	80
PUT method	82
DELETE method	84

Project Overview

Friendfy is a web application created for the Web Development subject, aiming to provide a platform where users can easily connect and engage through shared events. The application includes four main pages: a homepage introducing the platform, an events page listing available events, an about us page sharing the project's vision, and a support page for user assistance. Users can register an account, log in securely, browse various events, and join events that match their interests.

The admin side of Friendfy includes a separate login system that grants access to event management and user account administration. Admins can create new events, edit existing ones, delete events, and manage user accounts efficiently to ensure the platform runs smoothly. Friendfy is developed using HTML, CSS, JavaScript for the frontend, and Node.js with MySQL for the backend, following a clean and simple design approach to maximize usability.

The primary goal of the project is to build a user-friendly environment where people can discover and participate in activities, leading to meaningful interactions. At the same time, the system ensures that admins can oversee events and user data effectively. Friendfy emphasizes secure user authentication, easy navigation, real-time updates on event status, and strong backend management to support the platform's growth and reliability.

Business Domain

Domain Overview:

Friendfy operates within the social networking and event management domain, specifically focusing on connecting individuals through shared interests and community events. It blends elements of online social platforms with event-based interaction to create real-life connections.

Core Activities:

- User Management: Allowing users to create accounts, log in, view event listings, and join events.
- Event Management: Enabling administrators to create, edit, and delete events that users can participate in.
- User-Admin Interaction: Facilitating a system where administrators can monitor and manage user accounts to ensure a safe and engaging community.
- Support Services: Providing support resources for users who encounter issues or need assistance while using the platform.

Target Audience:

- Individuals looking to expand their social circles by participating in community events.
- Organizations or groups that want a platform to promote and manage social events.
- Event organizers seeking an easy-to-manage digital space to gather participants.

Business Goal:


To build a trusted platform where people can meet through real-world events, promoting community engagement, and offering administrators simple but powerful tools to manage activities and users effectively.

Market Focus:

Friendfy is positioned between traditional event management platforms and casual social networking sites, offering a niche service that emphasizes creating real-world connections through digital event participation.

Navigation Diagram

Link: [Navigation Diagram](#)



The navigation diagram represents the structure of the Friendfy website, dividing access based on roles: regular users and administrators. From the main entry point, users are directed either to the user login or the admin login. Once a user logs in, they can navigate to several sections including the Homepage, Event, About Us, and Support. The Event section further links to Event Details, allowing users to view more specific information about selected events. On the other hand, once an admin logs in, they are taken to the Management section, which branches into User Management and Event Management. This structure ensures that regular users can explore and participate in events, while administrators have control over managing users and events within the system.

Details of Web Application

User

1. Login Page

The image displays two wireframe designs for a user login and registration page, presented in a split-screen format.

Top Wireframe (Login Page):

- Left Panel (White):**
 - Logo: A circular icon with two stylized figures holding hands.
 - Section Header: **Sign in**
 - Form Fields: Username, Password.
 - Security: A checkbox labeled "ฉันไม่ใช่โปรแกรมอัตโนมัติ" (I am not a robot) with a reCAPTCHA logo.
 - Social Login: Buttons for Google, Facebook, and Apple.
 - Link: "Forgot your password?"
 - Buttons: "Sign In", "User Login", and "Admin Login".
- Right Panel (Yellow):**
 - Text: "Hello, Friend!"
 - Text: "Enter your personal details and start journey with us"
 - Button: "Sign Up"

Bottom Wireframe (Registration Page):

- Left Panel (Yellow):**
 - Text: "Welcome Back!"
 - Text: "To keep connected with us please login with your personal info"
 - Button: "Sign In"
- Right Panel (White):**
 - Logo: A circular icon with two stylized figures holding hands.
 - Section Header: **Create Account**
 - Form Fields: Username, First Name, Last Name, dd/mm/yyyy (Date of Birth), Select Gender, Phone Number, Email, Password.
 - Social Login: "or register with" followed by Google, Facebook, and Apple buttons.
 - Button: "Sign Up"

This web page is for users to Sign in or Sign up.

On the Sign in page, users can enter their username and password, with an additional reCAPTCHA checkbox to enhance security. On the Sign up page, new users can create an account.

Code (login.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome to FRIENDFY</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/login.css">
  <!-- SweetAlert2 library for pop-up alerts -->
  <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
  <!-- Google reCAPTCHA API -->
  <script src="https://www.google.com/recaptcha/api.js" async
defer></script>
</head>

<body>
  <div class="container" id="container">
    <!-- Sign Up Form -->
    <div class="form-container sign-up-container">
      <form action="/login" method="POST">
        
        <h1>Create Account</h1>
        <input type="text" placeholder="Username"
name="display_name" required />
        <input type="text" placeholder="First Name" name="fname"
required />
        <input type="text" placeholder="Last Name" name="lname"
required />
        <input type="date" name="birth_date" required />
        <!-- Gender Styled Select -->
        <select name="gender" class="styled-select" required>
          <option value="" disabled selected>Select
Gender</option>
          <option value="male">Male</option>
          <option value="female">Female</option>
          <option value="non-binary">Non-binary</option>
          <option value="other">Other</option>
        </select>
      </form>
    </div>
  </div>
</body>
</html>
```

```

        <input type="tel" placeholder="Phone Number"
name="phone_number" required />
        <input type="email" placeholder="Email" name="email"
required />
        <input type="password" placeholder="Password"
name="password" required />

        <span>or register with</span>
        <div class="social-container">
            <a href="#"></a>
            <a href="#"></a>
            <a href="#"></a>

        </div>
        <button type="submit">Sign Up</button>
    </form>
</div>
<!-- Sign In Form -->
<div class="form-container sign-in-container">
    <form id="login" action="/loginUser" method="POST">
        
        <h1>Sign in</h1>
        <input type="text" name="username" id="username"
placeholder="Username" required>
        <input type="password" class="password" id="password"
placeholder="Password" name="password" required />
        <div class="g-recaptcha"
data-sitekey="6LejyyQrAAAAAAdbj-MtxvZkU63H1LMYIdDTex31"></div>
        <div class="social-container">
            <a href="#"></a>
            <a href="#"></a>
            <a href="#"></a>

        </div>
        <a href="#">Forgot your password?</a>
        <button type="submit" class="logIn">Sign In</button>
    </form>
</div>

```

```

        <div class="login-select">
            <button type="button" onclick="redirectTo('user')"
class="role-btn">User Login</button>
            <button type="button" onclick="redirectTo('admin')"
class="role-btn">Admin Login</button>
        </div>
    </form>
</div>
<!-- Login Selection -->
<div class="login-select">
    <button onclick="redirectTo('user')" class="role-btn">User
Login</button>
    <button onclick="redirectTo('admin')" class="role-btn">Admin
Login</button>
</div>
<!-- Overlay -->
<div class="overlay-container">
    <div class="overlay">
        <div class="overlay-panel overlay-left">
            <h1>Welcome Back!</h1>
            <p>To keep connected with us please login with your
personal info</p>
            <button class="ghost" id="signIn">Sign In</button>
        </div>
        <div class="overlay-panel overlay-right">
            <h1>Hello, Friend!</h1>
            <p>Enter your personal details and start journey with
us</p>
            <button class="ghost" id="signUp">Sign Up</button>
        </div>
    </div>
</div>
</div>

<!-- JavaScript -->
<script src="/login.js"></script>

</body>

</html>

```

Code (login.js)

```
const signUpButton = document.getElementById('signUp');
const signInButton = document.getElementById('signIn');
const container = document.getElementById('container');

signUpButton.addEventListener('click', () => {
    container.classList.add("right-panel-active");
});

signInButton.addEventListener('click', () => {
    container.classList.remove("right-panel-active");
});

function redirectTo(type) {
    if (type === 'user') {
        window.location.href = "/login";
    } else if (type === 'admin') {
        window.location.href = "/login-admin";
    }
}

// Handle login form submission with validation and reCAPTCHA check
document.querySelector("#login").addEventListener("submit", async (e) => {
    e.preventDefault();

    const username = document.querySelector("#username").value;
    const password = document.querySelector("#password").value;
    const recaptcha = grecaptcha.getResponse();

    if (!username || !password) {
        swal.fire({
            icon: "error",
            title: "Oops...",
            text: "Please complete all fields",
        });
        return;
    }

    if (!recaptcha) {
        swal.fire({
            icon: "error",
            title: "Oops...",
        });
    }
});
```

```

        text: "Please complete the reCAPTCHA.",
    });
    return;
}


try {
    const response = await fetch("http://localhost:3030/loginUser", {
        method: "POST",
        headers: { "Content-Type": "application/json" },
        body: JSON.stringify({ username, password, recaptcha }),
        credentials: "include",
    });

    const result = await response.json();

    if (response.ok) {
        swal.fire({
            title: "Success!",
            text: "Login successful!",
            icon: "success",
        });
        setTimeout(() => {
            window.location.href = "/homepage";
        }, 1000);
    } else {
        swal.fire({
            icon: "error",
            title: "Oops...",
            text: result.error || "Login failed.",
        });
    }
} catch (err) {
    console.error("Error during login:", err);
    swal.fire({
        icon: "error",
        title: "Oops...",
        text: "An error occurred. Please try again.",
    });
}
});

```

2. Homepage



This is the homepage of the website. It helps people find new friends.

You can join different groups, like

- Sport club
- Gaming Friends
- Cooking workshop

At the bottom, it tell you how to start

- Sign up
- Make your profile
- Join an events
- Make new friends

Code (homepage.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Homepage</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/styles.css" />
  <link rel="stylesheet" href="/homepage.css" />
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>
  <!-- Zoom effect on banner when scrolling -->
  <script>
    window.addEventListener('scroll', function () {
      const banner = document.querySelector('.banner');
      const scrollTop = window.pageYOffset ||
document.documentElement.scrollTop;
      const zoomLevel = 100 + scrollTop / 50;
      banner.style.backgroundSize = `${zoomLevel}%`;
    });
  </script>
</head>

<body>
  <!-- Navigation bar -->
  <header>
    <nav class="navbar">
      <div class="logo">
        
      </div>
      <ul class="nav-links">
        <li><a class="active" href="/homepage">HOME</a></li>
        <li><a href="/event">EVENT</a></li>
        <li><a href="/aboutus">ABOUT US</a></li>
        <li><a href="/support">SUPPORT</a></li>
      </ul>
      <a href="/login"><button class="login-btn">Join
Now</button></a>
    </nav>
```

```

</header>

<!-- Banner section -->
<section class="banner">
  <div class="banner-content">
    <h1>Friendfy </h1>
    <h3> A Place to Find Friends </h3>
    <p> Join our welcoming community where friendships begin and
memories are made.</p>
  </div>
</section>

<!-- Highlights section -->
<section class="highlights">
  <div class="title">
    <h2>Discover Our Communities</h2>
    <p class="subtitle">Whether you're into sports, games, or
cooking – there's a place for everyone here.</p>
  </div>
  <div class="cards">
    <div class="card">
      <i class="fa-solid fa-basketball"></i>
      <p>Sport Club</p>
    </div>
    <div class="card">
      <i class="fa-solid fa-gamepad"></i>
      <p>Gaming Friends</p>
    </div>
    <div class="card">
      <i class="fa-solid fa-kitchen-set"></i>
      <p>Cooking Workshop</p>
    </div>
  </div>
</section>

<!-- Quote section -->
<section class="citation">
  <div class="cta">
    <i class="fa-solid fa-quote-left"></i>
    <p>Your new best friend is waiting. <br> Come say hi!</p>
  </div>
</section>

```

```


<!-- Getting started guide -->
<section class="how-start">
  
  <div class="details">
    <h2>How to Get Started?</h2>
    <ul>
      <li><i class="fa-solid fa-circle-check"></i> Sign Up</li>
      <li><i class="fa-solid fa-circle-check"></i> Create a
Profile</li>
      <li><i class="fa-solid fa-circle-check"></i> Join an
event</li>
      <li><i class="fa-solid fa-circle-check"></i> Make New
Friends</li>
    </ul>
  </div>
</section>


<!-- Footer -->
<footer>
  <h3>Friendfy</h3>
  <div class="socail-logo">
    
    
    
  </div>
  <ul class="nav-links">
    <li><a class="active" href="/homepage">HOME</a></li>
    <li><a href="/event">EVENT</a></li>
    <li><a href="/aboutus">ABOUT US</a></li>
    <li><a href="/support">SUPPORT</a></li>
  </ul>
  <div>
    <p>©2025 Skibidi DobDob Co., Ltd. | All Rights Reserved</p>
  </div>
</footer>
</body>

</html>

```

3. Event Page





For the Event page, users can filter events by category such as Sports & Wellness, Creative & Hobbies, Community & Social. Users can filter location by clicking a drop pin icon to sort the location such as Skibidi Field, Skibidi Court, Skibidi Center. There is also a search bar that allows users to search for events by name.

Each event card shows an image, event name, location, date, and a “See Details” button for more information.

Code (event.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Event</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/styles.css">
  <link rel="stylesheet" href="/event.css">
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>
  <!-- SweetAlert2 library for pop-up alerts -->
  <script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
</head>

<body>
  <!-- Navigation bar -->
  <header>
    <nav class="navbar">
      <div class="logo">
        
      </div>
      <ul class="nav-links">
        <li><a href="/homepage">HOME</a></li>
        <li><a class="active" href="/event">EVENT</a></li>
        <li><a href="/aboutus">ABOUT US</a></li>
        <li><a href="/support">SUPPORT</a></li>
      </ul>
      <a href="/login"><button class="login-btn">Join
Now</button></a>
    </nav>
  </header>

  <main>
    <!-- Banner image for the event page -->
    <section class="banner">
      
    </section>
```

```

<!-- Search filters section -->
<div class="filter-bar">
  <!-- by category -->
  <div class="dropdown">
    <select id="categorySelect" class="category-dropdown">
      <option value="all">All Categories</option>
      <option value="Sports & Wellness">Sports &
Wellness</option>
      <option value="Creative & Hobbies">Creative &
Hobbies</option>
      <option value="Community & Social">Community &
Social</option>
    </select>
    <i class="fa-solid fa-caret-down"></i>
  </div>

  <!-- by event name -->
  <div class="searchbox">
    <i class="fa-solid fa-magnifying-glass"></i>
    <input type="text" id="searchInput" placeholder="Search
for event name...">
  </div>

  <!-- by location -->
  <div class="iconsearch">
    <span class="icon" onclick="toggleDropdown()">
      <i class="fa-solid fa-location-dot"></i>
    </span>
    <select id="locationSelect" class="content-dropdown"
style="display: none;">
      <option value="all">All Locations</option>
      <option value="Skibidi Field">Skibidi Field</option>
      <option value="Skibidi Court">Skibidi Court</option>
      <option value="Skibidi Center">Skibidi Center</option>
    </select>
  </div>
</div>

<!-- Section to dynamically load events -->
<section class="e2"></section>

```



```

</main>

<!-- Footer -->
<footer>
  <h3>Friendfy</h3>
  <div class="socail-logo">
    
    
    
  </div>
  <ul class="nav-links">
    <li><a href="/homepage">HOME</a></li>
    <li><a class="active" href="/event">EVENT</a></li>
    <li><a href="/aboutus">ABOUT US</a></li>
    <li><a href="/support">SUPPORT</a></li>
  </ul>
  <div>
    <p>©2025 Skibidi DobDob Co., Ltd. | All Rights Reserved</p>
  </div>
</footer>

<!-- Toggle function for location dropdown -->
<script>
  function toggleDropdown() {
    const menu = document.getElementById("locationSelect");
    menu.style.display = menu.style.display === "none" ? "block" :
"none";
  }
</script>

<!-- Script to load and render events dynamically -->
<script type="module" src="/loopevent.js"></script>

</body>

<!-- Axios library for HTTP requests -->
<script
src="https://cdn.jsdelivr.net/npm/axios/dist/axios.min.js"></script>

</html>

```

Code (loopevent.js)

```
const API_URL = 'http://localhost:3030/events';

let allEvents = [];
const eventContainer = document.querySelector(".e2");
const searchInput = document.getElementById('searchInput');
const categorySelect = document.getElementById('categorySelect');
const locationSelect = document.getElementById('locationSelect');

// Load events when the DOM is fully loaded
document.addEventListener("DOMContentLoaded", async function () {
  try {
    // Fetch event data from the server
    const response = await fetch(API_URL);
    const result = await response.json();
    // Handle error or empty response
    if (result.error || !result.data) {
      throw new Error("Failed to fetch events");
    }
    // Store events and render them
    allEvents = result.data;
    renderEvents(allEvents);
  } catch (error) {
    // Display error message if fetch fails
    console.error("Error fetching events:", error);
    eventContainer.innerHTML = "<p>Failed to load events. Please try again later.</p>";
  }
});

// Render event cards in the container
function renderEvents(events) {
  eventContainer.innerHTML = "";
  // Show message if no events found
  if (events.length === 0) {
    eventContainer.innerHTML = "<p>No events found.</p>";
    return;
  }
  // Loop through each event and create HTML block
  events.forEach(event => {
```

```

const eventHTML = `
    <div class="block">
        
        <div class="content2">
            <h3>${event.e_name}</h3>
            <div class="e-info">
                <i class="fa-solid fa-location-dot"></i>
                <span> ${event.e_location}</span>
                <i class="fa-solid fa-calendar-days"></i>
                <span>${formatDate(event.e_start_date)}</span>
            </div>
            <a href="/detail?id=${event.event_id}">
                <button class="details-btn"><span>See
Details</span></button>
            </a>
        </div>
    </div>`;

eventContainer.innerHTML += eventHTML;
});
}

// Format date string as DD/MM/YYYY
function formatDate(dateStr) {
    if (!dateStr) return '';
    const date = new Date(dateStr);
    const day = String(date.getUTCDate()).padStart(2, '0');
    const month = String(date.getUTCMonth() + 1).padStart(2, '0');
    const year = date.getUTCFullYear();
    return `${day}/${month}/${year}`;
}

// Filter events based on search, category, and location
function filterEvents() {
    const searchText = searchInput.value.toLowerCase();
    const selectedCategory = categorySelect.value.toLowerCase();
    const selectedLocation = locationSelect.value.toLowerCase();

    const filtered = allEvents.filter(event => {
        const nameMatch = event.e_name.toLowerCase().includes(searchText);

```


```
        const categoryMatch = selectedCategory === "all" ||
event.e_category.toLowerCase() === selectedCategory;
        const locationMatch = selectedLocation === "all" ||
event.e_location.toLowerCase().includes(selectedLocation);

        return nameMatch && categoryMatch && locationMatch;
    });

    renderEvents(filtered);
}

// Add event listeners to filter inputs
searchInput.addEventListener('input', filterEvents);
categorySelect.addEventListener('change', filterEvents);
locationSelect.addEventListener('change', filterEvents);
```

4. Detail Page



This is the Event Detail page. It shows information about the event the user is interested in, such as the event name, price, location and time. For example, Sunrise Yoga costs 100 baht per person. The event will be held at Skibidi Field on 9 May 2025. There is also a link for directions. If you would like to join, just click the “Join Event” button.

Code (detail.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Event Detail</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/styles.css">
  <link rel="stylesheet" href="/detail.css">
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>
</head>

<body>
  <!-- Navigation bar -->
  <header>
    <nav class="navbar">
      <div class="logo">
        
      </div>
      <ul class="nav-links">
        <li><a href="/homepage">HOME</a></li>
        <li><a class="active" href="/event">EVENT</a></li>
        <li><a href="/aboutus">ABOUT US</a></li>
        <li><a href="/support">SUPPORT</a></li>
      </ul>
      <a href="/login"><button class="login-btn">Join
Now</button></a>
    </div>
  </nav>
</header>

  <main>
    <section class="event-section">
      <div class="event-container">
        <div class="event-flex">
          <a href="/event"><i id="back-icon" class="fa-solid
fa-arrow-left"></i></a>
```

```

        
        <div class="event-body">
            <h2 class="event-title"><i class="fa-solid
fa-futbol"></i> Goal Together</h2>
            <div class="badge">100 baht / person</div>
            <p class="subtitle"><em>Join us for this sport
event!</em></p>
            <p class="description">
                Get ready for an exciting workout and social
experience! Whether you're a football
                enthusiast or
                just looking to stay active, this is the
perfect place to meet new friends and enjoy a great
                atmosphere.
            </p>
            <ul class="event-info">
                <li><i class="fa-solid fa-location-dot"></i>
Skibidi Field</li>
                <li><i class="fa-solid fa-calendar"></i> 30
May 2025</li>
                <li><i class="fa-solid fa-clock"></i> 6:00 PM
→ 9:00 PM</li>
                <li><a href="#" class="get-direction"><i
class="fa-solid fa-map-pin"></i> Get direction</a>
                </li>
            </ul>
            <button class="join-btn">Join Event</button>
        </div>
    </div>
</div>
</section>
</main>
<!-- Footer -->
<footer>
    <h3> Friendfy </h3>
    <div class="socail-logo">
        
        

```

```

        
    </div>
    <ul class="nav-links">
        <li><a href="/homepage">HOME</a></li>
        <li><a class="active" href="/event">EVENT</a></li>
        <li><a href="/aboutus">ABOUT US</a></li>
        <li><a href="/support">SUPPORT</a></li>
    </ul>
    <div>
        <p> ©2025 Skibidi DobDob Co., Ltd. | All Rights Reserved</p>
    </div>
</footer>
<script type="module" src="/detail.js"></script>
</body>

<!-- Axios library for HTTP requests -->
<script
src="https://cdn.jsdelivr.net/npm/axios/dist/axios.min.js"></script>

</html>

```


Code (detail.js)

```
const BASE_URL = 'http://localhost:3030/event';

function getIdFromUrl() {
  const urlParams = new URLSearchParams(window.location.search);
  return urlParams.get('id');
}

// Format a date string into a readable
function formatDate(dateStr) {
  if (!dateStr) return '';
  const date = new Date(dateStr);
  const day = String(date.getUTCDate()).padStart(2, '0');
  const monthName = date.toLocaleString('en-US', { month: 'long' });
  const year = date.getUTCFullYear();
  return `${day} ${monthName} ${year}`;
}

function formatTimeRange(startTime, endTime) {
  const to12h = (timeStr) => {
    const [hour, minute] = timeStr.split(':').map(Number);
    const suffix = hour >= 12 ? "PM" : "AM";
    const hour12 = hour % 12 || 12;
    return `${hour12}:${String(minute).padStart(2, '0')} ${suffix}`;
  };
  return `${to12h(startTime)} → ${to12h(endTime)}`;
}

// Run this code after the DOM has fully loaded
document.addEventListener('DOMContentLoaded', async () => {
  const eventId = getIdFromUrl();
  if (!eventId) {
    alert('No event ID provided.');
```

```
    return;
  }

  try {
    const response = await fetch(`${BASE_URL}/${eventId}`);
    const result = await response.json();
  }
});
```

```

    if (result.error || !result.data) {
        throw new Error("Failed to fetch event data");
    }

    const event = result.data;


    document.querySelector('.event-img').src = event.e_img;
    document.querySelector('.event-img').alt = event.e_name;
    document.querySelector('.event-title').innerHTML = `<i
class="fa-solid fa-futbol"></i> ${event.e_name}`;
    document.querySelector('.subtitle').innerHTML = `<em>Join us for
this ${event.e_category} event!</em>`;
    document.querySelector('.description').textContent =
event.e_details;

    const eventInfo = document.querySelectorAll('.event-info li');
    eventInfo[0].innerHTML = `<i class="fa-solid fa-location-dot"></i>
${event.e_location}`;
    eventInfo[1].innerHTML = `<i class="fa-solid fa-calendar"></i>
${formatDate(event.e_start_date)}`;

    if (event.e_start_time && event.e_end_time) {
        eventInfo[2].innerHTML = `<i class="fa-solid fa-clock"></i>
${formatTimeRange(event.e_start_time, event.e_end_time)}`;
    } else {
        eventInfo[2].style.display = "none";
    }
} catch (error) {
    console.error("Error loading event detail:", error);
    document.querySelector('.event-container').innerHTML = "<p>Failed
to load event detail.</p>";
}
});

```

5. Team Page



This is the About us page. It introduces the company and what Friendfy is all about. It is a place where people can meet new friends who like the same things. The page also shows the team behind the project, their names, student IDs, and Instagram accounts. At the bottom, there are links to other parts of the site and social media.

Code (aboutus.html)

```

<!DOCTYPE html>
<html lang="en">

<head>
  <title>About us</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/styles.css">
  <link rel="stylesheet" href="/aboutus.css">
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>
</head>

<body>
  <!-- Navigation bar -->
  <header>
    <nav class="navbar">
      <div class="logo">
        
      </div>
      <ul class="nav-links">
        <li><a href="/homepage">HOME</a></li>
        <li><a href="/event">EVENT</a></li>
        <li><a class="active" href="/aboutus">ABOUT US</a></li>
        <li><a href="/support">SUPPORT</a></li>
      </ul>
      <div>
        <a href="/login"><button class="login-btn">Join
Now</button></a>
      </div>
    </nav>
  </header>
  <main>
    <section class="banner">
      <div class="banner-content">
        <h1>About Us</h1>
        <p> Skibidi DobDob Co., Ltd.</p>
      </div>
    </section>
    <!-- About us detail -->

```

```

<section class="info">
  <div class="info-content1">
    <div class="info-h1">
      <h2>What is Friendfy?</h2>
    </div>
    <p>Friendfy is a platform that helps people find new
friends who share similar interests. We
      developed it to make meeting new friends easier, more
enjoyable, and more convenient, focusing
      on creating meaningful connections that fit users's
lifestyles.</p>
    
  </div>
  <div class="info-content2">
    <div class="info-h1">
      <h2>Our mission</h2>
    </div>
    <p>Our mission is to make everyday life enjoyable and
fulfilling by helping users find friends,
      exploring new activities, and building meaningful
connections. Friendfy is a platform that
      brings people together, enabling them to discover
companionship and share meaningful moments
      that bring joy to life.</p>
    
  </div>
</section>
<!-- Team member -->
<section class="team">
  <h2>TEAM</h2>
  <div class="team-mem">
    <div class="mem">
      
      <h3>6488144</h3>
      <p>Nattapat <br> Trebunjersakul</p>
    </div>
    <a
href="https://www.instagram.com/tk.nuttapat"><button class="social-btn">
      <i class="fa-solid fa-circle-user"></i>
      IG: tk.nuttapat </button></a>

```

```

        </div>
    </div>
    <div class="mem">
        
        <h3>6688033</h3>
        <p>Jinnapat <br> Jaiphoom</p>
        <div>
            <a href="https://www.instagram.com/j_.npx"><button
class="social-btn">
                <i class="fa-solid fa-circle-user"></i>
                IG: j_.npx </button></a>
        </div>
    </div>
    <div class="mem">
        
        <h3>6688168</h3>
        <p>Pornthita <br> Sukprapaipat</p>
        <div>
            <a
href="https://www.instagram.com/trynafindpat"><button class="social-btn">
                <i class="fa-solid fa-circle-user"></i>
                IG: trynafindpat </button></a>
        </div>
    </div>
    <div class="mem">
        
        <h3>6688190</h3>
        <p>Wimonwan <br> Hengsunthorn</p>
        <div>
            <a
href="https://www.instagram.com/focusberbboo"><button class="social-btn">
                <i class="fa-solid fa-circle-user"></i>
                IG: focusberbboo </button></a>
        </div>
    </div>
    <div class="mem">
        
        <h3>6688244</h3>
        <p>Boonaum <br> Siangchokyoo</p>
        <div>

```

```


        <a
href="https://www.instagram.com/paenhx_"><button class="social-btn">
        <i class="fa-solid fa-circle-user"></i>
        IG: paenhx_ </button></a>

    </div>
</div>
</div>
</section>
</main>
<!-- Footer -->
<footer>
    <h3> Friendfy </h3>
    <div class="socail-logo">
        
        
        
    </div>
</div>
<ul class="nav-links">
    <li><a href="/homepage">HOME</a></li>
    <li><a href="/event">EVENT</a></li>
    <li><a class="active" href="/aboutus">ABOUT US</a></li>
    <li><a href="/support">SUPPORT</a></li>
</ul>
<div>
    <p> ©2025 Skibidi DobDob Co., Ltd. | All Rights Reserved</p>
</div>
</footer>
</body>

</html>

```

6. Support Page



Details: This is the Support page. It shows you three buttons are FAQ, Help Articles & Guides, and Live Chat. Users can click any of them to get help.

Code (support.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Support</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/styles.css">
  <link rel="stylesheet" href="/support.css">
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>
</head>

<body>
  <!-- Navigation bar -->

  <header>
    <nav class="navbar">
      <div class="logo">
        
      </div>
      <ul class="nav-links">
        <li><a href="/homepage">HOME</a></li>
        <li><a href="/event">EVENT</a></li>
        <li><a href="/aboutus">ABOUT US</a></li>
        <li><a class="active" href="/support">SUPPORT</a></li>
      </ul>
      <div>
        <a href="/login"><button class="login-btn">Join
Now</button></a>
      </div>
    </nav>
  </header>
  <main>
    <section class="banner">
      <div class="banner-content">
        <h1>Support</h1>
        <p> Skibidi DobDob Co., Ltd.</p>
      </div>
```

```


</section>
<!-- Support Option -->
<section class="option">
  <div class="card">
    <i class="fa-solid fa-circle-question"></i>
    <p>FAQ</p>
  </div>
  <div class="card">
    <i class="fa-solid fa-book-open"></i>
    <p>Help Articles & Guides</p>
  </div>
  <div class="card">
    <i class="fa-solid fa-headset"></i>
    <p>Live Chat</p>
  </div>
</section>
</main>
<!-- Footer -->
<footer>
  <h3> Friendfy </h3>
  <div class="socail-logo">
    
    
    
  </div>
  </div>
  <ul class="nav-links">
    <li><a href="/homepage">HOME</a></li>
    <li><a href="/event">EVENT</a></li>
    <li><a href="/aboutus">ABOUT US</a></li>
    <li><a class="active" href="/support">SUPPORT</a></li>
  </ul>
  <div>
    <p> ©2025 Skibidi DobDob Co., Ltd. | All Rights Reserved</p>
  </div>
</footer>
</body>

</html>

```

Administrator

1. Login for Administrator Page

The image shows a login page for administrators. On the left, there is a logo featuring two yellow stick figures holding hands, enclosed in a blue cloud-like shape with the word "FRIENDLY" written above them. To the right of the logo is a login form titled "Log in for administrators". The form contains two input fields: "Username" and "Password". Below the "Password" field is a blue "Log in" button. At the bottom of the form are two purple buttons: "User Login" and "Admin Login". The entire login form is set against a light gray background, which is itself on a larger yellow background.

This is the login page for administrators. It provides fields for entering a username and password, along with a “Login” button to access the admin system. There are also two buttons below to switch between User Login and Admin Login modes.

Code (login-admin.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <title>Login - Friendly Admin</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/login-admin.css">
  <!-- SweetAlert2 library for pop-up alerts -->
  <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
</head>

<body>
  <div class="container">
    <div class="left">
      
    </div>
    <div class="right">
      <div class="login-box">
        <h2>Log in for administrators</h2>
        <form action="/login" method="post">
          <label>Username</label>
          <input type="text" name="username" id="username"
placeholder="Username" required>
          <label>Password</label>
          <div class="password-field">
            <input type="password" name="password" id="password"
placeholder="Enter your password" required>
          </div>
          <button type="submit">Log in </button>

          <!-- Login Selection -->
          <div class="login-select">
            <button id="user" class="role-btn">User Login</button>
            <button type="button" class="role-btn">Admin Login</button>
          </div>
        </div>
      </div>
    </div>
  </div>
```

```

<!-- JavaScript -->
<script src="/loginadmin.js"> </script>

</body>

</html>

```

Code (loginadmin.js)

```

document.querySelector("form").addEventListener("submit", async (e) => {
    e.preventDefault();

    const username = document.querySelector("#username").value;
    const password = document.querySelector("#password").value;

    // Check if both username and password fields are filled
    if (!username || !password) {
        swal.fire({
            icon: "error",
            title: "Oops...",
            text: "Please complete all fields",
        });
        return;
    }

    try {
        // Send a POST request to the server with the username and
password
        const response = await fetch("http://localhost:3030/login", {
            method: "POST", // Use POST method for login
            headers: { "Content-Type": "application/json" },
            body: JSON.stringify({ username, password }),
            credentials: "include", // Include cookies if needed for
session
        });

        // Parse the JSON response from the server
        const result = await response.json();

        // If login is successful (response.ok is true)

```

```

    if (response.ok) {
      swal.fire({
        title: "Success!",
        text: "Login successful!",
        icon: "success",
      });
      // Redirect to the user-admin page after 1 second
      setTimeout(() => {
        window.location.href = "/user-admin";
      }, 1000);
    } else {
      // If the login failed, show an error message from the
response
      swal.fire({
        icon: "error",
        title: "Oops...",
        text: result.error || "Login failed.",
      });
    }
  } catch (err) {
    console.error("Error during login:", err); // Log the error to the
console
    swal.fire({
      icon: "error",
      title: "Oops...",
      text: "An error occurred. Please try again.",
    });
  }
});

document.getElementById('user').addEventListener('click', function () {
  window.location.href = '/login';
});

```

2. Admin Management

Admin

Event

Log Out

Management

Admin

User ID	FirstName	LastName	BirthDate	Email	Actions
1	Pat	Skibidi	2004-09-09	pat.skibidi@example.com	Edit Delete
2	Bonus	Dopdop	1990-08-14	bonus.nuay@example.com	Edit Delete
3	Pupae	Takahashi	1982-07-02	pupae.t@example.jp	Edit Delete
4	Fai	Focus	1995-12-05	fai.f@example.com	Edit Delete
5	Good	Mitra	1988-05-30	good.m@example.in	Edit Delete
6	Linda	Johansson	1993-09-17	lindaj@example.se	Edit Delete

This is the Admin Management page, which displays a table of registered users. The table includes columns such as User ID, First Name, Birthdate, Email, and available Actions. Administrators can perform actions such as editing user information by clicking the green “Edit” button or deleting a user record by clicking the red “Delete” button. The navigation bar allows quick access to the management and event pages, and the “LogOut” button is available at the bottom left.

Admin

Management

Admin

Event

ID	First Name	Last Name	Birth Date	Email	Action
----	------------	-----------	------------	-------	--------

Edit Admin

First Name:

Pat

Last Name:

Skibidi

BirthDate:

2004-09-09

Email:

pat.skibidi@example.com


Save Changes

Cancel

Log Out

6	Linda	Johansson	1993-09-17	linda.j@example.se	Edit Delete
7	Noah	Brown	1987-11-12	noah.b@example.ca	Edit Delete

When clicking the green “Edit” button, the system will display a form that allows the administrator to edit user information. The form includes fields such as first name, Last name, Birthdate and Email, along with a “Save Changes” button to save the updated information to the system and a “Cancel” button to discard any unsaved changes.



When clicking the red “Delete” button, the system will display a warning popup starting with the message “Are you sure?”. If the user clicks the “Yes, delete it!” button, the system will proceed to delete the selected user. If the user clicks “Cancel”, the system will make no changes.

Code (user-admin.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Management</title>

  <!-- External stylesheet -->
  <link rel="stylesheet" href="/style-admin.css">
  <!-- SweetAlert2 library for enhanced popups and alerts -->
  <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
  <!-- Bootstrap CSS -->
  <link
href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.1.3/css/bootstrap
.min.css" rel="stylesheet">
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>

</head>

<body>
  <!-- Header section -->
  <div class="header">
    <div class="logo-section">
      <div class="logo">
        <i class="fa-solid fa-list-check"></i>
      </div>
      <h3>Management</h3>
    </div>

    <div class="user-section">
      
      Admin
    </div>
  </div>

  <!-- Sidebar menu with navigation links -->
```

```

<div class="sidebar">
  <!-- for admin management -->
  <div class="menu-item active">
    <a href="/user-admin" style="text-decoration: none; color: black;">
      
      <span>Admin</span>
    </a>
  </div>
  <!-- for event management -->
  <div class="menu-item">
    <a href="/event-admin" style="text-decoration: none; color: black;">
      
      <span>Event</span>
    </a>
  </div>

  <!-- Logout button -->
  <div class="button-container">
    <a href="/login-admin">
      <button class="logout-button">
        
        <span>Log Out</span>
      </button>
    </a>
  </div>
</div>

<!-- Main content area where user data is displayed -->
<div class="main-content">
  <table>
    <thead>
      <tr>
        <th>User ID</th>
        <th>FirstName</th>
        <th>LastName</th>
        <th>BirthDate</th>
        <th>Email</th>
        <th>Actions</th>
      </tr>
    </thead>

```

```

        <tbody id="adminTable">
        </tbody>
    </table>

    <!-- Modal for editing admin details -->
    <div id="editModal" class="modal" style="display: none;">
        <div class="modal-content">
            <h2>Edit Admin</h2>
            <form id="editAdminForm">
                <input type="hidden" id="admin_id">
                <label for="first_name">First Name:</label>
                <input type="text" id="a_fname" required>
                <label for="last_name">Last Name:</label>
                <input type="text" id="a_lname" required>
                <label for="address">BirthDate:</label>
                <input type="text" id="a_birthdate">
                <label for="email">Email:</label>
                <input type="email" id="a_email" required>
                <button type="button" id="saveChangesBtn">Save Changes</button>
                <button type="button" id="cancelBtn">Cancel</button>
            </form>
        </div>
    </div>

    <!-- Javascript-->
    <script src="/user-admin.js"></script>

</body>

<!-- Axios for making HTTP requests -->
<script
src="https://cdn.jsdelivr.net/npm/axios/dist/axios.min.js"></script>

</html>

```

Code (user-admin.js)

```
const API_URL = 'http://localhost:3030';
document.addEventListener('DOMContentLoaded', () => {
  fetchAdmins();
  setupModalEvents();
  SearchForm();
});

// Fetch admin list from server and render in table
function fetchAdmins(filters = {}) {
  axios.get(`${API_URL}/admins`)
    .then(response => {
      const data = response.data.data;
      const filteredData = applyFilters(data, filters);
      renderAdminTable(filteredData);
    })
    .catch(error => console.error('Error fetching admins:', error));
}

// Filter admin data based on search text
function applyFilters(data, filters) {
  return data.filter(admin => {
    let isMatch = true;

    if (filters.searchText) {
      const lowerSearchText = filters.searchText.toLowerCase();
      isMatch = isMatch && (
        admin.admin_id.toString().includes(lowerSearchText) ||
        admin.a_fname.toLowerCase().includes(lowerSearchText) ||
        admin.a_lname.toLowerCase().includes(lowerSearchText) ||
        admin.a_birthdate.toLowerCase().includes(lowerSearchText)
        ||
        admin.a_email.toLowerCase().includes(lowerSearchText) ||
        admin.a_pass.toLowerCase().includes(lowerSearchText)
      );
    }

    return isMatch;
  });
}
```

```

// Render the admin data into the HTML table
function renderAdminTable(data) {
  const adminTable = document.querySelector('#adminTable');
  adminTable.innerHTML = '';

  data.forEach((admin) => {
    const row = document.createElement('tr');

    row.innerHTML = `
      <td>${admin.admin_id}</td>
      <td>${admin.a_fname}</td>
      <td>${admin.a_lname}</td>
      <td>${formatDate(admin.a_birthdate)}</td>
      <td>${admin.a_email}</td>
      <td class="container-btn">
        <button class="edit-btn">Edit</button>
        <button class="delete-btn">Delete</button>
      </td>
    `;

    adminTable.appendChild(row);
    const editButton = row.querySelector('.edit-btn');
    const deleteButton = row.querySelector('.delete-btn');

    editButton.addEventListener('click', () =>
editAdmin(admin.admin_id));
    deleteButton.addEventListener('click', () =>
deleteAdmin(admin.admin_id));
  });
}

// Handle the search form click event
function SearchForm() {
  const searchForm = document.querySelector('.btn-search');
  searchForm.addEventListener('click', (event) => {
    event.preventDefault();

    const searchText = document.querySelector('.input-search').value;

```

```

    const filters = {
      searchText: searchText || ''
    };

    fetchAdmins(filters);
  });
}

// Load specific admin data into modal form for editing
function editAdmin(adminId) {
  axios.get(`${API_URL}/admin/${adminId}`)
    .then(response => {
      const admin = response.data.data;
      document.getElementById('admin_id').value = admin.admin_id;
      document.getElementById('a_fname').value = admin.a_fname;
      document.getElementById('a_lname').value = admin.a_lname;
      document.getElementById('a_birthdate').value =
formatDate(admin.a_birthdate);
      document.getElementById('a_email').value = admin.a_email;
      openEditModal();
    })
    .catch(error => console.error('Error fetching admin data:',
error));
}

// Save edited admin data
function saveChanges() {
  const updatedAdmin = {
    admin_id: document.getElementById('admin_id').value,
    a_fname: document.getElementById('a_fname').value,
    a_lname: document.getElementById('a_lname').value,
    a_birthdate: document.getElementById('a_birthdate').value,
    a_email: document.getElementById('a_email').value,
  };

  axios.put(`${API_URL}/admin`, updatedAdmin)
    .then(() => {
      swal.fire({
        title: "Updated!",
        text: "Admin details updated successfully.",

```

```

        icon: "success"
    }).then(() => {
        closeModal();
        fetchAdmins();
    });
})
.catch(error => {
    console.error('Error updating admin:', error);
    swal.fire({
        title: "Error!",
        text: "Failed to update admin details.",
        icon: "error"
    });
});
});

function openEditModal() {
    document.getElementById('editModal').style.display = 'flex';
}

function closeModal() {
    document.getElementById('editModal').style.display = 'none';
}

function setupModalEvents() {
    document.getElementById('saveChangesBtn').addEventListener('click',
saveChanges);

    document.getElementById('cancelBtn').addEventListener('click', () => {
        document.getElementById('editModal').style.display = 'none';
    });
}

function deleteAdmin(adminId) {
    swal.fire({
        title: "Are you sure?",
        text: "You won't be able to revert this!",
        icon: "warning",
        showCancelButton: true,
        confirmButtonColor: "#3085d6",

```



```

        cancelButtonColor: "#d33",
        confirmButtonText: "Yes, delete it!"
    }).then((result) => {
        if (result.isConfirmed) {
            axios.delete(`${API_URL}/admin/${adminId}`)
                .then(() => {
                    swal.fire({
                        title: "Deleted!",
                        text: "The admin record has been deleted.",
                        icon: "success"
                    }).then(() => {
                        fetchAdmins();
                    });
                })
                .catch(error => {
                    console.error("Error deleting admin:", error);
                    swal.fire({
                        title: "Error!",
                        text: "There was an issue deleting the admin
record.",
                        icon: "error"
                    });
                });
        }
    });
}

// Format date to YYYY-MM-DD
function formatDate(dateString) {
    if (!dateString) return '';

    const date = new Date(dateString);
    const year = date.getFullYear();
    const month = String(date.getMonth() + 1).padStart(2, '0');
    const day = String(date.getDate()).padStart(2, '0');

    return `${year}-${month}-${day}`;
}

```

3. Event Management

Admin

Management

Event


Event

+ Add Event


Event ID	Event Image	Event Name	Start Date	End Date	Category	Status	Location	Detail	Participant	Actions
1		Sunrise Yoga	10/05/2025	10/05/2025	Sports & Wellness	Available	Skibidi Field	Start your day with a peaceful sunrise yoga session.	25	EditDelete
2		Art Jamming Night	12/05/2025	12/05/2025	Creative & Hobbies	Available	Skibidi Center	Express yourself with paints and music.	18	EditDelete
3		Beach Volleyball	14/05/2025	14/05/2025	Sports & Wellness	Full	Skibidi Court	Fun and competitive volleyball games.	32	EditDelete
								Learn the		

Log Out

This is the Event Management page, which displays the table listing all events in the system with key information such as event ID , event image, event name, start and end dates, category, status, location, detail, and number of participants. Administrators can click the green “Edit” button to modify event details or click the red “Delete” button to remove the event. There is also a blue “Add Event” button to create a new event.



When clicking the “Add Event” button, the system will display a popup to enter the details of the event such as image, event name, location, category, start and end date, and details about the event. Administrators can click the “Add” button to save the event and add it into the list.



When clicking the red “Delete” button, the system will display a warning popup starting with the message “Are you sure?”. If the user clicks the “Yes, delete it!” button, the system will proceed to delete the selected user. If the user clicks “Cancel”, the system will make no changes.

The screenshot shows a web application interface with a sidebar on the left containing a user profile 'Admin', a 'Management' menu, and an 'Event' sub-menu. The main content area displays a table of events. A modal window titled 'Edit Event' is open, allowing an administrator to update event details. The form includes fields for Event name, Location, Category, Start Date, and End Date, along with a text area for the event detail. A 'Save Changes' button is at the bottom of the modal. The background table lists events with IDs 1, 2, and 3, each with an image and a participant count. To the right, a table shows participant details with 'Edit' and 'Delete' buttons for each row.

Event ID	Event Image	Event Name	Location	Category	Start Date	End Date	Detail
1		Sunrise Yoga	Skibidi Field	Sports & Wellness	dd/mm/yyyy		Start your day with a peaceful sunrise yoga session.
2					dd/mm/yyyy		
3							

Participant	Actions
25	<button>Edit</button> <button>Delete</button>
18	<button>Edit</button> <button>Delete</button>
32	<button>Edit</button> <button>Delete</button>
Learn the basics of	<button>Edit</button> <button>Delete</button>

When clicking the green “Edit” button, the system will display a form that allows the administrator to edit the detail of the event and administrators can click the “Save Changes” button to save the updated detail to the system.

Code (event-admin.html)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Event Management</title>
  <!-- External stylesheets -->
  <link rel="stylesheet" href="/style-admin.css">
  <!-- Font Awesome icons -->
  <script src="https://kit.fontawesome.com/90025d2120.js"
crossorigin="anonymous"></script>
  <!-- SweetAlert2 library for enhanced popups and alerts -->
  <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
  <!-- Bootstrap CSS -->
  <link
href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.1.3/css/bootstrap
.min.css" rel="stylesheet">
</head>

<body>
  <!-- Header section -->
  <div class="header">
    <div class="logo-section">
      <div class="logo">
        <i class="fa-solid fa-list-check"></i>
      </div>
      <h3>Management</h3>
    </div>
    <div class="user-section">
      
      Event
    </div>
  </div>

  <!-- Sidebar menu with navigation links -->
  <div class="sidebar">
    <!-- for admin management -->
    <div class="menu-item">
```

```

        <a href="/user-admin" style="text-decoration: none; color: black;">
            
            <span>Admin</span>
        </a>
    </div>
    <!-- for event management -->
    <div class="menu-item active">
        <a href="/event-admin" style="text-decoration: none; color: black;">
            
            <span>Event</span>
        </a>
    </div>
    <!-- Logout button -->
    <div class="button-container">
        <a href="/login-admin"><button class="logout-button">
            
            <span>Log Out</span>
        </button></a>
    </div>
</div>

<!-- Main content -->
<div class="main-content">
    <div class="event-header">
        <button class="add-event-btn" id="openAddEventModal">+ Add
Event</button>
    </div>
    <table>
        <thead>
            <tr>
                <th>Event ID</th>
                <th>Event Image</th>
                <th>Event Name</th>
                <th>Start Date</th>
                <th>End Date</th>
                <th>Category</th>
                <th>Status</th>
                <th>Location</th>
                <th>Detail</th>
                <th>Participant</th>
            </tr>
        </thead>
    </table>

```

```

        <th>Actions</th>
    </tr>
</thead>
<tbody id="eventTable">

</tbody>
</table>
</div>

<!-- Add Event Modal -->
<div class="modal-overlay" id="addEventModal">
    <div class="modal-container">
        <div class="modal-header">
            <h4>Add Event</h4>
            <button class="close-btn" id="closeAddEventModal">&times;</button>
        </div>
        <div class="modal-body">
            <input type="file" class="upload" id="eventImageUpload">

</div>

        <div class="form-group">
            <label for="eventName">Event name</label>
            <input type="text" class="form-control yellow-bg" id="eventName"
placeholder="Enter event name">
        </div>

        <div class="form-group-select">
            <label for="eventLocation">Location</label>
            <select class="form-control yellow-bg" id="eventLocation">
                <option value="" disabled selected>Select location</option>
                <option value="Skibidi Field">Skibidi Field</option>
                <option value="Skibidi Court">Skibidi Court</option>
                <option value="Skibidi Center">Skibidi Center</option>
            </select>
            <label for="eventCategory">Category</label>
            <select class="form-control yellow-bg" id="eventCategory">
                <option value="" disabled selected>Select location</option>
                <option value="Sports & Wellness">Sports & Wellness</option>
                <option value="Creative & Hobbies">Creative & Hobbies</option>
            </select>
        </div>
    </div>
</div>

```

```

        <option value="Community & Social">Community & Social</option>
    </select>
</div>

<div class="form-group">
    <label for="startDate">Start Date</label>
    <div class="date-time-container">
        <input type="date" class="form-control yellow-bg date-input"
id="startDate">
    </div>
</div>

<div class="form-group">
    <label for="endDate">End Date</label>
    <div class="date-time-container">
        <input type="date" class="form-control yellow-bg date-input"
id="endDate">
    </div>
</div>

<div class="form-group">
    <label for="eventDetails">Detail</label>
    <textarea class="form-control yellow-bg" id="eventDetails"
placeholder="Write more details..."></textarea>
</div>

<button class="button-add" id="addEventBtn">ADD</button>
</div>
</div>
</div>

<!-- JavaScript -->
<script src="/event-admin.js"></script>

</body>
<!-- Axios library for making HTTP requests -->
<script
src="https://cdn.jsdelivr.net/npm/axios/dist/axios.min.js"></script>
</html>

```


Code (event-admin.js)

```
const API_URL = 'http://localhost:3030';

document.addEventListener('DOMContentLoaded', () => {
  fetchEvents();
  setupModalEvents();
});

function showSuccessMessage(message) {
  return swal.fire({
    title: "Success!",
    text: message,
    icon: "success",
  });
}

function showErrorMessage(message) {
  return swal.fire({
    icon: "error",
    title: "Oops...",
    text: message,
  });
}

function formatDate(dateStr) {
  if (!dateStr) return '-';
  const date = new Date(dateStr);
  return date.toLocaleDateString('en-GB');
}

// Fetch all events from the API and render them in a table
function fetchEvents() {
  axios.get(`${API_URL}/events`)
    .then(response => {
      const data = response.data.data;
      renderEventTable(data);
    })
    .catch(error => console.error('Error fetching events:', error));
}
```

```

// Render events data into the HTML table
function renderEventTable(data) {
    const eventTable = document.querySelector('#eventTable');
    eventTable.innerHTML = '';

    data.forEach(event => {
        const row = document.createElement('tr');

        row.innerHTML = `
            <td>${event.event_id}</td>
            <td></td>
            <td>${event.e_name}</td>
            <td>${formatDate(event.e_start_date)}</td>
            <td>${formatDate(event.e_end_date)}</td>
            <td>${event.e_category}</td>
            <td>${event.e_status}</td>
            <td>${event.e_location}</td>
            <td>${event.e_details}</td>
            <td>${event.participant ?? 0}</td>
            <td class="container-btn">
                <button class="edit-btn"
onclick="openEditEvent(${event.event_id})">Edit</button>
                <button class="delete-btn"
onclick="deleteEvent(${event.event_id})">Delete</button>
            </td>
        `;

        eventTable.appendChild(row);
    });
}

// Setup event listeners for opening/closing modals and saving event data
function setupModalEvents() {
    const openAddEventModalBtn =
document.getElementById('openAddEventModal');
    const closeAddEventModalBtn =
document.getElementById('closeAddEventModal');
    const saveEventBtn = document.getElementById('addEventBtn');
    const addEventModal = document.getElementById('addEventModal');

```

```

const modalTitle = document.querySelector('#addEventModal h4');

if (openAddEventModalBtn) {
  openAddEventModalBtn.addEventListener('click', () => {
    clearForm();
    modalTitle.textContent = 'Add Event';
    saveEventBtn.textContent = 'Add';
    addEventModal.style.display = 'flex';
    addEventModal.setAttribute('data-mode', 'add');
    addEventModal.removeAttribute('data-event-id');
  });
}

if (closeAddEventModalBtn) {
  closeAddEventModalBtn.addEventListener('click', () => {
    addEventModal.style.display = 'none';
  });
}

if (saveEventBtn) {
  saveEventBtn.addEventListener('click', saveEvent);
}
}

function clearForm() {
  document.getElementById('eventName').value = '';
  document.getElementById('eventLocation').value = '';
  document.getElementById('eventCategory').value = '';
  document.getElementById('startDate').value = '';
  document.getElementById('endDate').value = '';
  document.getElementById('eventDetails').value = '';
  document.getElementById('eventImageUpload').value = '';
}

// Handle form submission for both creating and updating events
function saveEvent() {
  const addEventModal = document.getElementById('addEventModal');
  const mode = addEventModal.getAttribute('data-mode');
  const eventId = addEventModal.getAttribute('data-event-id');

```

```

const formData = new FormData();
if (eventId) {
    formData.append('event_id', eventId);
}
formData.append('e_name',
document.getElementById('eventName').value.trim());
formData.append('e_location',
document.getElementById('eventLocation').value);
formData.append('e_category',
document.getElementById('eventCategory').value);
formData.append('e_start_date',
document.getElementById('startDate').value);
formData.append('e_end_date',
document.getElementById('endDate').value);
formData.append('e_details',
document.getElementById('eventDetails').value.trim());
formData.append('e_status', 'Available');
formData.append('participant', 0);
formData.append('currency', 'THB');

const eventImage =
document.getElementById('eventImageUpload').files[0];
if (eventImage) {
    formData.append('e_img', eventImage);
}

if (!validateForm()) return;

if (mode === 'edit') {
    axios.put(`${API_URL}/event`, formData, {
        headers: { 'Content-Type': 'multipart/form-data' }
    })
        .then(() => {
            showSuccessMessage('Event updated successfully!').then(()
=> {
                closeModal();
                fetchEvents();
            });
        })
        .catch(error => {

```

```

        console.error('Error updating event:', error);
        showErrorMessage(error.response?.data?.message || 'Failed
to update event');
    });
} else {
    axios.post(`${API_URL}/event`, formData, {
        headers: { 'Content-Type': 'multipart/form-data' }
    })
        .then(() => {
            showSuccessMessage('Event created successfully!').then(()
=> {
                closeModal();
                fetchEvents();
            });
        })
        .catch(error => {
            console.error('Error creating event:', error);
            showErrorMessage(error.response?.data?.message || 'Failed
to create event');
        });
}
}

// Ensure all required form fields are filled
function validateForm() {
    const requiredFields = ['eventName', 'eventLocation', 'eventCategory',
'startDate', 'endDate', 'eventDetails'];
    for (const id of requiredFields) {
        const el = document.getElementById(id);
        if (!el.value.trim()) {
            swal.fire('Warning', 'Please fill in all required fields',
'warning');
            return false;
        }
    }
    return true;
}

function closeModal() {
    document.getElementById('addEventModal').style.display = 'none';
}

```

```

}

// Load selected event's data and populate the form for editing
function openEditEvent(eventId) {
    const addEventModal = document.getElementById('addEventModal');
    const saveEventBtn = document.getElementById('addEventBtn');
    const modalTitle = document.querySelector('#addEventModal h4');

    axios.get(`${API_URL}/event/${eventId}`)
        .then(response => {
            const event = response.data.data;

            document.getElementById('eventName').value = event.e_name ||
            '';

            document.getElementById('eventLocation').value =
            event.e_location || '';
            document.getElementById('eventCategory').value =
            event.e_category || '';
            document.getElementById('startDate').value =
            event.e_start_date || '';
            document.getElementById('endDate').value = event.e_end_date ||
            '';

            document.getElementById('eventDetails').value =
            event.e_details || '';
            document.getElementById('eventImageUpload').value = '';

            addEventModal.style.display = 'flex';
            addEventModal.setAttribute('data-mode', 'edit');
            addEventModal.setAttribute('data-event-id', eventId);

            modalTitle.textContent = 'Edit Event';
            saveEventBtn.textContent = 'Save Changes';
        })
        .catch(error => {
            console.error('Error loading event detail:', error);
            showErrorMessage('Failed to load event details.');
```

```

});
}

// Confirm and delete the selected event

```

```

function deleteEvent(eventId) {
  swal.fire({
    title: 'Are you sure?',
    text: 'This will permanently delete the event.',
    icon: 'warning',
    showCancelButton: true,
    confirmButtonColor: '#3085d6',
    cancelButtonColor: '#d33',
    confirmButtonText: 'Yes, delete it!'
  }).then(result => {
    if (result.isConfirmed) {
      axios.delete(`${API_URL}/event/${eventId}`)
        .then(() => {
          swal.fire('Deleted!', 'Event has been deleted.',
'success');

          fetchEvents();
        })
        .catch(error => {
          console.error('Error deleting event:', error);
          showErrorMessage('Failed to delete event.');
```

Details of Web Services

Front-end

Code (server.js)

```
const express = require('express');
const path = require('path');
const cookieParser = require('cookie-parser');
const dotenv = require('dotenv')
dotenv.config()

const session = require('express-session');

const app = express();
app.use(cookieParser());

// Serve static files from specified directories
app.use(express.static(path.join(__dirname, '/secl_gr10_fe_src')));
app.use(express.static(path.join(__dirname, '/uploads')));
app.use(express.static(path.join(__dirname, '/css')));
app.use(express.static(path.join(__dirname, '/html')));
app.use(express.static(path.join(__dirname, '/js')));
app.use(express.static(path.join(__dirname, '/uploads/event')));
app.use(express.static(path.join(__dirname, '/uploads/support')));
app.use(express.static(path.join(__dirname, '/uploads/team')));

// Middleware to protect admin routes
function admin(req, res, next) {
  const Cookie = req.cookies['CookieNaJa'];
  console.log(Cookie);
  if (Cookie) {
    console.log("Cookie found:", Cookie);
    next();
  } else {
    console.log("No cookie found. Access denied.");
    res.redirect('/login-admin');
  }
}
```



```

// Middleware to protect user routes
function user(req, res, next) {
  const Cookie = req.cookies['Cookie-user'];
  console.log(Cookie);
  if (Cookie) {
    console.log("Cookie found:", Cookie);
    next();
  } else {
    console.log("No cookie found. Access denied.");
    res.redirect('/login');
  }
}

app.get('/login', (req, res) => {
  res.sendFile(path.join(__dirname, '/html/login.html'));
});

app.get('/login-admin', (req, res) => {
  res.sendFile(path.join(__dirname, '/html/login-admin.html'));
});

app.get('/event-admin', admin, (req, res) => {
  res.sendFile(path.join(__dirname, '/html/event-admin.html'));
});

app.get('/user-admin', admin, (req, res) => {
  res.sendFile(path.join(__dirname, '/html/user-admin.html'));
});

app.get('/homepage', user, (req, res) => {
  res.sendFile(path.join(__dirname, '/html/homepage.html'));
});

app.get('/event', user, (req, res) => {
  res.sendFile(path.join(__dirname, '/html/event.html'));
});

app.get('/detail', user, (req, res) => {
  res.sendFile(path.join(__dirname, '/html/detail.html'));
});

```

```
});  
  
app.get('/aboutus', user, (req, res) => {  
  res.sendFile(path.join(__dirname, '/html/aboutus.html'));  
});  
  
app.get('/support', user, (req, res) => {  
  res.sendFile(path.join(__dirname, '/html/support.html'));  
});  
  
// Start the server  
app.listen(process.env.PORT, () => {  
  console.log(`Server is up at port ${process.env.PORT}`)  
});
```

Back-end

Code (webservice.js)

```
const express = require('express');
const dotenv = require('dotenv');
const mysql = require('mysql2');
const cors = require('cors');
const multer = require('multer');
const path = require('path');
const bodyParser = require('body-parser');
const fs = require('fs');
const cookieParser = require("cookie-parser");

const app = express();
const router = express.Router();

app.use(bodyParser.json());
app.use(router)
router.use(express.json());
router.use(express.urlencoded({ extended: true }));
dotenv.config();
app.use(cookieParser());

let whiteList = ['http://localhost:3000']

let corsOptions = {
  origin: whiteList,
  credentials: true,
  method: 'GET,POST,PUT,DELETE'
}

router.use(cors(corsOptions));

// MySQL connection
var dbConn = mysql.createConnection({
  host: process.env.MYSQL_HOST,
```

```

    port: process.env.MYSQL_PORT,
    user: process.env.MYSQL_USERNAME,
    password: process.env.MYSQL_PASSWORD,
    database: process.env.MYSQL_DATABASE
  });

  dbConn.connect(function (err) {
    if (err) throw err;
    console.log(`Connected DB: ${process.env.MYSQL_DATABASE}`);
  });

  // Multer setup for file uploads
  const storage = multer.diskStorage({
    destination: (req, file, cb) => {
      cb(null, path.join(__dirname, '../sec1_gr10_fe_src/uploads'));
    },
    filename: (req, file, cb) => {
      cb(null, `${Date.now()}-${file.originalname}`);
    }
  });

  const upload = multer({ storage: storage });

  // Admin login route with basic username/password validation
  router.post("/login", async (req, res) => {
    const username = req.body.username;
    const password = req.body.password;
    const recaptcha = req.body.recaptcha;

    if (!username || !password) {
      return res.status(400).json({ error: "Username and password are required." });
    }
    // if(!recaptcha){
    //   return res.status(400).json({ error: "Please complete the reCAPTCHA" });
    // }

    const sqlQuery = "SELECT * FROM Admin_login WHERE a_username = ?";
    dbConn.query(sqlQuery, [username], (err, results) => {

```

```

    if (err) {
        console.error("Database Error:", err);
        return res.status(500).json({ error: "An error occurred while
processing your request." });
    }

    if (results.length === 0) {
        console.log('no user found');
        return res.status(401).json({ error: "Invalid username or
password." });
    }

    const admin = results[0];

    if (password !== admin.a_password) {
        console.log('password mismatch');
        return res.status(401).json({ error: "Invalid username or
password." });
    }

    const loginQuery = "UPDATE Admin_login SET a_date = NOW() WHERE
a_username = (?)";
    dbConn.query(loginQuery, [admin.a_username], (err, result) => {
        if (err) {
            console.error("Error inserting login data:", err);
            return res.status(500).json({ error: "Failed to record
login." });
        }
        console.log("Update result:", result);
        if (result.affectedRows === 0) {
            console.warn("No rows were updated. Username might not
exist:", admin.username);
            return res.status(404).json({ error: "Username not found."
});
        }
    });

    const sessionToken = `session-${new Date().getTime()}`;
    const cookieOptions = {
        httpOnly: true,

```

```

        maxAge: 24 * 60 * 60 * 1000,
    };
    res.cookie("CookieNaJa", sessionToken, cookieOptions);
    res.status(200).json({ message: "Login successful", user: {
username: admin.a_email } });
    });

});

// User login with RECAPTCHA validation
router.post("/loginUser", async (req, res) => {
    const username = req.body.username;
    const password = req.body.password;
    const recaptcha = req.body.recaptcha;

    if (!username || !password) {
        return res.status(400).json({ error: "Username and password are
required." });
    }
    if (!recaptcha) {
        return res.status(400).json({ error: "Please complete the
reCAPTCHA" });
    }

    const sqlQuery = "SELECT * FROM Users WHERE u_username = ?";
    dbConn.query(sqlQuery, [username], (err, results) => {
        if (err) {
            console.error("Database Error:", err);
            return res.status(500).json({ error: "An error occurred while
processing your request." });
        }

        if (results.length === 0) {
            console.log('no user found');
            return res.status(401).json({ error: "Invalid username or
password." });
        }

        const user = results[0];

```

```

        if (password !== user.u_password) {
            console.log('password mismatch');
            return res.status(401).json({ error: "Invalid username or
password." });
        }

        const sessionToken = `session-${new Date().getTime()}`;
        const cookieOptions = {
            httpOnly: true,
            maxAge: 24 * 60 * 60 * 1000,
        };
        res.cookie("Cookie-user", sessionToken, cookieOptions);
        res.status(200).json({ message: "Login successful", user: {
username: user.u_username } });
    });
});

// Create a new event with image upload
router.post('/event',
    upload.fields([
        { name: 'e_img', maxCount: 1 }
    ]),
    function (req, res) {
        let event = req.body;
        console.log(event);

        event.e_img = `/${req.files['e_img']?.[0]?.filename}` || null;

        if (!event || !event.e_name) {
            return res.status(400).send({ error: true, message: 'Please
provide complete event information' });
        }

        dbConn.query("INSERT INTO events SET ? ", event, function (error,
results) {
            if (error) throw error;
            return res.send({ error: false, data: results.insertId,
message: 'New event has been created successfully.' });
        });
    }
);

```

```

    });

// Update an event (optional image replacement)
router.put('/event',
  upload.fields([
    { name: 'e_img', maxCount: 1 }
  ])
  , function (req, res) {
    const eventID = req.body.event_id;
    if (!eventID) {
      return res.status(400).send({ error: true, message: 'Event ID
is required' });
    }

    const event = { ...req.body };

    if (req.files['e_img']) event.e_img =
`/${req.files['e_img'][0].filename}`;

    Object.keys(event).forEach(key => {
      if (!event[key]) delete event[key];
    });

    dbConn.query("UPDATE events SET ? WHERE event_id = ?", [event,
eventID], function (error, results) {
      if (error) throw error;
      return res.send({ error: false, data: results.affectedRows,
message: 'Event has been updated successfully.' });
    });
  });

// Delete an event and its image file
router.delete('/event/:id', function (req, res) {
  let event_id = req.params.id;
  if (!event_id) {
    return res.status(400).send({ error: true, message: 'Please
provide event ID' });
  }

  const sqlSelect = 'SELECT e_img FROM events WHERE event_id = ?';

```



```

    dbConn.query(sqlSelect, [event_id], function (error, results) {
      if (error) {
        console.error('Database Error:', error);
        return res.status(500).send({ error: true, message: 'Database
error occurred while retrieving event images' });
      }

      if (results.length === 0) {
        return res.status(404).send({ error: true, message: 'event not
found' });
      }

      const eventImages = results[0];

      const deleteFile = (filePath) => {
        if (filePath) {
          const absolutePath = path.isAbsolute(filePath) ? filePath
: path.join(__dirname, '../', filePath);
          fs.unlink(absolutePath, (err) => {
            if (err && err.code !== 'ENOENT') {
              console.error(`Error deleting file:
${absolutePath}`, err);
            } else {
              console.log(`Deleted file: ${absolutePath}`);
            }
          });
        }
      };

      deleteFile(path.join(__dirname, '../sec1_gr10_fe_src/uploads',
eventImages.e_img));

      dbConn.query('DELETE FROM events WHERE event_id = ?', [event_id],
function (error, results) {
        if (error) throw error;
        return res.send({ error: false, data: results.affectedRows,
message: 'Event has been deleted successfully.' });
      });
    });
  });
});

```

```

// Get a single event by ID
router.get('/event/:id', function (req, res) {
  let event_id = req.params.id;

  if (!event_id) {
    return res.status(400).send({ error: true, message: 'Please
provide event ID.' });
  }

  dbConn.query('SELECT * FROM events WHERE event_id = ?', event_id,
function (error, results) {
  if (error) throw error;
  return res.send({ error: false, data: results[0], message: 'Event
retrieved successfully.' });
});
});

// Get all events
router.get('/events', function (req, res) {
  dbConn.query('SELECT * FROM events', function (error, results) {
    if (error) throw error;
    results.forEach(event => {
      if (event.e_img) event.e_img = `${event.e_img}`;
    });
    return res.send({ error: false, data: results, message: 'Event
list retrieved successfully.' });
  });
});

// Create a new admin
router.post('/admin', function (req, res) {
  let admin = req.body;

  if (!admin || !admin.a_fname || !admin.a_lname || !admin.a_email) {
    return res.status(400).send({ error: true, message: 'Please
provide complete admin information' });
  }

  const query = `INSERT INTO admin_info (a_fname, a_lname, a_birthdate,
a_phonenumber, a_email, a_gender) VALUES (?, ?, ?, ?, ?, ?)`;

```

```

    dbConn.query(query, [
        admin.a_fname, admin.a_lname, admin.a_birthdate,
admin.a_phonenumber, admin.a_email, admin.a_gender], function (error,
results) {
    if (error) throw error;
    return res.send({ error: false, data: results.insertId,
message: 'New admin has been created successfully.' });
    });
});

// Update an admin
router.put('/admin', function (req, res) {
    let adminID = req.body.admin_id;
    let admin = req.body;
    if (!adminID || !admin) {
        return res.status(400).send({ error: true, message: 'Please
provide admin information and admin ID' });
    }

    dbConn.query("UPDATE admin_info SET ? WHERE admin_id = ?", [admin,
adminID], function (error, results) {
        if (error) throw error;
        return res.send({ error: false, data: results.affectedRows,
message: 'Admin has been updated successfully.' });
        });
    });

// Delete an admin
router.delete('/admin/:id', function (req, res) {
    let adminID = req.params.id;
    if (!adminID) {
        return res.status(400).send({ error: true, message: 'Please
provide admin ID' });
    }

    dbConn.query('DELETE FROM admin_info WHERE admin_id = ?', [adminID],
function (error, results) {
        if (error) throw error;
        return res.send({ error: false, data: results.affectedRows,
message: 'Admin has been deleted successfully.' });
    });
});

```

```

    });
  });

  // Get admin by ID
  router.get('/admin/:id', function (req, res) {
    let admin_id = req.params.id;

    if (!admin_id) {
      return res.status(400).send({ error: true, message: 'Please
provide admin ID.' });
    }

    dbConn.query('SELECT * FROM admin_info WHERE admin_id = ?', admin_id,
function (error, results) {
      if (error) throw error;
      return res.send({ error: false, data: results[0], message: 'Admin
retrieved successfully.' });
    });
  });

  // Get all admins
  router.get('/admins', function (req, res) {
    dbConn.query('SELECT * FROM admin_info', function (error, results) {
      if (error) throw error;
      return res.send({ error: false, data: results, message: 'Admin
list retrieved successfully.' });
    });
  });

  // Start the server
  app.listen(process.env.PORT, () => {
    console.log(`Server listening on port: ${process.env.PORT}`)
  });

```

Testing Results of Web Services (Postman)

POST method: event

The image shows the Postman interface for a POST request. The URL is `http://localhost:3030/event`. The body is set to `form-data`. The form data includes the following fields:

Key	Value
☒ e_img	File: 1745925461086-img11.jpg
☒ e_name	Oat's Birthday
☒ e_start_date	2025-05-15
☒ e_end_date	2025-05-15
☒ e_category	Community & Social
☒ e_status	Available
☒ e_location	About us
☒ e_details	come and join party
☒ participant	2

The response is shown in the Body tab, formatted as JSON:

```
1  {
2    "error": false,
3    "data": 14,
4    "message": "New event has been created successfully."
5  }
```

POST

http://localhost:3030/event

Params

Authorization

Headers (9)

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	e_img	File	1745925461086-img11.jpg
	e_name	Text	Exchange Gift
	e_start_date	Text	2025-05-20
	e_end_date	Text	2025-05-20
	e_category	Text	Community & Social
	e_status	Text	Available
	e_location	Text	Mahidol
	e_details	Text	don't forget to bring your own gift
	participant	Text	10
	Key	Text	Value

Body

Cookies (1)

Headers (9)

Test Results

{ }

JSON

Preview

Visualize

PUT method: event

PUT

http://localhost:3030/event

Params

Authorization

Headers (9)

Body

Scripts

Settings

☐ none

☒ form-data

☐ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

☒	e_img	File	1745925461086-img11.jpg
☒	e_name	Text	Update
☒	e_start_date	Text	2025-05-20
☒	e_end_date	Text	2025-05-20
☒	e_category	Text	Community & Social
☒	e_status	Text	Available
☒	e_location	Text	Mahidol
☒	e_details	Text	don't forget to bring your own gift
☒	participant	Text	10
☒	event_id	Text	15

Body

Cookies (1)

Headers (9)

Test Results

{ } JSON

Preview

Visualize

```
1  {
2    "error": false,
3    "data": 1,
4    "message": "Event has been updated successfully."
5  }
```

PUT

▼

http://localhost:3030/event

Params

Authorization

Headers (9)

Body ●

Scripts

Settings

☐ none

☒ form-data

☐ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

☒	e_name	Text ▼	Update
☒	e_start_date	Text ▼	2025-05-31
☒	e_end_date	Text ▼	2025-05-31
☒	e_category	Text ▼	Community & Social
☒	e_status	Text ▼	Available
☒	e_location	Text ▼	Mahidol
☒	e_details	Text ▼	come and join meet new people
☒	participant	Text ▼	10
☒	event_id	Text ▼	14
	Key	Text ▼	Value

Body

Cookies (1)

Headers (9)

Test Results

↺

{ } JSON ▼

▶ Preview

🔄 Visualize ▼

```
1  {
2    "error": false,
3    "data": 1,
4    "message": "Event has been updated successfully."
5  }
```


DELETE method: event

DELETE  **http://localhost:3030/event/16**

Params **Authorization** **Headers (9)** **Body** **Scripts** **Settings**

Query Params

	Key	Value
	Key	Value

Body **Cookies (1)** **Headers (9)** **Test Results** 

{ } **JSON**   **Preview**  **Visualize** 

```
1  {
2    "error": false,
3    "data": 1,
4    "message": "Event has been deleted successfully."
5  }
```

DELETE

▼

http://localhost:3030/event/15

Params

Authorization

Headers (9)

Body ●

Scripts

Settings

Query Params

	Key	Value
	Key	Value

Body

Cookies (1)

Headers (9)

Test Results

↺

{ } JSON ▼

▶ Preview

🔍 Visualize

▼

```
1  {
2    "error": false,
3    "data": 1,
4    "message": "Event has been deleted successfully."
5  }
```