HPLT Analytics report @HPLT Analytics

General overview

Corpus	Date	Language	
eus_Latn.jsonl.tsv	9/6/2024	Basque (eu)	

Volumes

Ì	Docs	s Segments Unique segmen		Tokens	Characters	Size	
	1074210	27 621 611	17 454 020 (46 20 %)	0.401.4	6 016 E10 017	E 62 CD	


Top 10 domains


Domain	Docs	% of total
wikipedia.org	322K	16.30%
argia.eus	51K	2.57%
blogspot.com	40K	2.00%
zuzeu.eus	31K	1.58%
berria.eus	29K	1.48%
euskadi.eus	28K	1.40%
blogspot.com.es	27K	1.37%
hitza.info	26K	1.30%
eitb.eus	23K	1.19%
consumer es	22K	1 10%

Top 10 TLDs

Domain	Docs	% of total
eus	812K	41.15%
org	452K	22.91%
com	400K	20.28%
es	96K	4.87%
net	74K	3.73%
info	49K	2.48%
com.es	27K	1.39%
eu	11K	0.58%
fr	7K	0.36%
biz	6.8K	0.34%

Register labels






Documents size (in segments)

<= 25 segments 82.24% (1.6M documents)




Documents by collection




Language Distribution


Number of segments in the Basque (eu) corpus




Percentage of segments in Basque (eu) inside documents




Distribution of documents by document score





Segment noise distribution



Frequent n-grams



About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

 $Segments\ correspond\ to\ paragraph\ and\ list\ boundaries\ as\ defined\ by\ HTML\ elements\ (\ \ \ \ \ \ \ \ \ \ \ \)\ replaced\ by\ newlines.$

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of seaments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Seament length distribution by token

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analyticstool/blob/main/scripts/resources/README.txt

Dogister lebele

Register labels			
Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	н
Lyrical	LY	Recipe	ге
Spoken	SP	Informational persuasion	IP
Interview	it	Description with intent to sell	ds
Interactive discussion	ID		
Narrative	NA	News & opinion blog or editorial	ed
News report	ne	Informational description	IN
Sports report	sr	Enciclopedia article	en
Narrative blog	nb	Research article	ra

Name	Abbr.
Description of a thing or person	dtp
FAQ	fi
Legal terms & conditions	lt
Opinion	OP
Review	rv
Opinion blog	ob
Denominational religious blog or sermon	rs
Advice	av