HPLT Analytics report

@HPLTAnalytics

Corpus	s Date	
mar_Deva.jsonl.tsv	9/23/2024	Marathi (mr)

Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size
0.070.000	04.015.077	00 571 640 (56 65 0)	1.00	C F07 070 004	16.00.00


Top 10 domains


Domain	Docs	% of total
blogspot.in	82K	3.95%
bhaskar.com	80K	3.85%
esakal.com	79K	3.82%
loksatta.com	67K	3.23%
blogspot.com	66K	3.19%
wikipedia.org	57K	2.74%
news18.com	56K	2.71%
indiatimes.com	37K	1.79%
tv9marathi.com	33K	1.60%
The state of the state of	001/	4.000

Top 10 TLDs

Domain	Docs	% of total
com	1.4M	67.81%
in	330K	15.89%
org	122K	5.85%
tv	31K	1.49%
gov.in	24K	1.16%
co.in	24K	1.16%
net	24K	1.13%
news	21K	1.00%
page	19K	0.89%
es	12K	0.58%


Register labels






Documents size (in segments)













Language Distribution


Number of segments in the Marathi (mr) corpus





Percentage of segments in Marathi (mr) inside documents




Distribution of documents by document score







Segment noise distribution



Frequent n-grams



About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

 $To kenized \ with \ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Type-Token Ratio

 $Lexical \ variety \ computed \ as \ ^number \ or \ types \ (uniques)/number \ of \ tokens*, after \ removing \ punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).$

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Language distribution

 $Language\ identified\ with\ FastSpell\ (https://github.com/mbanon/fastspell).$

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://qithub.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

Register labels

Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	Н
Lyrical	LY	Recipe	re
Spoken	SP	Informational persuasion	IP
Interview	it	Description with intent to sell	ds
Interactive discussion	ID	News & opinion blog or editorial	ed
arrative	NA		
lews report	ne	Informational description	IN
Sports report	sr	Enciclopedia article	en
Narrative blog	nb	Research article	га

Name	Abbr.
Description of a thing or person	dtp
FAQ	fi
Legal terms & conditions	lt
Opinion	OP
Review	ΓV
Opinion blog	ob
Denominational religious blog or sermon	rs
Advice	av