General overview

Corpus	Analytics date	Language	
war_Latn.jsonl.tsv	10/31/2024	Waray (war)	

Volumes

Docs	Segments	Unique segments	Tokens	Size	Characters
13.873	200.935	87,226	7.2M	33.95 MB	35.387.743

Top 10 domains


Domain	Docs	% of total
wikipedia.org	10K	74.15
bible.is	735	5.30
jw.org	537	3.87
isumat.com	410	2.96
info-about.ru	324	2.34
bomboradyo.com	291	2.10
pia.gov.ph	169	1.22
rmn.ph	122	0.88
tacloban.gov.ph	112	0.81
wordpress.com	89	0.64

Top 10 TLDs


Domain	Docs	% of total	
org	11K	79.08	
com	1.2K	8.53	
is	735	5.30	
gov.ph	340	2.45	
ru	326	2.35	
ph	136	0.98	
net	34	0.25	
click	26	0.19	
de	22	0.16	
info	11	0.08	

<= 49 tokens = 73K segments | 94K duplicates


Documents size (in segments)




Documents by collection



Language Distribution



Percentage of segments in Waray (war) inside documents




Distribution of documents by document score



Segment length distribution by token

> 50 tokens = 34K segments | 20K duplicates | 20K duplica

Segment noise distribution



Frequent n-grams

Size	n-grams
1	(ha 552950) (nga 434930) (han 309581) (an 263731) (mga 155874)
2	(ha ha 354612) (nga mga 37392) (han mga 26744) (an mga 19438) (amo an 16189)
3	(ha ha ha 353243) (in nahilalakip ha 15635) (uska species han 14402) (in uska species 14396) (nahilalakip ha genus 13405)
4	(ha ha ha ha 351920) (in uska species han 14396) (in nahilalakip ha genus 13405) (nahilalakip ha genus nga 13285) (uska species han magnoliopsida 9694)
5	(ha ha ha ha ha 350666) (in nahilalakip ha genus nga 13285) (in uska species han magnoliopsida 9694) (uska species han magnoliopsida nga 9630)
3	species han magnoliopsida nga ginhulagway 7486

About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

 $\label{thm:com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

C------

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt