HPLT Analytics report @HPLTAnalytics

Corpus	Date	Language
sun_Latn.jsonl.tsv	9/23/2024	Sundanese (su)

Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size	
114766	2 227 757	1 564 200 (40 21 %)	9614	472 202 727	457 60 MD	


Top 10 domains


Domain	Docs	% of total	
wikipedia.org	29K	25.24%	
wordpress.com	7.9K	6.86%	
blogspot.com	7.3K	6.32%	
sundanet.com	2.8K	2.40%	
mangle-online.com	1.4K	1.25%	
sundanews.com	1.3K	1.13%	
blogspot.co.id	1.3K	1.10%	
fikminsunda.com	1.1K	0.94%	
martech.zone	1.1K	0.93%	
beiatikoran.com	757	0.66%	

Top 10 TLDs


Domain	Docs	% of total
com	62K	54.02%
org	32K	28.03%
icu	2.8K	2.41%
net	2.6K	2.24%
co.id	1.6K	1.36%
zone	1.1K	0.94%
top	894	0.78%
info	862	0.75%
is	713	0.62%
web.id	517	0.45%

Register labels






Documents size (in segments)




Documents by collection






Language Distribution


Number of segments in the Sundanese (su) corpus




Percentage of segments in Sundanese (su) inside documents



Distribution of documents by document score










Segment noise distribution



Frequent n-grams



About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

 $To kenized \ with \ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

 $Segments\ correspond\ to\ paragraph\ and\ list\ boundaries\ as\ defined\ by\ HTML\ elements\ (\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\ ,\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\ ,\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\ ,\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\ ,\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\ ,\mbox{\ensuremath{\leftarrow}}\),\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\),\mbox{\ensuremath{\leftarrow}}\),\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\),\mbox{\ensuremath{\leftarrow}}\),\mbox{\ensuremath{\leftarrow}}\ (\mbox{\ensuremath{\leftarrow}}\),\mbox{\ensuremath{\leftarrow}}\),$

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Seament noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

 $To kenized with \ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from \ https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt$

Register labels

Register labels			
Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	НІ
Lyrical	LY	Recipe	ге
Spoken	SP	Informational persuasion	IP
Interview	it	Description with intent to sell	ds
Interactive discussion	ID		
Narrative	NA	News & opinion blog or editorial	ed
News report	ne	Informational description	IN
Sports report	sr	Enciclopedia article	en
Narrative blog	nb	Research article	га

Name	Abbr.
Description of a thing or person	dtp
FAQ	fi
Legal terms & conditions	lt
Opinion	OP
Review	ΓV
Opinion blog	ob
Denominational religious blog or sermon	rs
Advice	av