# Served stats

Throughput, latency and quality of each served recipe, by model and hardware

2026-11-08 22:24 UTC

Rendered 2026-11-08 22:24 UTC from stats/*.json, the ledger every harness run and harness export adds to (python3 -m harness stats renders it again). Aggregate tok/s, greedy, 256-token replies, the recipe's own ruler; engine rounds from the server's own counters.

## Overview: by model and hardware

Aggregate tok/s as prose/code/structured/list; first token in seconds (one stream / the most streams).

| model | hardware | one stream | most streams: total | first token (s) | suite | measured |
|---|---|---|---|---|---|---|
| DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 55/100/62/71 | 4: 106/162/112/179 | 0.19 / 0.73-0.99 | | 2026-10-18 |
| DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 55/104/63/71 | 8: 135/203/144/203 | 0.19 / 1.35-1.84 | | 2026-10-18 |
| DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 53/98/61/69 | 4: 106/158/111/176 | 0.20 / 0.75-1.00 | | 2026-10-18 |
| DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 55/101/63/71 | 4: 104/156/109/173 | 0.19 / 0.41-0.64 | | 2026-10-17 |
| DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw abliterated | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 65/95/87/95 | 8: 226/319/250/359 | 0.10 / 1.76-3.96 | | 2026-10-20 |
| DeepSeek-V4.1-Flash-1017, 2/3-bit experts | 1x Apple M5 Ultra (256 GB unified), macOS | 73/104/88/99 | 2: 96/115/111/147 | 0.11 / 0.22-0.28 | tools 58/60, json 30/30, gsm8k 246/250, ifeval 129/150 | 2026-10-23 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 42/60/57/58 | | 0.17 | json 30/30, ifeval 103/150 | 2026-10-17 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 27/48/39/33 | 8: 78/115/98/110 | 0.18 / 1.49-1.83 | | 2026-10-17 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | -/-/-/- | 16: 107/120/119/130 | / 2.69-3.38 | | 2026-10-18 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | -/-/-/- | 16: 106/120/131/138 | / 1.32-1.62 | | 2026-10-18 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | -/-/-/- | 16: 117/134/148/159 | / 1.34-1.66 | | 2026-10-18 |

| model | hardware | one stream | most streams: total | first token (s) | suite | measured |
|---|---|---|---|---|---|---|
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | | | | json 30/30, ifeval 103/150 | 2026-10-17 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 28/38/33/31 | 16: 124/156/150/145 | 0.18 / 8.50-17.20 | | 2026-10-16 |
| GLM-5.3-Flash EXL3 4bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 28/39/34/31 | 16: 86/101/100/102 | 0.18 / 3.23-3.72 | | 2026-10-17 |
| GLM-5.3-Flash, EXL3 4 bpw | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 46/69/57/59 | | 0.18 | tools 59/60, json 30/30, gsm8k 246/250, humaneval 159/164, ifeval 118/150 | 2026-10-14 |
| GLM-5.3-Flash, MLX 4-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 74/78/78/86 | | 0.11 | tools 57/60, json 30/30, gsm8k 246/250 | 2026-10-16 |
| Gemma 4 12B, MLX 4-bit + MTP assistant | 1x Apple M5 Ultra (256 GB unified), macOS | 140/223/205/248 | | 0.04 | tools 58/60, json 30/30, gsm8k 239/250 | 2026-10-16 |
| Gemma 4 12B, oQ8e (8-bit) + MTP assistant | 1x Apple M5 Ultra (256 GB unified), macOS | 93/142/146/158 | 4: 262/324/328/340 | 0.05 / 0.12-0.12 | | 2026-10-16 |
| Gemma 4 31B, MLX 4-bit + DFlash | 1x Apple M5 Ultra (256 GB unified), macOS | 87/158/157/130 | | 0.08 | | 2026-10-16 |
| Gemma 4 31B, oQ8e (8-bit) + DFlash | 1x Apple M5 Ultra (256 GB unified), macOS | 40/63/52/55 | 4: 110/173/142/180 | 0.10 / 0.24-0.27 | | 2026-10-16 |
| MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 256k context | 1x Apple M5 Ultra (256 GB unified), macOS | 32/34/31/32 | 2: 30/39/31/45 | 1.46 / 2.19-2.33 | | 2026-10-29 |
| MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 32k context | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 25/40/30/30 | | 0.59 | | 2026-10-28 |
| MiniMax-M3.1-Flash, MLX mixed 3-bit (mix256k), 144k context | 1x Apple M5 Ultra (256 GB unified), macOS | 44/58/48/52 | | 0.31 | | 2026-10-27 |
| MiniMax-M3.1-Flash, MLX mixed 4/3-bit (mix34) | 1x Apple M5 Ultra (256 GB unified), macOS | 41/63/48/54 | | 0.32 | | 2026-10-27 |
| MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, 32k context | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 23/41/25/32 | | 0.47 | | 2026-10-26 |
| MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, dense NVFP4, MXFP8 head, 32k context | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 27/45/33/37 | | 0.47 | gsm8k 242/250 | 2026-10-26 |
| NVIDIA Nemotron 3.5 Bolt 74B-A9B (24 GB: IQ2_XXS experts, Q8_0, NVFP4 Mamba) + vision | 1x NVIDIA RTX 5090 (32 GB) | 150/150/150/150 | | 0.03 | tools 58/60, json 30/30, gsm8k 241/250, humaneval 153/164, ifeval 120/150 | 2026-10-15 |
| Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B 4-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 114/111/108/85 | 2: 63/64/64/58 | 0.23 / 0.35-0.39 | | 2026-10-26 |
| Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B MLX 4-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 117/111/110/102 | | 0.23 | | 2026-10-28 |

| model | hardware | one stream | most streams: total | first token (s) | suite | measured |
|---|---|---|---|---|---|---|
| Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B bf16 | 1x Apple M5 Ultra (256 GB unified), macOS | 114/98/99/107 | 2: 44/59/54/56 | 0.23 / 0.34-0.39 | | 2026-10-29 |
| Nanbeige4.3-33B, MLX 4-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 47/46/47/47 | 2: 79/76/79/79 | 0.12 / 0.18-0.20 | | 2026-10-27 |
| Nanbeige4.3-33B, MLX 8-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 28/28/28/28 | | 0.15 | | 2026-10-27 |
| Nanbeige4.3-33B, affine 4bit | 1x Apple M5 Ultra (256 GB unified), macOS | 48/48/49/49 | 2: 85/81/84/85 | 0.10 / 0.16-0.18 | | 2026-10-26 |
| Nanbeige4.3-33B, affine 8bit | 1x Apple M5 Ultra (256 GB unified), macOS | 29/28/29/29 | 2: 54/52/53/54 | 0.13 / 0.19-0.23 | | 2026-10-26 |
| Nanbeige4.3-33B, bf16 | 1x Apple M5 Ultra (256 GB unified), macOS | 16/16/16/16 | 2: 32/28/31/32 | 0.23 / 0.34-0.39 | | 2026-10-28 |
| Nanbeige4.3-33B-INT4 (QAT int4 g32), drafted by Nanbeige4.1-3B bf16 | 1x Apple M5 Ultra (256 GB unified), macOS | 88/87/88/86 | | 0.27 | | 2026-10-31 |
| Nanbeige4.3-33B-INT4, int4 g32 (QAT) | 1x Apple M5 Ultra (256 GB unified), macOS | 48/47/48/48 | 2: 82/57/81/82 | 0.27 / 0.40-0.45 | | 2026-11-04 |
| Ornith-1.5-122B, 4-bit MLX affine (g64) | 1x Apple M5 Ultra (256 GB unified), macOS | 66/67/66/67 | 4: 176/178/178/180 | 0.08 / 0.25-0.35 | | 2026-10-20 |
| Ornith-1.5-122B, 4-bit MLX affine (g64) | 1x Apple M5 Ultra (256 GB unified), macOS | 133/192/161/194 | | 0.05 | | 2026-10-31 |
| Ornith-1.5-122B, 4-bit MLX affine (g64), YaRN x4 to 1M context | 1x Apple M5 Ultra (256 GB unified), macOS | 78/161/106/111 | 4: 447/774/555/871 | 0.06 / 1.58-3.32 | gsm8k 247/250 | 2026-10-26 |
| Ornith-1.5-122B, 8-bit MLX affine (g64) | 1x Apple M5 Ultra (256 GB unified), macOS | 57/111/91/83 | 4: 148/232/186/243 | 0.08 / 0.19-0.27 | | 2026-10-31 |
| Qwen3.8-27B, EXL3 4.00 bpw + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 208/427/274/261 | | 0.03 | | 2026-11-08 |
| Qwen3.8-27B, EXL3 5.00 bpw + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 191/366/240/256 | | 0.03 | humaneval 151/164 | 2026-11-08 |
| Qwen3.8-27B, MLX 4-bit + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 278/538/353/337 | | 0.06 | | 2026-11-08 |
| Qwen3.8-27B, MLX 4-bit, bf16 prompts + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 276/525/354/332 | | 0.10 | gsm8k 241/250 | 2026-11-08 |
| Qwen3.8-27B, MLX 5-bit + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 223/407/260/258 | | 0.10 | tools 59/60, json 30/30, gsm8k 243/250, humaneval 152/164, ifeval 130/150 | 2026-11-08 |
| Qwen3.8-27B, MLX 6-bit + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 218/374/230/242 | | 0.10 | tools 59/60, json 30/30, gsm8k 240/250, humaneval 154/164, ifeval 131/150 | 2026-11-08 |
| Qwen3.8-27B, NVFP4 (ModelOpt) + DFlash2 | 1x NVIDIA RTX 5090 (32 GB) | 227/433/290/264 | | 0.12 | tools 60/60, json 30/30, gsm8k 242/250, humaneval 153/164, ifeval 126/150 | 2026-11-08 |
| Qwen3.8-Flash-Next INT4-Mixed (AutoRound) | 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE | 78/127/102/131 | 16: 305/516/393/527 | 0.04 / 0.46-0.51 | tools 60/60, json 30/30, gsm8k 241/250, humaneval 157/164, ifeval 130/150 | 2026-10-27 |
| Qwen3.8-Flash-Next, 6-bit with vision | 1x Apple M5 Ultra (256 GB unified), macOS | 142/210/173/206 | 2: 198/262/222/272 | 0.11 / 0.17-0.19 | | 2026-10-17 |
| Qwen3.8-Flash-Next, MLX 6-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 145/206/172/194 | 4: 566/816/673/854 | 0.09 / 1.63-3.07 | gsm8k 242/250, ifeval 134/150 | 2026-10-11 |

| model | hardware | one stream | most streams: total | first token (s) | suite | measured |
|---|---|---|---|---|---|---|
| Recursive Flint 40B-A2.5B, MLX INT4 (g64) | 1x Apple M5 Ultra (256 GB unified), macOS | 182/177/192/178 | | 0.03 | | 2026-11-05 |
| Spark-X2.6-4B, MLX 8-bit | 1x Apple M5 Ultra (256 GB unified), macOS | 166/166/166/166 | 4: 366/353/368/362 | 0.04 / 0.09-0.13 | | 2026-10-30 |
| Spark-X2.6-4B, MLX 8-bit | 1x NVIDIA RTX 4090 (24 GB), Windows | 146/144/147/146 | 4: 548/547/552/550 | 0.03 / 0.07-0.07 | tools 53/60, json 30/30, gsm8k 232/250, humaneval 0/0, ifeval 117/150 | 2026-10-25 |
| Spark-X2.6-4B, MLX 8-bit | 1x NVIDIA RTX 5090 (32 GB) | 199/191/203/204 | 4: 716/709/726/729 | 0.03 / 0.06-0.06 | | 2026-10-26 |
| Spark-X2.6-4B, bf16 | 1x Apple M5 Ultra (256 GB unified), macOS | 106/105/105/105 | 4: 318/294/320/314 | 0.06 / 0.13-0.17 | | 2026-10-30 |
| Step-5-Preview, MLX 2-bit experts (8-bit rest) + MTP | 1x Apple M5 Ultra (256 GB unified), macOS | 38/50/40/48 | | 0.24 | | 2026-10-16 |
| Unlimited-OCR-2, bf16 | 1x Apple M5 Ultra (256 GB unified), macOS | | | | | 2026-11-06 |
| Unlimited-OCR-2, bf16 | 1x NVIDIA GB10 (DGX Spark class, 128 GB unified) | | | | | 2026-11-04 |
| Unlimited-OCR-2, bf16 | 1x NVIDIA RTX 4080 SUPER (16 GB), Windows 11 | | | | | 2026-11-03 |
| Unlimited-OCR-2, bf16 | 1x NVIDIA RTX 5090 (32 GB), Linux | | | | | 2026-11-06 |
| qwen38-27b | ? | 150/230/168/185 | | 0.10 | | 2026-10-16 |
| qwen38-27b | ? | 211/398/268/250 | | 0.10 | | 2026-10-16 |
| qwen38-27b | ? | 150/229/167/185 | | 0.10 | | 2026-10-16 |
| qwen38-27b | ? | 236/437/293/288 | | 0.10 | gsm8k 222/250 | 2026-10-19 |
| qwen38-27b | ? | 210/397/266/259 | | 0.10 | | 2026-10-19 |
| ricursiveAI Ripple-65B-Preview (bf16) | 1x Apple M5 Ultra (256 GB unified), macOS | 6/6/6/6 | 2: 14/14/13/14 | 0.52 / 0.79-1.78 | | 2026-11-06 |
| ricursiveAI Ripple-65B-Preview (bf16) + DFlash2 drafter | 1x Apple M5 Ultra (256 GB unified), macOS | 13/31/13/19 | 2: 26/63/26/55 | 0.39 / 3.24-7.98 | | 2026-11-06 |
| ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) | 1x Apple M5 Ultra (256 GB unified), macOS | 10/10/10/10 | 2: 19/19/19/19 | 0.61 / 0.93-1.10 | | 2026-11-06 |
| ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) + DFlash2 drafter | 1x Apple M5 Ultra (256 GB unified), macOS | 15/26/17/19 | 2: 21/35/25/37 | 0.55 / 0.83-1.12 | | 2026-11-06 |

# DeepSeek-V4.1-Flash-1017, 2/3-bit experts on 1x Apple M5 Ultra (256 GB unified), macOS

Target deepseek-v41-m5: DeepSeek-V4.1-Flash-1017, 2/3-bit experts with images and DSpark drafts, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as DeepSeek-V4.1-Flash. Latest: run 20261023-021709-dsv41-quality-off (2026-10-23 02:17, plan dsv41-quality-off, done).

Serving: engine_commit 5babc696; binary_sha256 a39c47da690de2f9362f88aa67232798f8cfa6fe1f469b99df381526c15f57b5; served_model {"object": "list", "data": [{"id": "DeepSeek-V4.1-Flash-Abliterated", "object": "model", "; checkpoint {'repo': 'deepseek-ai/DeepSeek-V4.1-Flash-1017', 'expert_bits': 2, 'layer_bits': '10-29:3'; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 58/60 |
| json | 30/30 |
| ifeval | 129/150 |
| gsm8k | 246/250 |
| mgsm | 218/240 |
| mmlu | 307/342 |
| math500 | 468/500 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 93%; total = 1024.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-23 02:17 | dsv41-quality-off | done | | | | 1498/1614 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-23 02:13 | speed | done | 104.5 | | | |
| 2026-10-20 09:28 | dsv41-quality-off | done | | | | 1488/1614 |
| 2026-10-20 09:19 | dsv41-speed | done | 104.9 | | | |
| 2026-10-20 08:25 | dsv41-speed | done | 87.7 | | | |
| 2026-10-20 06:19 | dsv41-speed | done | 86.4 | | | |
| 2026-10-20 04:35 | dsv41-quality-off | done | | | | 1490/1614 |
| 2026-10-20 04:30 | dsv41-speed | done | 88.5 | | | |
| 2026-10-19 09:08 | dsv41-speed | done | 90.5 | | | |
| 2026-10-18 20:28 | dsv41-quality | done | | | | 1487/1614 |
| 2026-10-18 18:44 | speed | done | 87.5 | | | |
| 2026-10-18 17:24 | speed | done | 92.5 | | | |
| 2026-10-17 19:33 | speed | done | 96.3 | | | |
| 2026-10-17 17:54 | speed | done | 90.5 | | | |
| 2026-10-17 14:57 | speed | done | 56.7 | | | |

# DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw abliterated on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP

Target dsv41-1017-ablit: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw abliterated, TensorFold native (Zig) TP=2 on two DGX Sparks, 4 slots, 1M window. Engine: TensorFold native (Zig, CUDA) + EXL3 TP=2 kit, recipe defaults (replay prefill, DSpark drafts, thinking on); served as DeepSeek-V4.1-Flash-1017. Latest: run 20261020-131445-dsv41-speed8 (2026-10-20 13:14, plan dsv41-speed8, done).

Serving: image d9acaf504779; patches 8eb5919ff0a4; ablit 0bdc2036; served {"object": "list", "data": [{"id": "DeepSeek-V4.1-Flash-1017", "object": "model", "created; pack 6c4679e6407806ab; suite_commit 35b24fedcc37

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 65.3 (65.3) | 94.6 (94.6) | 87.3 (87.3) | 94.9 (94.9) | 0.10-0.16 s |
| 2 | 91.9 (45.9) | 132.3 (66.2) | 109.1 (54.6) | 163.3 (81.6) | 0.15-0.24 s |
| 4 | 119.5 (29.9) | 164.3 (40.0) | 136.1 (34.3) | 211.2 (51.4) | 0.25-0.41 s |
| 8 | 226.2 (27.9) | 318.9 (41.1) | 249.9 (30.6) | 358.8 (43.0) | 1.76-3.96 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 6.5 GiB available; worker 8.4 GiB available |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-20 13:14 | dsv41-speed8 | done | 94.6 | | | |
| 2026-10-20 13:05 | quick | done | 94.3 | | | 114/114 |
| 2026-10-20 12:55 | quick | done | 94.1 | | | 114/114 |

# DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10-native-vision: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw on native TensorFold (main + jayleaton's kit engine 9131e10a ported onto it), native images and video, TP=2 on two DGX Sparks, 4 slots, pool 200K. Engine: TensorFold native (Zig, CUDA): main 9ccf4727 + the DeepSeek-V4.1 kit engine, vision tower (TF_DSV41_IMAGES=native), video as sampled frames, DSpark drafts; served as DeepSeek-V4.1-Flash-TF. Latest: run 20261018-032401-dsv41-speed (2026-10-18 03:24, plan dsv41-speed, done).

Serving: image 7b3d42e0e5865d34; pack 778baeaf9fbcd351

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 55.2 (55.2) | 100.4 (100.4) | 62.5 (62.5) | 71.4 (71.4) | 0.19-0.26 s |
| 2 | 81.0 (40.5) | 124.9 (62.5) | 84.2 (42.1) | 143.6 (71.8) | 0.31-0.40 s |
| 4 | 106.5 (26.4) | 161.6 (40.0) | 111.9 (26.9) | 178.7 (43.1) | 0.73-0.99 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 6.6 GiB available |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-18 03:24 | dsv41-speed | done | 100.4 | | | |

# DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10-native-vision8: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw on native TensorFold (main + the kit engine), native images and video, TP=2 on two DGX Sparks, 8 slots, pool 400K, prefill-dip reserve 2 GiB. Engine: TensorFold native (Zig, CUDA): main 9ccf4727 + the DeepSeek-V4.1 kit engine, vision tower, video as frames, DSpark drafts, 8 slots; served as DeepSeek-V4.1-Flash-TF. Latest: run 20261018-092218-dsv41-speed8 (2026-10-18 09:22, plan dsv41-speed8, done).

Serving: image 7b3d42e0e5865d34; pack 778baeaf9fbcd351

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 55.4 (55.4) | 103.5 (103.5) | 62.7 (62.7) | 70.9 (70.9) | 0.19-0.26 s |
| 2 | 81.5 (40.7) | 126.2 (63.1) | 89.4 (44.7) | 142.7 (71.4) | 0.30-0.48 s |
| 4 | 108.8 (26.8) | 163.8 (40.3) | 113.7 (28.4) | 180.4 (44.4) | 0.71-0.85 s |
| 8 | 134.8 (16.7) | 202.7 (25.4) | 143.6 (17.4) | 203.3 (24.8) | 1.35-1.84 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 6.3 GiB available |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-18 09:22 | dsv41-speed8 | done | 103.5 | | | |

# DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10-native: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw on native TensorFold (main + the deepseek_v41 CUDA family, PRs 667-727), TP=2 on two DGX Sparks, 4 slots, pool 900K. Engine: TensorFold native (Zig, CUDA): main 9ccf4727 + deepseek_v41 series, kit serving profile, DSpark drafts, images as placeholder; served as DeepSeek-V4.1-Flash-TF. Latest: run 20261018-020350-dsv41-speed (2026-10-18 02:03, plan dsv41-speed, done).

Serving: image 00b298dda4527ad6; pack 778baeaf9fbcd351

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 53.3 (53.3) | 98.1 (98.1) | 61.0 (61.0) | 69.3 (69.3) | 0.20-0.28 s |
| 2 | 78.4 (39.2) | 121.8 (60.9) | 82.5 (41.3) | 139.0 (69.5) | 0.30-0.42 s |
| 4 | 105.7 (26.2) | 158.5 (39.4) | 110.6 (26.5) | 176.4 (41.4) | 0.75-1.00 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 6.3 GiB available |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-18 02:03 | dsv41-speed | done | 98.1 | | | |

# DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw, jayleaton's DeepSeek-V4.1 recipe (Python, TensorFold 0.6.0 + patches), TP=2 on two DGX Sparks, 4 slots. Engine: TensorFold 0.6.0 (Python) + jayleaton's DeepSeek-V4.1 patches, recipe defaults (replay prefill, DSpark drafts); served as DeepSeek-V4.1-Flash-TF. Latest: run 20261017-231853-dsv41-speed (2026-10-17 23:18, plan dsv41-speed, done).

Serving: image eb2f599de2fb618a; pack 778baeaf9fbcd351

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 54.7 (54.7) | 100.6 (100.6) | 62.6 (62.6) | 71.3 (71.3) | 0.19-0.26 s |
| 2 | 77.4 (38.7) | 126.5 (63.3) | 84.0 (42.0) | 142.6 (71.3) | 0.30-0.39 s |
| 4 | 103.5 (25.4) | 155.8 (38.4) | 109.0 (27.7) | 173.2 (41.0) | 0.41-0.64 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 8.1 GiB available |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 23:18 | dsv41-speed | done | 100.6 | | | |

# Recursive Flint 40B-A2.5B, MLX INT4 (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target flint-40b-native-m5: Recursive Flint 40B-A2.5B, MLX INT4 (g64), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as flint. Latest: run 20261105-213613-quick (2026-11-05 21:36, plan quick, done).

Serving: engine_commit 1cd499e06; binary_sha256 571a288739cfc0d46d121ad06e2153a73cc4dbf282ddce1eb48f5f96cfbb1029; served_model {"object": "list", "data": [{"id": "flint", "object": "model", "created": 1793936182, "own; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 181.9 (181.9) | 176.9 (176.9) | 191.5 (191.5) | 178.3 (178.3) | 0.03-0.04 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.044 | 0.076 | 52% | 5.73 | 12 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 182.4 (182.4) | 177.2 (177.2) | 191.9 (191.9) | 178.7 (178.7) | 0.03-0.04 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.047 | 0.081 | 52% | 5.73 | 13 |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |

| check | passed |
|---|---|
| thinking | 10/10 |
| copy | 1/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 80%; total = 6144.00M us |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 4507 of 4627; ttft resumed 0.067s, cold 0.719s |
| urls | FAIL: public 400; loopback 400; http 400; unexpected: ['public'] |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-05 21:36 | quick | done | 176.9 | | | 113/114 |
| 2026-11-04 13:40 | quick | done | 178.9 | | | 113/114 |
| 2026-10-28 09:14 | quick | done | 179.2 | | | 113/114 |
| 2026-10-28 03:49 | streams | done | 177.8 | | | 24/24 |
| 2026-10-28 03:44 | together | done | | | | 24/24 |
| 2026-10-28 03:39 | quick | done | 179.0 | | | 113/114 |
| 2026-10-28 01:33 | quick | done | 171.7 | | | 113/114 |
| 2026-10-28 00:53 | quick | done | 1284.1 | | | 107/114 |
| 2026-10-28 00:47 | together | done | | | | 24/24 |
| 2026-10-28 00:41 | quick | done | 0.0 | | | 102/114 |
| 2026-10-27 21:31 | quality-off | done | 176.3 | | | 1457/2017 |
| 2026-10-27 21:03 | together | done | | | | 24/24 |
| 2026-10-27 20:58 | quick | done | 178.5 | | | 113/114 |
| 2026-10-25 08:00 | quick | done | 177.8 | | | 113/114 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-21 19:17 | mlx-speed | done | 177.0 | | | |
| 2026-10-21 19:14 | speed | done | 177.6 | | | |
| 2026-10-21 18:22 | mlx-speed | done | 177.0 | | | |
| 2026-10-21 18:21 | speed | done | 176.2 | | | |
| 2026-10-21 17:55 | mlx-speed | done | 166.2 | | | |
| 2026-10-21 17:53 | speed | done | 164.9 | | | |
| 2026-10-21 17:23 | speed | done | 132.7 | | | |
| 2026-10-21 17:06 | mlx-speed | done | 131.3 | | | |

# Gemma 4 12B, MLX 4-bit + MTP assistant on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-12b-m5: Gemma 4 12B 4-bit (groups of 64), MTP assistant drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-12b. Latest: run 20261016-113616-g12-quality (2026-10-16 11:36, plan g12-quality, done).

Serving: engine_commit 74005ebe; binary_sha256 215b4b7e3cd14a9d8178b4dc885d9f1dffbebd0f4ec2e9b274653820b71da8d2; served_model {"object": "list", "data": [{"id": "gemma4-12b", "object": "model", "created": 1792168585,; chip Apple M5 Ultra; 274877906944

## Suite

| check | passed |
|---|---|
| tools | 58/60 |
| json | 30/30 |
| gsm8k | 239/250 |
| mmlu | 264/342 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 11:36 | g12-quality | done | | | | 591/682 |
| 2026-10-16 11:31 | quick | done | 223.3 | | | 112/114 |

# Gemma 4 12B, oQ8e (8-bit) + MTP assistant on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-12b-oq8e-m5: Gemma 4 12B oQ8e (8-bit, groups of 64), MTP assistant drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-12b-oq8e. Latest: run 20261016-175459-speed (2026-10-16 17:54, plan speed, done).

Serving: engine_commit d9e36b7f; binary_sha256 2e29fee5da96ec1ffb1ba41302ac949dc12205572154f21b800823450eb4b2b0; served_model {"object": "list", "data": [{"id": "gemma4-12b-oq8e", "object": "model", "created": 179219; chip Apple M5 Ultra; 274877906944

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 92.8 (92.8) | 142.3 (142.3) | 145.7 (145.7) | 158.1 (158.1) | 0.05-0.05 s |
| 4 | 261.5 (64.8) | 324.2 (81.3) | 328.5 (80.7) | 340.0 (83.6) | 0.12-0.12 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 3.55 | 5.525 | 47% | 26.35 | 12 |
| 4 | 2.944 | 3.177 | 62% | 37.94 | 49 |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |

## Checks

| check | result |
|---|---|
| structured | pass: 18/18 obey; a bad regex -> 400 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 17:54 | speed | done | 142.3 | | | 24/24 |
| 2026-10-16 17:37 | speed | done | 141.2 | | | 24/24 |

# Gemma 4 31B, MLX 4-bit + DFlash on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-31b-m5: Gemma 4 31B 4-bit (groups of 64), DFlash drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-31b. Latest: run 20261016-085420-quick (2026-10-16 08:54, plan quick, done).

Serving: engine_commit e8b60549; binary_sha256 d90e44c9818187ae4bc61d06312989cd796033b5dea6e0fc02164fe2730660fe; served_model {"object": "list", "data": [{"id": "gemma4-31b", "object": "model", "created": 1792158874,; chip Apple M5 Ultra; 274877906944

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 87.1 (87.1) | 157.9 (157.9) | 156.7 (156.7) | 130.4 (130.4) | 0.08-0.10 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 3.288 | 13.003 | 18% | 24.71 | 12 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 92.1 (92.1) | 161.4 (161.4) | 146.6 (146.6) | 126.1 (126.1) | 0.09-0.10 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 3.333 | 13.215 | 18% | 25.34 | 17 |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |

| check | passed |
|---|---|
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 75%; total = 3072.00M us |
| structured | pass: 18/18 obey; a bad regex -> 400 |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again == cold: True; cached 5494 of 5564; ttft resumed 0.137s, cold 0.137s |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 08:54 | quick | done | 157.9 | | | 114/114 |
| 2026-10-16 06:28 | quick | done | 156.5 | | | 114/114 |
| 2026-10-15 20:09 | quick | done | 153.8 | | | 114/114 |

# Gemma 4 31B, oQ8e (8-bit) + DFlash on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-31b-oq8e-m5: Gemma 4 31B oQ8e (8-bit, groups of 64), DFlash drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-31b-oq8e. Latest: run 20261016-180201-speed (2026-10-16 18:02, plan speed, done).

Serving: engine_commit d9e36b7f; binary_sha256 2e29fee5da96ec1ffb1ba41302ac949dc12205572154f21b800823450eb4b2b0; served_model {"object": "list", "data": [{"id": "gemma4-31b-oq8e", "object": "model", "created": 179219; chip Apple M5 Ultra; 274877906944

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 40.3 (40.3) | 63.1 (63.1) | 52.4 (52.4) | 54.8 (54.8) | 0.10-0.11 s |
| 4 | 109.7 (27.7) | 172.9 (44.8) | 141.5 (34.2) | 180.3 (44.3) | 0.24-0.27 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.759 | 10.847 | 16% | 52.41 | 12 |
| 4 | 2.384 | 3.645 | 38% | 63.19 | 49 |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |

## Checks

| check | result |
|---|---|
| structured | pass: 18/18 obey; a bad regex -> 400 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 18:02 | speed | done | 63.1 | | | 24/24 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-best: GLM-5.3-Flash EXL3 4bpw, families/glm with 4-bit dense / 8-bit head, DFlash2 and 16 streams (PRs 855+979+984 and packing), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm, packed linears (4/8, bf16 freed), DFlash2, 16 streams, prompts together (prefill_many); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-195233-glm-ab-ifeval (2026-10-17 19:52, plan glm-ab-ifeval, done).

Serving: binary cf50867102a60c38

## Suite

| check | passed |
|---|---|
| ifeval | 103/150 |
| json | 30/30 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 19:52 | glm-ab-ifeval | done | | | | 133/180 |
| 2026-10-17 16:52 | glm-quality | done | 59.6 | | | 348/400 |
| 2026-10-17 16:26 | glm-streams | done | 59.5 | 131.3 | 1.27-1.66 s | 24/24 |
| 2026-10-17 15:56 | glm-streams | done | 67.7 | 132.8 | 1.23-1.59 s | 15/24 |
| 2026-10-17 15:28 | glm-streams | done | 68.3 | 127.5 | 2.63-3.30 s | 24/24 |
| 2026-10-17 14:38 | glm-streams | done | 68.7 | 123.7 | 1.77-2.24 s | 24/24 |
| 2026-10-17 12:40 | glm-streams | done | 69.4 | 125.0 | 2.55-3.17 s | 24/24 |
| 2026-10-17 11:31 | glm-streams | done | 69.8 | 136.4 | 2.55-3.14 s | 24/24 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-dflash2: GLM-5.3-Flash EXL3 4bpw, families/glm with DFlash2 drafts (--drafter, 4-bit), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm + DFlash2 (incoai/GLM-5.3-Flash-DFlash2, opt-in); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-003221-glm-streams8 (2026-10-17 00:32, plan glm-streams8, done).

Serving: binary 511e7e0521628504

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 27.3 (27.3) | 48.4 (48.4) | 39.2 (39.2) | 33.1 (33.1) | 0.18-0.24 s |
| 4 | 60.0 (14.7) | 84.4 (20.8) | 75.6 (19.2) | 88.1 (21.6) | 0.71-0.88 s |
| 8 | 78.1 (9.7) | 115.4 (14.3) | 98.4 (12.4) | 109.8 (12.9) | 1.49-1.83 s |

## Suite-together

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 00:32 | glm-streams8 | done | 48.4 | | | 24/24 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-main: TensorFold main 76aafcf2 (with #855, #979, #984, #995 merged): GLM-5.3-Flash EXL3 4bpw, DFlash2, 16 streams, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm (main); served as GLM-5.3-Flash-EXL3. Latest: run 20261018-131205-glm-qual1014 (2026-10-18 13:12, plan glm-qual1014, done).

Serving: binary e2169dae62202aec

## Ruler-c1-16

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 42.8 (42.3) | 67.2 (67.4) | 55.3 (54.8) | 53.1 (52.9) | 0.16-0.22 s |

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 8 | 90.0 (11.2) | 120.8 (15.1) | 114.7 (14.1) | 115.5 (14.1) | 1.23-1.57 s |
| 16 | 107.2 (6.6) | 119.6 (7.3) | 119.4 (7.3) | 129.6 (8.1) | 2.69-3.38 s |

## Suite

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-18 13:12 | glm-qual1014 | done | | 119.6 | 2.69-3.38 s | 24/24 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-many-mtp: #1014 merged onto TensorFold main 76aafcf2, MTP head only (no --drafter), GLM-5.3-Flash EXL3 4bpw, TP=2. Engine: TensorFold native, CUDA: families/glm (many-mtp); served as GLM-5.3-Flash-EXL3. Latest: run 20261018-205115-glm-qual1014 (2026-10-18 20:51, plan glm-qual1014, done).

Serving: binary 4f1a478269c0e4fa

## Ruler-c1-16

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 42.1 (41.9) | 52.5 (52.2) | 50.2 (49.9) | 49.0 (49.2) | 0.17-0.22 s |

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 8 | 74.8 (9.3) | 95.5 (11.9) | 100.9 (12.6) | 106.0 (13.2) | 0.84-1.05 s |
| 16 | 105.9 (6.6) | 119.7 (7.3) | 131.4 (8.3) | 138.3 (8.5) | 1.32-1.62 s |

## Suite

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-18 20:51 | glm-qual1014 | done | | 119.7 | 1.32-1.62 s | 24/24 |
| 2026-10-18 14:04 | glm-qual1014 | done | | 118.6 | 1.28-1.58 s | 24/24 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-many: #1014 merged onto TensorFold main 76aafcf2: batched prompts (prefill_many) with DFlash2's feed and the hold fix, GLM-5.3-Flash EXL3 4bpw, TP=2. Engine: TensorFold native, CUDA: families/glm (many); served as GLM-5.3-Flash-EXL3. Latest: run 20261018-202804-glm-qual1014 (2026-10-18 20:28, plan glm-qual1014, done).

Serving: binary 4f1a478269c0e4fa

## Ruler-c1-16

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 42.5 (42.6) | 67.6 (68.2) | 56.1 (55.9) | 55.8 (53.2) | 0.17-0.23 s |

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 8 | 92.4 (11.6) | 131.0 (16.2) | 125.4 (15.6) | 147.8 (17.1) | 0.82-1.03 s |
| 16 | 117.4 (7.3) | 134.1 (8.1) | 147.9 (9.3) | 158.6 (9.7) | 1.34-1.66 s |

## Suite

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-18 20:28 | glm-qual1014 | done | | 134.1 | 1.34-1.66 s | 24/24 |
| 2026-10-18 14:29 | glm-quality | done | 60.1 | | | 1947/2418 |
| 2026-10-18 13:40 | glm-qual1014 | done | | 134.1 | 1.35-1.67 s | 24/24 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-packed: GLM-5.3-Flash EXL3 4bpw, families/glm with 4-bit dense / 8-bit head, DFlash2 and 16 streams (PRs 855+979+984 and packing), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm, packed linears (4/8, bf16 freed), DFlash2, 16 streams, prompts one at a time; served as GLM-5.3-Flash-EXL3. Latest: run 20261017-195233-glm-ab-ifeval (2026-10-17 19:52, plan glm-ab-ifeval, done).

Serving: binary cf50867102a60c38

## Suite

| check | passed |
|---|---|
| ifeval | 103/150 |
| json | 30/30 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 19:52 | glm-ab-ifeval | done | | | | 133/180 |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-port: GLM-5.3-Flash EXL3 4bpw, main's families/glm with PR 855's port, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm on 1.0.12 (PR 855's port); served as GLM-5.3-Flash-EXL3. Latest: run 20261016-213802-glm-streams (2026-10-16 21:38, plan glm-streams, done).

Serving: binary 2b666cc74334abec

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 27.9 (27.9) | 38.0 (38.0) | 33.2 (33.2) | 30.6 (30.6) | 0.18-0.23 s |
| 4 | 48.9 (12.3) | 66.0 (16.7) | 64.8 (16.2) | 63.7 (16.1) | 0.79-0.86 s |
| 8 | 60.3 (7.6) | 75.9 (9.5) | 82.2 (10.3) | 76.3 (9.4) | 1.48-1.73 s |
| 16 | 123.6 (7.6) | 155.5 (9.6) | 149.5 (9.0) | 145.0 (9.1) | 8.50-17.20 s |

## Suite-together

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 21:38 | glm-streams | done | 38.0 | 155.5 | 8.50-17.20 s | 24/24 |
| 2026-10-16 21:24 | glm-vision | done | | | | 22/22 |
| 2026-10-16 21:03 | glm-vision | done | | | | 4/6 |
| 2026-10-16 18:10 | glm-quality | done | 38.2 | | | |

# GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-port16: GLM-5.3-Flash EXL3 4bpw, families/glm with 4096-row index rings, --parallel 16, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm + index rings (16 streams at 40960); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-062916-glm-streams (2026-10-17 06:29, plan glm-streams, done).

Serving: binary 142bc21ac97bc065

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 28.0 (28.0) | 38.6 (38.6) | 33.5 (33.5) | 30.7 (30.7) | 0.18-0.23 s |
| 4 | 51.3 (12.9) | 65.5 (16.3) | 65.7 (16.5) | 66.0 (16.5) | 0.67-0.81 s |
| 8 | 64.3 (8.1) | 82.3 (10.3) | 83.2 (10.4) | 81.8 (10.2) | 1.41-1.68 s |
| 16 | 86.4 (5.4) | 100.6 (6.3) | 100.2 (6.1) | 101.5 (6.2) | 3.23-3.72 s |

## Suite-together

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 06:29 | glm-streams | done | 38.6 | 100.6 | 3.23-3.72 s | 24/24 |
| 2026-10-17 05:56 | glm-streams | done | 39.0 | 90.8 | 3.20-3.67 s | 24/24 |

# GLM-5.3-Flash, EXL3 4 bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-sparks: GLM-5.3-Flash EXL3 4 bpw, TensorFold native, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as GLM-5.3-Flash-EXL3. Latest: run evidence/2026-10-14 (2026-10-14 00:00, plan published evidence, published).

### Ruler-shipped-14fb445e-c1-sampled

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 45.1 (45.2) | 64.6 (65.4) | 56.5 (56.2) | 57.0 (54.9) | 0.18-0.25 s |

### Ruler-shipped-14fb445e-c1

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 46.5 (45.4) | 68.7 (69.4) | 57.0 (56.4) | 58.8 (55.3) | 0.18-0.24 s |

### Ruler-shipped-14fb445e-c16

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 16 | 144.0 (8.9) | 198.3 (12.1) | 180.1 (11.3) | 208.4 (12.5) | 0.91-1.19 s |

### Ruler-shipped-14fb445e-c8

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 8 | 110.1 (13.6) | 152.5 (18.6) | 138.7 (17.5) | 157.0 (18.7) | 0.49-0.63 s |

### Ruler-shipped-f95f2f70-c1-sampled

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 45.4 (45.4) | 65.8 (67.0) | 56.4 (55.9) | 58.1 (55.3) | 0.17-0.23 s |

### Ruler-shipped-f95f2f70-c1

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 47.5 (46.5) | 69.5 (69.9) | 58.2 (56.9) | 60.2 (56.8) | 0.16-0.23 s |

## Ruler-shipped-f95f2f70-c16

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 16 | 144.8 (8.9) | 202.2 (12.3) | 181.4 (11.4) | 207.6 (12.5) | 0.85-1.14 s |

## Ruler-shipped-f95f2f70-c8

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 8 | 111.1 (13.7) | 154.1 (18.7) | 139.5 (17.2) | 157.3 (18.8) | 0.45-0.60 s |

## Ablit/suite

| check | passed |
|---|---|
| gsm8k | 246/250 |
| mmlu | 292/342 |
| humaneval | 159/164 |
| ifeval | 118/150 |
| tools | 59/60 |
| json | 30/30 |
| mgsm | 221/240 |

## Suite-ab

| check | passed |
|---|---|
| gsm8k | 244/250 |
| mmlu | 292/342 |
| humaneval | 156/164 |
| ifeval | 118/150 |
| tools | 59/60 |
| json | 30/30 |
| mgsm | 223/240 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-14 00:00 | published evidence | published | 68.7 | | | 1125/1236 |
| 2026-10-13 00:00 | published evidence | published | 1083.6 | | | 1874/2172 |
| 2026-10-12 00:00 | published evidence | published | 62.8 | 169.5 | 0.45-1.19 s | |

# GLM-5.3-Flash, MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target glm53-m5: GLM-5.3-Flash MLX 4-bit, TensorFold native on one M5 Ultra Mac (one stream, greedy). Engine: TensorFold native, Metal; served as GLM-5.3-Flash-MLX-4bit. Latest: run 20261016-082326-glm-gate-novision (2026-10-16 08:23, plan glm-gate-novision, done).

Serving: engine_commit e8b60549; binary_sha256 d90e44c9818187ae4bc61d06312989cd796033b5dea6e0fc02164fe2730660fe

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 74.4 (74.4) | 78.3 (78.3) | 77.5 (77.5) | 86.5 (86.5) | 0.11-0.15 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 57/60 |
| json | 30/30 |
| gsm8k | 246/250 |
| mmlu | 290/342 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 08:23 | glm-gate-novision | done | 78.3 | | | 677/736 |
| 2026-10-16 08:04 | glm-gate-novision | done | 77.6 | | | 679/736 |
| 2026-10-16 00:35 | glm-gate | done | 78.7 | | | 689/748 |
| 2026-10-10 00:00 | published evidence | published | 103.7 | | | 36/36 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-10 00:00 | published evidence | published | | | | 1128/1213 |
| 2026-10-10 00:00 | published evidence | published | | | | 1137/1213 |
| 2026-10-10 00:00 | published evidence | published | | | | 1079/1213 |
| 2026-10-09 00:00 | published evidence | published | 104.6 | | | |
| 2026-10-09 00:00 | published evidence | published | | | | 349/403 |
| 2026-10-09 00:00 | published evidence | published | | | | 42/42 |

# MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 32k context on 2x NVIDIA DGX Spark (GB10, 128 GB

Target minimax-m31-exl3-gb10x2: MiniMax-M3.1-Flash, Mia-AiLab EXL3 3.06 bpw as published, DSpark drafts, 32k x 2 streams, TensorFold native CUDA, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as MiniMax-M3.1-Flash. Latest: run 20261028-034040-quick (2026-10-28 03:40, plan quick, done).

Serving: engine_commit aad9d2b8a; 0; binary_sha256 c23f2266dc7647101818eb9680c25ca75fc8704d13152c39e4ecf29a2dffacf5; checkpoint_revision Mia-AiLab/MiniMax-M3.1-Flash-EXL3-EAQ-v1-3.06-bpw c33e7a6619f0f12ac99098e07ec5e56acb7eeda9; server_args TF_MINIMAX_RANK=0 TF_MINIMAX_WORLD=2 NCCL_SOCKET_IFNAME=enp1s0f1np1 NCCL_IB_HCA=rocep1s0f1; suite_commit 277c842a1481

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 24.6 (24.6) | 39.6 (39.6) | 29.7 (29.7) | 30.3 (30.3) | 0.59-0.64 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.708 | 3.41 | 50% | 87.21 | 12 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 24.4 (24.4) | 38.8 (38.8) | 28.9 (28.9) | 30.4 (30.4) | 0.59-0.64 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.658 | 3.238 | 51% | 86.77 | 13 |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |

| check | passed |
|---|---|
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 27.1 GiB available; worker 26.0 GiB available |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 4096 of 4725; ttft resumed 1.623s, cold 10.031s |
| urls | FAIL: public 400; loopback 400; http 400; unexpected: ['public'] |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-28 03:40 | quick | done | 39.6 | | | 114/114 |
| 2026-10-28 03:26 | speed | done | 38.5 | | | |
| 2026-10-28 02:59 | glm-vision | done | | | | 3/6 |
| 2026-10-28 02:31 | quick | done | 38.1 | | | 114/114 |
| 2026-10-28 02:16 | speed | done | 39.2 | | | |

# MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 256k context on 1x Apple M5 Ultra (256 GB unified),

Target minimax-m31-exl3-m5: MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 256k context, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as MiniMax-M3.1-Flash. Latest: run 20261029-182420-minimax-math500 (2026-10-29 18:24, plan minimax-math500, done).

Serving: engine_commit af3573193; binary_sha256 90f54df38bb95056e4520d4d5a2b7c6baec75bcad6190711b9bdedbc813cdb8c; served_model {"object": "list", "data": [{"id": "MiniMax-M3.1-Flash", "object": "model", "created": 179; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Suite

| check | passed |
|---|---|
| math500 | 422/500 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 32%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-29 18:24 | minimax-math500 | done | | | | 422/500 |
| 2026-10-29 18:23 | glm-vision | done | | | | 15/22 |
| 2026-10-29 15:57 | glm-vision | done | | | | 15/22 |
| 2026-10-29 15:25 | speed | done | 33.6 | | | |
| 2026-10-29 15:04 | speed | done | 33.5 | | | |
| 2026-10-29 15:03 | glm-vision | done | | | | 15/22 |
| 2026-10-29 14:44 | quick | done | 34.6 | | | 114/114 |
| 2026-10-29 13:49 | speed | done | 40.1 | | | |
| 2026-10-29 13:29 | speed | done | 33.4 | | | |
| 2026-10-29 13:28 | glm-vision | done | | | | 15/22 |
| 2026-10-29 13:09 | quick | done | 33.3 | | | 114/114 |
| 2026-10-29 12:23 | speed | done | 39.6 | | | |
| 2026-10-29 12:02 | speed | done | 32.6 | | | |
| 2026-10-29 12:01 | glm-vision | done | | | | 15/22 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-29 11:42 | quick | done | 33.0 | | | 114/114 |
| 2026-10-29 10:36 | speed | done | 25.6 | | | |
| 2026-10-29 10:12 | speed | done | 25.3 | | | |
| 2026-10-29 10:11 | glm-vision | done | | | | 15/22 |
| 2026-10-29 09:48 | quick | done | 25.5 | | | 114/114 |
| 2026-10-29 08:50 | speed | done | 20.0 | | | |
| 2026-10-29 08:23 | quick | done | 20.1 | | | 114/114 |
| 2026-10-29 07:51 | speed | done | 19.5 | | | |
| 2026-10-29 07:50 | glm-vision | done | | | | 15/22 |
| 2026-10-29 07:24 | quick | done | 19.5 | | | 114/114 |
| 2026-10-29 06:55 | speed | done | 19.5 | | | |
| 2026-10-29 06:54 | glm-vision | done | | | | 15/22 |
| 2026-10-29 06:29 | quick | done | 19.5 | | | 114/114 |

# MiniMax-M3.1-Flash, MLX mixed 3-bit (mix256k), 144k context on 1x Apple M5 Ultra (256 GB unified), macOS

Target minimax-m31-mix256k-m5: MiniMax-M3.1-Flash, MLX mixed 3-bit (mix256k), 144k context, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as MiniMax-M3.1-Flash. Latest: run 20261027-233821-glm-vision (2026-10-27 23:38, plan glm-vision, done).

Serving: engine_commit 16ef3b31b; binary_sha256 995f469d85230291c7ef5b6ff101dad5aea9de874847facb72a2a5a4bc073eda; served_model {"object": "list", "data": [{"id": "MiniMax-M3.1-Flash", "object": "model", "created": 179; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57-dirty

## Suite-vision

| check | passed |
|---|---|
| vision | 3/6 |
| vision-concurrent | 12/16 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-27 23:38 | glm-vision | done | | | | 15/22 |
| 2026-10-27 23:22 | quick | done | 58.2 | | | 114/114 |
| 2026-10-27 06:06 | glm-vision | done | | | | 3/6 |
| 2026-10-27 05:40 | quick | done | 55.8 | | | 114/114 |
| 2026-10-26 23:32 | dsv41-quality-off | done | | | | 1402/1614 |
| 2026-10-26 23:31 | glm-vision | done | | | | 3/6 |
| 2026-10-26 23:29 | glm-vision | done | | | | 3/6 |
| 2026-10-26 23:19 | glm-vision | done | | | | 3/6 |
| 2026-10-26 23:03 | quick | done | 58.5 | | | 114/114 |
| 2026-10-25 08:05 | quick | done | 59.2 | | | 114/114 |
| 2026-10-24 20:24 | dsv41-quality-off | done | | | | 1388/1614 |
| 2026-10-24 19:30 | quick | done | 58.9 | | | 114/114 |
| 2026-10-24 18:31 | quick | done | 58.1 | | | 114/114 |
| 2026-10-24 18:26 | speed | done | 58.9 | | | |
| 2026-10-24 16:05 | quick | done | 57.4 | | | 114/114 |
| 2026-10-24 13:49 | quick | done | 57.6 | | | 114/114 |
| 2026-10-24 11:56 | quick | done | 56.4 | | | 114/114 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-24 11:07 | quick | done | 54.7 | | | 114/114 |
| 2026-10-24 09:03 | quick | done | 54.9 | | | 114/114 |
| 2026-10-24 03:42 | mlx-speed | done | 44.0 | | | |
| 2026-10-24 00:46 | dsv41-quality-off | done | | | | 1401/1614 |
| 2026-10-24 00:39 | speed | done | 57.9 | | | |

# MiniMax-M3.1-Flash, MLX mixed 4/3-bit (mix34) on 1x Apple M5 Ultra (256 GB unified), macOS

Target minimax-m31-mix34-m5: MiniMax-M3.1-Flash, MLX mixed 4/3-bit (mix34), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as MiniMax-M3.1-Flash. Latest: run 20261027-235721-quick (2026-10-27 23:57, plan quick, aborted: minimax-m31-mix34-m5 never came up after 1 starts).

Serving: engine_commit 16ef3b31b; binary_sha256 995f469d85230291c7ef5b6ff101dad5aea9de874847facb72a2a5a4bc073eda; served_model {"object": "list", "data": [{"id": "MiniMax-M3.1-Flash", "object": "model", "created": 179; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57-dirty

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 41.0 (41.0) | 63.4 (63.4) | 47.6 (47.6) | 54.5 (54.5) | 0.32-0.34 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.224 | 1.839 | 66% | 43.09 | 12 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 16%; total = 4096.00M us |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-27 23:57 | quick | aborted: minimax-m31-mix34-m5 never came up after 1 starts | 63.4 | | | |
| 2026-10-27 23:50 | glm-vision | done | | | | 15/22 |
| 2026-10-27 06:26 | glm-vision | done | | | | 3/6 |
| 2026-10-27 06:09 | quick | done | 61.3 | | | 114/114 |
| 2026-10-25 01:49 | dsv41-quality-off | done | | | | 1389/1614 |
| 2026-10-24 19:01 | quick | done | 59.2 | | | 114/114 |
| 2026-10-24 18:55 | speed | done | 58.5 | | | |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-24 16:21 | quick | done | 65.1 | | | 114/114 |
| 2026-10-24 14:06 | quick | done | 65.1 | | | 114/114 |
| 2026-10-24 13:20 | quick | done | 66.1 | | | 114/114 |
| 2026-10-24 05:59 | quick | done | 65.2 | | | 114/114 |
| 2026-10-24 04:09 | quick | done | 66.6 | | | 114/114 |
| 2026-10-23 21:17 | dsv41-quality-off | done | | | | 1393/1614 |
| 2026-10-23 21:01 | mlx-speed | done | 43.3 | | | |
| 2026-10-23 20:52 | speed | done | 65.9 | | | |
| 2026-10-23 20:28 | speed | aborted: minimax-m31-mix34-m5 never came up after 1 starts | 64.3 | | | |

# MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, dense NVFP4, MXFP8 head, 32k context on 2x NVIDI

Target minimax-m31-nvfp4mix-dense4-gb10x2: MiniMax-M3.1-Flash, NVFP4 x 15 layers + 3-bit, dense NVFP4 + MXFP8 head, DSpark drafts, 32k x 2 streams, TensorFold native CUDA, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as MiniMax-M3.1-Flash. Latest: run 20261026-215020-minimax-thinking (2026-10-26 21:50, plan minimax-thinking, done).

Serving: engine_commit 1d559dd44; 9; binary_sha256 09ac4a25886400303603ffa9221dc29816f77b4821d9a612605d67f242b5ae07; checkpoint_mix [20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 49, 52, 57, 59] ['qkv', 'o', 'mlp']; checkpoint_sha256 b21fdee27b56408db9f77bb2dc22b93224960d419106db758007d00e9cf43711; server_args TF_MINIMAX_RANK=0 TF_MINIMAX_WORLD=2 NCCL_SOCKET_IFNAME=enp1s0f1np1 NCCL_IB_HCA=rocep1s0f1; suite_commit a7ba7e392d57

## Suite-thinking

| check | passed |
|---|---|
| gsm8k | 242/250 |

## Checks

| check | result |
|---|---|
| thinking | pass: thinking on: 10/10 right, 10/10 with reasoning_content, 0 leaks, 0 errors, 0 cut at 29696 tokens |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 21:50 | minimax-thinking | done | | | | 242/250 |
| 2026-10-26 21:32 | minimax-thinking | done | | | | 240/250 |
| 2026-10-26 20:00 | minimax-quality-off | done | | | | 940/1114 |
| 2026-10-26 19:27 | quick | done | 44.7 | | | 114/114 |
| 2026-10-26 19:10 | speed3 | done | 45.2 | | | |
| 2026-10-26 17:41 | quick | done | 45.6 | | | 114/114 |
| 2026-10-26 17:27 | speed | done | 45.8 | | | |
| 2026-10-26 13:39 | quick | done | 43.3 | | | 114/114 |
| 2026-10-26 13:17 | speed | done | 43.1 | | | |

# MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, 32k context on 2x NVIDIA DGX Spark (GB10, 128 GB

Target minimax-m31-nvfp4mix-gb10x2: MiniMax-M3.1-Flash, NVFP4 x 15 layers + 3-bit, DSpark drafts, 32k x 2 streams, TensorFold native CUDA, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as MiniMax-M3.1-Flash. Latest: run 20261026-222738-quick (2026-10-26 22:27, plan quick, done).

Serving: engine_commit 1d559dd44; 13; binary_sha256 67ab85c6e9ba163e87cbdb0dabdcd7e7eda1213453b2536165eab57525306a24; checkpoint_mix [20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 49, 52, 57, 59]; server_args TF_MINIMAX_RANK=0 TF_MINIMAX_WORLD=2 NCCL_SOCKET_IFNAME=enp1s0f1np1 NCCL_IB_HCA=rocep1s0f1; suite_commit 277c842a1481

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 23.0 (23.0) | 40.6 (40.6) | 24.7 (24.7) | 32.2 (32.2) | 0.47-0.51 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.698 | 3.526 | 48% | 89.45 | 12 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 22.1 (22.1) | 39.5 (39.5) | 24.7 (24.7) | 31.5 (31.5) | 0.47-0.51 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.713 | 3.771 | 45% | 92.14 | 13 |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |

| check | passed |
|---|---|
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: head 8.2 GiB available; worker 7.9 GiB available |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 4096 of 4826; ttft resumed 0.993s, cold 5.132s |
| urls | FAIL: public 400; loopback 400; http 400; unexpected: ['public'] |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 22:27 | quick | done | 40.6 | | | 114/114 |
| 2026-10-26 22:11 | speed | done | 40.9 | | | |
| 2026-10-26 13:22 | quick | done | 40.7 | | | 114/114 |
| 2026-10-26 10:51 | speed | done | 40.5 | | | |
| 2026-10-26 06:04 | quick | done | 41.1 | | | 114/114 |
| 2026-10-26 05:29 | speed | done | 39.9 | | | |
| 2026-10-26 03:16 | quick | done | 39.9 | | | 114/114 |
| 2026-10-26 01:40 | quick | done | 34.3 | | | 114/114 |

# Nanbeige4.3-33B, affine 4bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-4bit-m5: Nanbeige4.3-33B MLX affine 4bit (llama_convert.py), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261026-090304-speed (2026-10-26 09:03, plan speed, done).

Serving: engine_commit c0243b7e3; binary_sha256 70f5a3c2a635a8d9ddd59cf5e751c38c9cf28faf407348046efd60a14716e3a8; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793023392, "; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 48.5 (48.5) | 47.9 (47.9) | 48.7 (48.7) | 48.6 (48.6) | 0.10-0.12 s |
| 2 | 84.8 (42.4) | 81.3 (40.6) | 84.1 (42.1) | 84.7 (42.4) | 0.16-0.18 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.011 | 0.034 | 20% | 20.89 | 12 |
| 2 | 1.022 | 0.05 | 34% | 24.41 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 48.3 (48.3) | 47.6 (47.6) | 48.4 (48.4) | 48.3 (48.3) | 0.10-0.12 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.02 | 0.045 | 32% | 21.17 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 53%; total = 4096.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.217s, cold 4.247s |
| memory-busy | measured: mac: System-wide memory free percentage: 53%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 09:03 | speed | done | 47.9 | | | |
| 2026-10-26 08:49 | quick | done | 48.1 | | | 114/114 |

# Nanbeige4.3-33B, affine 8bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-8bit-m5: Nanbeige4.3-33B MLX affine 8bit (llama_convert.py), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261026-082437-speed (2026-10-26 08:24, plan speed, done).

Serving: engine_commit fa5b1f989; binary_sha256 70f5a3c2a635a8d9ddd59cf5e751c38c9cf28faf407348046efd60a14716e3a8; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793021086, "; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 28.7 (28.7) | 28.3 (28.3) | 28.8 (28.8) | 28.8 (28.8) | 0.13-0.15 s |
| 2 | 54.1 (27.1) | 52.5 (26.3) | 53.2 (26.6) | 54.0 (27.0) | 0.19-0.23 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.005 | 0.017 | 0% | 35.06 | 12 |
| 2 | 1.022 | 0.051 | 34% | 38.25 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 28.7 (28.7) | 28.3 (28.3) | 28.7 (28.7) | 28.7 (28.7) | 0.13-0.15 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.023 | 10% | 35.19 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 47%; total = 4096.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.256s, cold 4.461s |
| memory-busy | measured: mac: System-wide memory free percentage: 48%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 08:24 | speed | done | 28.3 | | | |
| 2026-10-26 08:02 | quick | done | 28.4 | | | 114/114 |

# Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-bf16draft-m5: Nanbeige4.3-33B bf16 with Nanbeige4.1-3B bf16 drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams, every stream drafted). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261029-180246-speed (2026-10-29 18:02, plan speed, done).

Serving: engine_commit c3ee3db24; binary_sha256 0d5c5c6b34b6267ae99c4d9182b1c71c2e71af9bbfd2e697cbe487398bf0224f; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793314979, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 114.0 (114.0) | 98.4 (98.4) | 99.0 (99.0) | 106.9 (106.9) | 0.23-0.26 s |
| 2 | 44.1 (22.0) | 58.8 (29.4) | 54.5 (27.2) | 55.9 (27.9) | 0.34-0.39 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 4.77 | 4.408 | 85% | 45.61 | 12 |
| 2 | 4.507 | 3.934 | 89% | 169.14 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 114.0 (114.0) | 92.5 (92.5) | 101.8 (101.8) | 101.8 (101.8) | 0.23-0.26 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 4.737 | 4.337 | 86% | 46.21 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 68%; total = 4096.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.365s, cold 4.407s |
| memory-busy | measured: mac: System-wide memory free percentage: 67%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-29 18:02 | speed | done | 98.4 | | | |
| 2026-10-29 17:37 | quick | done | 81.9 | | | 114/114 |
| 2026-10-28 11:59 | speed | done | 108.3 | | | |
| 2026-10-28 11:33 | quick | done | 100.5 | | | 114/114 |

# Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-draft-m5: Nanbeige4.3-33B bf16 with Nanbeige4.1-3B 4-bit drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261026-121700-speed (2026-10-26 12:17, plan speed, done).

Serving: engine_commit e1f447bf3; binary_sha256 7d06edafe546ae55db81fedc6936810b80219413aac64c847573b4681f8a4674; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793035033, "; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 113.5 (113.5) | 111.0 (111.0) | 108.5 (108.5) | 84.9 (84.9) | 0.23-0.26 s |
| 2 | 63.3 (31.6) | 64.3 (32.1) | 63.8 (31.9) | 58.3 (29.2) | 0.35-0.39 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 4.92 | 4.831 | 81% | 47.08 | 12 |
| 2 | 2.716 | 2.116 | 81% | 87.01 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 110.5 (110.5) | 108.5 (108.5) | 109.3 (109.3) | 90.0 (90.0) | 0.23-0.26 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 4.847 | 4.736 | 81% | 46.35 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 33%; total = 5120.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.344s, cold 4.491s |
| memory-busy | measured: mac: System-wide memory free percentage: 32%; total = 5120.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 12:17 | speed | done | 111.0 | | | |
| 2026-10-26 11:52 | quick | done | 108.6 | | | 114/114 |
| 2026-10-26 11:21 | quick | done | 102.5 | | | 57/60 |

# Nanbeige4.3-33B-INT4, int4 g32 (QAT) on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-int4-m5: Nanbeige4.3-33B-INT4 as released (QAT int4 g32), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261104-120203-speed (2026-11-04 12:02, plan speed, done).

Serving: engine_commit b331731e6; binary_sha256 ba743ad6bca6b92868bb781e9fbcfc9c610bb3fdedf471b7b2db7a6b1ed9703f; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793815331, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 47.8 (47.8) | 46.6 (46.6) | 47.7 (47.7) | 47.6 (47.6) | 0.27-0.30 s |
| 2 | 82.3 (41.1) | 57.0 (28.5) | 81.4 (40.7) | 82.2 (41.1) | 0.40-0.45 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.005 | 0.017 | 0% | 21.18 | 12 |
| 2 | 1.023 | 0.059 | 30% | 27.02 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 47.7 (47.7) | 46.6 (46.6) | 47.7 (47.7) | 47.7 (47.7) | 0.27-0.30 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.01 | 0.023 | 23% | 21.3 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 37%; total = 6144.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.382s, cold 4.734s |
| memory-busy | measured: mac: System-wide memory free percentage: 37%; total = 6144.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-04 12:02 | speed | done | 46.6 | | | |
| 2026-11-04 11:45 | quick | done | 46.6 | | | 114/114 |
| 2026-10-31 17:15 | quick | done | 46.6 | | | 114/114 |
| 2026-10-31 16:57 | speed | done | 46.6 | | | |
| 2026-10-31 14:03 | speed | done | 42.0 | | | |
| 2026-10-31 13:44 | quick | done | 42.0 | | | 114/114 |
| 2026-10-31 11:48 | speed | done | 41.4 | | | |
| 2026-10-31 11:03 | quick | done | 40.8 | | | 114/114 |

# Nanbeige4.3-33B-INT4 (QAT int4 g32), drafted by Nanbeige4.1-3B bf16 on 1x Apple M5 Ultra (256 GB unified),

Target nanbeige43-33b-int4draft-m5: Nanbeige4.3-33B-INT4 (QAT int4 g32) with Nanbeige4.1-3B bf16 drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams, every stream drafted). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261031-174034-quick (2026-10-31 17:40, plan quick, done).

Serving: engine_commit d8ba67903; binary_sha256 0f0997808e0e94760608966df4b23df55d62ac709457c5c2835f32309be010bb; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793486442, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 87.5 (87.5) | 87.0 (87.0) | 88.2 (88.2) | 85.6 (85.6) | 0.27-0.30 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.993 | 1.081 | 91% | 22.89 | 12 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 87.5 (87.5) | 87.2 (87.2) | 88.2 (88.2) | 88.2 (88.2) | 0.27-0.30 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.002 | 1.087 | 91% | 22.81 | 13 |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |

| check | passed |
|---|---|
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 84%; total = 1024.00M us |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.407s, cold 4.584s |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-31 17:40 | quick | done | 87.0 | | | 114/114 |
| 2026-10-31 17:30 | speed | done | 87.1 | | | |
| 2026-10-31 15:36 | quick | done | 79.1 | | | 114/114 |
| 2026-10-31 15:01 | quick | done | 76.8 | | | 114/114 |
| 2026-10-31 14:27 | speed | done | 79.6 | | | |
| 2026-10-31 14:11 | quick | done | 80.9 | | | 114/114 |
| 2026-10-31 12:19 | speed | done | 80.7 | | | |
| 2026-10-31 11:57 | speed | done | 80.7 | | | |
| 2026-10-31 11:25 | quick | done | 77.4 | | | 114/114 |

# Nanbeige4.3-33B, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-m5: Nanbeige4.3-33B bf16 as released, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261028-112259-speed (2026-10-28 11:22, plan speed, done).

Serving: engine_commit 50fe245ac; binary_sha256 c3fcf8cacf289aec9ee53f1eae52fda4fab2f1eeda1bf75b61482542dba4b3d1; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793204587, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 16.3 (16.3) | 16.2 (16.2) | 16.3 (16.3) | 16.3 (16.3) | 0.23-0.26 s |
| 2 | 31.7 (15.8) | 27.8 (13.9) | 31.4 (15.7) | 31.6 (15.8) | 0.34-0.39 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.005 | 0.017 | 0% | 61.7 | 12 |
| 2 | 1.023 | 0.059 | 30% | 66.8 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 16.3 (16.3) | 16.3 (16.3) | 16.3 (16.3) | 16.3 (16.3) | 0.23-0.26 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.022 | 10% | 61.76 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 71%; total = 4096.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.346s, cold 4.387s |
| memory-busy | measured: mac: System-wide memory free percentage: 70%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-28 11:22 | speed | done | 16.2 | | | |
| 2026-10-28 10:46 | quick | done | 15.5 | | | 114/114 |
| 2026-10-26 06:06 | quick | done | 16.2 | | | 114/114 |
| 2026-10-26 04:19 | speed | done | 16.3 | | | |
| 2026-10-26 03:43 | quick | done | 16.2 | | | 114/114 |
| 2026-10-26 02:07 | quick | aborted: the server died during suite; its result is discarded | 16.3 | | | |

# Nanbeige4.3-33B, MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-mlx4-m5: Nanbeige4.3-33B MLX 4-bit as published (pratikgx/Nanbeige4.3-33B-MLX-4bit), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261027-100550-speed (2026-10-27 10:05, plan speed, done).

Serving: engine_commit 657ac711c; binary_sha256 56fb3ebeaa8facd66a071318c4602df8920f6675171b8a3b093c639695609e9c; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793113558, "; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 46.7 (46.7) | 46.0 (46.0) | 46.7 (46.7) | 46.7 (46.7) | 0.12-0.13 s |
| 2 | 79.1 (39.6) | 76.5 (38.2) | 78.7 (39.3) | 79.3 (39.7) | 0.18-0.20 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.011 | 0.034 | 20% | 21.73 | 12 |
| 2 | 1.02 | 0.042 | 36% | 26.01 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 46.2 (46.2) | 45.6 (45.6) | 46.3 (46.3) | 46.3 (46.3) | 0.12-0.13 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.012 | 0.034 | 20% | 21.95 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 52%; total = 4096.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.24s, cold 4.16s |
| memory-busy | measured: mac: System-wide memory free percentage: 52%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-27 10:05 | speed | done | 46.0 | | | |
| 2026-10-27 08:05 | quick | done | 45.2 | | | 114/114 |

# Nanbeige4.3-33B, MLX 8-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-mlx8-m5: Nanbeige4.3-33B MLX 8-bit as published (fcmeyer/Nanbeige4.3-33B-MLX-8bit), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261027-103259-quick (2026-10-27 10:32, plan quick, done).

Serving: engine_commit 657ac711c; binary_sha256 56fb3ebeaa8facd66a071318c4602df8920f6675171b8a3b093c639695609e9c; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793115187, "; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 28.4 (28.4) | 27.9 (27.9) | 28.3 (28.3) | 28.3 (28.3) | 0.15-0.16 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.005 | 0.017 | 0% | 35.58 | 12 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 28.3 (28.3) | 27.8 (27.8) | 28.3 (28.3) | 28.3 (28.3) | 0.15-0.16 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.022 | 10% | 35.76 | 13 |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |

| check | passed |
|---|---|
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 46%; total = 4096.00M us |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.275s, cold 4.494s |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-27 10:32 | quick | done | 27.9 | | | 114/114 |
| 2026-10-27 10:13 | speed | done | 27.9 | | | |

# Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-mlxdraft-m5: Nanbeige4.3-33B bf16 with Nanbeige4.1-3B MLX 4-bit (mlx-community) drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams, every stream drafted). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261028-051302-quality-off (2026-10-28 05:13, plan quality-off, running).

Serving: engine_commit b6524565c; binary_sha256 4e72f4d002aaa3097489e932c03819764d0ac957c72034463850ccaf265a0103; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793182390, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 116.7 (116.7) | 110.8 (110.8) | 109.5 (109.5) | 101.7 (101.7) | 0.23-0.26 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 4.884 | 4.755 | 81% | 44.53 | 12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-28 05:13 | quality-off | running | 110.8 | | | |
| 2026-10-28 05:08 | speed | done | 109.9 | | | |
| 2026-10-28 04:44 | quick | done | 110.6 | | | 114/114 |
| 2026-10-28 02:31 | quick | done | 94.0 | | | 114/114 |
| 2026-10-27 17:34 | quick | done | 106.9 | | | 114/114 |
| 2026-10-27 16:06 | quick | done | 113.7 | | | 114/114 |
| 2026-10-27 15:46 | quick | running | 109.7 | | | |
| 2026-10-27 11:30 | speed | done | 110.8 | | | |
| 2026-10-27 11:05 | quick | done | 110.9 | | | 114/114 |
| 2026-10-27 10:00 | speed | done | 110.9 | | | |
| 2026-10-27 09:36 | quick | done | 113.7 | | | 114/114 |

# NVIDIA Nemotron 3.5 Bolt 74B-A9B (24 GB: IQ2_XXS experts, Q8_0, NVFP4 Mamba) + vision on 1x NVIDIA RT

Target nemotron-bolt-5090: Nemotron 3.5 Bolt 74B-A9B ModelOpt IQ2_XXS/Q8_0/NVFP4, TensorFold native CUDA on one RTX 5090 (262144, two streams, vision, host prompt cache). Engine: TensorFold native, CUDA; served as nemotron-bolt. Latest: run 20261015-175621-full (2026-10-15 17:56, plan full, done).

Serving: recipe_commit f546a71; engine_commit b2ec378d; served_model {"object": "list", "data": [{"id": "nemotron-bolt", "object": "model", "created": 17920869

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 149.7 (149.7) | 149.6 (149.6) | 150.1 (150.1) | 149.7 (149.7) | 0.03-0.03 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.011 | 0.0 | | 6.75 | 217 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 149.3 (149.3) | 149.2 (149.2) | 149.7 (149.7) | 149.3 (149.3) | 0.03-0.03 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.0 | | 6.74 | 1781 |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |

| check | passed |
|---|---|
| max-tokens | 3/3 |
| tools | 58/60 |
| json | 30/30 |
| ifeval | 120/150 |
| gsm8k | 241/250 |
| mgsm | 190/240 |
| mmlu | 279/342 |
| humaneval | 153/164 |
| repetition | 8/8 |
| long-context | 55/55 |
| vision | 12/12 |
| soak | 60/60 |
| snapshot | 12/12 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 28716 MiB, 32607 MiB |
| structured | pass: 18/18 obey; a bad regex -> 400 |
| sampling | pass: 9/9 seeded replies equal on repeat; 0 errors |
| turns | pass: resumed == again == cold: True; cached 5832 of 5865; ttft resumed 0.053s, cold 0.134s |
| capacity | pass: 6/6 answered, 0 refused, 0 lost (no reply); a short request after: 200 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-15 17:56 | full | done | 149.6 | | | 1272/1437 |
| 2026-10-15 17:33 | full | running | 149.8 | | | |
| 2026-10-15 17:22 | quick | done | 149.8 | | | 54/114 |
| 2026-10-15 17:13 | quick | done | 149.6 | | | 51/114 |

# Ornith-1.5-122B, 8-bit MLX affine (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-8bit-native-m5: Ornith-1.5-122B, the publisher's 8-bit MLX affine, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Ornith-1.5-122B. Latest: run 20261031-060947-mlx-speed (2026-10-31 06:09, plan mlx-speed, done).

Serving: engine_commit a410eb56; binary_sha256 462b6a0c6d60b2743eb88fdbf0db93a560155a8cf3919ac4f694d1fc9fe156e7; served_model {"object": "list", "data": [{"id": "Ornith-1.5-122B", "object": "model", "created": 179344; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 57.0 (57.0) | 111.1 (111.1) | 90.6 (90.6) | 82.8 (82.8) | 0.08-0.11 s |
| 2 | 116.0 (58.0) | 170.3 (85.2) | 143.4 (71.7) | 199.7 (99.8) | 0.12-0.16 s |
| 4 | 148.1 (37.3) | 231.5 (58.0) | 185.7 (46.9) | 242.8 (62.0) | 0.19-0.27 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 34%; total = 1024.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-31 06:09 | mlx-speed | done | 111.1 | | | |
| 2026-10-31 05:38 | glm-vision | done | | | | 20/22 |
| 2026-10-31 05:29 | mlx-speed | done | 138.2 | | | |
| 2026-10-31 05:21 | quick | done | 134.3 | | | 114/114 |
| 2026-10-29 05:00 | mlx-speed | done | 112.1 | | | |
| 2026-10-29 02:14 | speed | done | 111.7 | | | |
| 2026-10-29 02:00 | glm-vision | done | | | | 20/22 |
| 2026-10-29 01:52 | quick | done | 112.5 | | | 114/114 |

# Ornith-1.5-122B, 4-bit MLX affine (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-m5: Ornith-1.5-122B, 4-bit MLX affine with images, vllm-mlx on one M5 Ultra. Engine: vllm-mlx 0.6.0 (mlx-vlm 0.7.9, mlx-lm 0.31.3, mlx 0.32.4); served as Ornith-1.5-122B. Latest: run 20261020-111724-mlx-speed (2026-10-20 11:17, plan mlx-speed, done).

Serving: stack vllm-mlx 0.6.0, mlx-vlm 0.7.9, mlx-lm 0.31.3, mlx 0.32.4; served_model {"object":"list","data":[{"id":"Ornith-1.5-122B","object":"model","created":1792513044,"ow; checkpoint {'dir': 'Ornith-1.5-122B-MLX-4bit', 'bits': 4, 'group_size': 64, 'mode': 'affine', 'revisi; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 66.2 (66.2) | 66.6 (66.6) | 66.4 (66.4) | 66.6 (66.6) | 0.08-0.11 s |
| 2 | 113.4 (56.7) | 113.2 (56.6) | 113.2 (56.6) | 114.0 (57.0) | 0.14-0.19 s |
| 4 | 175.9 (44.0) | 178.1 (44.9) | 177.6 (44.1) | 180.4 (44.9) | 0.25-0.35 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 95%; total = 7168.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-20 11:17 | mlx-speed | done | 66.6 | | | |

# Ornith-1.5-122B, 4-bit MLX affine (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-native-m5: Ornith-1.5-122B, 4-bit MLX affine, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Ornith-1.5-122B. Latest: run 20261031-201109-glm-vision (2026-10-31 20:11, plan glm-vision, done).

Serving: engine_commit 3b77807c; binary_sha256 ebc672b728188d9cde39044c6579b21606ea1e40a3f780de3ffa51d8f7346244; served_model {"object": "list", "data": [{"id": "Ornith-1.5-122B", "object": "model", "created": 179349; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Suite-vision

| check | passed |
|---|---|
| vision | 4/6 |
| vision-concurrent | 16/16 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-31 20:11 | glm-vision | done | | | | 20/22 |
| 2026-10-31 20:06 | quick | done | 191.6 | | | 114/114 |
| 2026-10-31 19:06 | speed | done | 192.7 | | | |
| 2026-10-31 05:19 | glm-vision | done | | | | 20/22 |
| 2026-10-31 05:13 | mlx-speed | done | 194.1 | | | |
| 2026-10-31 05:09 | quick | done | 191.9 | | | 114/114 |
| 2026-10-31 04:51 | quick | done | 157.7 | | | 114/114 |
| 2026-10-31 04:49 | glm-vision | done | | | | 20/22 |
| 2026-10-31 04:44 | quick | done | 189.6 | | | 114/114 |
| 2026-10-30 07:45 | glm-vision | done | | | | 20/22 |
| 2026-10-30 07:41 | quick | done | 157.1 | | | 114/114 |
| 2026-10-29 05:00 | glm-vision | done | | | | 20/22 |
| 2026-10-29 04:54 | mlx-speed | done | 155.9 | | | |
| 2026-10-29 04:49 | quick | done | 158.0 | | | 114/114 |
| 2026-10-26 13:27 | glm-vision | done | | | | 4/6 |
| 2026-10-26 13:19 | glm-vision | done | | | | 20/20 |
| 2026-10-26 13:09 | thinking | done | | | | 244/250 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 12:53 | mlx-speed | done | 157.5 | | | |
| 2026-10-26 12:48 | quick | done | 157.4 | | | 114/114 |
| 2026-10-26 12:30 | mlx-speed | done | 157.5 | | | |
| 2026-10-26 12:25 | quick | done | 157.1 | | | 114/114 |
| 2026-10-26 11:16 | quick | done | 157.0 | | | 114/114 |
| 2026-10-26 11:04 | thinking | done | | | | 244/250 |
| 2026-10-26 10:33 | dsv41-quality-off | done | | | | 1448/1614 |
| 2026-10-26 08:42 | mlx-speed | done | 157.7 | | | |
| 2026-10-26 08:37 | quick | done | 157.5 | | | 114/114 |
| 2026-10-26 07:50 | mlx-speed | done | 157.7 | | | |
| 2026-10-26 07:45 | quick | done | 157.8 | | | 114/114 |
| 2026-10-26 03:37 | thinking | done | | | | 245/250 |
| 2026-10-26 03:08 | dsv41-quality-off | done | | | | 1427/1614 |
| 2026-10-26 03:02 | mlx-speed | done | 171.3 | | | |
| 2026-10-26 02:57 | quick | done | 171.0 | | | 114/114 |
| 2026-10-26 02:54 | quick | running | 169.9 | | | |
| 2026-10-25 22:37 | mlx-speed | done | 172.1 | | | |
| 2026-10-25 22:32 | quick | done | 171.6 | | | 114/114 |
| 2026-10-25 21:43 | mlx-speed | done | 171.9 | | | |
| 2026-10-25 21:38 | quick | done | 171.4 | | | 114/114 |
| 2026-10-25 18:54 | mlx-speed | done | 171.8 | | | |
| 2026-10-25 18:39 | quick | done | 172.0 | | | 114/114 |
| 2026-10-21 02:20 | mlx-speed | done | 174.2 | | | |
| 2026-10-20 16:39 | glm-streams | done | 95.5 | 415.0 | 0.42-0.56 s | 24/24 |
| 2026-10-20 16:34 | glm-streams | done | 157.1 | 410.5 | 0.44-0.59 s | 24/24 |
| 2026-10-20 16:19 | thinking | done | | | | 244/250 |
| 2026-10-20 15:25 | mlx-speed | done | 95.6 | | | |
| 2026-10-20 15:23 | mlx-speed | done | 157.0 | | | |
| 2026-10-20 14:53 | dsv41-quality-off | done | | | | 1444/1614 |
| 2026-10-20 14:16 | mlx-speed | done | 95.4 | | | |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-20 14:15 | mlx-speed | done | 314.3 | | | |
| 2026-10-20 14:01 | mlx-speed | done | 85.0 | | | |
| 2026-10-20 14:00 | mlx-speed | done | 316.2 | | | |
| 2026-10-20 13:39 | mlx-speed | done | 84.8 | | | |
| 2026-10-20 13:36 | mlx-speed | done | 84.1 | | | |
| 2026-10-20 13:31 | mlx-speed | done | 85.3 | | | |
| 2026-10-20 13:29 | mlx-speed | done | 84.2 | | | |
| 2026-10-20 13:19 | mlx-speed | done | 84.6 | | | |
| 2026-10-20 12:56 | mlx-speed | done | 79.3 | | | |
| 2026-10-20 12:49 | mlx-speed | done | 85.1 | | | |

# Ornith-1.5-122B, 4-bit MLX affine (g64), YaRN x4 to 1M context on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-yarn1m-native-m5: Ornith-1.5-122B, 4-bit MLX affine, static YaRN x4 (one 1,048,576-token stream), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Ornith-1.5-122B. Latest: run 20261026-014405-mlx-speed (2026-10-26 01:44, plan mlx-speed, done).

Serving: engine_commit 1429b56b; binary_sha256 64f5d54183672d8cc018bfb29f8be83b0da65c0e7b9293d9e6dd70203ff87cd5; served_model {"object": "list", "data": [{"id": "Ornith-1.5-122B", "object": "model", "created": 179299; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 77.7 (77.7) | 160.6 (160.6) | 105.8 (105.8) | 111.3 (111.3) | 0.06-0.08 s |
| 2 | 228.2 (114.1) | 374.0 (187.0) | 265.3 (132.6) | 376.2 (188.1) | 0.71-1.13 s |
| 4 | 447.1 (116.2) | 774.4 (197.4) | 554.8 (138.3) | 871.1 (210.4) | 1.58-3.32 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 48%; total = 3072.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 01:44 | mlx-speed | done | 160.6 | | | |
| 2026-10-26 01:41 | mlx-speed | done | 179.8 | | | |
| 2026-10-26 01:33 | thinking | done | | | | 247/250 |
| 2026-10-26 01:30 | mlx-speed | done | 183.2 | | | |
| 2026-10-26 00:46 | dsv41-quality-off | done | | | | 1426/1614 |
| 2026-10-26 00:42 | mlx-speed | done | 93.5 | | | |
| 2026-10-26 00:40 | mlx-speed | done | 180.8 | | | |
| 2026-10-20 22:24 | thinking | done | | | | 247/250 |
| 2026-10-20 21:42 | dsv41-quality-off | done | | | | 1426/1614 |
| 2026-10-20 21:37 | mlx-speed | done | 95.3 | | | |
| 2026-10-20 21:34 | mlx-speed | done | 193.7 | | | |

# qwen38-27b on q27-base886

Target q27-base886: . Engine: ?; served as qwen38-27b. Latest: run 20261016-222607-speed (2026-10-16 22:26, plan speed, done).

Serving: q27-base886 {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792189591,

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 150.0 (150.0) | 229.6 (229.6) | 167.6 (167.6) | 184.6 (184.6) | 0.10-0.10 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: q27-base886: 24906 MiB, 32607 MiB |
| memory-busy | measured: q27-base886: 24906 MiB, 32607 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 22:26 | speed | done | 229.6 | | | |

# qwen38-27b on q27-stack

Target q27-stack: . Engine: ?; served as qwen38-27b. Latest: run 20261016-234937-speed (2026-10-16 23:49, plan speed, done).

Serving: q27-stack {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792194590,

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 210.8 (210.8) | 397.9 (397.9) | 268.4 (268.4) | 250.4 (250.4) | 0.10-0.10 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: q27-stack: 24912 MiB, 32607 MiB |
| memory-busy | measured: q27-stack: 24912 MiB, 32607 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 23:49 | speed | done | 397.9 | | | |
| 2026-10-16 23:04 | speed | done | 343.2 | | | |
| 2026-10-16 22:37 | speed | done | 334.8 | | | |
| 2026-10-16 22:26 | speed | done | 290.2 | | | |

# Qwen3.8-27B, MLX 4-bit, bf16 prompts + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-bf16prompt: Qwen3.8-27B MLX 4-bit (TensorFold/Qwen3.8-27B-MLX-4bit) + DFlash2 served without --prompt-precision int8, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the int8-prompt A/B of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-105200-quant-compare (2026-11-08 10:52, plan quant-compare, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794135120,; suite_commit 49a346d8899c

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 275.7 (275.7) | 525.3 (525.3) | 353.9 (353.9) | 331.7 (331.7) | 0.10-0.10 s |

## Suite-thinking

| check | passed |
|---|---|
| gsm8k | 241/250 |

## Suite

| check | passed |
|---|---|
| gsm8k | 240/250 |
| mmlu | 271/342 |
| ifeval | 130/150 |
| humaneval | 151/164 |
| mgsm | 213/240 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 30850 MiB, 32607 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 10:52 | quant-compare | done | 525.3 | | | 241/250 |

# Qwen3.8-27B, EXL3 5.00 bpw + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-exl3-5: Qwen3.8-27B EXL3 5.00 bpw (turboderp/Qwen3.8-27B-exl3 at 5.00bpw) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-081959-humaneval-off (2026-11-08 08:19, plan humaneval-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794125999,; suite_commit 49a346d8899c

## Suite-humaneval

| check | passed |
|---|---|
| humaneval | 151/164 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 08:19 | humaneval-off | done | | | | 151/164 |
| 2026-11-08 02:12 | quality-off | done | 365.6 | | | 1151/1273 |
| 2026-11-08 01:40 | quant-compare | done | 366.5 | | | 246/250 |

# Qwen3.8-27B, MLX 4-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-mlx4: Qwen3.8-27B MLX 4-bit + DFlash2, TensorFold native CUDA on one RTX 5090 (int8 prompts, fp8 KV, 262k, four streams, vision): the recipe until 2026-11-08, kept for its runs (qwen38-27b-5090 serves the EXL3 4.00 bpw pack since). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-082127-vision (2026-11-08 08:21, plan vision, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794126087,; suite_commit 49a346d8899c

## Suite-vision

| check | passed |
|---|---|
| vision | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 08:21 | vision | done | | | | 12/12 |
| 2026-11-08 07:49 | quality-off | done | 537.8 | | | 1295/1437 |
| 2026-11-08 07:32 | quant-compare | done | 539.1 | | | 242/250 |
| 2026-11-08 01:36 | quick | done | 538.8 | | | 113/114 |
| 2026-11-08 01:15 | thinking | done | | | | 242/250 |
| 2026-10-27 20:42 | streams | done | 535.5 | | | 24/24 |
| 2026-10-27 20:42 | vision | done | | | | 12/12 |
| 2026-10-27 20:38 | quick | done | 537.8 | | | 113/114 |
| 2026-10-27 20:33 | streams | done | 536.9 | | | 24/24 |
| 2026-10-27 20:31 | streams | done | 536.6 | | | 24/24 |
| 2026-10-27 20:30 | together | done | | | | 24/24 |
| 2026-10-27 20:29 | together | done | | | | 24/24 |
| 2026-10-27 20:28 | together | done | | | | 24/24 |
| 2026-10-27 20:27 | together | done | | | | 24/24 |
| 2026-10-27 20:14 | vision | done | | | | 12/12 |
| 2026-10-27 20:10 | quick | done | 537.7 | | | 113/114 |
| 2026-10-26 01:29 | humaneval-penalized | done | | | | 154/164 |
| 2026-10-26 01:28 | humaneval-sampled | done | | | | 153/164 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 01:26 | humaneval-off | done | | | | 152/164 |
| 2026-10-26 00:54 | after-long | done | 538.9 | | | |
| 2026-10-26 00:06 | quality-penalized | done | 539.1 | | | 1127/1273 |
| 2026-10-25 23:24 | quality-sampled | done | 537.7 | | | 1142/1273 |
| 2026-10-25 22:42 | quality-off | done | 538.0 | | | 1143/1273 |
| 2026-10-25 20:16 | streams | done | 537.6 | | | 24/24 |
| 2026-10-25 20:14 | streams | done | 537.5 | | | 24/24 |
| 2026-10-25 20:13 | together | done | | | | 18/24 |
| 2026-10-25 20:11 | together | done | | | | 24/24 |
| 2026-10-25 20:10 | together | done | | | | 24/24 |
| 2026-10-25 20:09 | together | done | | | | 24/24 |
| 2026-10-25 20:09 | together | done | | | | 20/24 |
| 2026-10-25 20:08 | together | done | | | | 24/24 |
| 2026-10-25 20:05 | streams | done | 538.6 | | | 18/24 |
| 2026-10-25 20:04 | streams | done | 538.4 | | | 19/24 |
| 2026-10-25 20:03 | streams | done | 539.2 | | | 18/24 |
| 2026-10-25 19:53 | quick | done | 538.1 | | | 113/114 |
| 2026-10-22 11:50 | humaneval-fresh | done | | | | 152/164 |
| 2026-10-22 11:12 | quality-off | done | 497.1 | | | 1143/1273 |
| 2026-10-22 11:10 | after-long | done | 496.1 | | | |
| 2026-10-22 11:07 | after-long | done | 496.1 | | | |
| 2026-10-22 11:03 | quick | done | 497.7 | | | 113/114 |
| 2026-10-22 10:30 | after-long | done | 497.6 | | | |
| 2026-10-22 10:26 | after-long | done | 498.2 | | | |
| 2026-10-22 10:11 | quick | done | 496.8 | | | 113/114 |
| 2026-10-22 00:34 | quick | done | 497.2 | | | 113/114 |
| 2026-10-21 22:53 | quality-off | done | 498.5 | | | 1295/1437 |
| 2026-10-21 22:18 | ruler3 | done | 484.8 | | | |
| 2026-10-21 20:50 | quality-off | done | 500.1 | | | 1295/1437 |
| 2026-10-21 17:28 | quality-off | done | 485.5 | | | 1294/1437 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-21 16:25 | quick | done | 486.0 | | | 113/114 |
| 2026-10-21 08:44 | soak-ab | done | 474.6 | | | 60/60 |
| 2026-10-21 08:37 | bisect-mgsm | done | 474.5 | | | 214/240 |
| 2026-10-21 08:35 | bisect-soak | done | 440.6 | | | 60/60 |
| 2026-10-21 08:34 | bisect-concurrent | done | 475.6 | | | 12/12 |
| 2026-10-21 08:21 | bisect-long-context | done | 473.9 | | | 55/55 |
| 2026-10-21 08:20 | ruler-restart | done | 476.1 | | | |
| 2026-10-21 08:19 | ruler1 | done | 373.2 | | | |
| 2026-10-21 08:19 | ruler1 | done | 373.7 | | | |
| 2026-10-21 08:18 | humaneval | done | | | | 151/164 |
| 2026-10-21 08:16 | humaneval | done | | | | |
| 2026-10-21 07:35 | full | done | 478.1 | | | 1137/1273 |
| 2026-10-19 22:30 | full | running | 456.9 | | | |
| 2026-10-19 18:53 | speed | done | 458.0 | | | |
| 2026-10-16 21:24 | speed | done | 459.2 | | | |
| 2026-10-16 11:14 | quick | done | 459.0 | | | 113/114 |
| 2026-10-14 00:00 | published evidence | published | | | | |
| 2026-10-13 00:00 | published evidence | published | | | | |
| 2026-10-12 00:00 | published evidence | published | | | | 1229/1437 |
| 2026-10-12 00:00 | published evidence | published | | | | 1289/1437 |
| 2026-10-12 00:00 | published evidence | published | | | | |
| 2026-10-12 00:00 | published evidence | published | | | | |

# Qwen3.8-27B, MLX 5-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-mlx5: Qwen3.8-27B MLX 5-bit (lmstudio-community/Qwen3.8-27B-MLX-5bit) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-042804-quality-off (2026-11-08 04:28, plan quality-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794112084,; suite_commit 49a346d8899c

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 222.7 (222.7) | 407.3 (407.3) | 260.1 (260.1) | 258.4 (258.4) | 0.10-0.10 s |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 222.6 (222.6) | 407.4 (407.4) | 260.1 (260.1) | 258.5 (258.5) | 0.10-0.10 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 7/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 59/60 |
| json | 30/30 |
| ifeval | 130/150 |
| gsm8k | 243/250 |
| mgsm | 210/240 |
| mmlu | 277/342 |

| check | passed |
|---|---|
| humaneval | 152/164 |
| repetition | 8/8 |
| long-context | 55/55 |
| vision | 12/12 |
| soak | 60/60 |
| snapshot | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 04:28 | quality-off | done | 407.3 | | | 1301/1437 |
| 2026-11-08 03:57 | quant-compare | done | 407.4 | | | 243/250 |
| 2026-11-08 01:26 | quant-compare | running | 391.2 | | | |

# Qwen3.8-27B, MLX 6-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-mlx6: Qwen3.8-27B MLX 6-bit (lmstudio-community/Qwen3.8-27B-MLX-6bit) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-054556-quality-off (2026-11-08 05:45, plan quality-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794116756,; suite_commit 49a346d8899c

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 218.2 (218.2) | 374.2 (374.2) | 230.4 (230.4) | 242.1 (242.1) | 0.10-0.10 s |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 218.1 (218.1) | 374.0 (374.0) | 230.2 (230.2) | 242.5 (242.5) | 0.10-0.10 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 59/60 |
| json | 30/30 |
| ifeval | 131/150 |
| gsm8k | 240/250 |
| mgsm | 213/240 |
| mmlu | 277/342 |

| check | passed |
|---|---|
| humaneval | 154/164 |
| repetition | 8/8 |
| long-context | 0/0 |
| vision | 12/12 |
| soak | 60/60 |
| snapshot | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 05:45 | quality-off | done | 374.2 | | | 1250/1382 |
| 2026-11-08 05:11 | quant-compare | done | 374.4 | | | 245/250 |

# Qwen3.8-27B, NVFP4 (ModelOpt) + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-nvfp4: Qwen3.8-27B NVFP4 (ModelOpt) (nvidia/Qwen3.8-27B-NVFP4) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-065235-quality-off (2026-11-08 06:52, plan quality-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794120755,; suite_commit 49a346d8899c

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 227.2 (227.2) | 433.2 (433.2) | 289.9 (289.9) | 264.0 (264.0) | 0.12-0.12 s |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 227.2 (227.2) | 433.6 (433.6) | 289.9 (289.9) | 263.9 (263.9) | 0.12-0.12 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 60/60 |
| json | 30/30 |
| ifeval | 126/150 |
| gsm8k | 242/250 |
| mgsm | 215/240 |
| mmlu | 270/342 |

| check | passed |
|---|---|
| humaneval | 153/164 |
| repetition | 8/8 |
| long-context | 55/55 |
| vision | 0/12 |
| soak | 60/60 |
| snapshot | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 06:52 | quality-off | done | 433.2 | | | 1285/1437 |
| 2026-11-08 06:21 | quant-compare | done | 434.3 | | | 244/250 |

# qwen38-27b on qwen38-27b-5090-q35line

Target qwen38-27b-5090-q35line: . Engine: ?; served as qwen38-27b. Latest: run 20261016-212230-speed (2026-10-16 21:22, plan speed, done).

Serving: engine_commit 3d763bde; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792185803,

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 149.9 (149.9) | 229.4 (229.4) | 167.4 (167.4) | 184.6 (184.6) | 0.10-0.10 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 26486 MiB, 32607 MiB |
| memory-busy | measured: gpu: 26486 MiB, 32607 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 21:22 | speed | done | 229.4 | | | |

# qwen38-27b on qwen38-27b-5090-q35speed

Target qwen38-27b-5090-q35speed: . Engine: ?; served as qwen38-27b. Latest: run 20261019-222616-thinking (2026-10-19 22:26, plan thinking, done).

Serving: recipe_commit 6f7277d; engine_commit 29eb2574; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792448776,

## Suite-thinking

| check | passed |
|---|---|
| gsm8k | 222/250 |

## Checks

| check | result |
|---|---|
| thinking | pass: thinking on: 10/10 right, 10/10 with reasoning_content, 0 leaks, 0 errors |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-19 22:26 | thinking | done | | | | 222/250 |
| 2026-10-19 21:44 | full | done | 436.8 | | | 1137/1273 |
| 2026-10-19 18:52 | speed | done | 450.8 | | | |

# qwen38-27b on qwen38-27b-5090-v111

Target qwen38-27b-5090-v111: . Engine: ?; served as qwen38-27b. Latest: run 20261019-141223-full (2026-10-19 14:12, plan full, running).

Serving: recipe_commit 6f7277d; engine_commit b10231b9; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792419740,

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 210.2 (210.2) | 396.6 (396.6) | 265.7 (265.7) | 258.8 (258.8) | 0.10-0.10 s |

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 26904 MiB, 32607 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-19 14:12 | full | running | 396.6 | | | |

# Qwen3.8-27B, EXL3 4.00 bpw + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090: Qwen3.8-27B EXL3 4.00 bpw (turboderp/Qwen3.8-27B-exl3, revision 4.00bpw) + DFlash2, TensorFold native CUDA on one RTX 5090 (fp8 KV, 262k, three streams, vision). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-221905-quick (2026-11-08 22:19, plan quick, done).

Serving: recipe_commit e1bf3ef; engine_commit a72aa0222; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794176345,; suite_commit 49a346d8899c

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 207.5 (207.5) | 427.2 (427.2) | 273.7 (273.7) | 260.8 (260.8) | 0.03-0.06 s |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 218.3 (218.3) | 436.9 (436.9) | 273.2 (273.2) | 259.9 (259.9) | 0.03-0.06 s |

## Suite

| check | passed |
|---|---|
| soak | 60/60 |
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 30480 MiB, 32607 MiB |
| structured | pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400 |

| check | result |
|---|---|
| tools | pass: 5/5 tool cases right |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (padded): True; cached 4096 of 5613; ttft resumed 0.749s, cold 0.749s |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-08 22:19 | quick | done | 427.2 | | | 114/114 |
| 2026-11-08 22:19 | vision | done | | | | 12/12 |
| 2026-11-08 14:06 | quick | done | 453.7 | | | 113/114 |
| 2026-11-08 14:06 | vision | done | | | | 12/12 |
| 2026-11-08 11:10 | quant-compare | done | 452.6 | | | 244/250 |
| 2026-11-08 03:18 | quality-off | done | 450.9 | | | 1318/1437 |
| 2026-11-08 03:00 | quant-compare | done | 452.1 | | | 244/250 |

# Qwen3.8-Flash-Next, MLX 6-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target qwen38-flashnext-mlx6bit-m5: Qwen3.8-Flash-Next MLX 6-bit, TensorFold native on one M5 Ultra. Engine: TensorFold native, Metal; served as Qwen3.8-Flash-Next-MLX-6bit. Latest: run evidence/2026-10-11-suite-rest (2026-10-11 00:00, plan published evidence, published).

## Suite

| check | passed |
|---|---|
| ifeval | 134/150 |
| gsm8k | 242/250 |
| mgsm | 225/240 |
| mmlu | 282/342 |
| repetition | 8/8 |
| long-context | 55/55 |
| concurrent | 12/12 |
| snapshot | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-11 00:00 | published evidence | published | | | | 970/1069 |
| 2026-10-11 00:00 | published evidence | published | 205.9 | | | 24/24 |
| 2026-10-11 00:00 | published evidence | published | | | | 157/164 |
| 2026-10-11 00:00 | published evidence | published | 199.8 | | | |
| 2026-10-11 00:00 | published evidence | published | | | | 131/132 |
| 2026-10-11 00:00 | published evidence | published | 206.2 | | | |

# Qwen3.8-Flash-Next, 6-bit with vision on 1x Apple M5 Ultra (256 GB unified), macOS

Target qwen38-flashnext-vision-m5: Qwen3.8-Flash-Next 6-bit MTP with images and video, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Qwen3.8-Flash-Next-MLX-6bit. Latest: run 20261017-120921-fn-speed (2026-10-17 12:09, plan fn-speed, done).

Serving: engine_commit 394d2e35; binary_sha256 43a9c01ac3eee31998def08595f5e4fc6d29819d46799a8ac01b7cdffd72b668; served_model {"object": "list", "data": [{"id": "Qwen3.8-Flash-Next-MLX-6bit", "object": "model", "crea; chip Apple M5 Ultra; 274877906944

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 142.4 (142.4) | 209.5 (209.5) | 173.2 (173.2) | 206.5 (206.5) | 0.11-0.13 s |
| 2 | 197.6 (98.8) | 261.9 (130.9) | 221.5 (110.7) | 271.5 (135.8) | 0.17-0.19 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |

## Checks

| check | result |
|---|---|
| structured | pass: 18/18 obey; a bad regex -> 400 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 12:09 | fn-speed | done | 209.5 | | | 24/24 |
| 2026-10-17 12:06 | fn-speed | done | 209.8 | | | 24/24 |
| 2026-10-17 11:34 | fn-1m | done | 197.4 | | | 24/24 |
| 2026-10-17 11:31 | fn-media | done | 208.9 | | | 24/24 |
| 2026-10-17 08:04 | fn-speed | done | 206.1 | | | 24/24 |
| 2026-10-17 08:02 | fn-speed | done | 204.3 | | | 24/24 |
| 2026-10-17 05:58 | fn-speed | done | 208.0 | | | 24/24 |
| 2026-10-17 01:00 | fn-speed | done | 202.8 | | | 24/24 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-17 00:57 | fn-speed | done | 207.3 | | | 24/24 |
| 2026-10-16 19:29 | fn-speed | done | 201.8 | | | 24/24 |
| 2026-10-16 19:26 | fn-speed | done | 207.3 | | | 24/24 |
| 2026-10-12 00:00 | published evidence | published | 174.1 | | | |
| 2026-10-12 00:00 | published evidence | published | 202.7 | | | |
| 2026-10-12 00:00 | published evidence | published | 176.6 | | | |
| 2026-10-11 00:00 | published evidence | published | 205.6 | | | 131/132 |
| 2026-10-11 00:00 | published evidence | published | 178.9 | | | 513/544 |

# Qwen3.8-Flash-Next INT4-Mixed (AutoRound) on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 ov

Target qwen38-int4mixed: Qwen3.8-Flash-Next INT4-Mixed, TensorFold native, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as Qwen3.8-Flash-Next-INT4-Mixed. Latest: run evidence/2026-10-27-native-v1.1.6 (2026-10-27 00:00, plan published evidence, published).

## Ruler

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 78.2 (78.2) | 127.1 (127.1) | 102.5 (102.5) | 130.6 (130.6) | 0.04-0.04 s |
| 4 | 161.1 (40.4) | 257.2 (66.7) | 205.2 (50.9) | 293.5 (69.7) | 0.08-0.10 s |
| 16 | 305.1 (19.0) | 516.3 (31.0) | 393.1 (23.9) | 526.9 (32.0) | 0.46-0.51 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 60/60 |
| json | 30/30 |
| ifeval | 130/150 |
| gsm8k | 241/250 |
| mgsm | 219/240 |
| mmlu | 283/342 |
| humaneval | 157/164 |
| repetition | 8/8 |
| long-context | 55/55 |
| vision | 12/12 |

| check | passed |
|---|---|
| soak | 60/60 |
| snapshot | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-27 00:00 | published evidence | published | 127.1 | 516.3 | 0.46-0.51 s | 1321/1437 |
| 2026-10-17 07:25 | rebase | done | 127.0 | 516.3 | 0.45-0.54 s | 114/114 |
| 2026-10-15 17:13 | full | done | 127.0 | 509.8 | 0.44-0.55 s | 1321/1437 |
| 2026-10-15 00:00 | published evidence | published | 123.4 | 472.9 | 0.52-0.74 s | 1321/1437 |
| 2026-10-15 00:00 | published evidence | published | | | | 1321/1437 |
| 2026-10-11 00:00 | published evidence | published | 120.1 | 507.2 | 0.54-0.62 s | 1321/1437 |
| 2026-10-11 00:00 | published evidence | published | 120.4 | 507.1 | 0.50-0.59 s | |
| 2026-10-10 09:45 | quick | done | 105.3 | | | 54/54 |
| 2026-10-10 00:00 | published evidence | published | 122.0 | 510.3 | 0.40-0.49 s | 114/114 |
| 2026-10-10 00:00 | published evidence | published | 125.9 | 510.9 | 0.44-0.49 s | 1261/1377 |
| 2026-10-10 00:00 | published evidence | published | 125.7 | 506.7 | 0.42-0.49 s | 54/54 |
| 2026-10-10 00:00 | published evidence | published | 106.1 | 506.1 | 0.42-0.51 s | 54/54 |
| 2026-10-10 00:00 | published evidence | published | 110.0 | 511.8 | 0.41-0.55 s | 1261/1377 |
| 2026-10-10 00:00 | published evidence | published | 105.8 | 505.5 | 0.41-0.46 s | 1261/1377 |
| 2026-10-09 00:00 | published evidence | published | 105.2 | 412.2 | 0.78-0.98 s | 1260/1377 |
| 2026-10-09 00:00 | published evidence | published | | | | 1256/1377 |
| 2026-10-08 00:00 | published evidence | published | 107.1 | 519.4 | 0.44-0.56 s | |
| 2026-10-08 00:00 | published evidence | published | 107.7 | 474.0 | 0.52-0.66 s | 145/145 |
| 2026-10-08 00:00 | published evidence | published | 107.6 | 442.6 | 0.44-0.58 s | 36/36 |
| 2026-10-08 00:00 | published evidence | published | 107.6 | 441.7 | 0.45-0.58 s | |
| 2026-10-07 00:00 | published evidence | published | | | | 12/12 |

# ricursiveAI Ripple-65B-Preview (bf16) + DFlash2 drafter on 1x Apple M5 Ultra (256 GB unified), macOS

Target ripple-65b-dflash2-m5: ricursiveAI Ripple-65B-Preview (bf16 release) + its DFlash2 drafter (bf16), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-051500-speed (2026-11-06 05:15, plan speed, running).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793963755, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 13.4 (13.4) | 30.7 (30.7) | 13.3 (13.3) | 18.7 (18.7) | 0.39-1.06 s |
| 2 | 25.7 (12.9) | 63.3 (31.6) | 26.0 (13.0) | 54.8 (27.4) | 3.24-7.98 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.931 | 6.547 | 29% | 154.04 | 12 |
| 2 | 3.151 | 6.027 | 35% | 148.44 | 25 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 22%; total = 8192.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-06 05:15 | speed | running | 30.7 | | | |
| 2026-11-06 05:08 | together | done | | | | 24/24 |

# ricursiveAI Ripple-65B-Preview (bf16) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ripple-65b-m5: ricursiveAI Ripple-65B-Preview, bf16 release, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-045115-speed (2026-11-06 04:51, plan speed, done).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793962340, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 6.4 (6.4) | 6.4 (6.4) | 6.4 (6.4) | 6.4 (6.4) | 0.52-1.20 s |
| 2 | 13.6 (6.8) | 13.6 (6.8) | 13.4 (6.7) | 13.7 (6.9) | 0.79-1.78 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.0 | | 157.24 | 12 |
| 2 | 1.007 | 0.01 | 8% | 148.42 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 6.4 (6.4) | 6.4 (6.4) | 6.5 (6.5) | 6.4 (6.4) | 0.52-1.18 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.0 | | 156.64 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 27%; total = 6144.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 4513 of 4597; ttft resumed 0.626s, cold 7.541s |
| memory-busy | measured: mac: System-wide memory free percentage: 25%; total = 6144.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-06 04:51 | speed | done | 6.4 | | | |
| 2026-11-05 02:52 | speed | done | 5.0 | | | |
| 2026-11-04 16:37 | quick | running | 6.5 | | | |

# ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) + DFlash2 drafter on 1x Apple M5 Ultra (

Target ripple-65b-nvfp4-dflash2-m5: ricursiveAI Ripple-65B-Preview-NVFP4 + its DFlash2 drafter (bf16), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-043139-speed (2026-11-06 04:31, plan speed, done).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793961124, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 15.3 (15.3) | 26.3 (26.3) | 17.3 (17.3) | 18.7 (18.7) | 0.55-0.69 s |
| 2 | 21.2 (10.6) | 34.7 (17.3) | 24.7 (12.3) | 37.3 (18.7) | 0.83-1.12 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.649 | 3.39 | 48% | 136.62 | 12 |
| 2 | 2.677 | 2.995 | 56% | 181.63 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 14.5 (14.5) | 25.7 (25.7) | 16.7 (16.7) | 18.7 (18.7) | 0.54-0.71 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.618 | 3.339 | 48% | 138.57 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 62%; total = 6144.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 4513 of 4597; ttft resumed 0.615s, cold 8.394s |
| memory-busy | measured: mac: System-wide memory free percentage: 62%; total = 6144.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-06 04:31 | speed | done | 26.3 | | | |
| 2026-11-06 04:04 | quick | done | 29.1 | | | 109/114 |
| 2026-11-06 03:30 | streams7 | done | 27.3 | | | |
| 2026-11-05 19:09 | speed | done | 27.5 | | | |
| 2026-11-05 17:58 | speed | contended (another job held ~12 cores; rerun 20261105-190943-speed) | 22.8 | | | |
| 2026-11-05 17:31 | quick | done | 27.3 | | | 109/114 |
| 2026-11-05 07:41 | speed | done | 27.5 | | | |
| 2026-11-05 07:01 | quick | done | 16.7 | | | 109/114 |
| 2026-11-05 05:37 | speed | done | 27.6 | | | |
| 2026-11-05 05:10 | quick | done | 25.3 | | | 109/114 |

# ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) on 1x Apple M5 Ultra (256 GB unified), m

Target ripple-65b-nvfp4-m5: ricursiveAI Ripple-65B-Preview-NVFP4 (MLPs NVFP4, attention bf16; activations bf16), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-043932-speed (2026-11-06 04:39, plan speed, done).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793961592, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 10.2 (10.2) | 10.1 (10.1) | 10.2 (10.2) | 10.1 (10.1) | 0.61-0.74 s |
| 2 | 18.7 (9.3) | 18.6 (9.3) | 19.0 (9.5) | 18.6 (9.3) | 0.93-1.10 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.006 | 0.0 | | 99.24 | 12 |
| 2 | 1.007 | 0.009 | 8% | 107.58 | 25 |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 10.1 (10.1) | 10.1 (10.1) | 10.2 (10.2) | 10.1 (10.1) | 0.61-0.74 s |

Engine rounds (ruler-after):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.007 | 0.0 | | 99.59 | 13 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 65%; total = 6144.00M us |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 4513 of 4597; ttft resumed 0.692s, cold 8.146s |
| memory-busy | measured: mac: System-wide memory free percentage: 65%; total = 6144.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-06 04:39 | speed | done | 10.1 | | | |
| 2026-11-06 03:10 | streams7 | done | 10.2 | | | |
| 2026-11-05 08:06 | speed | done | 10.2 | | | |
| 2026-11-05 07:55 | speed | done | 10.2 | | | |
| 2026-11-04 23:29 | quick | done | 10.1 | | | 109/114 |
| 2026-11-04 21:23 | quick | done | 10.2 | | | 109/114 |
| 2026-11-04 20:25 | speed | done | 10.1 | | | |
| 2026-11-04 19:42 | quick | done | 10.2 | | | 109/114 |

# Spark-X2.6-4B, MLX 8-bit on 1x NVIDIA RTX 4090 (24 GB), Windows

Target spark-x26-4b-4090: Spark-X2.6-4B MLX 8-bit, TensorFold native CUDA (spark2_5) on one RTX 4090, Windows (32768-token window, 4 streams). Engine: TensorFold native, CUDA; served as spark. Latest: run 20261025-041904-full (2026-10-25 04:19, plan full, done).

Serving: engine_commit 9d352b66; binary_sha256 978f64996b777498553acd0672b167a0730b20c0b46635ac0ceb88ede4ed0b7f; served_model {"object": "list", "data": [{"id": "spark", "object": "model", "created": 1792919956, "own; gpu NVIDIA GeForce RTX 4090, 616.56; suite_commit e91d8816c7e8

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 145.9 (145.9) | 144.0 (144.0) | 147.3 (147.3) | 146.3 (146.3) | 0.03-0.05 s |
| 4 | 547.6 (137.0) | 547.0 (136.8) | 551.8 (137.5) | 550.1 (137.6) | 0.07-0.07 s |

## Ruler-after

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 145.5 (145.5) | 143.8 (143.8) | 147.2 (147.2) | 146.1 (146.1) | 0.04-0.05 s |

## Suite

| check | passed |
|---|---|
| drafts | 12/12 |
| concurrent | 12/12 |
| streaming | 4/4 |
| multiturn | 8/8 |
| stop | 3/3 |
| thinking | 10/10 |
| copy | 2/2 |
| max-tokens | 3/3 |
| tools | 53/60 |
| json | 30/30 |
| ifeval | 117/150 |
| gsm8k | 232/250 |
| mgsm | 175/240 |

| check | passed |
|---|---|
| mmlu | 257/342 |
| humaneval | 0/0 |
| repetition | 7/8 |
| long-context | 16/16 |
| vision | 0/12 |
| soak | 60/60 |
| snapshot | 12/12 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 10674 MiB, 24564 MiB |
| tools | pass: 1/1 tool cases right; not tested (features.structured = false): required, named, named/thinking, named/stream |
| sampling | pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors |
| turns | pass: resumed == again: True; cold (after a restart): True; cached 5568 of 5630; ttft resumed 0.383s, cold 0.885s |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-25 04:19 | full | done | 144.0 | | | 1013/1234 |
| 2026-10-25 04:00 | full | done | 144.2 | | | 997/1218 |

# Spark-X2.6-4B, MLX 8-bit on 1x NVIDIA RTX 5090 (32 GB)

Target spark-x26-4b-5090: Spark-X2.6-4B MLX 8-bit, TensorFold native CUDA (main), one RTX 5090, 32k window, 4 streams, no drafter. Engine: TensorFold native, CUDA (main); served as spark. Latest: run 20261026-044629-streams (2026-10-26 04:46, plan streams, done).

Serving: engine_commit 31a864f13; model ca74508b40984452; suite_commit 49a346d8899c

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 199.1 (199.1) | 190.9 (190.9) | 202.7 (202.7) | 203.7 (203.7) | 0.03-0.03 s |
| 2 | 375.0 (187.5) | 376.5 (188.2) | 376.0 (188.0) | 389.1 (194.5) | 0.04-0.04 s |
| 4 | 716.4 (178.9) | 708.9 (178.9) | 725.8 (182.7) | 728.9 (182.2) | 0.06-0.06 s |

## Suite-together

| check | passed |
|---|---|
| concurrent | 12/12 |
| drafts | 12/12 |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-26 04:46 | streams | done | 190.9 | | | 24/24 |
| 2026-10-26 04:45 | exact | done | | | | 12/12 |
| 2026-10-26 04:42 | speed | done | 191.2 | | | |

# Spark-X2.6-4B, MLX 8-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target spark-x26-4b-8bit-m5: Spark-X2.6-4B MLX affine 8-bit (a lossy conversion of the release), TensorFold native Metal (spark2_5) on one M5 Ultra (262144-token window, 4 streams). Engine: TensorFold native, Metal; served as spark. Latest: run 20261030-102337-mlx-speed (2026-10-30 10:23, plan mlx-speed, done).

Serving: engine_commit abf822585; binary_sha256 e247c861a8095bc38f326a3741ee88854b32e3ec23235a1e6bb4fb08bb75276e; served_model {"object": "list", "data": [{"id": "spark", "object": "model", "created": 1793373817, "own; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 165.8 (165.8) | 165.9 (165.9) | 165.9 (165.9) | 165.7 (165.7) | 0.04-0.06 s |
| 2 | 261.7 (130.9) | 259.2 (129.6) | 267.9 (133.9) | 263.3 (131.6) | 0.05-0.08 s |
| 4 | 366.5 (91.2) | 353.4 (88.4) | 368.0 (92.1) | 362.5 (90.2) | 0.09-0.13 s |

Engine rounds (ruler-streams):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.005 | 0.0 | | 6.06 | 13 |
| 2 | 1.01 | 0.034 | 15% | 7.68 | 25 |
| 4 | 1.008 | 0.021 | 15% | 11.13 | 50 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 89%; total = 3072.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-30 10:23 | mlx-speed | done | 165.9 | | | |
| 2026-10-30 10:20 | speed | done | 166.3 | | | |
| 2026-10-30 10:17 | quick | done | 165.6 | | | 114/114 |
| 2026-10-25 18:00 | mlx-speed | done | 167.0 | | | |
| 2026-10-25 17:57 | speed | done | 166.6 | | | |
| 2026-10-25 17:54 | quick | done | 167.7 | | | 114/114 |

# Spark-X2.6-4B, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target spark-x26-4b-m5: Spark-X2.6-4B bf16 as released, TensorFold native Metal (spark2_5) on one M5 Ultra (262144-token window, 4 streams). Engine: TensorFold native, Metal; served as spark. Latest: run 20261030-101524-mlx-speed (2026-10-30 10:15, plan mlx-speed, done).

Serving: engine_commit abf822585; binary_sha256 e247c861a8095bc38f326a3741ee88854b32e3ec23235a1e6bb4fb08bb75276e; served_model {"object": "list", "data": [{"id": "spark", "object": "model", "created": 1793373324, "own; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

## Ruler-streams

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 105.6 (105.6) | 104.7 (104.7) | 104.6 (104.6) | 105.0 (105.0) | 0.06-0.07 s |
| 2 | 186.8 (93.4) | 176.4 (88.2) | 186.9 (93.4) | 183.7 (91.9) | 0.08-0.10 s |
| 4 | 317.9 (79.9) | 293.6 (73.3) | 320.5 (80.5) | 313.5 (78.2) | 0.13-0.17 s |

Engine rounds (ruler-streams):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 1.005 | 0.0 | | 9.57 | 13 |
| 2 | 1.009 | 0.032 | 15% | 11.0 | 25 |
| 4 | 1.008 | 0.024 | 12% | 12.93 | 50 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 88%; total = 4096.00M us |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-30 10:15 | mlx-speed | done | 104.7 | | | |
| 2026-10-30 10:06 | speed | done | 104.6 | | | |
| 2026-10-30 10:00 | quick | done | 105.1 | | | 113/114 |
| 2026-10-25 17:21 | quick | done | 106.1 | | | 113/114 |
| 2026-10-25 17:04 | mlx-speed | done | 105.3 | | | |
| 2026-10-25 16:22 | speed | done | 106.0 | | | |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-25 16:16 | quick | done | 106.1 | | | 113/114 |
| 2026-10-25 15:41 | speed | done | 165.9 | | | |
| 2026-10-25 15:36 | quick | done | 166.5 | | | 114/114 |
| 2026-10-25 15:00 | speed | done | 165.9 | | | |
| 2026-10-25 14:55 | quick | done | 166.8 | | | 114/114 |

# Step-5-Preview, MLX 2-bit experts (8-bit rest) + MTP on 1x Apple M5 Ultra (256 GB unified), macOS

Target step5-m5: Step-5-Preview 2-bit (experts 2/128, rest 8/64, MTP, images), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as step5-preview. Latest: run 20261016-102144-pr903-final (2026-10-16 10:21, plan pr903-final, done).

Serving: engine_commit e2bb58db; binary_sha256 61059a383f74fd363f17527526fdc7de028fe624d40e59e3238d20e4925bfef5; served_model {"object": "list", "data": [{"id": "step5-preview", "object": "model", "created": 17921641; chip Apple M5 Ultra; 274877906944

## Ruler-fresh

| streams | prose total (a stream) | code total (a stream) | structured total (a stream) | list total (a stream) | first token |
|---|---|---|---|---|---|
| 1 | 38.5 (38.5) | 50.4 (50.4) | 40.5 (40.5) | 47.9 (47.9) | 0.24-0.28 s |

Engine rounds (ruler-fresh):

| streams | tokens a round | drafts a round | accepted | ms a round | requests |
|---|---|---|---|---|---|
| 1 | 2.381 | 2.072 | 67% | 53.72 | 12 |

## Suite

| check | passed |
|---|---|
| vision | 12/12 |
| drafts | 12/12 |
| concurrent | 12/12 |

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 27%; total = 4096.00M us |
| turns | pass: resumed == again == cold: True; cached 4514 of 4618; ttft resumed 0.353s, cold 3.21s |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-16 10:21 | pr903-final | done | 50.4 | | | 36/36 |
| 2026-10-16 09:23 | pr903 | done | 50.4 | | | 156/156 |
| 2026-10-15 19:44 | one-stream | done | 50.9 | | | 220/232 |

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-10-15 19:28 | quick | done | 50.5 | | | 114/114 |
| 2026-10-15 18:52 | quick | done | 50.6 | | | 114/114 |
| 2026-10-15 13:43 | one-stream | done | 50.6 | | | 220/232 |
| 2026-10-15 12:43 | quick | done | 50.6 | | | |

# Unlimited-OCR-2, bf16 on 1x NVIDIA RTX 4080 SUPER (16 GB), Windows 11

Target unlimited-ocr-2-4080: Unlimited-OCR-2 bf16 as released, TensorFold native CUDA (unlimited-ocr) on one RTX 4080 SUPER (98304-token window, one stream). Engine: TensorFold native, CUDA; served as Unlimited-OCR-2. Latest: run 20261103-180047-ocr (2026-11-03 18:00, plan ocr, done).

Serving: engine_commit 5be83bba7; binary_sha256 ca344b3798d371d3540258b1a9505ac13dbfa4dd14c771cd0c1c4829360c4d02; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179375; gpu NVIDIA GeForce RTX 4080 SUPER, 610.88, 16376 MiB

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 15016 MiB, 16376 MiB |
| ocr | pass: 6/6 cases answered; decode 241-244 tok/s, first token 0.36-1.73 s; 2 at once 157-233 tok/s in all; vs reference: identical 3/6, similarity 0.9965-1.0000, text without boxes identical 5/6, box coords moved 13/284 (at most 5) |
| memory-after | measured: gpu: 15022 MiB, 16376 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-03 18:00 | ocr | done | | | | |
| 2026-11-03 17:29 | ocr | done | | | | |

# Unlimited-OCR-2, bf16 on 1x NVIDIA RTX 5090 (32 GB), Linux

Target unlimited-ocr-2-5090: Unlimited-OCR-2 bf16 as released, TensorFold native CUDA (unlimited-ocr) on one RTX 5090 (131072-token window, one stream). Engine: TensorFold native, CUDA; served as Unlimited-OCR-2. Latest: run 20261106-101707-ocr-match (2026-11-06 10:17, plan ocr-match, done).

Serving: engine_commit b18ab33a; binary_sha256 db84ddbdd82dc42fc2acce193abe139fc94180edb7e27785f529cb8a227f0ab4; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179396; gpu NVIDIA GeForce RTX 5090, 615.71.09, 32607 MiB

## Checks

| check | result |
|---|---|
| memory-idle | measured: gpu: 15468 MiB, 32607 MiB |
| ocr | pass: 7/7 cases answered; decode 507-518 tok/s, first token 0.22-9.62 s; vs reference: identical 1/6, similarity 0.9873-1.0000, text without boxes identical 3/6, box coords moved 14/284 (at most 2) |
| memory-after | measured: gpu: 15474 MiB, 32607 MiB |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-06 10:17 | ocr-match | done | | | | |
| 2026-11-06 10:15 | ocr | done | | | | |
| 2026-11-06 09:01 | ocr-match | done | | | | |
| 2026-11-06 08:59 | ocr | done | | | | |
| 2026-11-06 07:45 | ocr-match | done | | | | |
| 2026-11-06 06:06 | ocr | done | | | | |
| 2026-11-05 00:28 | ocr-match | done | | | | |
| 2026-11-05 00:21 | ocr-match | done | | | | |
| 2026-11-04 18:38 | ocr-match | done | | | | |
| 2026-11-04 16:28 | ocr-match | done | | | | |
| 2026-11-04 15:43 | ocr-match | done | | | | |
| 2026-11-04 10:51 | ocr-match | done | | | | |
| 2026-11-04 00:18 | ocr | done | | | | |
| 2026-11-03 23:56 | ocr | done | | | | |

# Unlimited-OCR-2, bf16 on 1x NVIDIA GB10 (DGX Spark class, 128 GB unified)

Target unlimited-ocr-2-gb10: Unlimited-OCR-2 bf16 as released, TensorFold native CUDA (unlimited-ocr) on one GB10 (131072-token window, one stream). Engine: TensorFold native, CUDA; served as Unlimited-OCR-2. Latest: run 20261104-220009-ocr-match (2026-11-04 22:00, plan ocr-match, done).

Serving: engine_commit e1e345a25; binary_sha256 6fba85d1e2683085d0dcacd0aac9cd55e148706a257495969c4b8d4b2274a07b; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179382; gpu NVIDIA GB10, 580.178.04

## Checks

| check | result |
|---|---|
| memory-idle | measured: server: 15375 MiB; system 98.2 GiB available |
| ocr | pass: 7/7 cases answered; decode 110-117 tok/s, first token 0.62-26.64 s; vs reference: identical 2/6, similarity 0.9960-1.0000, text without boxes identical 6/6, box coords moved 10/288 (at most 5) |
| memory-after | measured: server: 15377 MiB; system 98.0 GiB available |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-04 22:00 | ocr-match | done | | | | |
| 2026-11-04 01:33 | ocr-long | done | | | | |
| 2026-11-04 01:29 | ocr | done | | | | |
| 2026-11-04 00:45 | ocr-long | done | | | | |
| 2026-11-04 00:40 | ocr | done | | | | |

# Unlimited-OCR-2, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target unlimited-ocr-2-m5: Unlimited-OCR-2 bf16 as released, TensorFold native Metal (unlimited-ocr) on one M5 Ultra (131072-token window, one stream). Engine: TensorFold native, Metal; served as Unlimited-OCR-2. Latest: run 20261106-104202-ocr (2026-11-06 10:42, plan ocr, done).

Serving: engine_commit f7c686f36; binary_sha256 adf4f3c4bb9f45a1501bbf5d41b1bfc1821284d2cb5b7e484846840046c72313; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179398; chip Apple M5 Ultra; 274877906944

## Checks

| check | result |
|---|---|
| memory-idle | measured: mac: System-wide memory free percentage: 88% |
| ocr | pass: 6/6 cases answered; decode 303-308 tok/s, first token 0.27-1.45 s; 2 at once 200-296 tok/s in all; vs reference: identical 1/6, similarity 0.9844-1.0000, text without boxes identical 3/6, box coords moved 102/284 (at most 824) |
| memory-after | measured: mac: System-wide memory free percentage: 83% |

## History

| run | plan | status | 1 stream code | 16 streams code | 16 streams first token | suite |
|---|---|---|---|---|---|---|
| 2026-11-06 10:42 | ocr | done | | | | |
| 2026-11-06 10:18 | ocr | done | | | | |
| 2026-11-05 08:26 | ocr | done | | | | |
| 2026-11-05 06:51 | ocr | done | | | | |
| 2026-11-04 09:57 | ocr | done | | | | |
| 2026-11-04 05:28 | ocr | done | | | | |
| 2026-11-04 05:07 | ocr | done | | | | |
| 2026-11-04 04:32 | ocr-match | done | | | | |
| 2026-11-03 22:37 | ocr | done | | | | |
| 2026-11-03 17:51 | ocr | done | | | | |
| 2026-11-03 17:17 | ocr | done | | | | |
| 2026-11-03 17:03 | ocr | done | | | | |
| 2026-11-03 16:40 | ocr | done | | | | |
| 2026-11-03 15:27 | ocr | done | | | | |
| 2026-11-03 15:19 | ocr | done | | | | |

# Served earlier, numbers in their READMEs only

These recipes predate the ruler's JSON, so their measurements are not in the ledger; their READMEs hold them.

| model | hardware | engine | recipe |
|---|---|---|---|
| Qwen3.8-Flash-Next, turboderp EXL3 4.05 bpw | 2x NVIDIA DGX Spark (GB10), TP=2 | TensorFold 0.6.6 (Python) with an EXL3 patch | github.com/BobClawblaw/qwen38-flashnext-exl3-2x-dgx-sparks |
| Qwen3.8-Flash-Next (TensorFold 0.6.6 recipe) | 2x NVIDIA DGX Spark (GB10), TP=2 | TensorFold 0.6.6 (Python) | github.com/BobClawblaw/qwen38-flashnext-tensorfold-2x-dgx-sparks |

# Step-5-Preview on one M5 Ultra, final build: measured outside the harness

TensorFold native Metal, branch step5-native at engine 6e791da6: 2,048-row prompt chunks, the prompt cache and the idle keepalive's kernel tick. Greedy unless said; served with --parallel 2 --vision at the default context (227,025).

| what | measured |
|---|---|
| prompt, 4k / 8k / 16k / 32k tokens | 868 / 863 / 840 / 800 tok/s (a 4k prompt right after a pause was 580 before the keepalive fix) |
| 212k-token chat question, one record's code of 10,500 | 2 of 3 right (records 3,000 and 9,800; missed 777), 376 s each, at least 19% of memory free |
| 129k-token chat question | 2 of 2 right (records 777 and 5,000), about 200 s each |
| MTP drafts against "draft": false, 200-400-token replies timed with their prompt | identical; code 25.8 to 41.2 tok/s, prose 27.0 to 36.6, math 26.9 to 48.8 |
| prompt cache, an 11.6k-token chat sent again, then two more turns | 15.3 s fresh, 1.8 s again, turns resumed at 11,601; replies identical to --prompt-cache-gib 0 |
| prompt cache, images (1200 x 800 PNG, 688 tokens) | resent in 2.15 s instead of 3.8 s; replies identical to the cache off |
| a kept state that cannot sit beside its stream (2.4 GiB cache budget) | dropped before the pass; the prompt read again with the same reply |
| a 1-token reply after 2 / 6 / 30 / 120 s idle | 0.17 / 0.18 / 0.18 / 0.19 s (about 3 s before the kernel tick and residency set) |
| two 18k/31k-token chats at once | both right |

# Step-5-Preview on one M5 Ultra, first build (512-row chunks): measured outside the harness

TensorFold native Metal, branch step5-native (engine 5ad7660c, images aa221b11), MLX 2-bit experts with the rest 8-bit, greedy, one stream. The harness's step5-m5 runs hold the ruler and the suite; these are the rest.

| what | measured |
|---|---|
| prompt, 4k / 8k / 16k / 32k tokens | 690 / 668 / 647 / 622 tok/s (the sparse indexer caps each row's keys past 4k) |
| 131,016-token chat question about its first page | answered exactly, 264 s end to end, at least 23% of memory free |
| decode without drafts, 20 / 600 / 4,200 / 32,768 tokens of context | 29.6 / 21.9 / 14.7 / 14.5 tok/s |
| MTP drafts against "draft": false (replies token-identical) | code 25.7 to 44.6 tok/s (70% accepted), prose 26.4 to 34.8 (56%), math 26.2 to 46.0 (75%) |
| an image, 1200 x 800 PNG (six 504-px crops and the overview, 692 prompt tokens) | 2.1 s to a 4-token answer |
| an image, 600 x 400 PNG (overview only, 193 prompt tokens) | 0.7 s |