Served stats

Throughput, latency and quality of each served recipe, by model and hardware

2026-11-11 00:21 UTC

Rendered 2026-11-11 00:21 UTC from stats/*.json, the ledger every harness run and harness export adds to (python3 -m harness stats renders it again). Aggregate tok/s, greedy, 256-token replies, the recipe's own ruler; engine rounds from the server's own counters.

Overview: by model and hardware

Aggregate tok/s as prose/code/structured/list; first token in seconds (one stream / the most streams).

model	hardware	one stream	most streams: total	first token (s)	suite	measured
Bimo-7B-CyberAgent, bf16	1x Apple M5 Ultra (256 GB unified), macOS	56/44/56/56	2: 89/104/113/113	0.07 / 0.11-0.14		2026-11-10
Bimo-7B-CyberAgent, bf16	1x Apple M5 Ultra (256 GB unified), macOS	65/51/49/44		0.07		2026-11-10
DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	55/100/62/71	4: 106/162/112/179	0.19 / 0.73-0.99		2026-10-18
DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	55/104/63/71	8: 135/203/144/203	0.19 / 1.35-1.84		2026-10-18
DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	53/98/61/69	4: 106/158/111/176	0.20 / 0.75-1.00		2026-10-18
DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	55/101/63/71	4: 104/156/109/173	0.19 / 0.41-0.64		2026-10-17
DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw abliterated	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	65/95/87/95	8: 226/319/250/359	0.10 / 1.76-3.96		2026-10-20
DeepSeek-V4.1-Flash-1017, 2/3-bit experts	1x Apple M5 Ultra (256 GB unified), macOS	73/104/88/99	2: 96/115/111/147	0.11 / 0.22-0.28	tools 58/60, json 30/30, gsm8k 246/250, ifeval 129/150	2026-10-23
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	42/60/57/58		0.17	json 30/30, ifeval 103/150	2026-10-17
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	27/48/39/33	8: 78/115/98/110	0.18 / 1.49-1.83		2026-10-17
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	-/-/-/-	16: 107/120/119/130	/ 2.69-3.38		2026-10-18
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	-/-/-/-	16: 106/120/131/138	/ 1.32-1.62		2026-10-18

model	hardware	one stream	most streams: total	first token (s)	suite	measured
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	-/-/-/-	16: 117/134/148/159	/ 1.34-1.66		2026-10-18
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE				json 30/30, ifeval 103/150	2026-10-17
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	28/38/33/31	16: 124/156/150/145	0.18 / 8.50-17.20		2026-10-16
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	28/39/34/31	16: 86/101/100/102	0.18 / 3.23-3.72		2026-10-17
GLM-5.3-Flash, EXL3 4 bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	46/69/57/59		0.18	tools 59/60, json 30/30, gsm8k 246/250, humaneval 159/164, ifeval 118/150	2026-10-14
GLM-5.3-Flash, MLX 4-bit	1x Apple M5 Ultra (256 GB unified), macOS	91/103/97/94	3: 118/133/134/153	0.11 / 0.26-0.34		2026-11-09
Gemma 4 12B, MLX 4-bit + MTP assistant	1x Apple M5 Ultra (256 GB unified), macOS	140/223/205/248		0.04	tools 58/60, json 30/30, gsm8k 239/250	2026-10-16
Gemma 4 12B, oQ8e (8-bit) + MTP assistant	1x Apple M5 Ultra (256 GB unified), macOS	93/142/146/158	4: 262/324/328/340	0.05 / 0.12-0.12		2026-10-16
Gemma 4 31B, MLX 4-bit + DFlash	1x Apple M5 Ultra (256 GB unified), macOS	87/158/157/130		0.08		2026-10-16
Gemma 4 31B, oQ8e (8-bit) + DFlash	1x Apple M5 Ultra (256 GB unified), macOS	40/63/52/55	4: 110/173/142/180	0.10 / 0.24-0.27		2026-10-16
MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 256k context	1x Apple M5 Ultra (256 GB unified), macOS	32/34/31/32	2: 30/39/31/45	1.46 / 2.19-2.33		2026-10-29
MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 32k context	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	25/40/30/30		0.59		2026-10-28
MiniMax-M3.1-Flash, MLX mixed 3-bit (mix256k), 144k context	1x Apple M5 Ultra (256 GB unified), macOS	44/58/48/52		0.31		2026-10-27
MiniMax-M3.1-Flash, MLX mixed 4/3-bit (mix34)	1x Apple M5 Ultra (256 GB unified), macOS	41/63/48/54		0.32		2026-10-27
MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, 32k context	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	23/41/25/32		0.47		2026-10-26
MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, dense NVFP4, MXFP8 head, 32k context	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	27/45/33/37		0.47	gsm8k 242/250	2026-10-26
NVIDIA Nemotron 3.5 Bolt 74B-A9B (24 GB: IQ2_XXS experts, Q8_0, NVFP4 Mamba) + vision	1x NVIDIA RTX 5090 (32 GB)	150/150/150/150		0.03	tools 58/60, json 30/30, gsm8k 241/250, humaneval 153/164, ifeval 120/150	2026-10-15
Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B 4-bit	1x Apple M5 Ultra (256 GB unified), macOS	114/111/108/85	2: 63/64/64/58	0.23 / 0.35-0.39		2026-10-26

model	hardware	one stream	most streams: total	first token (s)	suite	measured
Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B MLX 4-bit	1x Apple M5 Ultra (256 GB unified), macOS	117/111/110/102		0.23		2026-10-28
Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B bf16	1x Apple M5 Ultra (256 GB unified), macOS	114/98/99/107	2: 44/59/54/56	0.23 / 0.34-0.39		2026-10-29
Nanbeige4.3-33B, MLX 4-bit	1x Apple M5 Ultra (256 GB unified), macOS	47/46/47/47	2: 79/76/79/79	0.12 / 0.18-0.20		2026-10-27
Nanbeige4.3-33B, MLX 8-bit	1x Apple M5 Ultra (256 GB unified), macOS	28/28/28/28		0.15		2026-10-27
Nanbeige4.3-33B, affine 4bit	1x Apple M5 Ultra (256 GB unified), macOS	48/48/49/49	2: 85/81/84/85	0.10 / 0.16-0.18		2026-10-26
Nanbeige4.3-33B, affine 8bit	1x Apple M5 Ultra (256 GB unified), macOS	29/28/29/29	2: 54/52/53/54	0.13 / 0.19-0.23		2026-10-26
Nanbeige4.3-33B, bf16	1x Apple M5 Ultra (256 GB unified), macOS	16/16/16/16	2: 32/28/31/32	0.23 / 0.34-0.39		2026-10-28
Nanbeige4.3-33B-INT4 (QAT int4 g32), drafted by Nanbeige4.1-3B bf16	1x Apple M5 Ultra (256 GB unified), macOS	88/87/88/86		0.27		2026-10-31
Nanbeige4.3-33B-INT4, int4 g32 (QAT)	1x Apple M5 Ultra (256 GB unified), macOS	48/47/48/48	2: 82/57/81/82	0.27 / 0.40-0.45		2026-11-04
Ornith-1.5-122B, 4-bit MLX affine (g64)	1x Apple M5 Ultra (256 GB unified), macOS	66/67/66/67	4: 176/178/178/180	0.08 / 0.25-0.35		2026-10-20
Ornith-1.5-122B, 4-bit MLX affine (g64)	1x Apple M5 Ultra (256 GB unified), macOS	133/192/161/194		0.05		2026-10-31
Ornith-1.5-122B, 4-bit MLX affine (g64), YaRN x4 to 1M context	1x Apple M5 Ultra (256 GB unified), macOS	78/161/106/111	4: 447/774/555/871	0.06 / 1.58-3.32	gsm8k 247/250	2026-10-26
Ornith-1.5-122B, 8-bit MLX affine (g64)	1x Apple M5 Ultra (256 GB unified), macOS	57/111/91/83	4: 148/232/186/243	0.08 / 0.19-0.27		2026-10-31
Qwen3.8-27B, EXL3 4.00 bpw + DFlash2	1x NVIDIA RTX 5090 (32 GB)	217/452/307/264		0.03		2026-11-09
Qwen3.8-27B, EXL3 5.00 bpw + DFlash2	1x NVIDIA RTX 5090 (32 GB)	191/366/240/256		0.03	humaneval 151/164	2026-11-08
Qwen3.8-27B, MLX 4-bit + DFlash2	1x NVIDIA RTX 5090 (32 GB)	278/538/353/337		0.06		2026-11-08
Qwen3.8-27B, MLX 4-bit, bf16 prompts + DFlash2	1x NVIDIA RTX 5090 (32 GB)	276/525/354/332		0.10	gsm8k 241/250	2026-11-08
Qwen3.8-27B, MLX 5-bit + DFlash2	1x NVIDIA RTX 5090 (32 GB)	223/407/260/258		0.10	tools 59/60, json 30/30, gsm8k 243/250, humaneval 152/164, ifeval 130/150	2026-11-08
Qwen3.8-27B, MLX 6-bit + DFlash2	1x NVIDIA RTX 5090 (32 GB)	218/374/230/242		0.10	tools 59/60, json 30/30, gsm8k 240/250, humaneval 154/164, ifeval 131/150	2026-11-08
Qwen3.8-27B, NVFP4 (ModelOpt) + DFlash2	1x NVIDIA RTX 5090 (32 GB)	227/433/290/264		0.12	tools 60/60, json 30/30, gsm8k 242/250, humaneval 153/164, ifeval 126/150	2026-11-08
Qwen3.8-Flash-Next INT4-Mixed (AutoRound)	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	78/127/102/131	16: 305/516/393/527	0.04 / 0.46-0.51	tools 60/60, json 30/30, gsm8k 241/250, humaneval 157/164, ifeval 130/150	2026-10-27
Qwen3.8-Flash-Next, 6-bit with vision	1x Apple M5 Ultra (256 GB unified), macOS	142/210/173/206	2: 198/262/222/272	0.11 / 0.17-0.19		2026-10-17

model	hardware	one stream	most streams: total	first token (s)	suite	measured
Qwen3.8-Flash-Next, MLX 6-bit	1x Apple M5 Ultra (256 GB unified), macOS	145/206/172/194	4: 566/816/673/854	0.09 / 1.63-3.07	gsm8k 242/250, ifeval 134/150	2026-10-11
Recursive Flint 40B-A2.5B, MLX INT4 (g64)	1x Apple M5 Ultra (256 GB unified), macOS	182/177/192/178		0.03		2026-11-05
Spark-X2.6-4B, MLX 8-bit	1x Apple M5 Ultra (256 GB unified), macOS	166/166/166/166	4: 366/353/368/362	0.04 / 0.09-0.13		2026-10-30
Spark-X2.6-4B, MLX 8-bit	1x NVIDIA RTX 4090 (24 GB), Windows	146/144/147/146	4: 548/547/552/550	0.03 / 0.07-0.07	tools 53/60, json 30/30, gsm8k 232/250, humaneval 0/0, ifeval 117/150	2026-10-25
Spark-X2.6-4B, MLX 8-bit	1x NVIDIA RTX 5090 (32 GB)	199/191/203/204	4: 716/709/726/729	0.03 / 0.06-0.06		2026-10-26
Spark-X2.6-4B, bf16	1x Apple M5 Ultra (256 GB unified), macOS	106/105/105/105	4: 318/294/320/314	0.06 / 0.13-0.17		2026-10-30
Step-5-Preview, MLX 2-bit experts (8-bit rest) + MTP	1x Apple M5 Ultra (256 GB unified), macOS	38/50/40/48		0.24		2026-10-16
Unlimited-OCR-2, bf16	1x Apple M5 Ultra (256 GB unified), macOS					2026-11-06
Unlimited-OCR-2, bf16	1x NVIDIA GB10 (DGX Spark class, 128 GB unified)					2026-11-04
Unlimited-OCR-2, bf16	1x NVIDIA RTX 4080 SUPER (16 GB), Windows 11					2026-11-03
Unlimited-OCR-2, bf16	1x NVIDIA RTX 5090 (32 GB), Linux					2026-11-06
qwen38-27b	?	150/230/168/185		0.10		2026-10-16
qwen38-27b	?	211/398/268/250		0.10		2026-10-16
qwen38-27b	?	150/229/167/185		0.10		2026-10-16
qwen38-27b	?	236/437/293/288		0.10	gsm8k 222/250	2026-10-19
qwen38-27b	?	210/397/266/259		0.10		2026-10-19
ricursiveAI Ripple-65B-Preview (bf16)	1x Apple M5 Ultra (256 GB unified), macOS	6/6/6/6	2: 14/14/13/14	0.52 / 0.79-1.78		2026-11-06
ricursiveAI Ripple-65B-Preview (bf16) + DFlash2 drafter	1x Apple M5 Ultra (256 GB unified), macOS	13/31/13/19	2: 26/63/26/55	0.39 / 3.24-7.98		2026-11-06
ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention)	1x Apple M5 Ultra (256 GB unified), macOS	10/10/10/10	2: 19/19/19/19	0.61 / 0.93-1.10		2026-11-06
ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) + DFlash2 drafter	1x Apple M5 Ultra (256 GB unified), macOS	15/26/17/19	2: 21/35/25/37	0.55 / 0.83-1.12		2026-11-06

Bimo-7B-CyberAgent, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target bimo-7b-m5: Bimo-7B-CyberAgent bf16 as released, TensorFold native Metal (llama family, Qwen2) on one M5 Ultra (32768-token window, 2 streams). Engine: TensorFold native, Metal; served as bimo. Latest: run 20261110-181601-speed (2026-11-10 18:16, plan speed, done).

Serving: engine_commit 7662e079c; binary_sha256 cd01a302a7cdf9cd0969961abd4b57d766b6c75da3185472c8fd3cfe9632b5be; served_model {"object": "list", "data": [{"id": "bimo", "object": "model", "created": 1794356169, "owne; chip Apple M5 Ultra; 274877906944; suite_commit b3b0ef38b8bc

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	55.7 (55.7)	44.4 (44.4)	55.6 (55.6)	55.9 (55.9)	0.07-0.10 s
2	88.6 (44.3)	103.8 (51.9)	113.3 (56.7)	113.4 (56.7)	0.11-0.14 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.004	0.0	18.99	12	
2	1.005	0.0	19.17	25	

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	44.3 (44.3)	45.6 (45.6)	48.9 (48.9)	42.4 (42.4)	0.09-0.10 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.004	0.0	22.17	13	

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 89%; total = 13312.00M u
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5583; ttft resumed 0.133s, cold 1.061s
memory-busy	measured: mac: System-wide memory free percentage: 55%; total = 13312.00M u

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-10 18:16	speed	done	44.4			
2026-11-10 18:03	speed	done	44.4			
2026-11-10 17:54	quick	done	43.7			103/114

Bimo-7B-CyberAgent, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target bimo-7b-tools-m5: Bimo-7B-CyberAgent bf16 as released with the base model's tool-rendering template, TensorFold native Metal (llama family, Qwen2) on one M5 Ultra (32768-token window, 2 streams). Engine: TensorFold native, Metal; served as bimo. Latest: run 20261110-180712-quick (2026-11-10 18:07, plan quick, done).

Serving: engine_commit 7662e079c; binary_sha256 cd01a302a7cdf9cd0969961abd4b57d766b6c75da3185472c8fd3cfe9632b5be; served_model {"object": "list", "data": [{"id": "bimo", "object": "model", "created": 1794355640, "owne; chip Apple M5 Ultra; 274877906944; suite_commit b3b0ef38b8bc

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	64.8 (64.8)	51.4 (51.4)	48.6 (48.6)	44.1 (44.1)	0.07-0.09 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.049	0.095	47%	20.09	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	53.4 (53.4)	52.9 (52.9)	55.2 (55.2)	47.9 (47.9)	0.07-0.10 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.049	0.094	47%	20.03	13

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	0/10
copy	2/2
max-tokens	2/3

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 89%; total = 13312.00M u
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	FAIL: 4/5 tool cases right; failed auto (finish stop)
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5583; ttft resumed 0.106s, cold 1.082s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-10 18:07	quick	done	51.4			103/114

DeepSeek-V4.1-Flash-1017, 2/3-bit experts on 1x Apple M5 Ultra (256 GB unified), macOS

Target deepseek-v41-m5: DeepSeek-V4.1-Flash-1017, 2/3-bit experts with images and DSpark drafts, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as DeepSeek-V4.1-Flash. Latest: run 20261023-021709-dsv41-quality-off (2026-10-23 02:17, plan dsv41-quality-off, done).

Serving: engine_commit 5babc696; binary_sha256 a39c47da690de2f9362f88aa67232798f8cfa6fe1f469b99df381526c15f57b5; served_model {"object": "list", "data": [{"id": "DeepSeek-V4.1-Flash-Abliterated", "object": "model", "; checkpoint {'repo': 'deepseek-ai/DeepSeek-V4.1-Flash-1017', 'expert_bits': 2, 'layer_bits': '10-29:3'; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

Suite

check	passed
drafts	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	58/60
json	30/30
ifeval	129/150
gsm8k	246/250
mgsm	218/240
mmlu	307/342
math500	468/500

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 93%; total = 1024.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-23 02:17	dsv41-quality-off	done				1498/1614

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-23 02:13	speed	done	104.5			
2026-10-20 09:28	dsv41-quality-off	done				1488/1614
2026-10-20 09:19	dsv41-speed	done	104.9			
2026-10-20 08:25	dsv41-speed	done	87.7			
2026-10-20 06:19	dsv41-speed	done	86.4			
2026-10-20 04:35	dsv41-quality-off	done				1490/1614
2026-10-20 04:30	dsv41-speed	done	88.5			
2026-10-19 09:08	dsv41-speed	done	90.5			
2026-10-18 20:28	dsv41-quality	done				1487/1614
2026-10-18 18:44	speed	done	87.5			
2026-10-18 17:24	speed	done	92.5			
2026-10-17 19:33	speed	done	96.3			
2026-10-17 17:54	speed	done	90.5			
2026-10-17 14:57	speed	done	56.7			

DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw abliterated on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP

Target dsv41-1017-ablit: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw abliterated, TensorFold native (Zig) TP=2 on two DGX Sparks, 4 slots, 1M window. Engine: TensorFold native (Zig, CUDA) + EXL3 TP=2 kit, recipe defaults (replay prefill, DSpark drafts, thinking on); served as DeepSeek-V4.1-Flash-1017. Latest: run 20261020-131445-dsv41-speed8 (2026-10-20 13:14, plan dsv41-speed8, done).

Serving: image d9acaf504779; patches 8eb5919ff0a4; ablit 0bdc2036; served {"object": "list", "data": [{"id": "DeepSeek-V4.1-Flash-1017", "object": "model", "created; pack 6c4679e6407806ab; suite_commit 35b24fedcc37

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	65.3 (65.3)	94.6 (94.6)	87.3 (87.3)	94.9 (94.9)	0.10-0.16 s
2	91.9 (45.9)	132.3 (66.2)	109.1 (54.6)	163.3 (81.6)	0.15-0.24 s
4	119.5 (29.9)	164.3 (40.0)	136.1 (34.3)	211.2 (51.4)	0.25-0.41 s
8	226.2 (27.9)	318.9 (41.1)	249.9 (30.6)	358.8 (43.0)	1.76-3.96 s

Checks

check	result
memory-idle	measured: head 6.5 GiB available; worker 8.4 GiB available

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-20 13:14	dsv41-speed8	done	94.6			
2026-10-20 13:05	quick	done	94.3			114/114
2026-10-20 12:55	quick	done	94.1			114/114

DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10-native-vision: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw on native TensorFold (main + jayleaton's kit engine 9131e10a ported onto it), native images and video, TP=2 on two DGX Sparks, 4 slots, pool 200K. Engine: TensorFold native (Zig, CUDA): main 9ccf4727 + the DeepSeek-V4.1 kit engine, vision tower (TF_DSV41_IMAGES=native), video as sampled frames, DSpark drafts; served as DeepSeek-V4.1-Flash-TF. Latest: run 20261018-032401-dsv41-speed (2026-10-18 03:24, plan dsv41-speed, done).

Serving: image 7b3d42e0e5865d34; pack 778baeaf9fbcd351

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	55.2 (55.2)	100.4 (100.4)	62.5 (62.5)	71.4 (71.4)	0.19-0.26 s
2	81.0 (40.5)	124.9 (62.5)	84.2 (42.1)	143.6 (71.8)	0.31-0.40 s
4	106.5 (26.4)	161.6 (40.0)	111.9 (26.9)	178.7 (43.1)	0.73-0.99 s

Checks

check	result
memory-idle	measured: head 6.6 GiB available

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-18 03:24	dsv41-speed	done	100.4			

DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10-native-vision8: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw on native TensorFold (main + the kit engine), native images and video, TP=2 on two DGX Sparks, 8 slots, pool 400K, prefill-dip reserve 2 GiB. Engine: TensorFold native (Zig, CUDA): main 9ccf4727 + the DeepSeek-V4.1 kit engine, vision tower, video as frames, DSpark drafts, 8 slots; served as DeepSeek-V4.1-Flash-TF. Latest: run 20261018-092218-dsv41-speed8 (2026-10-18 09:22, plan dsv41-speed8, done).

Serving: image 7b3d42e0e5865d34; pack 778baeaf9fbcd351

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	55.4 (55.4)	103.5 (103.5)	62.7 (62.7)	70.9 (70.9)	0.19-0.26 s
2	81.5 (40.7)	126.2 (63.1)	89.4 (44.7)	142.7 (71.4)	0.30-0.48 s
4	108.8 (26.8)	163.8 (40.3)	113.7 (28.4)	180.4 (44.4)	0.71-0.85 s
8	134.8 (16.7)	202.7 (25.4)	143.6 (17.4)	203.3 (24.8)	1.35-1.84 s

Checks

check	result
memory-idle	measured: head 6.3 GiB available

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-18 09:22	dsv41-speed8	done	103.5			

DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10-native: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw on native TensorFold (main + the deepseek_v41 CUDA family, PRs 667-727), TP=2 on two DGX Sparks, 4 slots, pool 900K. Engine: TensorFold native (Zig, CUDA): main 9ccf4727 + deepseek_v41 series, kit serving profile, DSpark drafts, images as placeholder; served as DeepSeek-V4.1-Flash-TF. Latest: run 20261018-020350-dsv41-speed (2026-10-18 02:03, plan dsv41-speed, done).

Serving: image 00b298dda4527ad6; pack 778baeaf9fbcd351

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	53.3 (53.3)	98.1 (98.1)	61.0 (61.0)	69.3 (69.3)	0.20-0.28 s
2	78.4 (39.2)	121.8 (60.9)	82.5 (41.3)	139.0 (69.5)	0.30-0.42 s
4	105.7 (26.2)	158.5 (39.4)	110.6 (26.5)	176.4 (41.4)	0.75-1.00 s

Checks

check	result
memory-idle	measured: head 6.3 GiB available

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-18 02:03	dsv41-speed	done	98.1			

DeepSeek-V4.1-Flash-1017 EXL3 2.9bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over Ro

Target dsv41-1017-gb10: DeepSeek-V4.1-Flash-1017 EXL3 2.9 bpw, jayleaton's DeepSeek-V4.1 recipe (Python, TensorFold 0.6.0 + patches), TP=2 on two DGX Sparks, 4 slots. Engine: TensorFold 0.6.0 (Python) + jayleaton's DeepSeek-V4.1 patches, recipe defaults (replay prefill, DSpark drafts); served as DeepSeek-V4.1-Flash-TF. Latest: run 20261017-231853-dsv41-speed (2026-10-17 23:18, plan dsv41-speed, done).

Serving: image eb2f599de2fb618a; pack 778baeaf9fbcd351

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	54.7 (54.7)	100.6 (100.6)	62.6 (62.6)	71.3 (71.3)	0.19-0.26 s
2	77.4 (38.7)	126.5 (63.3)	84.0 (42.0)	142.6 (71.3)	0.30-0.39 s
4	103.5 (25.4)	155.8 (38.4)	109.0 (27.7)	173.2 (41.0)	0.41-0.64 s

Checks

check	result
memory-idle	measured: head 8.1 GiB available

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 23:18	dsv41-speed	done	100.6			

Recursive Flint 40B-A2.5B, MLX INT4 (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target flint-40b-native-m5: Recursive Flint 40B-A2.5B, MLX INT4 (g64), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as flint. Latest: run 20261109-105247-quick (2026-11-09 10:52, plan quick, done).

Serving: engine_commit 06c04ccc6; binary_sha256 034c77766e023bb128a2292769071613f6932a29d7228045880d1432c3e6cd62; served_model {"object": "list", "data": [{"id": "flint", "object": "model", "created": 1794243175, "own; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be-dirty

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	1/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 16%; total = 14336.00M u
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	pass: 5/5 tool cases right
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 4507 of 4529; ttft resumed Nones, cold Nones
urls	FAIL: public 400; loopback 400; http 400; unexpected: ['public']

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-09 10:52	quick	done				113/114

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-05 21:36	quick	done	176.9			113/114
2026-11-04 13:40	quick	done	178.9			113/114
2026-10-28 09:14	quick	done	179.2			113/114
2026-10-28 03:49	streams	done	177.8			24/24
2026-10-28 03:44	together	done				24/24
2026-10-28 03:39	quick	done	179.0			113/114
2026-10-28 01:33	quick	done	171.7			113/114
2026-10-28 00:53	quick	done	1284.1			107/114
2026-10-28 00:47	together	done				24/24
2026-10-28 00:41	quick	done	0.0			102/114
2026-10-27 21:31	quality-off	done	176.3			1457/2017
2026-10-27 21:03	together	done				24/24
2026-10-27 20:58	quick	done	178.5			113/114
2026-10-25 08:00	quick	done	177.8			113/114
2026-10-21 19:17	mlx-speed	done	177.0			
2026-10-21 19:14	speed	done	177.6			
2026-10-21 18:22	mlx-speed	done	177.0			
2026-10-21 18:21	speed	done	176.2			
2026-10-21 17:55	mlx-speed	done	166.2			
2026-10-21 17:53	speed	done	164.9			
2026-10-21 17:23	speed	done	132.7			
2026-10-21 17:06	mlx-speed	done	131.3			

Gemma 4 12B, MLX 4-bit + MTP assistant on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-12b-m5: Gemma 4 12B 4-bit (groups of 64), MTP assistant drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-12b. Latest: run 20261016-113616-g12-quality (2026-10-16 11:36, plan g12-quality, done).

Serving: engine_commit 74005ebe; binary_sha256 215b4b7e3cd14a9d8178b4dc885d9f1dffbebd0f4ec2e9b274653820b71da8d2; served_model {"object": "list", "data": [{"id": "gemma4-12b", "object": "model", "created": 1792168585,; chip Apple M5 Ultra; 274877906944

Suite

check	passed
tools	58/60
json	30/30
gsm8k	239/250
mmlu	264/342

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 11:36	g12-quality	done				591/682
2026-10-16 11:31	quick	done	223.3			112/114

Gemma 4 12B, oQ8e (8-bit) + MTP assistant on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-12b-oq8e-m5: Gemma 4 12B oQ8e (8-bit, groups of 64), MTP assistant drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-12b-oq8e. Latest: run 20261016-175459-speed (2026-10-16 17:54, plan speed, done).

Serving: engine_commit d9e36b7f; binary_sha256 2e29fee5da96ec1ffb1ba41302ac949dc12205572154f21b800823450eb4b2b0; served_model {"object": "list", "data": [{"id": "gemma4-12b-oq8e", "object": "model", "created": 179219; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	92.8 (92.8)	142.3 (142.3)	145.7 (145.7)	158.1 (158.1)	0.05-0.05 s
4	261.5 (64.8)	324.2 (81.3)	328.5 (80.7)	340.0 (83.6)	0.12-0.12 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.55	5.525	47%	26.35	12
4	2.944	3.177	62%	37.94	49

Suite

check	passed
drafts	12/12
concurrent	12/12

Checks

check	result
structured	pass: 18/18 obey; a bad regex -> 400

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 17:54	speed	done	142.3			24/24
2026-10-16 17:37	speed	done	141.2			24/24

Gemma 4 31B, MLX 4-bit + DFlash on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-31b-m5: Gemma 4 31B 4-bit (groups of 64), DFlash drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-31b. Latest: run 20261016-085420-quick (2026-10-16 08:54, plan quick, done).

Serving: engine_commit e8b60549; binary_sha256 d90e44c9818187ae4bc61d06312989cd796033b5dea6e0fc02164fe2730660fe; served_model {"object": "list", "data": [{"id": "gemma4-31b", "object": "model", "created": 1792158874,; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	87.1 (87.1)	157.9 (157.9)	156.7 (156.7)	130.4 (130.4)	0.08-0.10 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.288	13.003	18%	24.71	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	92.1 (92.1)	161.4 (161.4)	146.6 (146.6)	126.1 (126.1)	0.09-0.10 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.333	13.215	18%	25.34	17

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 75%; total = 3072.00M us
structured	pass: 18/18 obey; a bad regex -> 400
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again == cold: True; cached 5494 of 5564; ttft resumed 0.137s, cold 0.137s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 08:54	quick	done	157.9			114/114
2026-10-16 06:28	quick	done	156.5			114/114
2026-10-15 20:09	quick	done	153.8			114/114

Gemma 4 31B, oQ8e (8-bit) + DFlash on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-31b-oq8e-m5: Gemma 4 31B oQ8e (8-bit, groups of 64), DFlash drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-31b-oq8e. Latest: run 20261016-180201-speed (2026-10-16 18:02, plan speed, done).

Serving: engine_commit d9e36b7f; binary_sha256 2e29fee5da96ec1ffb1ba41302ac949dc12205572154f21b800823450eb4b2b0; served_model {"object": "list", "data": [{"id": "gemma4-31b-oq8e", "object": "model", "created": 179219; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	40.3 (40.3)	63.1 (63.1)	52.4 (52.4)	54.8 (54.8)	0.10-0.11 s
4	109.7 (27.7)	172.9 (44.8)	141.5 (34.2)	180.3 (44.3)	0.24-0.27 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.759	10.847	16%	52.41	12
4	2.384	3.645	38%	63.19	49

Suite

check	passed
drafts	12/12
concurrent	12/12

Checks

check	result
structured	pass: 18/18 obey; a bad regex -> 400

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 18:02	speed	done	63.1			24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-best: GLM-5.3-Flash EXL3 4bpw, families/glm with 4-bit dense / 8-bit head, DFlash2 and 16 streams (PRs 855+979+984 and packing), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm, packed linears (4/8, bf16 freed), DFlash2, 16 streams, prompts together (prefill_many); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-195233-glm-ab-ifeval (2026-10-17 19:52, plan glm-ab-ifeval, done).

Serving: binary cf50867102a60c38

Suite

check	passed
ifeval	103/150
json	30/30

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 19:52	glm-ab-ifeval	done				133/180
2026-10-17 16:52	glm-quality	done	59.6			348/400
2026-10-17 16:26	glm-streams	done	59.5	131.3	1.27-1.66 s	24/24
2026-10-17 15:56	glm-streams	done	67.7	132.8	1.23-1.59 s	15/24
2026-10-17 15:28	glm-streams	done	68.3	127.5	2.63-3.30 s	24/24
2026-10-17 14:38	glm-streams	done	68.7	123.7	1.77-2.24 s	24/24
2026-10-17 12:40	glm-streams	done	69.4	125.0	2.55-3.17 s	24/24
2026-10-17 11:31	glm-streams	done	69.8	136.4	2.55-3.14 s	24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-dflash2: GLM-5.3-Flash EXL3 4bpw, families/glm with DFlash2 drafts (--drafter, 4-bit), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm + DFlash2 (incoai/GLM-5.3-Flash-DFlash2, opt-in); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-003221-glm-streams8 (2026-10-17 00:32, plan glm-streams8, done).

Serving: binary 511e7e0521628504

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	27.3 (27.3)	48.4 (48.4)	39.2 (39.2)	33.1 (33.1)	0.18-0.24 s
4	60.0 (14.7)	84.4 (20.8)	75.6 (19.2)	88.1 (21.6)	0.71-0.88 s
8	78.1 (9.7)	115.4 (14.3)	98.4 (12.4)	109.8 (12.9)	1.49-1.83 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 00:32	glm-streams8	done	48.4			24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-main: TensorFold main 76aafcf2 (with #855, #979, #984, #995 merged): GLM-5.3-Flash EXL3 4bpw, DFlash2, 16 streams, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm (main); served as GLM-5.3-Flash-EXL3. Latest: run 20261018-131205-glm-qual1014 (2026-10-18 13:12, plan glm-qual1014, done).

Serving: binary e2169dae62202aec

Ruler-c1-16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	42.8 (42.3)	67.2 (67.4)	55.3 (54.8)	53.1 (52.9)	0.16-0.22 s

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	90.0 (11.2)	120.8 (15.1)	114.7 (14.1)	115.5 (14.1)	1.23-1.57 s
16	107.2 (6.6)	119.6 (7.3)	119.4 (7.3)	129.6 (8.1)	2.69-3.38 s

Suite

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-18 13:12	glm-qual1014	done		119.6	2.69-3.38 s	24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-many-mtp: #1014 merged onto TensorFold main 76aafcf2, MTP head only (no --drafter), GLM-5.3-Flash EXL3 4bpw, TP=2. Engine: TensorFold native, CUDA: families/glm (many-mtp); served as GLM-5.3-Flash-EXL3. Latest: run 20261018-205115-glm-qual1014 (2026-10-18 20:51, plan glm-qual1014, done).

Serving: binary 4f1a478269c0e4fa

Ruler-c1-16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	42.1 (41.9)	52.5 (52.2)	50.2 (49.9)	49.0 (49.2)	0.17-0.22 s

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	74.8 (9.3)	95.5 (11.9)	100.9 (12.6)	106.0 (13.2)	0.84-1.05 s
16	105.9 (6.6)	119.7 (7.3)	131.4 (8.3)	138.3 (8.5)	1.32-1.62 s

Suite

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-18 20:51	glm-qual1014	done		119.7	1.32-1.62 s	24/24
2026-10-18 14:04	glm-qual1014	done		118.6	1.28-1.58 s	24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-many: #1014 merged onto TensorFold main 76aafcf2: batched prompts (prefill_many) with DFlash2's feed and the hold fix, GLM-5.3-Flash EXL3 4bpw, TP=2. Engine: TensorFold native, CUDA: families/glm (many); served as GLM-5.3-Flash-EXL3. Latest: run 20261018-202804-glm-qual1014 (2026-10-18 20:28, plan glm-qual1014, done).

Serving: binary 4f1a478269c0e4fa

Ruler-c1-16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	42.5 (42.6)	67.6 (68.2)	56.1 (55.9)	55.8 (53.2)	0.17-0.23 s

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	92.4 (11.6)	131.0 (16.2)	125.4 (15.6)	147.8 (17.1)	0.82-1.03 s
16	117.4 (7.3)	134.1 (8.1)	147.9 (9.3)	158.6 (9.7)	1.34-1.66 s

Suite

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-18 20:28	glm-qual1014	done		134.1	1.34-1.66 s	24/24
2026-10-18 14:29	glm-quality	done	60.1			1947/2418
2026-10-18 13:40	glm-qual1014	done		134.1	1.35-1.67 s	24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-packed: GLM-5.3-Flash EXL3 4bpw, families/glm with 4-bit dense / 8-bit head, DFlash2 and 16 streams (PRs 855+979+984 and packing), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm, packed linears (4/8, bf16 freed), DFlash2, 16 streams, prompts one at a time; served as GLM-5.3-Flash-EXL3. Latest: run 20261017-195233-glm-ab-ifeval (2026-10-17 19:52, plan glm-ab-ifeval, done).

Serving: binary cf50867102a60c38

Suite

check	passed
ifeval	103/150
json	30/30

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 19:52	glm-ab-ifeval	done				133/180

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-port: GLM-5.3-Flash EXL3 4bpw, main's families/glm with PR 855's port, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm on 1.0.12 (PR 855's port); served as GLM-5.3-Flash-EXL3. Latest: run 20261016-213802-glm-streams (2026-10-16 21:38, plan glm-streams, done).

Serving: binary 2b666cc74334abec

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	27.9 (27.9)	38.0 (38.0)	33.2 (33.2)	30.6 (30.6)	0.18-0.23 s
4	48.9 (12.3)	66.0 (16.7)	64.8 (16.2)	63.7 (16.1)	0.79-0.86 s
8	60.3 (7.6)	75.9 (9.5)	82.2 (10.3)	76.3 (9.4)	1.48-1.73 s
16	123.6 (7.6)	155.5 (9.6)	149.5 (9.0)	145.0 (9.1)	8.50-17.20 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 21:38	glm-streams	done	38.0	155.5	8.50-17.20 s	24/24
2026-10-16 21:24	glm-vision	done				22/22
2026-10-16 21:03	glm-vision	done				4/6
2026-10-16 18:10	glm-quality	done	38.2			

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-port16: GLM-5.3-Flash EXL3 4bpw, families/glm with 4096-row index rings, --parallel 16, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm + index rings (16 streams at 40960); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-062916-glm-streams (2026-10-17 06:29, plan glm-streams, done).

Serving: binary 142bc21ac97bc065

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	28.0 (28.0)	38.6 (38.6)	33.5 (33.5)	30.7 (30.7)	0.18-0.23 s
4	51.3 (12.9)	65.5 (16.3)	65.7 (16.5)	66.0 (16.5)	0.67-0.81 s
8	64.3 (8.1)	82.3 (10.3)	83.2 (10.4)	81.8 (10.2)	1.41-1.68 s
16	86.4 (5.4)	100.6 (6.3)	100.2 (6.1)	101.5 (6.2)	3.23-3.72 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 06:29	glm-streams	done	38.6	100.6	3.23-3.72 s	24/24
2026-10-17 05:56	glm-streams	done	39.0	90.8	3.20-3.67 s	24/24

GLM-5.3-Flash, EXL3 4 bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-sparks: GLM-5.3-Flash EXL3 4 bpw, TensorFold native, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as GLM-5.3-Flash-EXL3. Latest: run evidence/2026-10-14 (2026-10-14 00:00, plan published evidence, published).

Ruler-shipped-14fb445e-c1-sampled

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	45.1 (45.2)	64.6 (65.4)	56.5 (56.2)	57.0 (54.9)	0.18-0.25 s

Ruler-shipped-14fb445e-c1

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	46.5 (45.4)	68.7 (69.4)	57.0 (56.4)	58.8 (55.3)	0.18-0.24 s

Ruler-shipped-14fb445e-c16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
16	144.0 (8.9)	198.3 (12.1)	180.1 (11.3)	208.4 (12.5)	0.91-1.19 s

Ruler-shipped-14fb445e-c8

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	110.1 (13.6)	152.5 (18.6)	138.7 (17.5)	157.0 (18.7)	0.49-0.63 s

Ruler-shipped-f95f2f70-c1-sampled

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	45.4 (45.4)	65.8 (67.0)	56.4 (55.9)	58.1 (55.3)	0.17-0.23 s

Ruler-shipped-f95f2f70-c1

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	47.5 (46.5)	69.5 (69.9)	58.2 (56.9)	60.2 (56.8)	0.16-0.23 s

Ruler-shipped-f95f2f70-c16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
16	144.8 (8.9)	202.2 (12.3)	181.4 (11.4)	207.6 (12.5)	0.85-1.14 s

Ruler-shipped-f95f2f70-c8

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	111.1 (13.7)	154.1 (18.7)	139.5 (17.2)	157.3 (18.8)	0.45-0.60 s

Ablit/suite

check	passed
gsm8k	246/250
mmlu	292/342
humaneval	159/164
ifeval	118/150
tools	59/60
json	30/30
mgsm	221/240

Suite-ab

check	passed
gsm8k	244/250
mmlu	292/342
humaneval	156/164
ifeval	118/150
tools	59/60
json	30/30
mgsm	223/240

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-14 00:00	published evidence	published	68.7			1125/1236
2026-10-13 00:00	published evidence	published	1083.6			1874/2172
2026-10-12 00:00	published evidence	published	62.8	169.5	0.45-1.19 s	

GLM-5.3-Flash, MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target glm53-m5: GLM-5.3-Flash MLX 4-bit, TensorFold native on one M5 Ultra Mac (three streams, the full 1M window). Engine: TensorFold native, Metal; served as GLM-5.3-Flash-MLX-4bit. Latest: run 20261109-125500-speed3 (2026-11-09 12:55, plan speed3, done).

Serving: engine_commit 7070b25ca; binary_sha256 351fb8c93fee1f096435e85890f21c6a0a9328d7b6623c6d8f52542a6fac12ad; suite_commit 206803ca7135

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	90.7 (90.7)	102.7 (102.7)	97.1 (97.1)	94.0 (94.0)	0.11-0.14 s
2	115.7 (57.8)	123.8 (61.9)	124.5 (62.2)	136.9 (68.4)	0.19-0.23 s
3	118.2 (40.9)	132.7 (44.4)	134.3 (45.2)	152.7 (52.7)	0.26-0.34 s

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	90.6 (90.6)	102.9 (102.9)	97.7 (97.7)	92.2 (92.2)	0.11-0.14 s

Checks

check	result
memory-idle	measured: mac: ssh: Could not resolve hostname unused: nodename nor servnam
turns	measured: resumed == again: True; cold (padded) not compared: 4777 prompt tokens (cached 4653) against 4776; cached 4652 of 4776; ttft resumed 0.189s, cold 0.197s
memory-busy	measured: mac: ssh: Could not resolve hostname unused: nodename nor servnam

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-09 12:55	speed3	done	102.7			
2026-11-09 12:50	speed3	done	102.8			
2026-11-09 12:23	quick	done	62.9			114/114
2026-11-09 12:07	quick	done	103.0			114/114
2026-11-09 11:35	quick	done	103.1			54/114
2026-11-09 11:09	speed	done	101.7			

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 08:23	glm-gate-novision	done	78.3			677/736
2026-10-16 08:04	glm-gate-novision	done	77.6			679/736
2026-10-16 00:35	glm-gate	done	78.7			689/748
2026-10-10 00:00	published evidence	published	103.7			36/36
2026-10-10 00:00	published evidence	published				1128/1213
2026-10-10 00:00	published evidence	published				1137/1213
2026-10-10 00:00	published evidence	published				1079/1213
2026-10-09 00:00	published evidence	published	104.6			
2026-10-09 00:00	published evidence	published				349/403
2026-10-09 00:00	published evidence	published				42/42

MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 32k context on 2x NVIDIA DGX Spark (GB10, 128 GB

Target minimax-m31-exl3-gb10x2: MiniMax-M3.1-Flash, Mia-AiLab EXL3 3.06 bpw as published, DSpark drafts, 32k x 2 streams, TensorFold native CUDA, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as MiniMax-M3.1-Flash. Latest: run 20261028-034040-quick (2026-10-28 03:40, plan quick, done).

Serving: engine_commit aad9d2b8a; 0; binary_sha256 c23f2266dc7647101818eb9680c25ca75fc8704d13152c39e4ecf29a2dffacf5; checkpoint_revision Mia-AiLab/MiniMax-M3.1-Flash-EXL3-EAQ-v1-3.06-bpw c33e7a6619f0f12ac99098e07ec5e56acb7eeda9; server_args TF_MINIMAX_RANK=0 TF_MINIMAX_WORLD=2 NCCL_SOCKET_IFNAME=enp1s0f1np1 NCCL_IB_HCA=rocep1s0f1; suite_commit 277c842a1481

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	24.6 (24.6)	39.6 (39.6)	29.7 (29.7)	30.3 (30.3)	0.59-0.64 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.708	3.41	50%	87.21	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	24.4 (24.4)	38.8 (38.8)	28.9 (28.9)	30.4 (30.4)	0.59-0.64 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.658	3.238	51%	86.77	13

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: head 27.1 GiB available; worker 26.0 GiB available
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	pass: 5/5 tool cases right
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 4096 of 4725; ttft resumed 1.623s, cold 10.031s
urls	FAIL: public 400; loopback 400; http 400; unexpected: ['public']

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-28 03:40	quick	done	39.6			114/114
2026-10-28 03:26	speed	done	38.5			
2026-10-28 02:59	glm-vision	done				3/6
2026-10-28 02:31	quick	done	38.1			114/114
2026-10-28 02:16	speed	done	39.2			

MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 256k context on 1x Apple M5 Ultra (256 GB unified),

Target minimax-m31-exl3-m5: MiniMax-M3.1-Flash, EXL3 3.06 bpw (Mia-AiLab EAQ v1), 256k context, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as MiniMax-M3.1-Flash. Latest: run 20261029-182420-minimax-math500 (2026-10-29 18:24, plan minimax-math500, done).

Serving: engine_commit af3573193; binary_sha256 90f54df38bb95056e4520d4d5a2b7c6baec75bcad6190711b9bdedbc813cdb8c; served_model {"object": "list", "data": [{"id": "MiniMax-M3.1-Flash", "object": "model", "created": 179; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Suite

check	passed
math500	422/500

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 32%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-29 18:24	minimax-math500	done				422/500
2026-10-29 18:23	glm-vision	done				15/22
2026-10-29 15:57	glm-vision	done				15/22
2026-10-29 15:25	speed	done	33.6			
2026-10-29 15:04	speed	done	33.5			
2026-10-29 15:03	glm-vision	done				15/22
2026-10-29 14:44	quick	done	34.6			114/114
2026-10-29 13:49	speed	done	40.1			
2026-10-29 13:29	speed	done	33.4			
2026-10-29 13:28	glm-vision	done				15/22
2026-10-29 13:09	quick	done	33.3			114/114
2026-10-29 12:23	speed	done	39.6			
2026-10-29 12:02	speed	done	32.6			
2026-10-29 12:01	glm-vision	done				15/22

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-29 11:42	quick	done	33.0			114/114
2026-10-29 10:36	speed	done	25.6			
2026-10-29 10:12	speed	done	25.3			
2026-10-29 10:11	glm-vision	done				15/22
2026-10-29 09:48	quick	done	25.5			114/114
2026-10-29 08:50	speed	done	20.0			
2026-10-29 08:23	quick	done	20.1			114/114
2026-10-29 07:51	speed	done	19.5			
2026-10-29 07:50	glm-vision	done				15/22
2026-10-29 07:24	quick	done	19.5			114/114
2026-10-29 06:55	speed	done	19.5			
2026-10-29 06:54	glm-vision	done				15/22
2026-10-29 06:29	quick	done	19.5			114/114

MiniMax-M3.1-Flash, MLX mixed 3-bit (mix256k), 144k context on 1x Apple M5 Ultra (256 GB unified), macOS

Target minimax-m31-mix256k-m5: MiniMax-M3.1-Flash, MLX mixed 3-bit (mix256k), 144k context, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as MiniMax-M3.1-Flash. Latest: run 20261027-233821-glm-vision (2026-10-27 23:38, plan glm-vision, done).

Serving: engine_commit 16ef3b31b; binary_sha256 995f469d85230291c7ef5b6ff101dad5aea9de874847facb72a2a5a4bc073eda; served_model {"object": "list", "data": [{"id": "MiniMax-M3.1-Flash", "object": "model", "created": 179; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57-dirty

Suite-vision

check	passed
vision	3/6
vision-concurrent	12/16

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-27 23:38	glm-vision	done				15/22
2026-10-27 23:22	quick	done	58.2			114/114
2026-10-27 06:06	glm-vision	done				3/6
2026-10-27 05:40	quick	done	55.8			114/114
2026-10-26 23:32	dsv41-quality-off	done				1402/1614
2026-10-26 23:31	glm-vision	done				3/6
2026-10-26 23:29	glm-vision	done				3/6
2026-10-26 23:19	glm-vision	done				3/6
2026-10-26 23:03	quick	done	58.5			114/114
2026-10-25 08:05	quick	done	59.2			114/114
2026-10-24 20:24	dsv41-quality-off	done				1388/1614
2026-10-24 19:30	quick	done	58.9			114/114
2026-10-24 18:31	quick	done	58.1			114/114
2026-10-24 18:26	speed	done	58.9			
2026-10-24 16:05	quick	done	57.4			114/114
2026-10-24 13:49	quick	done	57.6			114/114
2026-10-24 11:56	quick	done	56.4			114/114

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-24 11:07	quick	done	54.7			114/114
2026-10-24 09:03	quick	done	54.9			114/114
2026-10-24 03:42	mlx-speed	done	44.0			
2026-10-24 00:46	dsv41-quality-off	done				1401/1614
2026-10-24 00:39	speed	done	57.9			

MiniMax-M3.1-Flash, MLX mixed 4/3-bit (mix34) on 1x Apple M5 Ultra (256 GB unified), macOS

Target minimax-m31-mix34-m5: MiniMax-M3.1-Flash, MLX mixed 4/3-bit (mix34), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as MiniMax-M3.1-Flash. Latest: run 20261027-235721-quick (2026-10-27 23:57, plan quick, aborted: minimax-m31-mix34-m5 never came up after 1 starts).

Serving: engine_commit 16ef3b31b; binary_sha256 995f469d85230291c7ef5b6ff101dad5aea9de874847facb72a2a5a4bc073eda; served_model {"object": "list", "data": [{"id": "MiniMax-M3.1-Flash", "object": "model", "created": 179; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57-dirty

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	41.0 (41.0)	63.4 (63.4)	47.6 (47.6)	54.5 (54.5)	0.32-0.34 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.224	1.839	66%	43.09	12

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 16%; total = 4096.00M us
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	pass: 5/5 tool cases right
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-27 23:57	quick	aborted: minimax-m31-mix34-m5 never came up after 1 starts	63.4			
2026-10-27 23:50	glm-vision	done				15/22
2026-10-27 06:26	glm-vision	done				3/6
2026-10-27 06:09	quick	done	61.3			114/114
2026-10-25 01:49	dsv41-quality-off	done				1389/1614
2026-10-24 19:01	quick	done	59.2			114/114
2026-10-24 18:55	speed	done	58.5			

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-24 16:21	quick	done	65.1			114/114
2026-10-24 14:06	quick	done	65.1			114/114
2026-10-24 13:20	quick	done	66.1			114/114
2026-10-24 05:59	quick	done	65.2			114/114
2026-10-24 04:09	quick	done	66.6			114/114
2026-10-23 21:17	dsv41-quality-off	done				1393/1614
2026-10-23 21:01	mlx-speed	done	43.3			
2026-10-23 20:52	speed	done	65.9			
2026-10-23 20:28	speed	aborted: minimax-m31-mix34-m5 never came up after 1 starts	64.3			

MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, dense NVFP4, MXFP8 head, 32k context on 2x NVIDI

Target minimax-m31-nvfp4mix-dense4-gb10x2: MiniMax-M3.1-Flash, NVFP4 x 15 layers + 3-bit, dense NVFP4 + MXFP8 head, DSpark drafts, 32k x 2 streams, TensorFold native CUDA, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as MiniMax-M3.1-Flash. Latest: run 20261026-215020-minimax-thinking (2026-10-26 21:50, plan minimax-thinking, done).

Serving: engine_commit 1d559dd44; 9; binary_sha256 09ac4a25886400303603ffa9221dc29816f77b4821d9a612605d67f242b5ae07; checkpoint_mix [20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 49, 52, 57, 59] ['qkv', 'o', 'mlp']; checkpoint_sha256 b21fdee27b56408db9f77bb2dc22b93224960d419106db758007d00e9cf43711; server_args TF_MINIMAX_RANK=0 TF_MINIMAX_WORLD=2 NCCL_SOCKET_IFNAME=enp1s0f1np1 NCCL_IB_HCA=rocep1s0f1; suite_commit a7ba7e392d57

Suite-thinking

check	passed
gsm8k	242/250

Checks

check	result
thinking	pass: thinking on: 10/10 right, 10/10 with reasoning_content, 0 leaks, 0 errors, 0 cut at 29696 tokens

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 21:50	minimax-thinking	done				242/250
2026-10-26 21:32	minimax-thinking	done				240/250
2026-10-26 20:00	minimax-quality-off	done				940/1114
2026-10-26 19:27	quick	done	44.7			114/114
2026-10-26 19:10	speed3	done	45.2			
2026-10-26 17:41	quick	done	45.6			114/114
2026-10-26 17:27	speed	done	45.8			
2026-10-26 13:39	quick	done	43.3			114/114
2026-10-26 13:17	speed	done	43.1			

MiniMax-M3.1-Flash, NVFP4 (15 MoE layers) + 3-bit refit, 32k context on 2x NVIDIA DGX Spark (GB10, 128 GB

Target minimax-m31-nvfp4mix-gb10x2: MiniMax-M3.1-Flash, NVFP4 x 15 layers + 3-bit, DSpark drafts, 32k x 2 streams, TensorFold native CUDA, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as MiniMax-M3.1-Flash. Latest: run 20261026-222738-quick (2026-10-26 22:27, plan quick, done).

Serving: engine_commit 1d559dd44; 13; binary_sha256 67ab85c6e9ba163e87cbdb0dabdcd7e7eda1213453b2536165eab57525306a24; checkpoint_mix [20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 49, 52, 57, 59]; server_args TF_MINIMAX_RANK=0 TF_MINIMAX_WORLD=2 NCCL_SOCKET_IFNAME=enp1s0f1np1 NCCL_IB_HCA=rocep1s0f1; suite_commit 277c842a1481

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	23.0 (23.0)	40.6 (40.6)	24.7 (24.7)	32.2 (32.2)	0.47-0.51 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.698	3.526	48%	89.45	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	22.1 (22.1)	39.5 (39.5)	24.7 (24.7)	31.5 (31.5)	0.47-0.51 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.713	3.771	45%	92.14	13

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: head 8.2 GiB available; worker 7.9 GiB available
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	pass: 5/5 tool cases right
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 4096 of 4826; ttft resumed 0.993s, cold 5.132s
urls	FAIL: public 400; loopback 400; http 400; unexpected: ['public']

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 22:27	quick	done	40.6			114/114
2026-10-26 22:11	speed	done	40.9			
2026-10-26 13:22	quick	done	40.7			114/114
2026-10-26 10:51	speed	done	40.5			
2026-10-26 06:04	quick	done	41.1			114/114
2026-10-26 05:29	speed	done	39.9			
2026-10-26 03:16	quick	done	39.9			114/114
2026-10-26 01:40	quick	done	34.3			114/114

Nanbeige4.3-33B, affine 4bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-4bit-m5: Nanbeige4.3-33B MLX affine 4bit (llama_convert.py), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261026-090304-speed (2026-10-26 09:03, plan speed, done).

Serving: engine_commit c0243b7e3; binary_sha256 70f5a3c2a635a8d9ddd59cf5e751c38c9cf28faf407348046efd60a14716e3a8; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793023392, "; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	48.5 (48.5)	47.9 (47.9)	48.7 (48.7)	48.6 (48.6)	0.10-0.12 s
2	84.8 (42.4)	81.3 (40.6)	84.1 (42.1)	84.7 (42.4)	0.16-0.18 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.011	0.034	20%	20.89	12
2	1.022	0.05	34%	24.41	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	48.3 (48.3)	47.6 (47.6)	48.4 (48.4)	48.3 (48.3)	0.10-0.12 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.02	0.045	32%	21.17	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 53%; total = 4096.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.217s, cold 4.247s
memory-busy	measured: mac: System-wide memory free percentage: 53%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 09:03	speed	done	47.9			
2026-10-26 08:49	quick	done	48.1			114/114

Nanbeige4.3-33B, affine 8bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-8bit-m5: Nanbeige4.3-33B MLX affine 8bit (llama_convert.py), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261026-082437-speed (2026-10-26 08:24, plan speed, done).

Serving: engine_commit fa5b1f989; binary_sha256 70f5a3c2a635a8d9ddd59cf5e751c38c9cf28faf407348046efd60a14716e3a8; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793021086, "; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	28.7 (28.7)	28.3 (28.3)	28.8 (28.8)	28.8 (28.8)	0.13-0.15 s
2	54.1 (27.1)	52.5 (26.3)	53.2 (26.6)	54.0 (27.0)	0.19-0.23 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.005	0.017	0%	35.06	12
2	1.022	0.051	34%	38.25	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	28.7 (28.7)	28.3 (28.3)	28.7 (28.7)	28.7 (28.7)	0.13-0.15 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.023	10%	35.19	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 47%; total = 4096.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.256s, cold 4.461s
memory-busy	measured: mac: System-wide memory free percentage: 48%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 08:24	speed	done	28.3			
2026-10-26 08:02	quick	done	28.4			114/114

Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-bf16draft-m5: Nanbeige4.3-33B bf16 with Nanbeige4.1-3B bf16 drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams, every stream drafted). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261029-180246-speed (2026-10-29 18:02, plan speed, done).

Serving: engine_commit c3ee3db24; binary_sha256 0d5c5c6b34b6267ae99c4d9182b1c71c2e71af9bbfd2e697cbe487398bf0224f; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793314979, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	114.0 (114.0)	98.4 (98.4)	99.0 (99.0)	106.9 (106.9)	0.23-0.26 s
2	44.1 (22.0)	58.8 (29.4)	54.5 (27.2)	55.9 (27.9)	0.34-0.39 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	4.77	4.408	85%	45.61	12
2	4.507	3.934	89%	169.14	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	114.0 (114.0)	92.5 (92.5)	101.8 (101.8)	101.8 (101.8)	0.23-0.26 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	4.737	4.337	86%	46.21	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 68%; total = 4096.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.365s, cold 4.407s
memory-busy	measured: mac: System-wide memory free percentage: 67%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-29 18:02	speed	done	98.4			
2026-10-29 17:37	quick	done	81.9			114/114
2026-10-28 11:59	speed	done	108.3			
2026-10-28 11:33	quick	done	100.5			114/114

Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-draft-m5: Nanbeige4.3-33B bf16 with Nanbeige4.1-3B 4-bit drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261026-121700-speed (2026-10-26 12:17, plan speed, done).

Serving: engine_commit e1f447bf3; binary_sha256 7d06edafe546ae55db81fedc6936810b80219413aac64c847573b4681f8a4674; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793035033, "; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	113.5 (113.5)	111.0 (111.0)	108.5 (108.5)	84.9 (84.9)	0.23-0.26 s
2	63.3 (31.6)	64.3 (32.1)	63.8 (31.9)	58.3 (29.2)	0.35-0.39 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	4.92	4.831	81%	47.08	12
2	2.716	2.116	81%	87.01	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	110.5 (110.5)	108.5 (108.5)	109.3 (109.3)	90.0 (90.0)	0.23-0.26 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	4.847	4.736	81%	46.35	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 33%; total = 5120.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.344s, cold 4.491s
memory-busy	measured: mac: System-wide memory free percentage: 32%; total = 5120.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 12:17	speed	done	111.0			
2026-10-26 11:52	quick	done	108.6			114/114
2026-10-26 11:21	quick	done	102.5			57/60

Nanbeige4.3-33B-INT4, int4 g32 (QAT) on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-int4-m5: Nanbeige4.3-33B-INT4 as released (QAT int4 g32), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261104-120203-speed (2026-11-04 12:02, plan speed, done).

Serving: engine_commit b331731e6; binary_sha256 ba743ad6bca6b92868bb781e9fbcfc9c610bb3fdedf471b7b2db7a6b1ed9703f; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793815331, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	47.8 (47.8)	46.6 (46.6)	47.7 (47.7)	47.6 (47.6)	0.27-0.30 s
2	82.3 (41.1)	57.0 (28.5)	81.4 (40.7)	82.2 (41.1)	0.40-0.45 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.005	0.017	0%	21.18	12
2	1.023	0.059	30%	27.02	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	47.7 (47.7)	46.6 (46.6)	47.7 (47.7)	47.7 (47.7)	0.27-0.30 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.01	0.023	23%	21.3	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 37%; total = 6144.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.382s, cold 4.734s
memory-busy	measured: mac: System-wide memory free percentage: 37%; total = 6144.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-04 12:02	speed	done	46.6			
2026-11-04 11:45	quick	done	46.6			114/114
2026-10-31 17:15	quick	done	46.6			114/114
2026-10-31 16:57	speed	done	46.6			
2026-10-31 14:03	speed	done	42.0			
2026-10-31 13:44	quick	done	42.0			114/114
2026-10-31 11:48	speed	done	41.4			
2026-10-31 11:03	quick	done	40.8			114/114

Nanbeige4.3-33B-INT4 (QAT int4 g32), drafted by Nanbeige4.1-3B bf16 on 1x Apple M5 Ultra (256 GB unified),

Target nanbeige43-33b-int4draft-m5: Nanbeige4.3-33B-INT4 (QAT int4 g32) with Nanbeige4.1-3B bf16 drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams, every stream drafted). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261031-174034-quick (2026-10-31 17:40, plan quick, done).

Serving: engine_commit d8ba67903; binary_sha256 0f0997808e0e94760608966df4b23df55d62ac709457c5c2835f32309be010bb; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793486442, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	87.5 (87.5)	87.0 (87.0)	88.2 (88.2)	85.6 (85.6)	0.27-0.30 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.993	1.081	91%	22.89	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	87.5 (87.5)	87.2 (87.2)	88.2 (88.2)	88.2 (88.2)	0.27-0.30 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.002	1.087	91%	22.81	13

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 84%; total = 1024.00M us
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	pass: 5/5 tool cases right
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.407s, cold 4.584s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-31 17:40	quick	done	87.0			114/114
2026-10-31 17:30	speed	done	87.1			
2026-10-31 15:36	quick	done	79.1			114/114
2026-10-31 15:01	quick	done	76.8			114/114
2026-10-31 14:27	speed	done	79.6			
2026-10-31 14:11	quick	done	80.9			114/114
2026-10-31 12:19	speed	done	80.7			
2026-10-31 11:57	speed	done	80.7			
2026-10-31 11:25	quick	done	77.4			114/114

Nanbeige4.3-33B, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-m5: Nanbeige4.3-33B bf16 as released, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261028-112259-speed (2026-10-28 11:22, plan speed, done).

Serving: engine_commit 50fe245ac; binary_sha256 c3fcf8cacf289aec9ee53f1eae52fda4fab2f1eeda1bf75b61482542dba4b3d1; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793204587, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	16.3 (16.3)	16.2 (16.2)	16.3 (16.3)	16.3 (16.3)	0.23-0.26 s
2	31.7 (15.8)	27.8 (13.9)	31.4 (15.7)	31.6 (15.8)	0.34-0.39 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.005	0.017	0%	61.7	12
2	1.023	0.059	30%	66.8	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	16.3 (16.3)	16.3 (16.3)	16.3 (16.3)	16.3 (16.3)	0.23-0.26 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.022	10%	61.76	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 71%; total = 4096.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.346s, cold 4.387s
memory-busy	measured: mac: System-wide memory free percentage: 70%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-28 11:22	speed	done	16.2			
2026-10-28 10:46	quick	done	15.5			114/114
2026-10-26 06:06	quick	done	16.2			114/114
2026-10-26 04:19	speed	done	16.3			
2026-10-26 03:43	quick	done	16.2			114/114
2026-10-26 02:07	quick	aborted: the server died during suite; its result is discarded	16.3			

Nanbeige4.3-33B, MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-mlx4-m5: Nanbeige4.3-33B MLX 4-bit as published (pratikgx/Nanbeige4.3-33B-MLX-4bit), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261027-100550-speed (2026-10-27 10:05, plan speed, done).

Serving: engine_commit 657ac711c; binary_sha256 56fb3ebeaa8facd66a071318c4602df8920f6675171b8a3b093c639695609e9c; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793113558, "; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	46.7 (46.7)	46.0 (46.0)	46.7 (46.7)	46.7 (46.7)	0.12-0.13 s
2	79.1 (39.6)	76.5 (38.2)	78.7 (39.3)	79.3 (39.7)	0.18-0.20 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.011	0.034	20%	21.73	12
2	1.02	0.042	36%	26.01	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	46.2 (46.2)	45.6 (45.6)	46.3 (46.3)	46.3 (46.3)	0.12-0.13 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.012	0.034	20%	21.95	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 52%; total = 4096.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.24s, cold 4.16s
memory-busy	measured: mac: System-wide memory free percentage: 52%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-27 10:05	speed	done	46.0			
2026-10-27 08:05	quick	done	45.2			114/114

Nanbeige4.3-33B, MLX 8-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-mlx8-m5: Nanbeige4.3-33B MLX 8-bit as published (fcmeyer/Nanbeige4.3-33B-MLX-8bit), TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261027-103259-quick (2026-10-27 10:32, plan quick, done).

Serving: engine_commit 657ac711c; binary_sha256 56fb3ebeaa8facd66a071318c4602df8920f6675171b8a3b093c639695609e9c; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793115187, "; chip Apple M5 Ultra; 274877906944; suite_commit a7ba7e392d57

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	28.4 (28.4)	27.9 (27.9)	28.3 (28.3)	28.3 (28.3)	0.15-0.16 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.005	0.017	0%	35.58	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	28.3 (28.3)	27.8 (27.8)	28.3 (28.3)	28.3 (28.3)	0.15-0.16 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.022	10%	35.76	13

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 46%; total = 4096.00M us
structured	pass: 18/18 obey, drafted == plain 12/12; a bad regex -> 400
tools	pass: 5/5 tool cases right
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 5493 of 5649; ttft resumed 0.275s, cold 4.494s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-27 10:32	quick	done	27.9			114/114
2026-10-27 10:13	speed	done	27.9			

Nanbeige4.3-33B bf16, drafted by Nanbeige4.1-3B MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target nanbeige43-33b-mlxdraft-m5: Nanbeige4.3-33B bf16 with Nanbeige4.1-3B MLX 4-bit (mlx-community) drafting, TensorFold native Metal (llama) on one M5 Ultra (131072-token window, 2 streams, every stream drafted). Engine: TensorFold native, Metal; served as nanbeige. Latest: run 20261028-051302-quality-off (2026-10-28 05:13, plan quality-off, running).

Serving: engine_commit b6524565c; binary_sha256 4e72f4d002aaa3097489e932c03819764d0ac957c72034463850ccaf265a0103; served_model {"object": "list", "data": [{"id": "nanbeige", "object": "model", "created": 1793182390, "; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	116.7 (116.7)	110.8 (110.8)	109.5 (109.5)	101.7 (101.7)	0.23-0.26 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	4.884	4.755	81%	44.53	12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-28 05:13	quality-off	running	110.8			
2026-10-28 05:08	speed	done	109.9			
2026-10-28 04:44	quick	done	110.6			114/114
2026-10-28 02:31	quick	done	94.0			114/114
2026-10-27 17:34	quick	done	106.9			114/114
2026-10-27 16:06	quick	done	113.7			114/114
2026-10-27 15:46	quick	running	109.7			
2026-10-27 11:30	speed	done	110.8			
2026-10-27 11:05	quick	done	110.9			114/114
2026-10-27 10:00	speed	done	110.9			
2026-10-27 09:36	quick	done	113.7			114/114

NVIDIA Nemotron 3.5 Bolt 74B-A9B (24 GB: IQ2_XXS experts, Q8_0, NVFP4 Mamba) + vision on 1x NVIDIA RT

Target nemotron-bolt-5090: Nemotron 3.5 Bolt 74B-A9B ModelOpt IQ2_XXS/Q8_0/NVFP4, TensorFold native CUDA on one RTX 5090 (262144, two streams, vision, host prompt cache). Engine: TensorFold native, CUDA; served as nemotron-bolt. Latest: run 20261015-175621-full (2026-10-15 17:56, plan full, done).

Serving: recipe_commit f546a71; engine_commit b2ec378d; served_model {"object": "list", "data": [{"id": "nemotron-bolt", "object": "model", "created": 17920869

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	149.7 (149.7)	149.6 (149.6)	150.1 (150.1)	149.7 (149.7)	0.03-0.03 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.011	0.0		6.75	217

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	149.3 (149.3)	149.2 (149.2)	149.7 (149.7)	149.3 (149.3)	0.03-0.03 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.0		6.74	1781

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2

check	passed
max-tokens	3/3
tools	58/60
json	30/30
ifeval	120/150
gsm8k	241/250
mgsm	190/240
mmlu	279/342
humaneval	153/164
repetition	8/8
long-context	55/55
vision	12/12
soak	60/60
snapshot	12/12

Checks

check	result
memory-idle	measured: gpu: 28716 MiB, 32607 MiB
structured	pass: 18/18 obey; a bad regex -> 400
sampling	pass: 9/9 seeded replies equal on repeat; 0 errors
turns	pass: resumed == again == cold: True; cached 5832 of 5865; ttft resumed 0.053s, cold 0.134s
capacity	pass: 6/6 answered, 0 refused, 0 lost (no reply); a short request after: 200

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-15 17:56	full	done	149.6			1272/1437
2026-10-15 17:33	full	running	149.8			
2026-10-15 17:22	quick	done	149.8			54/114
2026-10-15 17:13	quick	done	149.6			51/114

Ornith-1.5-122B, 8-bit MLX affine (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-8bit-native-m5: Ornith-1.5-122B, the publisher's 8-bit MLX affine, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Ornith-1.5-122B. Latest: run 20261031-060947-mlx-speed (2026-10-31 06:09, plan mlx-speed, done).

Serving: engine_commit a410eb56; binary_sha256 462b6a0c6d60b2743eb88fdbf0db93a560155a8cf3919ac4f694d1fc9fe156e7; served_model {"object": "list", "data": [{"id": "Ornith-1.5-122B", "object": "model", "created": 179344; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	57.0 (57.0)	111.1 (111.1)	90.6 (90.6)	82.8 (82.8)	0.08-0.11 s
2	116.0 (58.0)	170.3 (85.2)	143.4 (71.7)	199.7 (99.8)	0.12-0.16 s
4	148.1 (37.3)	231.5 (58.0)	185.7 (46.9)	242.8 (62.0)	0.19-0.27 s

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 34%; total = 1024.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-31 06:09	mlx-speed	done	111.1			
2026-10-31 05:38	glm-vision	done				20/22
2026-10-31 05:29	mlx-speed	done	138.2			
2026-10-31 05:21	quick	done	134.3			114/114
2026-10-29 05:00	mlx-speed	done	112.1			
2026-10-29 02:14	speed	done	111.7			
2026-10-29 02:00	glm-vision	done				20/22
2026-10-29 01:52	quick	done	112.5			114/114

Ornith-1.5-122B, 4-bit MLX affine (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-m5: Ornith-1.5-122B, 4-bit MLX affine with images, vllm-mlx on one M5 Ultra. Engine: vllm-mlx 0.6.0 (mlx-vlm 0.7.9, mlx-lm 0.31.3, mlx 0.32.4); served as Ornith-1.5-122B. Latest: run 20261020-111724-mlx-speed (2026-10-20 11:17, plan mlx-speed, done).

Serving: stack vllm-mlx 0.6.0, mlx-vlm 0.7.9, mlx-lm 0.31.3, mlx 0.32.4; served_model {"object":"list","data":[{"id":"Ornith-1.5-122B","object":"model","created":1792513044,"ow; checkpoint {'dir': 'Ornith-1.5-122B-MLX-4bit', 'bits': 4, 'group_size': 64, 'mode': 'affine', 'revisi; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	66.2 (66.2)	66.6 (66.6)	66.4 (66.4)	66.6 (66.6)	0.08-0.11 s
2	113.4 (56.7)	113.2 (56.6)	113.2 (56.6)	114.0 (57.0)	0.14-0.19 s
4	175.9 (44.0)	178.1 (44.9)	177.6 (44.1)	180.4 (44.9)	0.25-0.35 s

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 95%; total = 7168.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-20 11:17	mlx-speed	done	66.6			

Ornith-1.5-122B, 4-bit MLX affine (g64) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-native-m5: Ornith-1.5-122B, 4-bit MLX affine, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Ornith-1.5-122B. Latest: run 20261031-201109-glm-vision (2026-10-31 20:11, plan glm-vision, done).

Serving: engine_commit 3b77807c; binary_sha256 ebc672b728188d9cde39044c6579b21606ea1e40a3f780de3ffa51d8f7346244; served_model {"object": "list", "data": [{"id": "Ornith-1.5-122B", "object": "model", "created": 179349; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Suite-vision

check	passed
vision	4/6
vision-concurrent	16/16

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-31 20:11	glm-vision	done				20/22
2026-10-31 20:06	quick	done	191.6			114/114
2026-10-31 19:06	speed	done	192.7			
2026-10-31 05:19	glm-vision	done				20/22
2026-10-31 05:13	mlx-speed	done	194.1			
2026-10-31 05:09	quick	done	191.9			114/114
2026-10-31 04:51	quick	done	157.7			114/114
2026-10-31 04:49	glm-vision	done				20/22
2026-10-31 04:44	quick	done	189.6			114/114
2026-10-30 07:45	glm-vision	done				20/22
2026-10-30 07:41	quick	done	157.1			114/114
2026-10-29 05:00	glm-vision	done				20/22
2026-10-29 04:54	mlx-speed	done	155.9			
2026-10-29 04:49	quick	done	158.0			114/114
2026-10-26 13:27	glm-vision	done				4/6
2026-10-26 13:19	glm-vision	done				20/20
2026-10-26 13:09	thinking	done				244/250

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 12:53	mlx-speed	done	157.5			
2026-10-26 12:48	quick	done	157.4			114/114
2026-10-26 12:30	mlx-speed	done	157.5			
2026-10-26 12:25	quick	done	157.1			114/114
2026-10-26 11:16	quick	done	157.0			114/114
2026-10-26 11:04	thinking	done				244/250
2026-10-26 10:33	dsv41-quality-off	done				1448/1614
2026-10-26 08:42	mlx-speed	done	157.7			
2026-10-26 08:37	quick	done	157.5			114/114
2026-10-26 07:50	mlx-speed	done	157.7			
2026-10-26 07:45	quick	done	157.8			114/114
2026-10-26 03:37	thinking	done				245/250
2026-10-26 03:08	dsv41-quality-off	done				1427/1614
2026-10-26 03:02	mlx-speed	done	171.3			
2026-10-26 02:57	quick	done	171.0			114/114
2026-10-26 02:54	quick	running	169.9			
2026-10-25 22:37	mlx-speed	done	172.1			
2026-10-25 22:32	quick	done	171.6			114/114
2026-10-25 21:43	mlx-speed	done	171.9			
2026-10-25 21:38	quick	done	171.4			114/114
2026-10-25 18:54	mlx-speed	done	171.8			
2026-10-25 18:39	quick	done	172.0			114/114
2026-10-21 02:20	mlx-speed	done	174.2			
2026-10-20 16:39	glm-streams	done	95.5	415.0	0.42-0.56 s	24/24
2026-10-20 16:34	glm-streams	done	157.1	410.5	0.44-0.59 s	24/24
2026-10-20 16:19	thinking	done				244/250
2026-10-20 15:25	mlx-speed	done	95.6			
2026-10-20 15:23	mlx-speed	done	157.0			
2026-10-20 14:53	dsv41-quality-off	done				1444/1614
2026-10-20 14:16	mlx-speed	done	95.4			

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-20 14:15	mlx-speed	done	314.3			
2026-10-20 14:01	mlx-speed	done	85.0			
2026-10-20 14:00	mlx-speed	done	316.2			
2026-10-20 13:39	mlx-speed	done	84.8			
2026-10-20 13:36	mlx-speed	done	84.1			
2026-10-20 13:31	mlx-speed	done	85.3			
2026-10-20 13:29	mlx-speed	done	84.2			
2026-10-20 13:19	mlx-speed	done	84.6			
2026-10-20 12:56	mlx-speed	done	79.3			
2026-10-20 12:49	mlx-speed	done	85.1			

Ornith-1.5-122B, 4-bit MLX affine (g64), YaRN x4 to 1M context on 1x Apple M5 Ultra (256 GB unified), macOS

Target ornith-15-122b-yarn1m-native-m5: Ornith-1.5-122B, 4-bit MLX affine, static YaRN x4 (one 1,048,576-token stream), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Ornith-1.5-122B. Latest: run 20261026-014405-mlx-speed (2026-10-26 01:44, plan mlx-speed, done).

Serving: engine_commit 1429b56b; binary_sha256 64f5d54183672d8cc018bfb29f8be83b0da65c0e7b9293d9e6dd70203ff87cd5; served_model {"object": "list", "data": [{"id": "Ornith-1.5-122B", "object": "model", "created": 179299; chip Apple M5 Ultra; 274877906944; suite_commit 277c842a1481

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	77.7 (77.7)	160.6 (160.6)	105.8 (105.8)	111.3 (111.3)	0.06-0.08 s
2	228.2 (114.1)	374.0 (187.0)	265.3 (132.6)	376.2 (188.1)	0.71-1.13 s
4	447.1 (116.2)	774.4 (197.4)	554.8 (138.3)	871.1 (210.4)	1.58-3.32 s

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 48%; total = 3072.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 01:44	mlx-speed	done	160.6			
2026-10-26 01:41	mlx-speed	done	179.8			
2026-10-26 01:33	thinking	done				247/250
2026-10-26 01:30	mlx-speed	done	183.2			
2026-10-26 00:46	dsv41-quality-off	done				1426/1614
2026-10-26 00:42	mlx-speed	done	93.5			
2026-10-26 00:40	mlx-speed	done	180.8			
2026-10-20 22:24	thinking	done				247/250
2026-10-20 21:42	dsv41-quality-off	done				1426/1614
2026-10-20 21:37	mlx-speed	done	95.3			
2026-10-20 21:34	mlx-speed	done	193.7			

qwen38-27b on q27-base886

Target q27-base886: . Engine: ?; served as qwen38-27b. Latest: run 20261016-222607-speed (2026-10-16 22:26, plan speed, done).

Serving: q27-base886 {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792189591,

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	150.0 (150.0)	229.6 (229.6)	167.6 (167.6)	184.6 (184.6)	0.10-0.10 s

Checks

check	result
memory-idle	measured: q27-base886: 24906 MiB, 32607 MiB
memory-busy	measured: q27-base886: 24906 MiB, 32607 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 22:26	speed	done	229.6			

qwen38-27b on q27-stack

Target q27-stack: . Engine: ?; served as qwen38-27b. Latest: run 20261016-234937-speed (2026-10-16 23:49, plan speed, done).

Serving: q27-stack {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792194590,

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	210.8 (210.8)	397.9 (397.9)	268.4 (268.4)	250.4 (250.4)	0.10-0.10 s

Checks

check	result
memory-idle	measured: q27-stack: 24912 MiB, 32607 MiB
memory-busy	measured: q27-stack: 24912 MiB, 32607 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 23:49	speed	done	397.9			
2026-10-16 23:04	speed	done	343.2			
2026-10-16 22:37	speed	done	334.8			
2026-10-16 22:26	speed	done	290.2			

Qwen3.8-27B, MLX 4-bit, bf16 prompts + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-bf16prompt: Qwen3.8-27B MLX 4-bit (TensorFold/Qwen3.8-27B-MLX-4bit) + DFlash2 served without --prompt-precision int8, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the int8-prompt A/B of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-105200-quant-compare (2026-11-08 10:52, plan quant-compare, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794135120,; suite_commit 49a346d8899c

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	275.7 (275.7)	525.3 (525.3)	353.9 (353.9)	331.7 (331.7)	0.10-0.10 s

Suite-thinking

check	passed
gsm8k	241/250

Suite

check	passed
gsm8k	240/250
mmlu	271/342
ifeval	130/150
humaneval	151/164
mgsm	213/240

Checks

check	result
memory-idle	measured: gpu: 30850 MiB, 32607 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-08 10:52	quant-compare	done	525.3			241/250

Qwen3.8-27B, EXL3 5.00 bpw + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-exl3-5: Qwen3.8-27B EXL3 5.00 bpw (turboderp/Qwen3.8-27B-exl3 at 5.00bpw) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-081959-humaneval-off (2026-11-08 08:19, plan humaneval-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794125999,; suite_commit 49a346d8899c

Suite-humaneval

check	passed
humaneval	151/164

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-08 08:19	humaneval-off	done				151/164
2026-11-08 02:12	quality-off	done	365.6			1151/1273
2026-11-08 01:40	quant-compare	done	366.5			246/250

Qwen3.8-27B, MLX 4-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-mlx4: Qwen3.8-27B MLX 4-bit + DFlash2, TensorFold native CUDA on one RTX 5090 (int8 prompts, fp8 KV, 262k, four streams, vision): the recipe until 2026-11-08, kept for its runs (qwen38-27b-5090 serves the EXL3 4.00 bpw pack since). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-082127-vision (2026-11-08 08:21, plan vision, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794126087,; suite_commit 49a346d8899c

Suite-vision

check	passed
vision	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-08 08:21	vision	done				12/12
2026-11-08 07:49	quality-off	done	537.8			1295/1437
2026-11-08 07:32	quant-compare	done	539.1			242/250
2026-11-08 01:36	quick	done	538.8			113/114
2026-11-08 01:15	thinking	done				242/250
2026-10-27 20:42	streams	done	535.5			24/24
2026-10-27 20:42	vision	done				12/12
2026-10-27 20:38	quick	done	537.8			113/114
2026-10-27 20:33	streams	done	536.9			24/24
2026-10-27 20:31	streams	done	536.6			24/24
2026-10-27 20:30	together	done				24/24
2026-10-27 20:29	together	done				24/24
2026-10-27 20:28	together	done				24/24
2026-10-27 20:27	together	done				24/24
2026-10-27 20:14	vision	done				12/12
2026-10-27 20:10	quick	done	537.7			113/114
2026-10-26 01:29	humaneval-penalized	done				154/164
2026-10-26 01:28	humaneval-sampled	done				153/164

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 01:26	humaneval-off	done				152/164
2026-10-26 00:54	after-long	done	538.9			
2026-10-26 00:06	quality-penalized	done	539.1			1127/1273
2026-10-25 23:24	quality-sampled	done	537.7			1142/1273
2026-10-25 22:42	quality-off	done	538.0			1143/1273
2026-10-25 20:16	streams	done	537.6			24/24
2026-10-25 20:14	streams	done	537.5			24/24
2026-10-25 20:13	together	done				18/24
2026-10-25 20:11	together	done				24/24
2026-10-25 20:10	together	done				24/24
2026-10-25 20:09	together	done				24/24
2026-10-25 20:09	together	done				20/24
2026-10-25 20:08	together	done				24/24
2026-10-25 20:05	streams	done	538.6			18/24
2026-10-25 20:04	streams	done	538.4			19/24
2026-10-25 20:03	streams	done	539.2			18/24
2026-10-25 19:53	quick	done	538.1			113/114
2026-10-22 11:50	humaneval-fresh	done				152/164
2026-10-22 11:12	quality-off	done	497.1			1143/1273
2026-10-22 11:10	after-long	done	496.1			
2026-10-22 11:07	after-long	done	496.1			
2026-10-22 11:03	quick	done	497.7			113/114
2026-10-22 10:30	after-long	done	497.6			
2026-10-22 10:26	after-long	done	498.2			
2026-10-22 10:11	quick	done	496.8			113/114
2026-10-22 00:34	quick	done	497.2			113/114
2026-10-21 22:53	quality-off	done	498.5			1295/1437
2026-10-21 22:18	ruler3	done	484.8			
2026-10-21 20:50	quality-off	done	500.1			1295/1437
2026-10-21 17:28	quality-off	done	485.5			1294/1437

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-21 16:25	quick	done	486.0			113/114
2026-10-21 08:44	soak-ab	done	474.6			60/60
2026-10-21 08:37	bisect-mgsm	done	474.5			214/240
2026-10-21 08:35	bisect-soak	done	440.6			60/60
2026-10-21 08:34	bisect-concurrent	done	475.6			12/12
2026-10-21 08:21	bisect-long-context	done	473.9			55/55
2026-10-21 08:20	ruler-restart	done	476.1			
2026-10-21 08:19	ruler1	done	373.2			
2026-10-21 08:19	ruler1	done	373.7			
2026-10-21 08:18	humaneval	done				151/164
2026-10-21 08:16	humaneval	done				
2026-10-21 07:35	full	done	478.1			1137/1273
2026-10-19 22:30	full	running	456.9			
2026-10-19 18:53	speed	done	458.0			
2026-10-16 21:24	speed	done	459.2			
2026-10-16 11:14	quick	done	459.0			113/114
2026-10-14 00:00	published evidence	published				
2026-10-13 00:00	published evidence	published				
2026-10-12 00:00	published evidence	published				1229/1437
2026-10-12 00:00	published evidence	published				1289/1437
2026-10-12 00:00	published evidence	published				
2026-10-12 00:00	published evidence	published				

Qwen3.8-27B, MLX 5-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-mlx5: Qwen3.8-27B MLX 5-bit (lmstudio-community/Qwen3.8-27B-MLX-5bit) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-042804-quality-off (2026-11-08 04:28, plan quality-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794112084,; suite_commit 49a346d8899c

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	222.7 (222.7)	407.3 (407.3)	260.1 (260.1)	258.4 (258.4)	0.10-0.10 s

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	222.6 (222.6)	407.4 (407.4)	260.1 (260.1)	258.5 (258.5)	0.10-0.10 s

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	7/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	59/60
json	30/30
ifeval	130/150
gsm8k	243/250
mgsm	210/240
mmlu	277/342

check	passed
humaneval	152/164
repetition	8/8
long-context	55/55
vision	12/12
soak	60/60
snapshot	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-08 04:28	quality-off	done	407.3			1301/1437
2026-11-08 03:57	quant-compare	done	407.4			243/250
2026-11-08 01:26	quant-compare	running	391.2			

Qwen3.8-27B, MLX 6-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-mlx6: Qwen3.8-27B MLX 6-bit (lmstudio-community/Qwen3.8-27B-MLX-6bit) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-054556-quality-off (2026-11-08 05:45, plan quality-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794116756,; suite_commit 49a346d8899c

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	218.2 (218.2)	374.2 (374.2)	230.4 (230.4)	242.1 (242.1)	0.10-0.10 s

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	218.1 (218.1)	374.0 (374.0)	230.2 (230.2)	242.5 (242.5)	0.10-0.10 s

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	59/60
json	30/30
ifeval	131/150
gsm8k	240/250
mgsm	213/240
mmlu	277/342

check	passed
humaneval	154/164
repetition	8/8
long-context	0/0
vision	12/12
soak	60/60
snapshot	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-08 05:45	quality-off	done	374.2			1250/1382
2026-11-08 05:11	quant-compare	done	374.4			245/250

Qwen3.8-27B, NVFP4 (ModelOpt) + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090-nvfp4: Qwen3.8-27B NVFP4 (ModelOpt) (nvidia/Qwen3.8-27B-NVFP4) + DFlash2, TensorFold native CUDA on one RTX 5090 (bf16 prompts, fp8 KV, the quant comparison of 2026-11-08). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261108-065235-quality-off (2026-11-08 06:52, plan quality-off, done).

Serving: recipe_commit a52ff23; engine_commit 267c5af; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794120755,; suite_commit 49a346d8899c

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	227.2 (227.2)	433.2 (433.2)	289.9 (289.9)	264.0 (264.0)	0.12-0.12 s

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	227.2 (227.2)	433.6 (433.6)	289.9 (289.9)	263.9 (263.9)	0.12-0.12 s

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	60/60
json	30/30
ifeval	126/150
gsm8k	242/250
mgsm	215/240
mmlu	270/342

check	passed
humaneval	153/164
repetition	8/8
long-context	55/55
vision	0/12
soak	60/60
snapshot	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-08 06:52	quality-off	done	433.2			1285/1437
2026-11-08 06:21	quant-compare	done	434.3			244/250

qwen38-27b on qwen38-27b-5090-q35line

Target qwen38-27b-5090-q35line: . Engine: ?; served as qwen38-27b. Latest: run 20261016-212230-speed (2026-10-16 21:22, plan speed, done).

Serving: engine_commit 3d763bde; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792185803,

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	149.9 (149.9)	229.4 (229.4)	167.4 (167.4)	184.6 (184.6)	0.10-0.10 s

Checks

check	result
memory-idle	measured: gpu: 26486 MiB, 32607 MiB
memory-busy	measured: gpu: 26486 MiB, 32607 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 21:22	speed	done	229.4			

qwen38-27b on qwen38-27b-5090-q35speed

Target qwen38-27b-5090-q35speed: . Engine: ?; served as qwen38-27b. Latest: run 20261019-222616-thinking (2026-10-19 22:26, plan thinking, done).

Serving: recipe_commit 6f7277d; engine_commit 29eb2574; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792448776,

Suite-thinking

check	passed
gsm8k	222/250

Checks

check	result
thinking	pass: thinking on: 10/10 right, 10/10 with reasoning_content, 0 leaks, 0 errors

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-19 22:26	thinking	done				222/250
2026-10-19 21:44	full	done	436.8			1137/1273
2026-10-19 18:52	speed	done	450.8			

qwen38-27b on qwen38-27b-5090-v111

Target qwen38-27b-5090-v111: . Engine: ?; served as qwen38-27b. Latest: run 20261019-141223-full (2026-10-19 14:12, plan full, running).

Serving: recipe_commit 6f7277d; engine_commit b10231b9; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792419740,

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	210.2 (210.2)	396.6 (396.6)	265.7 (265.7)	258.8 (258.8)	0.10-0.10 s

Checks

check	result
memory-idle	measured: gpu: 26904 MiB, 32607 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-19 14:12	full	running	396.6			

Qwen3.8-27B, EXL3 4.00 bpw + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090: Qwen3.8-27B EXL3 4.00 bpw (turboderp/Qwen3.8-27B-exl3, revision 4.00bpw) + DFlash2, TensorFold native CUDA on one RTX 5090 (fp8 KV, 262k, three streams, vision). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261109-032745-vision (2026-11-09 03:27, plan vision, done).

Serving: recipe_commit 2b9aa38; engine_commit 944542fed; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1794194865,; suite_commit 49a346d8899c

Suite-vision

check	passed
vision	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-09 03:27	vision	done				12/12
2026-11-09 03:22	quick	done	452.2			113/114
2026-11-08 22:19	quick	done	427.2			114/114
2026-11-08 22:19	vision	done				12/12
2026-11-08 14:06	quick	done	453.7			113/114
2026-11-08 14:06	vision	done				12/12
2026-11-08 11:10	quant-compare	done	452.6			244/250
2026-11-08 03:18	quality-off	done	450.9			1318/1437
2026-11-08 03:00	quant-compare	done	452.1			244/250

Qwen3.8-Flash-Next, MLX 6-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target qwen38-flashnext-mlx6bit-m5: Qwen3.8-Flash-Next MLX 6-bit, TensorFold native on one M5 Ultra. Engine: TensorFold native, Metal; served as Qwen3.8-Flash-Next-MLX-6bit. Latest: run evidence/2026-10-11-suite-rest (2026-10-11 00:00, plan published evidence, published).

Suite

check	passed
ifeval	134/150
gsm8k	242/250
mgsm	225/240
mmlu	282/342
repetition	8/8
long-context	55/55
concurrent	12/12
snapshot	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-11 00:00	published evidence	published				970/1069
2026-10-11 00:00	published evidence	published	205.9			24/24
2026-10-11 00:00	published evidence	published				157/164
2026-10-11 00:00	published evidence	published	199.8			
2026-10-11 00:00	published evidence	published				131/132
2026-10-11 00:00	published evidence	published	206.2			

Qwen3.8-Flash-Next, 6-bit with vision on 1x Apple M5 Ultra (256 GB unified), macOS

Target qwen38-flashnext-vision-m5: Qwen3.8-Flash-Next 6-bit MTP with images and video, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as Qwen3.8-Flash-Next-MLX-6bit. Latest: run 20261017-120921-fn-speed (2026-10-17 12:09, plan fn-speed, done).

Serving: engine_commit 394d2e35; binary_sha256 43a9c01ac3eee31998def08595f5e4fc6d29819d46799a8ac01b7cdffd72b668; served_model {"object": "list", "data": [{"id": "Qwen3.8-Flash-Next-MLX-6bit", "object": "model", "crea; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	142.4 (142.4)	209.5 (209.5)	173.2 (173.2)	206.5 (206.5)	0.11-0.13 s
2	197.6 (98.8)	261.9 (130.9)	221.5 (110.7)	271.5 (135.8)	0.17-0.19 s

Suite

check	passed
drafts	12/12
concurrent	12/12

Checks

check	result
structured	pass: 18/18 obey; a bad regex -> 400

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 12:09	fn-speed	done	209.5			24/24
2026-10-17 12:06	fn-speed	done	209.8			24/24
2026-10-17 11:34	fn-1m	done	197.4			24/24
2026-10-17 11:31	fn-media	done	208.9			24/24
2026-10-17 08:04	fn-speed	done	206.1			24/24
2026-10-17 08:02	fn-speed	done	204.3			24/24
2026-10-17 05:58	fn-speed	done	208.0			24/24
2026-10-17 01:00	fn-speed	done	202.8			24/24

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 00:57	fn-speed	done	207.3			24/24
2026-10-16 19:29	fn-speed	done	201.8			24/24
2026-10-16 19:26	fn-speed	done	207.3			24/24
2026-10-12 00:00	published evidence	published	174.1			
2026-10-12 00:00	published evidence	published	202.7			
2026-10-12 00:00	published evidence	published	176.6			
2026-10-11 00:00	published evidence	published	205.6			131/132
2026-10-11 00:00	published evidence	published	178.9			513/544

Qwen3.8-Flash-Next INT4-Mixed (AutoRound) on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 ov

Target qwen38-int4mixed: Qwen3.8-Flash-Next INT4-Mixed, TensorFold native, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as Qwen3.8-Flash-Next-INT4-Mixed. Latest: run evidence/2026-10-27-native-v1.1.6 (2026-10-27 00:00, plan published evidence, published).

Ruler

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	78.2 (78.2)	127.1 (127.1)	102.5 (102.5)	130.6 (130.6)	0.04-0.04 s
4	161.1 (40.4)	257.2 (66.7)	205.2 (50.9)	293.5 (69.7)	0.08-0.10 s
16	305.1 (19.0)	516.3 (31.0)	393.1 (23.9)	526.9 (32.0)	0.46-0.51 s

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	60/60
json	30/30
ifeval	130/150
gsm8k	241/250
mgsm	219/240
mmlu	283/342
humaneval	157/164
repetition	8/8
long-context	55/55
vision	12/12

check	passed
soak	60/60
snapshot	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-27 00:00	published evidence	published	127.1	516.3	0.46-0.51 s	1321/1437
2026-10-17 07:25	rebase	done	127.0	516.3	0.45-0.54 s	114/114
2026-10-15 17:13	full	done	127.0	509.8	0.44-0.55 s	1321/1437
2026-10-15 00:00	published evidence	published	123.4	472.9	0.52-0.74 s	1321/1437
2026-10-15 00:00	published evidence	published				1321/1437
2026-10-11 00:00	published evidence	published	120.1	507.2	0.54-0.62 s	1321/1437
2026-10-11 00:00	published evidence	published	120.4	507.1	0.50-0.59 s	
2026-10-10 09:45	quick	done	105.3			54/54
2026-10-10 00:00	published evidence	published	122.0	510.3	0.40-0.49 s	114/114
2026-10-10 00:00	published evidence	published	125.9	510.9	0.44-0.49 s	1261/1377
2026-10-10 00:00	published evidence	published	125.7	506.7	0.42-0.49 s	54/54
2026-10-10 00:00	published evidence	published	106.1	506.1	0.42-0.51 s	54/54
2026-10-10 00:00	published evidence	published	110.0	511.8	0.41-0.55 s	1261/1377
2026-10-10 00:00	published evidence	published	105.8	505.5	0.41-0.46 s	1261/1377
2026-10-09 00:00	published evidence	published	105.2	412.2	0.78-0.98 s	1260/1377
2026-10-09 00:00	published evidence	published				1256/1377
2026-10-08 00:00	published evidence	published	107.1	519.4	0.44-0.56 s	
2026-10-08 00:00	published evidence	published	107.7	474.0	0.52-0.66 s	145/145
2026-10-08 00:00	published evidence	published	107.6	442.6	0.44-0.58 s	36/36
2026-10-08 00:00	published evidence	published	107.6	441.7	0.45-0.58 s	
2026-10-07 00:00	published evidence	published				12/12

ricursiveAI Ripple-65B-Preview (bf16) + DFlash2 drafter on 1x Apple M5 Ultra (256 GB unified), macOS

Target ripple-65b-dflash2-m5: ricursiveAI Ripple-65B-Preview (bf16 release) + its DFlash2 drafter (bf16), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-051500-speed (2026-11-06 05:15, plan speed, running).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793963755, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	13.4 (13.4)	30.7 (30.7)	13.3 (13.3)	18.7 (18.7)	0.39-1.06 s
2	25.7 (12.9)	63.3 (31.6)	26.0 (13.0)	54.8 (27.4)	3.24-7.98 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.931	6.547	29%	154.04	12
2	3.151	6.027	35%	148.44	25

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 22%; total = 8192.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-06 05:15	speed	running	30.7			
2026-11-06 05:08	together	done				24/24

ricursiveAI Ripple-65B-Preview (bf16) on 1x Apple M5 Ultra (256 GB unified), macOS

Target ripple-65b-m5: ricursiveAI Ripple-65B-Preview, bf16 release, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-045115-speed (2026-11-06 04:51, plan speed, done).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793962340, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	6.4 (6.4)	6.4 (6.4)	6.4 (6.4)	6.4 (6.4)	0.52-1.20 s
2	13.6 (6.8)	13.6 (6.8)	13.4 (6.7)	13.7 (6.9)	0.79-1.78 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.0		157.24	12
2	1.007	0.01	8%	148.42	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	6.4 (6.4)	6.4 (6.4)	6.5 (6.5)	6.4 (6.4)	0.52-1.18 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.0		156.64	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 27%; total = 6144.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 4513 of 4597; ttft resumed 0.626s, cold 7.541s
memory-busy	measured: mac: System-wide memory free percentage: 25%; total = 6144.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-06 04:51	speed	done	6.4			
2026-11-05 02:52	speed	done	5.0			
2026-11-04 16:37	quick	running	6.5			

ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) + DFlash2 drafter on 1x Apple M5 Ultra (

Target ripple-65b-nvfp4-dflash2-m5: ricursiveAI Ripple-65B-Preview-NVFP4 + its DFlash2 drafter (bf16), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-043139-speed (2026-11-06 04:31, plan speed, done).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793961124, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	15.3 (15.3)	26.3 (26.3)	17.3 (17.3)	18.7 (18.7)	0.55-0.69 s
2	21.2 (10.6)	34.7 (17.3)	24.7 (12.3)	37.3 (18.7)	0.83-1.12 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.649	3.39	48%	136.62	12
2	2.677	2.995	56%	181.63	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	14.5 (14.5)	25.7 (25.7)	16.7 (16.7)	18.7 (18.7)	0.54-0.71 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.618	3.339	48%	138.57	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 62%; total = 6144.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 4513 of 4597; ttft resumed 0.615s, cold 8.394s
memory-busy	measured: mac: System-wide memory free percentage: 62%; total = 6144.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-06 04:31	speed	done	26.3			
2026-11-06 04:04	quick	done	29.1			109/114
2026-11-06 03:30	streams7	done	27.3			
2026-11-05 19:09	speed	done	27.5			
2026-11-05 17:58	speed	contended (another job held ~12 cores; rerun 20261105-190943-speed)	22.8			
2026-11-05 17:31	quick	done	27.3			109/114
2026-11-05 07:41	speed	done	27.5			
2026-11-05 07:01	quick	done	16.7			109/114
2026-11-05 05:37	speed	done	27.6			
2026-11-05 05:10	quick	done	25.3			109/114

ricursiveAI Ripple-65B-Preview-NVFP4 (NVFP4 MLPs, bf16 attention) on 1x Apple M5 Ultra (256 GB unified), m

Target ripple-65b-nvfp4-m5: ricursiveAI Ripple-65B-Preview-NVFP4 (MLPs NVFP4, attention bf16; activations bf16), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as ripple. Latest: run 20261106-043932-speed (2026-11-06 04:39, plan speed, done).

Serving: engine_commit b7ff7854f; binary_sha256 40cade17c2254999237c082761470cdf70982a6a02e5ec3658fdb6fe9bc17016; served_model {"object": "list", "data": [{"id": "ripple", "object": "model", "created": 1793961592, "ow; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	10.2 (10.2)	10.1 (10.1)	10.2 (10.2)	10.1 (10.1)	0.61-0.74 s
2	18.7 (9.3)	18.6 (9.3)	19.0 (9.5)	18.6 (9.3)	0.93-1.10 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.006	0.0		99.24	12
2	1.007	0.009	8%	107.58	25

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	10.1 (10.1)	10.1 (10.1)	10.2 (10.2)	10.1 (10.1)	0.61-0.74 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.0		99.59	13

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 65%; total = 6144.00M us
turns	pass: resumed == again: True; cold (after a restart): True; cached 4513 of 4597; ttft resumed 0.692s, cold 8.146s
memory-busy	measured: mac: System-wide memory free percentage: 65%; total = 6144.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-06 04:39	speed	done	10.1			
2026-11-06 03:10	streams7	done	10.2			
2026-11-05 08:06	speed	done	10.2			
2026-11-05 07:55	speed	done	10.2			
2026-11-04 23:29	quick	done	10.1			109/114
2026-11-04 21:23	quick	done	10.2			109/114
2026-11-04 20:25	speed	done	10.1			
2026-11-04 19:42	quick	done	10.2			109/114

Spark-X2.6-4B, MLX 8-bit on 1x NVIDIA RTX 4090 (24 GB), Windows

Target spark-x26-4b-4090: Spark-X2.6-4B MLX 8-bit, TensorFold native CUDA (spark2_5) on one RTX 4090, Windows (32768-token window, 4 streams). Engine: TensorFold native, CUDA; served as spark. Latest: run 20261025-041904-full (2026-10-25 04:19, plan full, done).

Serving: engine_commit 9d352b66; binary_sha256 978f64996b777498553acd0672b167a0730b20c0b46635ac0ceb88ede4ed0b7f; served_model {"object": "list", "data": [{"id": "spark", "object": "model", "created": 1792919956, "own; gpu NVIDIA GeForce RTX 4090, 616.56; suite_commit e91d8816c7e8

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	145.9 (145.9)	144.0 (144.0)	147.3 (147.3)	146.3 (146.3)	0.03-0.05 s
4	547.6 (137.0)	547.0 (136.8)	551.8 (137.5)	550.1 (137.6)	0.07-0.07 s

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	145.5 (145.5)	143.8 (143.8)	147.2 (147.2)	146.1 (146.1)	0.04-0.05 s

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	53/60
json	30/30
ifeval	117/150
gsm8k	232/250
mgsm	175/240

check	passed
mmlu	257/342
humaneval	0/0
repetition	7/8
long-context	16/16
vision	0/12
soak	60/60
snapshot	12/12

Checks

check	result
memory-idle	measured: gpu: 10674 MiB, 24564 MiB
tools	pass: 1/1 tool cases right; not tested (features.structured = false): required, named, named/thinking, named/stream
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again: True; cold (after a restart): True; cached 5568 of 5630; ttft resumed 0.383s, cold 0.885s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-25 04:19	full	done	144.0			1013/1234
2026-10-25 04:00	full	done	144.2			997/1218

Spark-X2.6-4B, MLX 8-bit on 1x NVIDIA RTX 5090 (32 GB)

Target spark-x26-4b-5090: Spark-X2.6-4B MLX 8-bit, TensorFold native CUDA (main), one RTX 5090, 32k window, 4 streams, no drafter. Engine: TensorFold native, CUDA (main); served as spark. Latest: run 20261026-044629-streams (2026-10-26 04:46, plan streams, done).

Serving: engine_commit 31a864f13; model ca74508b40984452; suite_commit 49a346d8899c

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	199.1 (199.1)	190.9 (190.9)	202.7 (202.7)	203.7 (203.7)	0.03-0.03 s
2	375.0 (187.5)	376.5 (188.2)	376.0 (188.0)	389.1 (194.5)	0.04-0.04 s
4	716.4 (178.9)	708.9 (178.9)	725.8 (182.7)	728.9 (182.2)	0.06-0.06 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-26 04:46	streams	done	190.9			24/24
2026-10-26 04:45	exact	done				12/12
2026-10-26 04:42	speed	done	191.2			

Spark-X2.6-4B, MLX 8-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target spark-x26-4b-8bit-m5: Spark-X2.6-4B MLX affine 8-bit (a lossy conversion of the release), TensorFold native Metal (spark2_5) on one M5 Ultra (262144-token window, 4 streams). Engine: TensorFold native, Metal; served as spark. Latest: run 20261030-102337-mlx-speed (2026-10-30 10:23, plan mlx-speed, done).

Serving: engine_commit abf822585; binary_sha256 e247c861a8095bc38f326a3741ee88854b32e3ec23235a1e6bb4fb08bb75276e; served_model {"object": "list", "data": [{"id": "spark", "object": "model", "created": 1793373817, "own; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	165.8 (165.8)	165.9 (165.9)	165.9 (165.9)	165.7 (165.7)	0.04-0.06 s
2	261.7 (130.9)	259.2 (129.6)	267.9 (133.9)	263.3 (131.6)	0.05-0.08 s
4	366.5 (91.2)	353.4 (88.4)	368.0 (92.1)	362.5 (90.2)	0.09-0.13 s

Engine rounds (ruler-streams):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.005	0.0		6.06	13
2	1.01	0.034	15%	7.68	25
4	1.008	0.021	15%	11.13	50

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 89%; total = 3072.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-30 10:23	mlx-speed	done	165.9			
2026-10-30 10:20	speed	done	166.3			
2026-10-30 10:17	quick	done	165.6			114/114
2026-10-25 18:00	mlx-speed	done	167.0			
2026-10-25 17:57	speed	done	166.6			
2026-10-25 17:54	quick	done	167.7			114/114

Spark-X2.6-4B, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target spark-x26-4b-m5: Spark-X2.6-4B bf16 as released, TensorFold native Metal (spark2_5) on one M5 Ultra (262144-token window, 4 streams). Engine: TensorFold native, Metal; served as spark. Latest: run 20261030-101524-mlx-speed (2026-10-30 10:15, plan mlx-speed, done).

Serving: engine_commit abf822585; binary_sha256 e247c861a8095bc38f326a3741ee88854b32e3ec23235a1e6bb4fb08bb75276e; served_model {"object": "list", "data": [{"id": "spark", "object": "model", "created": 1793373324, "own; chip Apple M5 Ultra; 274877906944; suite_commit 21db9b23f7be

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	105.6 (105.6)	104.7 (104.7)	104.6 (104.6)	105.0 (105.0)	0.06-0.07 s
2	186.8 (93.4)	176.4 (88.2)	186.9 (93.4)	183.7 (91.9)	0.08-0.10 s
4	317.9 (79.9)	293.6 (73.3)	320.5 (80.5)	313.5 (78.2)	0.13-0.17 s

Engine rounds (ruler-streams):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.005	0.0		9.57	13
2	1.009	0.032	15%	11.0	25
4	1.008	0.024	12%	12.93	50

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 88%; total = 4096.00M us

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-30 10:15	mlx-speed	done	104.7			
2026-10-30 10:06	speed	done	104.6			
2026-10-30 10:00	quick	done	105.1			113/114
2026-10-25 17:21	quick	done	106.1			113/114
2026-10-25 17:04	mlx-speed	done	105.3			
2026-10-25 16:22	speed	done	106.0			

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-25 16:16	quick	done	106.1			113/114
2026-10-25 15:41	speed	done	165.9			
2026-10-25 15:36	quick	done	166.5			114/114
2026-10-25 15:00	speed	done	165.9			
2026-10-25 14:55	quick	done	166.8			114/114

Step-5-Preview, MLX 2-bit experts (8-bit rest) + MTP on 1x Apple M5 Ultra (256 GB unified), macOS

Target step5-m5: Step-5-Preview 2-bit (experts 2/128, rest 8/64, MTP, images), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as step5-preview. Latest: run 20261016-102144-pr903-final (2026-10-16 10:21, plan pr903-final, done).

Serving: engine_commit e2bb58db; binary_sha256 61059a383f74fd363f17527526fdc7de028fe624d40e59e3238d20e4925bfef5; served_model {"object": "list", "data": [{"id": "step5-preview", "object": "model", "created": 17921641; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	38.5 (38.5)	50.4 (50.4)	40.5 (40.5)	47.9 (47.9)	0.24-0.28 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.381	2.072	67%	53.72	12

Suite

check	passed
vision	12/12
drafts	12/12
concurrent	12/12

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 27%; total = 4096.00M us
turns	pass: resumed == again == cold: True; cached 4514 of 4618; ttft resumed 0.353s, cold 3.21s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 10:21	pr903-final	done	50.4			36/36
2026-10-16 09:23	pr903	done	50.4			156/156
2026-10-15 19:44	one-stream	done	50.9			220/232

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-15 19:28	quick	done	50.5			114/114
2026-10-15 18:52	quick	done	50.6			114/114
2026-10-15 13:43	one-stream	done	50.6			220/232
2026-10-15 12:43	quick	done	50.6			

Unlimited-OCR-2, bf16 on 1x NVIDIA RTX 4080 SUPER (16 GB), Windows 11

Target unlimited-ocr-2-4080: Unlimited-OCR-2 bf16 as released, TensorFold native CUDA (unlimited-ocr) on one RTX 4080 SUPER (98304-token window, one stream). Engine: TensorFold native, CUDA; served as Unlimited-OCR-2. Latest: run 20261103-180047-ocr (2026-11-03 18:00, plan ocr, done).

Serving: engine_commit 5be83bba7; binary_sha256 ca344b3798d371d3540258b1a9505ac13dbfa4dd14c771cd0c1c4829360c4d02; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179375; gpu NVIDIA GeForce RTX 4080 SUPER, 610.88, 16376 MiB

Checks

check	result
memory-idle	measured: gpu: 15016 MiB, 16376 MiB
ocr	pass: 6/6 cases answered; decode 241-244 tok/s, first token 0.36-1.73 s; 2 at once 157-233 tok/s in all; vs reference: identical 3/6, similarity 0.9965-1.0000, text without boxes identical 5/6, box coords moved 13/284 (at most 5)
memory-after	measured: gpu: 15022 MiB, 16376 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-03 18:00	ocr	done				
2026-11-03 17:29	ocr	done				

Unlimited-OCR-2, bf16 on 1x NVIDIA RTX 5090 (32 GB), Linux

Target unlimited-ocr-2-5090: Unlimited-OCR-2 bf16 as released, TensorFold native CUDA (unlimited-ocr) on one RTX 5090 (131072-token window, one stream). Engine: TensorFold native, CUDA; served as Unlimited-OCR-2. Latest: run 20261106-101707-ocr-match (2026-11-06 10:17, plan ocr-match, done).

Serving: engine_commit b18ab33a; binary_sha256 db84ddbdd82dc42fc2acce193abe139fc94180edb7e27785f529cb8a227f0ab4; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179396; gpu NVIDIA GeForce RTX 5090, 615.71.09, 32607 MiB

Checks

check	result
memory-idle	measured: gpu: 15468 MiB, 32607 MiB
ocr	pass: 7/7 cases answered; decode 507-518 tok/s, first token 0.22-9.62 s; vs reference: identical 1/6, similarity 0.9873-1.0000, text without boxes identical 3/6, box coords moved 14/284 (at most 2)
memory-after	measured: gpu: 15474 MiB, 32607 MiB

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-06 10:17	ocr-match	done				
2026-11-06 10:15	ocr	done				
2026-11-06 09:01	ocr-match	done				
2026-11-06 08:59	ocr	done				
2026-11-06 07:45	ocr-match	done				
2026-11-06 06:06	ocr	done				
2026-11-05 00:28	ocr-match	done				
2026-11-05 00:21	ocr-match	done				
2026-11-04 18:38	ocr-match	done				
2026-11-04 16:28	ocr-match	done				
2026-11-04 15:43	ocr-match	done				
2026-11-04 10:51	ocr-match	done				
2026-11-04 00:18	ocr	done				
2026-11-03 23:56	ocr	done				

Unlimited-OCR-2, bf16 on 1x NVIDIA GB10 (DGX Spark class, 128 GB unified)

Target unlimited-ocr-2-gb10: Unlimited-OCR-2 bf16 as released, TensorFold native CUDA (unlimited-ocr) on one GB10 (131072-token window, one stream). Engine: TensorFold native, CUDA; served as Unlimited-OCR-2. Latest: run 20261104-220009-ocr-match (2026-11-04 22:00, plan ocr-match, done).

Serving: engine_commit e1e345a25; binary_sha256 6fba85d1e2683085d0dcacd0aac9cd55e148706a257495969c4b8d4b2274a07b; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179382; gpu NVIDIA GB10, 580.178.04

Checks

check	result
memory-idle	measured: server: 15375 MiB; system 98.2 GiB available
ocr	pass: 7/7 cases answered; decode 110-117 tok/s, first token 0.62-26.64 s; vs reference: identical 2/6, similarity 0.9960-1.0000, text without boxes identical 6/6, box coords moved 10/288 (at most 5)
memory-after	measured: server: 15377 MiB; system 98.0 GiB available

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-04 22:00	ocr-match	done				
2026-11-04 01:33	ocr-long	done				
2026-11-04 01:29	ocr	done				
2026-11-04 00:45	ocr-long	done				
2026-11-04 00:40	ocr	done				

Unlimited-OCR-2, bf16 on 1x Apple M5 Ultra (256 GB unified), macOS

Target unlimited-ocr-2-m5: Unlimited-OCR-2 bf16 as released, TensorFold native Metal (unlimited-ocr) on one M5 Ultra (131072-token window, one stream). Engine: TensorFold native, Metal; served as Unlimited-OCR-2. Latest: run 20261106-104202-ocr (2026-11-06 10:42, plan ocr, done).

Serving: engine_commit f7c686f36; binary_sha256 adf4f3c4bb9f45a1501bbf5d41b1bfc1821284d2cb5b7e484846840046c72313; served_model {"object": "list", "data": [{"id": "Unlimited-OCR-2", "object": "model", "created": 179398; chip Apple M5 Ultra; 274877906944

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 88%
ocr	pass: 6/6 cases answered; decode 303-308 tok/s, first token 0.27-1.45 s; 2 at once 200-296 tok/s in all; vs reference: identical 1/6, similarity 0.9844-1.0000, text without boxes identical 3/6, box coords moved 102/284 (at most 824)
memory-after	measured: mac: System-wide memory free percentage: 83%

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-06 10:42	ocr	done				
2026-11-06 10:18	ocr	done				
2026-11-05 08:26	ocr	done				
2026-11-05 06:51	ocr	done				
2026-11-04 09:57	ocr	done				
2026-11-04 09:39	ocr-match	done				
2026-11-04 05:28	ocr	done				
2026-11-04 05:07	ocr	done				
2026-11-04 04:32	ocr-match	done				
2026-11-03 22:37	ocr	done				
2026-11-03 17:51	ocr	done				
2026-11-03 17:17	ocr	done				
2026-11-03 17:03	ocr	done				
2026-11-03 16:40	ocr	done				
2026-11-03 15:27	ocr	done				

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-11-03 15:19	ocr	done				

Served earlier, numbers in their READMEs only

These recipes predate the ruler's JSON, so their measurements are not in the ledger; their READMEs hold them.

model	hardware	engine	recipe
Qwen3.8-Flash-Next, turboderp EXL3 4.05 bpw	2x NVIDIA DGX Spark (GB10), TP=2	TensorFold 0.6.6 (Python) with an EXL3 patch	github.com/BobClawblaw/qwen38-flashnext-exl3-2x-dgx-sparks
Qwen3.8-Flash-Next (TensorFold 0.6.6 recipe)	2x NVIDIA DGX Spark (GB10), TP=2	TensorFold 0.6.6 (Python)	github.com/BobClawblaw/qwen38-flashnext-tensorfold-2x-dgx-sparks

Step-5-Preview on one M5 Ultra, final build: measured outside the harness

TensorFold native Metal, branch step5-native at engine 6e791da6: 2,048-row prompt chunks, the prompt cache and the idle keepalive's kernel tick. Greedy unless said; served with --parallel 2 --vision at the default context (227,025).

what	measured
prompt, 4k / 8k / 16k / 32k tokens	868 / 863 / 840 / 800 tok/s (a 4k prompt right after a pause was 580 before the keepalive fix)
212k-token chat question, one record's code of 10,500	2 of 3 right (records 3,000 and 9,800; missed 777), 376 s each, at least 19% of memory free
129k-token chat question	2 of 2 right (records 777 and 5,000), about 200 s each
MTP drafts against "draft": false, 200-400-token replies timed with their prompt	identical; code 25.8 to 41.2 tok/s, prose 27.0 to 36.6, math 26.9 to 48.8
prompt cache, an 11.6k-token chat sent again, then two more turns	15.3 s fresh, 1.8 s again, turns resumed at 11,601; replies identical to --prompt-cache-gib 0
prompt cache, images (1200 x 800 PNG, 688 tokens)	resent in 2.15 s instead of 3.8 s; replies identical to the cache off
a kept state that cannot sit beside its stream (2.4 GiB cache budget)	dropped before the pass; the prompt read again with the same reply
a 1-token reply after 2 / 6 / 30 / 120 s idle	0.17 / 0.18 / 0.18 / 0.19 s (about 3 s before the kernel tick and residency set)
two 18k/31k-token chats at once	both right

Step-5-Preview on one M5 Ultra, first build (512-row chunks): measured outside the harness

TensorFold native Metal, branch step5-native (engine 5ad7660c, images aa221b11), MLX 2-bit experts with the rest 8-bit, greedy, one stream. The harness's step5-m5 runs hold the ruler and the suite; these are the rest.

what	measured
prompt, 4k / 8k / 16k / 32k tokens	690 / 668 / 647 / 622 tok/s (the sparse indexer caps each row's keys past 4k)
131,016-token chat question about its first page	answered exactly, 264 s end to end, at least 23% of memory free
decode without drafts, 20 / 600 / 4,200 / 32,768 tokens of context	29.6 / 21.9 / 14.7 / 14.5 tok/s
MTP drafts against "draft": false (replies token-identical)	code 25.7 to 44.6 tok/s (70% accepted), prose 26.4 to 34.8 (56%), math 26.2 to 46.0 (75%)
an image, 1200 x 800 PNG (six 504-px crops and the overview, 692 prompt tokens)	2.1 s to a 4-token answer
an image, 600 x 400 PNG (overview only, 193 prompt tokens)	0.7 s