Served stats

Throughput, latency and quality of each served recipe, by model and hardware

2026-10-17 06:57 UTC

Rendered 2026-10-17 06:57 UTC from stats/*.json, the ledger every harness run and harness export adds to (python3 -m harness stats renders it again). Aggregate tok/s, greedy, 256-token replies, the recipe's own ruler; engine rounds from the server's own counters.

Overview: by model and hardware

Aggregate tok/s as prose/code/structured/list; first token in seconds (one stream / the most streams).

model	hardware	one stream	most streams: total	first token (s)	suite	measured
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	27/48/39/33	8: 78/115/98/110	0.18 / 1.49-1.83		2026-10-17
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	28/38/33/31	16: 124/156/150/145	0.18 / 8.50-17.20		2026-10-16
GLM-5.3-Flash EXL3 4bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	28/39/34/31	16: 86/101/100/102	0.18 / 3.23-3.72		2026-10-17
GLM-5.3-Flash, EXL3 4 bpw	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	46/69/57/59		0.18	tools 59/60, json 30/30, gsm8k 246/250, humaneval 159/164, ifeval 118/150	2026-10-14
GLM-5.3-Flash, MLX 4-bit	1x Apple M5 Ultra (256 GB unified), macOS	74/78/78/86		0.11	tools 57/60, json 30/30, gsm8k 246/250	2026-10-16
Gemma 4 12B, MLX 4-bit + MTP assistant	1x Apple M5 Ultra (256 GB unified), macOS	140/223/205/248		0.04	tools 58/60, json 30/30, gsm8k 239/250	2026-10-16
Gemma 4 12B, oQ8e (8-bit) + MTP assistant	1x Apple M5 Ultra (256 GB unified), macOS	93/142/146/158	4: 262/324/328/340	0.05 / 0.12-0.12		2026-10-16
Gemma 4 31B, MLX 4-bit + DFlash	1x Apple M5 Ultra (256 GB unified), macOS	87/158/157/130		0.08		2026-10-16
Gemma 4 31B, oQ8e (8-bit) + DFlash	1x Apple M5 Ultra (256 GB unified), macOS	40/63/52/55	4: 110/173/142/180	0.10 / 0.24-0.27		2026-10-16
NVIDIA Nemotron 3.5 Bolt 74B-A9B (24 GB: IQ2_XXS experts, Q8_0, NVFP4 Mamba) + vision	1x NVIDIA RTX 5090 (32 GB)	150/150/150/150		0.03	tools 58/60, json 30/30, gsm8k 241/250, humaneval 153/164, ifeval 120/150	2026-10-15
Qwen3.8-27B, MLX 4-bit + DFlash2	1x NVIDIA RTX 5090 (32 GB)	241/459/310/314		0.10		2026-10-16
Qwen3.8-Flash-Next INT4-Mixed (AutoRound)	2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE	77/127/101/130	16: 302/510/391/519	0.03 / 0.44-0.55	tools 60/60, json 30/30, gsm8k 241/250, humaneval 157/164, ifeval 130/150	2026-10-15

model	hardware	one stream	most streams: total	first token (s)	suite	measured
Qwen3.8-Flash-Next, 6-bit with vision	1x Apple M5 Ultra (256 GB unified), macOS	128/174/148/175	8: 272/330/292/339	0.16 / 0.76-0.84	tools 59/60, json 30/30	2026-10-12
Qwen3.8-Flash-Next, MLX 6-bit	1x Apple M5 Ultra (256 GB unified), macOS	145/206/172/194	4: 566/816/673/854	0.09 / 1.63-3.07	gsm8k 242/250, ifeval 134/150	2026-10-11
Step-5-Preview, MLX 2-bit experts (8-bit rest) + MTP	1x Apple M5 Ultra (256 GB unified), macOS	38/50/40/48		0.24		2026-10-16

Gemma 4 12B, MLX 4-bit + MTP assistant on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-12b-m5: Gemma 4 12B 4-bit (groups of 64), MTP assistant drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-12b. Latest: run 20261016-113616-g12-quality (2026-10-16 11:36, plan g12-quality, done).

Serving: engine_commit 74005ebe; binary_sha256 215b4b7e3cd14a9d8178b4dc885d9f1dffbebd0f4ec2e9b274653820b71da8d2; served_model {"object": "list", "data": [{"id": "gemma4-12b", "object": "model", "created": 1792168585,; chip Apple M5 Ultra; 274877906944

Suite

check	passed
tools	58/60
json	30/30
gsm8k	239/250
mmlu	264/342

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 11:36	g12-quality	done				591/682
2026-10-16 11:31	quick	done	223.3			112/114

Gemma 4 12B, oQ8e (8-bit) + MTP assistant on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-12b-oq8e-m5: Gemma 4 12B oQ8e (8-bit, groups of 64), MTP assistant drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-12b-oq8e. Latest: run 20261016-175459-speed (2026-10-16 17:54, plan speed, done).

Serving: engine_commit d9e36b7f; binary_sha256 2e29fee5da96ec1ffb1ba41302ac949dc12205572154f21b800823450eb4b2b0; served_model {"object": "list", "data": [{"id": "gemma4-12b-oq8e", "object": "model", "created": 179219; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	92.8 (92.8)	142.3 (142.3)	145.7 (145.7)	158.1 (158.1)	0.05-0.05 s
4	261.5 (64.8)	324.2 (81.3)	328.5 (80.7)	340.0 (83.6)	0.12-0.12 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.55	5.525	47%	26.35	12
4	2.944	3.177	62%	37.94	49

Suite

check	passed
drafts	12/12
concurrent	12/12

Checks

check	result
structured	pass: 18/18 obey; a bad regex -> 400

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 17:54	speed	done	142.3			24/24
2026-10-16 17:37	speed	done	141.2			24/24

Gemma 4 31B, MLX 4-bit + DFlash on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-31b-m5: Gemma 4 31B 4-bit (groups of 64), DFlash drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-31b. Latest: run 20261016-085420-quick (2026-10-16 08:54, plan quick, done).

Serving: engine_commit e8b60549; binary_sha256 d90e44c9818187ae4bc61d06312989cd796033b5dea6e0fc02164fe2730660fe; served_model {"object": "list", "data": [{"id": "gemma4-31b", "object": "model", "created": 1792158874,; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	87.1 (87.1)	157.9 (157.9)	156.7 (156.7)	130.4 (130.4)	0.08-0.10 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.288	13.003	18%	24.71	12

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	92.1 (92.1)	161.4 (161.4)	146.6 (146.6)	126.1 (126.1)	0.09-0.10 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.333	13.215	18%	25.34	17

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3

check	passed
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 75%; total = 3072.00M us
structured	pass: 18/18 obey; a bad regex -> 400
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again == cold: True; cached 5494 of 5564; ttft resumed 0.137s, cold 0.137s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 08:54	quick	done	157.9			114/114
2026-10-16 06:28	quick	done	156.5			114/114
2026-10-15 20:09	quick	done	153.8			114/114

Gemma 4 31B, oQ8e (8-bit) + DFlash on 1x Apple M5 Ultra (256 GB unified), macOS

Target gemma4-31b-oq8e-m5: Gemma 4 31B oQ8e (8-bit, groups of 64), DFlash drafts, images, TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as gemma4-31b-oq8e. Latest: run 20261016-180201-speed (2026-10-16 18:02, plan speed, done).

Serving: engine_commit d9e36b7f; binary_sha256 2e29fee5da96ec1ffb1ba41302ac949dc12205572154f21b800823450eb4b2b0; served_model {"object": "list", "data": [{"id": "gemma4-31b-oq8e", "object": "model", "created": 179219; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	40.3 (40.3)	63.1 (63.1)	52.4 (52.4)	54.8 (54.8)	0.10-0.11 s
4	109.7 (27.7)	172.9 (44.8)	141.5 (34.2)	180.3 (44.3)	0.24-0.27 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.759	10.847	16%	52.41	12
4	2.384	3.645	38%	63.19	49

Suite

check	passed
drafts	12/12
concurrent	12/12

Checks

check	result
structured	pass: 18/18 obey; a bad regex -> 400

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 18:02	speed	done	63.1			24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-dflash2: GLM-5.3-Flash EXL3 4bpw, families/glm with DFlash2 drafts (--drafter, 4-bit), TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm + DFlash2 (incoai/GLM-5.3-Flash-DFlash2, opt-in); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-003221-glm-streams8 (2026-10-17 00:32, plan glm-streams8, done).

Serving: binary 511e7e0521628504

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	27.3 (27.3)	48.4 (48.4)	39.2 (39.2)	33.1 (33.1)	0.18-0.24 s
4	60.0 (14.7)	84.4 (20.8)	75.6 (19.2)	88.1 (21.6)	0.71-0.88 s
8	78.1 (9.7)	115.4 (14.3)	98.4 (12.4)	109.8 (12.9)	1.49-1.83 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 00:32	glm-streams8	done	48.4			24/24

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-port: GLM-5.3-Flash EXL3 4bpw, main's families/glm with PR 855's port, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm on 1.0.12 (PR 855's port); served as GLM-5.3-Flash-EXL3. Latest: run 20261016-213802-glm-streams (2026-10-16 21:38, plan glm-streams, done).

Serving: binary 2b666cc74334abec

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	27.9 (27.9)	38.0 (38.0)	33.2 (33.2)	30.6 (30.6)	0.18-0.23 s
4	48.9 (12.3)	66.0 (16.7)	64.8 (16.2)	63.7 (16.1)	0.79-0.86 s
8	60.3 (7.6)	75.9 (9.5)	82.2 (10.3)	76.3 (9.4)	1.48-1.73 s
16	123.6 (7.6)	155.5 (9.6)	149.5 (9.0)	145.0 (9.1)	8.50-17.20 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 21:38	glm-streams	done	38.0	155.5	8.50-17.20 s	24/24
2026-10-16 21:24	glm-vision	done				22/22
2026-10-16 21:03	glm-vision	done				4/6
2026-10-16 18:10	glm-quality	done	38.2			

GLM-5.3-Flash EXL3 4bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-gb10-port16: GLM-5.3-Flash EXL3 4bpw, families/glm with 4096-row index rings, --parallel 16, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA: families/glm + index rings (16 streams at 40960); served as GLM-5.3-Flash-EXL3. Latest: run 20261017-062916-glm-streams (2026-10-17 06:29, plan glm-streams, done).

Serving: binary 142bc21ac97bc065

Ruler-streams

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	28.0 (28.0)	38.6 (38.6)	33.5 (33.5)	30.7 (30.7)	0.18-0.23 s
4	51.3 (12.9)	65.5 (16.3)	65.7 (16.5)	66.0 (16.5)	0.67-0.81 s
8	64.3 (8.1)	82.3 (10.3)	83.2 (10.4)	81.8 (10.2)	1.41-1.68 s
16	86.4 (5.4)	100.6 (6.3)	100.2 (6.1)	101.5 (6.2)	3.23-3.72 s

Suite-together

check	passed
concurrent	12/12
drafts	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-17 06:29	glm-streams	done	38.6	100.6	3.23-3.72 s	24/24
2026-10-17 05:56	glm-streams	done	39.0	90.8	3.20-3.67 s	24/24

GLM-5.3-Flash, EXL3 4 bpw on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 over RoCE

Target glm53-exl3-sparks: GLM-5.3-Flash EXL3 4 bpw, TensorFold native, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as GLM-5.3-Flash-EXL3. Latest: run evidence/2026-10-14 (2026-10-14 00:00, plan published evidence, published).

Ruler-shipped-14fb445e-c1-sampled

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	45.1 (45.2)	64.6 (65.4)	56.5 (56.2)	57.0 (54.9)	0.18-0.25 s

Ruler-shipped-14fb445e-c1

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	46.5 (45.4)	68.7 (69.4)	57.0 (56.4)	58.8 (55.3)	0.18-0.24 s

Ruler-shipped-14fb445e-c16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
16	144.0 (8.9)	198.3 (12.1)	180.1 (11.3)	208.4 (12.5)	0.91-1.19 s

Ruler-shipped-14fb445e-c8

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	110.1 (13.6)	152.5 (18.6)	138.7 (17.5)	157.0 (18.7)	0.49-0.63 s

Ruler-shipped-f95f2f70-c1-sampled

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	45.4 (45.4)	65.8 (67.0)	56.4 (55.9)	58.1 (55.3)	0.17-0.23 s

Ruler-shipped-f95f2f70-c1

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	47.5 (46.5)	69.5 (69.9)	58.2 (56.9)	60.2 (56.8)	0.16-0.23 s

Ruler-shipped-f95f2f70-c16

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
16	144.8 (8.9)	202.2 (12.3)	181.4 (11.4)	207.6 (12.5)	0.85-1.14 s

Ruler-shipped-f95f2f70-c8

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
8	111.1 (13.7)	154.1 (18.7)	139.5 (17.2)	157.3 (18.8)	0.45-0.60 s

Ablit/suite

check	passed
gsm8k	246/250
mmlu	292/342
humaneval	159/164
ifeval	118/150
tools	59/60
json	30/30
mgsm	221/240

Suite-ab

check	passed
gsm8k	244/250
mmlu	292/342
humaneval	156/164
ifeval	118/150
tools	59/60
json	30/30
mgsm	223/240

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-14 00:00	published evidence	published	68.7			1125/1236
2026-10-13 00:00	published evidence	published	1083.6			1874/2172
2026-10-12 00:00	published evidence	published	62.8	169.5	0.45-1.19 s	

GLM-5.3-Flash, MLX 4-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target glm53-m5: GLM-5.3-Flash MLX 4-bit, TensorFold native on one M5 Ultra Mac (one stream, greedy). Engine: TensorFold native, Metal; served as GLM-5.3-Flash-MLX-4bit. Latest: run 20261016-082326-glm-gate-novision (2026-10-16 08:23, plan glm-gate-novision, done).

Serving: engine_commit e8b60549; binary_sha256 d90e44c9818187ae4bc61d06312989cd796033b5dea6e0fc02164fe2730660fe

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	74.4 (74.4)	78.3 (78.3)	77.5 (77.5)	86.5 (86.5)	0.11-0.15 s

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	57/60
json	30/30
gsm8k	246/250
mmlu	290/342

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 08:23	glm-gate-novision	done	78.3			677/736
2026-10-16 08:04	glm-gate-novision	done	77.6			679/736
2026-10-16 00:35	glm-gate	done	78.7			689/748
2026-10-10 00:00	published evidence	published	103.7			36/36

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-10 00:00	published evidence	published				1128/1213
2026-10-10 00:00	published evidence	published				1137/1213
2026-10-10 00:00	published evidence	published				1079/1213
2026-10-09 00:00	published evidence	published	104.6			
2026-10-09 00:00	published evidence	published				349/403
2026-10-09 00:00	published evidence	published				42/42

NVIDIA Nemotron 3.5 Bolt 74B-A9B (24 GB: IQ2_XXS experts, Q8_0, NVFP4 Mamba) + vision on 1x NVIDIA RT

Target nemotron-bolt-5090: Nemotron 3.5 Bolt 74B-A9B ModelOpt IQ2_XXS/Q8_0/NVFP4, TensorFold native CUDA on one RTX 5090 (262144, two streams, vision, host prompt cache). Engine: TensorFold native, CUDA; served as nemotron-bolt. Latest: run 20261015-175621-full (2026-10-15 17:56, plan full, done).

Serving: recipe_commit f546a71; engine_commit b2ec378d; served_model {"object": "list", "data": [{"id": "nemotron-bolt", "object": "model", "created": 17920869

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	149.7 (149.7)	149.6 (149.6)	150.1 (150.1)	149.7 (149.7)	0.03-0.03 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.011	0.0		6.75	217

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	149.3 (149.3)	149.2 (149.2)	149.7 (149.7)	149.3 (149.3)	0.03-0.03 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	1.007	0.0		6.74	1781

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2

check	passed
max-tokens	3/3
tools	58/60
json	30/30
ifeval	120/150
gsm8k	241/250
mgsm	190/240
mmlu	279/342
humaneval	153/164
repetition	8/8
long-context	55/55
vision	12/12
soak	60/60
snapshot	12/12

Checks

check	result
memory-idle	measured: gpu: 28716 MiB, 32607 MiB
structured	pass: 18/18 obey; a bad regex -> 400
sampling	pass: 9/9 seeded replies equal on repeat; 0 errors
turns	pass: resumed == again == cold: True; cached 5832 of 5865; ttft resumed 0.053s, cold 0.134s
capacity	pass: 6/6 answered, 0 refused, 0 lost (no reply); a short request after: 200

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-15 17:56	full	done	149.6			1272/1437

Qwen3.8-27B, MLX 4-bit + DFlash2 on 1x NVIDIA RTX 5090 (32 GB)

Target qwen38-27b-5090: Qwen3.8-27B MLX 4-bit + DFlash2, TensorFold native CUDA on one RTX 5090 (fp8 KV, 262k, one stream, vision). Engine: TensorFold native, CUDA; served as qwen38-27b. Latest: run 20261016-111449-quick (2026-10-16 11:14, plan quick, done).

Serving: recipe_commit 160a2c0; engine_commit bfcc84ab; served_model {"object": "list", "data": [{"id": "qwen38-27b", "object": "model", "created": 1792149307,

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	240.7 (240.7)	459.0 (459.0)	309.5 (309.5)	313.5 (313.5)	0.10-0.10 s

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	239.8 (239.8)	457.6 (457.6)	308.9 (308.9)	313.4 (313.4)	0.10-0.10 s

Suite

check	passed
soak	60/60
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	7/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3

Checks

check	result
memory-idle	measured: gpu: 20958 MiB, 32607 MiB
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 11:14	quick	done	459.0			113/114
2026-10-14 00:00	published evidence	published				
2026-10-13 00:00	published evidence	published				
2026-10-12 00:00	published evidence	published				1229/1437
2026-10-12 00:00	published evidence	published				1289/1437
2026-10-12 00:00	published evidence	published				
2026-10-12 00:00	published evidence	published				

Qwen3.8-Flash-Next, MLX 6-bit on 1x Apple M5 Ultra (256 GB unified), macOS

Target qwen38-flashnext-mlx6bit-m5: Qwen3.8-Flash-Next MLX 6-bit, TensorFold native on one M5 Ultra. Engine: TensorFold native, Metal; served as Qwen3.8-Flash-Next-MLX-6bit. Latest: run evidence/2026-10-11-suite-rest (2026-10-11 00:00, plan published evidence, published).

Suite

check	passed
ifeval	134/150
gsm8k	242/250
mgsm	225/240
mmlu	282/342
repetition	8/8
long-context	55/55
concurrent	12/12
snapshot	12/12

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-11 00:00	published evidence	published				970/1069
2026-10-11 00:00	published evidence	published	205.9			24/24
2026-10-11 00:00	published evidence	published				157/164
2026-10-11 00:00	published evidence	published	199.8			
2026-10-11 00:00	published evidence	published				131/132
2026-10-11 00:00	published evidence	published	206.2			

Qwen3.8-Flash-Next, 6-bit with vision on 1x Apple M5 Ultra (256 GB unified), macOS

Target qwen38-flashnext-vision-m5: Qwen3.8-Flash-Next 6-bit with image input, TensorFold native on one M5 Ultra. Engine: TensorFold native, Metal; served as Qwen3.8-Flash-Next-6bit. Latest: run evidence/2026-10-12-parallel8 (2026-10-12 00:00, plan published evidence, published).

Ruler

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	127.7 (127.7)	174.1 (174.1)	147.8 (147.8)	175.4 (175.4)	0.16-0.17 s
4	210.2 (52.9)	303.3 (76.3)	249.2 (61.1)	316.9 (77.8)	0.37-0.40 s
8	271.5 (34.1)	330.0 (40.8)	292.5 (36.5)	339.3 (41.7)	0.76-0.84 s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-12 00:00	published evidence	published	174.1			
2026-10-12 00:00	published evidence	published	202.7			
2026-10-12 00:00	published evidence	published	176.6			
2026-10-11 00:00	published evidence	published	205.6			131/132
2026-10-11 00:00	published evidence	published	178.9			513/544

Qwen3.8-Flash-Next INT4-Mixed (AutoRound) on 2x NVIDIA DGX Spark (GB10, 128 GB unified each), TP=2 ov

Target qwen38-int4mixed: Qwen3.8-Flash-Next INT4-Mixed, TensorFold native, TP=2 on two DGX Sparks. Engine: TensorFold native, CUDA; served as Qwen3.8-Flash-Next-INT4-Mixed. Latest: run 20261015-171328-full (2026-10-15 17:13, plan full, done).

Serving: patch_sha 186193c6a530d89ee6383c11a9e41f98bac95bb119959aa5901c65b0f93b21ea; image tf-qwen38-int4mixed:native-v1.0.11-3 sha256:7c5838987336819a3dcc51d8f9abcf169f80fbfe73222e; server_args --context 1048576 --no-thinking --parallel 16 --vision-urls --vision

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	77.3 (77.3)	127.0 (127.0)	100.6 (100.6)	129.6 (129.6)	0.03-0.04 s
4	159.1 (39.8)	253.9 (65.0)	201.7 (49.8)	268.4 (61.8)	0.07-0.10 s
8	228.9 (28.8)	385.2 (46.2)	282.4 (35.8)	423.1 (51.3)	0.11-0.14 s
16	301.9 (18.8)	509.8 (30.6)	391.3 (24.0)	519.2 (31.6)	0.44-0.55 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.621	4.042	66%	33.33	12
4	3.173	2.949	74%	58.64	49
8	3.09	2.653	80%	76.26	100
16	3.222	2.925	77%	122.65	196

Ruler-after

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	77.5 (77.5)	125.9 (125.9)	99.2 (99.2)	129.7 (129.7)	0.04-0.04 s
16	302.3 (18.8)	509.5 (30.4)	389.8 (23.8)	520.4 (31.6)	0.44-0.50 s

Engine rounds (ruler-after):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	3.567	4.016	65%	33.01	13
16	3.21	2.914	76%	122.7	193

Suite

check	passed
drafts	12/12
concurrent	12/12
streaming	4/4
multiturn	8/8
stop	3/3
thinking	10/10
copy	2/2
max-tokens	3/3
tools	60/60
json	30/30
ifeval	130/150
gsm8k	241/250
mgsm	219/240
mmlu	283/342
humaneval	157/164
repetition	8/8
long-context	55/55
vision	12/12
soak	60/60
snapshot	12/12

Checks

check	result
memory-idle	measured: head 21.8 GiB available; worker 25.2 GiB available
structured	pass: 18/18 obey; a bad regex -> 400
sampling	pass: 9/9 seeded replies equal on repeat and undrafted; 0 errors
turns	pass: resumed == again == cold: True; cached 5575 of 5642; ttft resumed 0.118s, cold 0.035s
urls	pass: public 200; loopback 400; http 400

check	result
capacity	pass: 4/6 answered, 2 refused, 0 lost (no reply); a short request after: 200

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-15 17:13	full	done	127.0	509.8	0.44-0.55 s	1321/1437
2026-10-15 00:00	published evidence	published	123.4	472.9	0.52-0.74 s	1321/1437
2026-10-15 00:00	published evidence	published				1321/1437
2026-10-11 00:00	published evidence	published	120.1	507.2	0.54-0.62 s	1321/1437
2026-10-11 00:00	published evidence	published	120.4	507.1	0.50-0.59 s	
2026-10-10 09:45	quick	done	105.3			54/54
2026-10-10 00:00	published evidence	published	122.0	510.3	0.40-0.49 s	114/114
2026-10-10 00:00	published evidence	published	125.9	510.9	0.44-0.49 s	1261/1377
2026-10-10 00:00	published evidence	published	125.7	506.7	0.42-0.49 s	54/54
2026-10-10 00:00	published evidence	published	106.1	506.1	0.42-0.51 s	54/54
2026-10-10 00:00	published evidence	published	110.0	511.8	0.41-0.55 s	1261/1377
2026-10-10 00:00	published evidence	published	105.8	505.5	0.41-0.46 s	1261/1377
2026-10-09 00:00	published evidence	published	105.2	412.2	0.78-0.98 s	1260/1377
2026-10-09 00:00	published evidence	published				1256/1377
2026-10-08 00:00	published evidence	published	107.1	519.4	0.44-0.56 s	
2026-10-08 00:00	published evidence	published	107.7	474.0	0.52-0.66 s	145/145
2026-10-08 00:00	published evidence	published	107.6	442.6	0.44-0.58 s	36/36
2026-10-08 00:00	published evidence	published	107.6	441.7	0.45-0.58 s	
2026-10-07 00:00	published evidence	published				12/12

Step-5-Preview, MLX 2-bit experts (8-bit rest) + MTP on 1x Apple M5 Ultra (256 GB unified), macOS

Target step5-m5: Step-5-Preview 2-bit (experts 2/128, rest 8/64, MTP, images), TensorFold native Metal on one M5 Ultra. Engine: TensorFold native, Metal; served as step5-preview. Latest: run 20261016-102144-pr903-final (2026-10-16 10:21, plan pr903-final, done).

Serving: engine_commit e2bb58db; binary_sha256 61059a383f74fd363f17527526fdc7de028fe624d40e59e3238d20e4925bfef5; served_model {"object": "list", "data": [{"id": "step5-preview", "object": "model", "created": 17921641; chip Apple M5 Ultra; 274877906944

Ruler-fresh

streams	prose total (a stream)	code total (a stream)	structured total (a stream)	list total (a stream)	first token
1	38.5 (38.5)	50.4 (50.4)	40.5 (40.5)	47.9 (47.9)	0.24-0.28 s

Engine rounds (ruler-fresh):

streams	tokens a round	drafts a round	accepted	ms a round	requests
1	2.381	2.072	67%	53.72	12

Suite

check	passed
vision	12/12
drafts	12/12
concurrent	12/12

Checks

check	result
memory-idle	measured: mac: System-wide memory free percentage: 27%; total = 4096.00M us
turns	pass: resumed == again == cold: True; cached 4514 of 4618; ttft resumed 0.353s, cold 3.21s

History

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-16 10:21	pr903-final	done	50.4			36/36
2026-10-16 09:23	pr903	done	50.4			156/156
2026-10-15 19:44	one-stream	done	50.9			220/232

run	plan	status	1 stream code	16 streams code	16 streams first token	suite
2026-10-15 19:28	quick	done	50.5			114/114
2026-10-15 18:52	quick	done	50.6			114/114
2026-10-15 13:43	one-stream	done	50.6			220/232
2026-10-15 12:43	quick	done	50.6			

Served earlier, numbers in their READMEs only

These recipes predate the ruler's JSON, so their measurements are not in the ledger; their READMEs hold them.

model	hardware	engine	recipe
Qwen3.8-Flash-Next, turboderp EXL3 4.05 bpw	2x NVIDIA DGX Spark (GB10), TP=2	TensorFold 0.6.6 (Python) with an EXL3 patch	github.com/BobClawblaw/qwen38-flashnext-exl3-2x-dgx-sparks
Qwen3.8-Flash-Next (TensorFold 0.6.6 recipe)	2x NVIDIA DGX Spark (GB10), TP=2	TensorFold 0.6.6 (Python)	github.com/BobClawblaw/qwen38-flashnext-tensorfold-2x-dgx-sparks

Step-5-Preview on one M5 Ultra, final build: measured outside the harness

TensorFold native Metal, branch step5-native at engine 6e791da6: 2,048-row prompt chunks, the prompt cache and the idle keepalive's kernel tick. Greedy unless said; served with --parallel 2 --vision at the default context (227,025).

what	measured
prompt, 4k / 8k / 16k / 32k tokens	868 / 863 / 840 / 800 tok/s (a 4k prompt right after a pause was 580 before the keepalive fix)
212k-token chat question, one record's code of 10,500	2 of 3 right (records 3,000 and 9,800; missed 777), 376 s each, at least 19% of memory free
129k-token chat question	2 of 2 right (records 777 and 5,000), about 200 s each
MTP drafts against "draft": false, 200-400-token replies timed with their prompt	identical; code 25.8 to 41.2 tok/s, prose 27.0 to 36.6, math 26.9 to 48.8
prompt cache, an 11.6k-token chat sent again, then two more turns	15.3 s fresh, 1.8 s again, turns resumed at 11,601; replies identical to --prompt-cache-gib 0
prompt cache, images (1200 x 800 PNG, 688 tokens)	resent in 2.15 s instead of 3.8 s; replies identical to the cache off
a kept state that cannot sit beside its stream (2.4 GiB cache budget)	dropped before the pass; the prompt read again with the same reply
a 1-token reply after 2 / 6 / 30 / 120 s idle	0.17 / 0.18 / 0.18 / 0.19 s (about 3 s before the kernel tick and residency set)
two 18k/31k-token chats at once	both right

Step-5-Preview on one M5 Ultra, first build (512-row chunks): measured outside the harness

TensorFold native Metal, branch step5-native (engine 5ad7660c, images aa221b11), MLX 2-bit experts with the rest 8-bit, greedy, one stream. The harness's step5-m5 runs hold the ruler and the suite; these are the rest.

what	measured
prompt, 4k / 8k / 16k / 32k tokens	690 / 668 / 647 / 622 tok/s (the sparse indexer caps each row's keys past 4k)
131,016-token chat question about its first page	answered exactly, 264 s end to end, at least 23% of memory free
decode without drafts, 20 / 600 / 4,200 / 32,768 tokens of context	29.6 / 21.9 / 14.7 / 14.5 tok/s
MTP drafts against "draft": false (replies token-identical)	code 25.7 to 44.6 tok/s (70% accepted), prose 26.4 to 34.8 (56%), math 26.2 to 46.0 (75%)
an image, 1200 x 800 PNG (six 504-px crops and the overview, 692 prompt tokens)	2.1 s to a 4-token answer
an image, 600 x 400 PNG (overview only, 193 prompt tokens)	0.7 s