

# The OpenVX<sup>™</sup> S16 Extension

The Khronos OpenVX Working Group, Editors: Frank Brill, Erik Rainey, Jesse Villarreal, Radhakrishna Giduthuri

Version 1.1.1 (provisional), Wed, 15 Aug 2018 06:03:28 +0000

## **Table of Contents**

1.	Extension Specification	. 2
	1.1. Changes to the OpenVX 1.1 Specification	. 2
	1.2. Inputs	. 2
	1.3. Outputs	. 4
	1.4. Vision Functions	. 6
	1.4.1. Bitwise Operations	. 6
	1.4.2. Custom Convolution	. 6
	1.4.3. Fast Corners	. 6



### Copyright 2013-2018 The Khronos Group Inc.

This specification is protected by copyright laws and contains material proprietary to Khronos. Except as described by these terms, it or any components may not be reproduced, republished, distributed, transmitted, displayed, broadcast or otherwise exploited in any manner without the express prior written permission of Khronos.

This specification has been created under the Khronos Intellectual Property Rights Policy, which is Attachment Α of the Khronos Group Membership Agreement available at www.khronos.org/files/member\_agreement.pdf. Khronos Group grants a conditional copyright license to use and reproduce the unmodified specification for any purpose, without fee or royalty, EXCEPT no licenses to any patent, trademark or other intellectual property rights are granted under these terms. Parties desiring to implement the specification and make use of Khronos trademarks in relation to that implementation, and receive reciprocal patent license protection under the Khronos IP Policy must become Adopters and confirm the implementation as conformant under the process defined by Khronos for this specification; see https://www.khronos.org/adopters.

Khronos makes no, and expressly disclaims any, representations or warranties, express or implied, regarding this specification, including, without limitation: merchantability, fitness for a particular purpose, non-infringement of any intellectual property, correctness, accuracy, completeness, timeliness, and reliability. Under no circumstances will Khronos, or any of its Promoters, Contributors or Members, or their respective partners, officers, directors, employees, agents or representatives be liable for any damages, whether direct, indirect, special or consequential damages for lost revenues, lost profits, or otherwise, arising from or in connection with these materials.

Khronos and OpenVX are trademarks of The Khronos Group Inc. OpenCL is a trademark of Apple Inc., used under license by Khronos. All other product names, trademarks, and/or company names are used solely for identification and belong to their respective owners.

#### **Contributors**

- Erik Rainey, Amazon
- Frank Brill, Cadence
- Jesse Villarrea, Texas Instruments

### **Chapter 1. Extension Specification**

This extension is intended to define the subset of behaviors and data types of the signed 16-bit support for  $OpenVX^{^{\text{\tiny{M}}}}$ .

### 1.1. Changes to the OpenVX 1.1 Specification

The S16 extension enhances the input and output types per each kernel defined in the OpenVX 1.1 standard. The table below indicates the changes to each kernel for input and output.

Input and output argument types should be the same (e.g. input S16 and output S16) unless stated otherwise in the function description. In cases where having S16 inputs could lead to the overflow of S16 outputs, the behavior is analogous to what is currently in the standard for when the inputs are U8.

In the main standard, where the input is U8 and the output is also U8, then the output is converted according to the overflow policy in the function definition. Analogously, for this extension, where the inputs and outputs are both S16, the output is converted as necessary according to the overflow policy in the function definition.

In the main standard, where the input can be U8 and the output S16, the zero-extended answer is just written into the output. Analogously, for this extension, where the input can be S16 and the output S32, the sign-bit-extended result is written to the output.

### 1.2. Inputs

Vision Function	U8	U16	<b>S16</b>	U32	S32	F32	color
AbsDiff	1.0		1.0.1				
Accumulat e	1.0		ext				
Accumulat eSquared	1.0		ext				
Accumulat eWeighted	1.0		ext				
Add	1.0		1.0				
And	1.0		ext				
Box3x3	1.0		ext				
CannyEdge Detector	1.0		ext				
ChannelCo mbine	1.0						
ChannelEx tract							1.0

Vision Function	U8	U16	S16	U32	S32	F32	color
ColorConv ert							1.0
ConvertDe pth	1.0	ext	1.0	ext	ext		
Convolve	1.0		ext				
Dilate3x3	1.0						
EqualizeHi stogram	1.0		ext				
Erode3x3	1.0						
FastCorner s	1.0		ext				
Gaussian3 x3	1.0		ext				
HarrisCorn ers	1.0		ext				
HalfScaleG aussian	1.0		ext				
Histogram	1.0		ext				
IntegralIm age	1.0						
TableLook up	1.0		1.1				
LaplacianP yramid	1.1						
LaplacianR econstruct			1.1				
Magnitude			1.0				
MeanStdDe v	1.0		ext				
Median3x3	1.0		ext				
MinMaxLo c	1.0		1.0				
Multiply	1.0		1.0				
NonLinear Filter	1.1						
Not	1.0		ext				
OpticalFlo wPyrLK	1.0		ext				
Or	1.0		ext				
Phase			1.0				

Vision Function	U8	U16	<b>S16</b>	U32	S32	F32	color
GaussianP yramid	1.0		ext				
Remap	1.0		ext				
ScaleImage	1.0		ext				
Sobel3x3	1.0		ext				
Subtract	1.0		1.0				
Threshold	1.0		ext				
WarpAffin e	1.0		ext				
WarpPersp ective	1.0		ext				
Xor	1.0		ext				

## 1.3. Outputs

Vision Function	U8	U16	S16	U32	S32	F32	color
AbsDiff	1.0	ext	1.0.1				
Accumulat e			1.0		ext		
Accumulat eSquared			1.0		ext		
Accumulat eWeighted	1.0				ext		
Add	1.0		1.0		ext		
And	1.0		ext				
Box3x3	1.0		ext				
CannyEdge Detector	1.0		ext				
ChannelCo mbine							1.0
ChannelEx tract	1.0						
ColorConv ert							1.0
ConvertDe pth	1.0	ext	1.0	ext	ext		
Convolve	1.0		1.0		ext		
Dilate3x3	1.0						

Vision Function	U8	U16	S16	U32	S32	F32	color
EqualizeHi stogram	1.0		ext				
Erode3x3	1.0						
FastCorner s	1.0						
Gaussian3 x3	1.0		ext				
HarrisCorn ers	1.0						
HalfScaleG aussian	1.0		ext				
Histogram				1.0			
IntegralIm age				1.0			
TableLook up	1.0		1.1				
LaplacianP yramid			1.1				
LaplacianR econstruct	1.1						
Magnitude			1.0				
MeanStdDe v						1.0	
Median3x3	1.0		ext				
MinMaxLo c	1.0		1.0	1.0			
Multiply	1.0		1.0		ext		
NonLinear Filter	1.1						
Not	1.0		ext				
OpticalFlo wPyrLK							
Or	1.0		ext				
Phase	1.0						
GaussianP yramid	1.0		ext				
Remap	1.0		ext				
ScaleImage	1.0		ext				
Sobel3x3			1.0		ext		

Vision Function	U8	U16	S16	U32	S32	F32	color
Subtract	1.0		1.0		ext		
Threshold	1.0		ext				
WarpAffin e	1.0		ext				
WarpPersp ective	1.0		ext				
Xor	1.0		ext				

### 1.4. Vision Functions

The following sections describe additional changes and clarifications to existing kernel definitions beyond those already described in sections Inputs and Outputs.

### 1.4.1. Bitwise Operations

Referring to: AND, EXCLUSIVE OR, INCLUSIVE OR, and NOT.

All bit-wise operations on signed operands are executed in twos-complement representation of the values.

#### 1.4.2. Custom Convolution

The current spec says if the input type is U8 and the output type is S16, then the output is simply the sum/scale. However, if the output type is U8, then the output saturates on both ends: 0 if sum/scale < 0, and 255 if sum/scale > 255. Analogously, S16 outputs should saturate to -32768 if sum/scale < -32768, and 32767 if sum/scale > 32767, and just sum/scale otherwise.

For VX\_DF\_IMAGE\_S16 output, an additional step is taken:

$$out put(x, y) = \begin{cases} -32768 & \text{if } sum / scale < -32768 \\ 32767 & \text{if } sum / scale > 32767 \\ sum / scale & \text{otherwise} \end{cases}$$

For VX\_DF\_IMAGE\_S32 output, the summation is simply set to the output

output(x,y) = sum / scale

#### 1.4.3. Fast Corners

When the input image is of type VX\_DF\_IMAGE\_S16, the value of the intensity difference threshold *strength\_thresh*. of type VX\_TYPE\_FLOAT32 must be within:

UINT16\_MIN < t < UINT16\_MAX