

1 Into the UFC: Best Fighter, Striker, Grappler, and Entertainer

2 Stanley Go¹

3 ¹ Rutgers University

4 Author Note

5 This project was submitted on 2023-12-14

6 The authors made the following contributions. Stanley Go: Conceptualization,
7 Writing - Original Draft Preparation, Writing - Review & Editing.

8 Correspondence concerning this article should be addressed to Stanley Go, Postal
9 address. E-mail: smg421@scarletmail.rutgers.edu

Abstract

This project delves into an in-depth analysis of UFC fighter statistics to identify and recognize excellence in various performance categories. The primary objective is to pinpoint the best fighters in distinct areas such as striking, grappling, knockout ability, and overall entertainment value. The study further aims to determine the greatest of all time (GOAT) by evaluating fighters based on their win-loss ratios. Leveraging a comprehensive dataset encompassing fighter metrics, the analysis employs key indicators such as significant strikes rate, takedown success rate, and total knockdowns. The anticipated results include detailed insights into the best striker, grappler, KOer, and entertainer, contributing to a comprehensive understanding of individual strengths within the competitive realm of UFC. Additionally, the study seeks to establish the GOAT by considering the historical performance of fighters with a minimum threshold of 10 matches. Through meticulous analysis and visualization, this project aims to offer a nuanced perspective on the unparalleled skills and accomplishments of UFC fighters across diverse categories.

Keywords: Best, GOAT, Fighter, Performance, UFC

Word count: 160

Into the UFC: Best Fighter, Striker, Grappler, and Entertainer

Introduction:

- Background:

- Brief overview of the UFC and its significance in the world of mixed martial arts (MMA).
- Growing interest in understanding and analyzing fighter performance.

- Research Focus:

- Exploration of UFC fighter statistics to recognize excellence in various performance categories.

- Big Question:

- The Ultimate Fighting Championship (UFC) hosts a wide range of fighters with diverse skill sets, including striking, grappling, and entertainment value. The objective of this project is to systematically analyze UFC fighter data to determine who excels in each category, identify the best overall fighters, and predict fight outcomes and potential earnings. We will aim our analysis to provide insights into fighter performance, audience appeal, and financial success within the UFC.

- Objectives:

- Identification of the best fighters in specific areas:
 - * Best Striker
 - * Best Grappler
 - * Best KOer
 - * Best Entertainer

- Key Questions:

– Research questions guiding the analysis:

- * Who are the best strikers, grapplers, and KOers in UFC?
- * What factors contribute to a fighter’s entertainment value?
- * Who is considered the greatest of all time in UFC?

- Methodology:

– Planned analysis includes calculating key metrics such as significant strikes rate, takedown success rate, and total knockdowns.

- Anticipated Results:

– Expected outcomes involve insights into the best performers in each category, contributing to a nuanced understanding of individual strengths.

- Significance:

– Emphasis on the significance of recognizing and appreciating excellence within the competitive realm of UFC.

- Overview of the Document:

– Brief mention of the subsequent sections, including the methodology, results, and discussion.

Methods

Data Collection

- Data Source:

– Utilize the UFC Stats dataset, containing comprehensive fighter metrics, including but not limited to knockdowns, significant strikes, takedowns, and fight outcomes.

Analysis Approach

1. Identifying Best Striker:

- Calculate the significant strikes rate for each fighter:

$$\text{Significant Strikes Rate} = \frac{\text{Total Significant Strikes Landed}}{\text{Total Significant Strikes Attempted}}$$

- Determine the fighter with the highest significant strikes rate as the best striker.

2. Identifying Best Grappler:

- Compute the takedown success rate for each fighter:

$$\text{Takedown Success Rate} = \frac{\text{Total Successful Takedowns}}{\text{Total Takedown Attempts}}$$

- Identify the fighter with the highest takedown success rate as the best grappler.

3. Identifying Best KOer:

- Sum the total knockdowns for each fighter.
- Determine the fighter with the highest total knockdowns as the best KOer.

4. Identifying Best Entertainer:

- Develop a composite metric considering both significant strikes and successful takedowns.
- Determine the fighter with the highest composite metric as the best entertainer.

5. Determining Greatest of All Time (GOAT):

- Filter fighters with a minimum threshold of 10 matches.
- Calculate the win-loss ratio for each fighter:

$$\text{Win-Loss Ratio} = \frac{\text{Total Wins}}{\text{Total Wins} + \text{Total Losses}}$$

- Identify the fighter with the highest win-loss ratio as the GOAT.
- Didn't based it on striking + grappling efficiency as it is disingenuous to a better metric which is W/L ratio.

92 Visualization

93 • Figure Creation:

- 94 – Develop bar plots for each category (Best Striker, Best Grappler, Best KOer,
95 Best Entertainer, and GOAT) to visually represent the analysis results.

96 Limitations

97 • Limitations of the Analysis:

- 98 – Acknowledge potential limitations such as data accuracy, sample size variations,
99 and the subjectivity of composite metrics.

100 Participants

101 Material

102 Procedure

103 Data analysis

104 We used R (Version 4.3.1; R Core Team, 2023) and the R-packages *dplyr* (Version
105 1.1.3; Wickham, François, Henry, Müller, & Vaughan, 2023), *forcats* (Version 1.0.0;
106 Wickham, 2023), *ggplot2* (Version 3.4.3; Wickham, 2016), *lubridate* (Version 1.9.2;
107 Grolemund & Wickham, 2011), *papaja* (Version 0.1.2; Aust & Barth, 2023), *purrr* (Version
108 1.0.2; Wickham & Henry, 2023), *readr* (Version 2.1.4; Wickham, Hester, & Bryan, 2023),
109 *stringr* (Version 1.5.0; Wickham, 2022), *tibble* (Version 3.2.1; Müller & Wickham, 2023),
110 *tidyr* (Version 1.3.0; Wickham, Vaughan, & Girlich, 2023), *tidyverse* (Version 2.0.0;
111 Wickham et al., 2019), and *tinylabels* (Version 0.2.4; Barth, 2023) for all our analyses.

Results


Planned Analysis

Our analysis focused on several key aspects of UFC fighter performance, including:

- **Best Striker:** We calculated the total significant strikes landed for each fighter and identified the top performers.
- **Best Grappler:** Utilizing the grappling efficiency metric, we determined the fighters with the highest success rate in takedowns.
- **Best KOer:** We considered knockdowns, significant strikes, and other metrics to identify fighters with exceptional knockout abilities.
- **Best Entertainer:** A composite metric, combining significant strikes, takedowns, and knockdowns, helped us identify fighters who entertain the audience.
- **Best PPV Seller:** We calculated the average PPV revenue per fight for each fighter, focusing on financial success.
- **Greatest of All Time (GOAT):** Based on win-loss ratio and total wins, we identified the top fighters with at least 15 fights.

Planned Figure and Table


Figure: Top 20 GOAT (Win-Loss Ratio and Total Wins)



129

130


Figure: Top 20 Entertainers



131


132

Figure: Top 20 PPV Seller




133

134 *Figure: Top 20 Koer*




135

136 *Figure: Top 20 Striker*



137

138 *Figure: Top 20 Grapplers*



139

140

Table KOer

fighter	total_knockdowns
Donald Cerrone	20
Jeremy Stephens	19
Anderson Silva	18
Edson Barboza	16
Chuck Liddell	14
Junior Dos Santos	14
Lyoto Machida	14
Mauricio Rua	14
Thiago Santos	14
Anthony Johnson	13
Conor McGregor	13
Dustin Poirier	13
Israel Adesanya	13
Melvin Guillard	13
Thiago Alves	13
Vitor Belfort	13
John Lineker	12
Khalil Rountree Jr.	12
Marlon Vera	12
Nate Marquardt	12

141

142

Table Striker

143

fighter	striking_efficiency
Andy Anderson	1
Bill Mahood	1
Brendon Marotte	1
Cory Walmsley	1
Derek Downey	1
Dmitri Stepanov	1

144

Table for Grappler

145

fighter	grappling_efficiency
Aaron Wilkinson	1
Abdul-Kerim Edilov	1
Akbarh Arreola	1
Alex Pereira	1
Allen Berube	1
Amar Suloev	1

146

Table for PPV Seller

fighter	total_ppv_revenue
Georges St-Pierre	77302574
Michael Bisping	61136589
BJ Penn	55079938
Randy Couture	44891237
Urijah Faber	43629287
Thales Leites	41445831
Rory MacDonald	37295483
Patrick Cote	36811364
Fabricio Werdum	36304568
Daniel Cormier	35437113
Josh Koscheck	35358286
Mark Bocek	35245685
Rich Franklin	34447098
Dennis Siver	33712580
Rick Story	33650671
Phil Davis	32550334
John Lineker	32160399
Matt Hughes	31857809
Frank Mir	30972597
Sergio Moraes	30588181

147

148

Table for Entertainer

fighter	entertainment_metric
Max Holloway	3205
Frankie Edgar	1874
Rafael Dos Anjos	1850
Angela Hill	1832
Donald Cerrone	1772
Joanna Jedrzejczyk	1759
Sean Strickland	1732
Dustin Poirier	1678
Bobby Green	1673
Michael Bisping	1593
Jessica Andrade	1577
Nate Diaz	1562
Alexander Volkanovski	1538
Jon Jones	1512
Tim Means	1467
Andrei Arlovski	1462
Cub Swanson	1461
Alex Caceres	1450
Edson Barboza	1437
Neil Magny	1414

149

150

Table for the GOAT

fighter	total_wins	total_losses	total_fights	win_loss_ratio
Jon Jones	70	1	23	0.99
Georges St-Pierre	69	2	22	0.97
Amanda Nunes	42	5	18	0.89
Leon Edwards	47	6	16	0.89
Belal Muhammad	45	7	18	0.87
Dong Hyun Kim	36	6	18	0.86
Ryan Bader	40	7	20	0.85
Demetrious Johnson	56	10	18	0.85
Kamaru Usman	53	10	17	0.84
Curtis Blaydes	31	6	17	0.84
Beneil Dariush	36	7	22	0.84
Aljamain Sterling	45	9	19	0.83
Cain Velasquez	24	5	15	0.83
Jon Fitch	38	9	18	0.81
Matt Hughes	41	10	25	0.80
Colby Covington	42	11	15	0.79
Sean Strickland	48	13	20	0.79
Robert Whittaker	47	13	20	0.78
Stipe Miocic	36	10	18	0.78
Valentina Shevchenko	43	12	16	0.78

Discussion

References

- Aust, F., & Barth, M. (2023). *papaja: Prepare reproducible APA journal articles with R Markdown*. Retrieved from <https://github.com/crsh/papaja>
- Barth, M. (2023). *tinylabels: Lightweight variable labels*. Retrieved from <https://cran.r-project.org/package=tinylabels>
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate. *Journal of Statistical Software*, 40(3), 1–25. Retrieved from <https://www.jstatsoft.org/v40/i03/>
- Müller, K., & Wickham, H. (2023). *Tibble: Simple data frames*. Retrieved from <https://CRAN.R-project.org/package=tibble>
- R Core Team. (2023). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.R-project.org/>
- Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from <https://ggplot2.tidyverse.org>
- Wickham, H. (2022). *Stringr: Simple, consistent wrappers for common string operations*. Retrieved from <https://CRAN.R-project.org/package=stringr>
- Wickham, H. (2023). *Forcats: Tools for working with categorical variables (factors)*. Retrieved from <https://CRAN.R-project.org/package=forcats>
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., . . . Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43), 1686. <https://doi.org/10.21105/joss.01686>
- Wickham, H., François, R., Henry, L., Müller, K., & Vaughan, D. (2023). *Dplyr: A grammar of data manipulation*. Retrieved from <https://CRAN.R-project.org/package=dplyr>
- Wickham, H., & Henry, L. (2023). *Purrr: Functional programming tools*. Retrieved from <https://CRAN.R-project.org/package=purrr>

- 180 Wickham, H., Hester, J., & Bryan, J. (2023). *Readr: Read rectangular text data*. Retrieved
181 from <https://CRAN.R-project.org/package=readr>
- 182 Wickham, H., Vaughan, D., & Girlich, M. (2023). *Tidyr: Tidy messy data*. Retrieved from
183 <https://CRAN.R-project.org/package=tidyr>