Running head: UFC STATS

1

Into the UFC: The Greatest Striker, Grappler, and Entertainer

Stanley Go¹

¹ Rutgers University

Author Note

Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.

Enter author note here.

The authors made the following contributions. Stanley Go: Conceptualization, Writing - Original Draft Preparation, Writing - Review & Editing.

Correspondence concerning this article should be addressed to Stanley Go, 123 Rutgers University. E-mail: smg421@scarletmail.rutgers.edu

Abstract

One or two sentences providing a basic introduction to the field, comprehensible to a scientist in any discipline. Two to three sentences of more detailed background, comprehensible to scientists in related disciplines. One sentence clearly stating the general **problem** being addressed by this particular study. One sentence summarizing the main result (with the words "here we show" or their equivalent). Two or three sentences explaining what the main result reveals in direct comparison to what was thought to be the case previously, or how the main result adds to previous knowledge. One or two sentences to put the results into a more general context. Two or three sentences to provide a **broader perspective**, readily comprehensible to a scientist in any discipline.

Keywords: keywords

Word count: X

Into the UFC: The Greatest Striker, Grappler, and Entertainer

monkey

monkey

Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

Participants

Material

Procedure

Data analysis

We used R (Version 4.3.1; R Core Team, 2023) and the R-packages dplyr (Version 1.1.3; Wickham, François, Henry, Müller, & Vaughan, 2023), forcats (Version 1.0.0; Wickham, 2023), ggplot2 (Version 3.4.3; Wickham, 2016), lubridate (Version 1.9.2; Grolemund & Wickham, 2011), papaja (Version 0.1.2; Aust & Barth, 2023), purrr (Version 1.0.2; Wickham & Henry, 2023), readr (Version 2.1.4; Wickham, Hester, & Bryan, 2023), stringr (Version 1.5.0; Wickham, 2022), tibble (Version 3.2.1; Müller & Wickham, 2023), tidyr (Version 1.3.0; Wickham, Vaughan, & Girlich, 2023), tidyverse (Version 2.0.0; Wickham et al., 2019), and tinylabels (Version 0.2.4; Barth, 2023) for all our analyses.

Results

Discussion




Figure 1. Each Chick's weight in grams (y-axis) over time (x-axis), with each chick a separate line

References

- Aust, F., & Barth, M. (2023). papaja: Prepare reproducible APA journal articles with R

 Markdown. Retrieved from https://github.com/crsh/papaja
- Barth, M. (2023). tinylabels: Lightweight variable labels. Retrieved from https://cran.r-project.org/package=tinylabels
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate.

 *Journal of Statistical Software, 40(3), 1–25. Retrieved from https://www.jstatsoft.org/v40/i03/
- Müller, K., & Wickham, H. (2023). *Tibble: Simple data frames*. Retrieved from https://CRAN.R-project.org/package=tibble
- R Core Team. (2023). R: A language and environment for statistical computing. Vienna,
 Austria: R Foundation for Statistical Computing. Retrieved from
 https://www.R-project.org/
- Wickham, H. (2016). ggplot2: Elegant graphics for data analysis. Springer-Verlag New York. Retrieved from https://ggplot2.tidyverse.org
- Wickham, H. (2022). Stringr: Simple, consistent wrappers for common string operations.

 Retrieved from https://CRAN.R-project.org/package=stringr

Wickham, H. (2023). Forcats: Tools for working with categorical variables (factors).

Retrieved from https://CRAN.R-project.org/package=forcats

- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ...

 Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43),
 1686. https://doi.org/10.21105/joss.01686
- Wickham, H., François, R., Henry, L., Müller, K., & Vaughan, D. (2023). *Dplyr: A grammar of data manipulation*. Retrieved from https://CRAN.R-project.org/package=dplyr
- Wickham, H., & Henry, L. (2023). Purrr: Functional programming tools. Retrieved from https://CRAN.R-project.org/package=purrr
- Wickham, H., Hester, J., & Bryan, J. (2023). Readr: Read rectangular text data. Retrieved from https://CRAN.R-project.org/package=readr
- Wickham, H., Vaughan, D., & Girlich, M. (2023). *Tidyr: Tidy messy data*. Retrieved from https://CRAN.R-project.org/package=tidyr