

Overview

This guide covers setting up the Payment Enrollment System using two methods:

1. **Traditional Installation** (Node.js on your machine)
 2. **Docker Installation** (Containerized setup - recommended)
-

Prerequisites

Both Methods:

- Git (for cloning) or ability to download/extract ZIP
- Web browser (Chrome, Firefox, Edge, etc.)

Traditional Installation:

- **Node.js 18+** (includes npm)
- **SQLite Browser** (optional, for database viewing)

Docker Installation:

- **Docker Desktop** (Windows/Mac)
 - OR **Docker Engine + Docker Compose** (Linux)
-

Method 1: Traditional Installation

Step 1: Clone or Download the Project

```
# Clone the repository
git clone <https://github.com/Bobabytes/Group2_PES>
cd Group2_PES

# OR download and extract the ZIP file
# Navigate to the extracted folder
```

Step 2: Install Backend Dependencies

```
# Navigate to server folder
cd server

# Install dependencies
npm install

# Return to project root
cd ..
```

Step 3: Install Frontend Dependencies

```
# Navigate to client folder
cd client

# Install dependencies
npm install

# Return to project root
cd ..
```

Step 4: Start the Application

You have two options:

Option A: Using the Batch File (Windows)

1. Double-click `StartPES.bat`
2. Two command windows will open automatically

Option B: Manual Start

```
# Terminal 1: Start backend server
cd server
npm run dev

# Terminal 2: Start frontend client (new terminal)
cd client
npm run dev
```

Step 5: Verification

- **Frontend:** Open <http://localhost:5173> in your browser
 - **Backend API:** Open <http://localhost:8080> in your browser (should see server response)
-

Method 2: Docker Installation (Recommended)

Step 1: Verify Docker Installation

```
# Check Docker version
docker --version
docker-compose --version

# Should see version numbers (not "command not found")
```

Step 2: Quick Start (One-Command Setup)

```
# Run this command from the project root folder
docker-compose up --build

# Wait for "Done" messages, then open:
# Frontend: http://localhost:3000
# Backend API: http://localhost:8080
```

Step 3: Verify Running Services

```
# Check container status
docker-compose ps

# Expected output:
```

# NAME	COMMAND	STATUS	PORTS
# group2_pes_client	"nginx -g 'daemon ...'"	Up 5 minutes	0.0.0.0:3000->80/tcp
# group2_pes_server	"node server.js"	Up 5 minutes	0.0.0.0:8080->8080/tcp