References

[1] Russell, Randy (16 May 2007). "The Greenhouse Effect Greenhouse Gases". University Corporation for Atmospheric Research Windows to the Universe. Retrieved 27 December 2009.

[2] AIRS Science Team/Joao Texeira (2009), AIRS/Aqua L3 Daily CO_2 in the free troposphere (AIRS-only) 2.5 degrees x 2 degrees V005, Greenbelt, MD, USA, Goddard Earth Sciences Data and Information Services Center (GES DISC), Accessed: October 31, 2018, 10.5067/Aqua/AIRS/DATA335

[3] Bennett, D. A. (2001). How can I deal with missing data in my study?. *Australian and New Zealand journal of public health*, 25(5), 464-469.

[4] Decowski, J., Li, L. (2014). Wavelet-Based Tests for Comparing Two Time Series with Unequal Lengths. *Journal of Time Series Analysis*, 36(2), 189-208. doi:10.1111/jtsa.12101

[5] Durbin, J., Koopman, S. J. (2012). Time series analysis by state space methods (Vol. 38). Oxford University Press.

[6] Elissavet, R. (2017), Missing Data in Time Series and Imputation Methods.

[7] Google Maps. (n.d.). Retrieved November 1, 2018, from https://www.google.com/maps

[8] Global warming. (2018, May 21). Retrieved from https://en.wikipedia.org/wiki/Global_warming

[9] "global warming – definition of global warming in English — Oxford Dictionaries". Oxford Dictionaries — English. Retrieved 2018-05-21.

[10] Heyman, M. and Chatterjee, S. "WiSEBoot: Wild Scale-Enhanced Bootstrap." R package version 1.4.0, 2016.

[11] Hyndman, R. J., Khandakar, Y. (2007). Automatic time series for forecasting: *the forecast package for R* (No. 6/07). Monash University, Department of Econometrics and Business Statistics.

[12] Jenkinson, D. S., Adams, D. E., Wild, A. (1991). Model estimates of CO_2 emissions from soil in response to global warming. Nature, 351(6324), 304.

[13] Joos, F., Plattner, G. K., Stocker, T. F., Marchal, O., Schmittner, A. (1999). Global warming and marine carbon cycle feedbacks on future atmospheric CO_2. *Science, 284*(5413), 464-467.

[14] Jouzel, J., Masson-Delmotte, V., Cattani, O., Dreyfus, G., Falourd, S., Hoffmann, G., ... Fischer, H. (2007). Orbital and millennial Antarctic climate variability over the past 800,000 years. *science, 317*(5839), 793-796.

[15] Laboratory, N. J. (2017, May 04). What's in the Air: NASA's Atmospheric Infrared Sounder. Retrieved from https://www.youtube.com/watch?v=SWCs3BBzPoU

[16] Lahiri, S. N. (2010). *Resampling methods for dependent data.* New York: Springer-Verlag.

[17] Lüthi, D., M. Le Floch, B. Bereiter, T. Blunier, J.-M. Barnola, U. Siegenthaler, D. Raynaud, J. Jouzel, H. Fischer, K. Kawamura, and T.F. Stocker. 2008. High-resolution carbon dioxide concentration record 650,000-800,000 years before present. *Nature*, Vol. 453, pp. 379-382, 15 May 2008.

[18] Mallat, S. (1999). *A wavelet tour of signal processing.* Elsevier.

[19] Martin, P. E., Barker, E. F. (1932). The infrared absorption spectrum of carbon dioxide. *Physical Review*, 41(3), 291.

[20] Menne, Matthew J., Imke Durre, Bryant Korzeniewski, Shelley McNeal, Kristy Thomas, Xungang Yin, Steven Anthony, Ron Ray, Russell S. Vose, Byron E.Gleason, and Tamara G. Houston (2012): Global Historical Climatology Network - Daily (GHCN-Daily), Version 3. Version 3.24. NOAA National Climatic Data Center. doi:10.7289/V5D21VHZ [November 7, 2018].

[21] Menne, M.J., I. Durre, R.S. Vose, B.E. Gleason, and T.G. Houston, 2012: An overview of the Global Historical Climatology Network-Daily Database. *Journal of Atmospheric and Oceanic Technology*, 29, 897-910, doi:10.1175/JTECH-D-11-00103.1.

[22] Morettin, P. A., Pinheiro, A. D., Vidakovic, B. (2017). *Wavelets in functional data analysis.* Cham, Switzerland: Springer.

[23] Moritz, S., Bartz-Beielstein, T. (2017). imputeTS: time series missing value imputation in R. *The R Journal*, 9(1), 207-218.

[24] Nason, G. P. (1995). Choice of the Threshold Parameter in Wavelet Function Estimation. *Wavelets and Statistics Lecture Notes in Statistics*, 261-280. doi:10.1007/978-1-4612-2544-7_16

[25] Nason, G. P. (2008). *Wavelet methods in statistics with R.* New York: Springer.

[26] Norby, R. J., & Luo, Y. (2004). Evaluating ecosystem responses to rising atmospheric CO2 and global warming in a multi-factor world. New Phytologist, 162(2), 281-293.

[27] Percival, D. B., Walden, A. T. (2008). *Wavelet methods for time series analysis.* Cambridge: Cambridge University Press.

[28] Percival, D. *An Introduction to the Wavelet Analysis of Time Series* A Tutorial 2000 IEEE International Frequency Control Symposium Tutorials, Kansas City Jun. 6, 2000.

[29] Shumway, R. H., Stoffer, D. S. (2011). Time series regression and exploratory data analysis. In *Time series analysis and its applications* (pp. 47-82). Springer New York.

[30] Vidakovic, B. (2013). *Statistical modeling by wavelets.* Oxford: Wiley-Blackwell.

[31] Vonesch, C., Blu, T., Unser, M. (2007). Generalized Daubechies wavelet families. *IEEE Transactions on Signal Processing, 55*(9), 4415-4429.

[32] Weisberg, S. (2005). Applied linear regression (Vol. 528). John Wiley Sons.