函数需求

getIntroduction(name)

输入事件名返回事件简介

返回类型：string

getTrend(name)

输入事件名返回事件走势

返回类型如下：

```
[
  string,
  string,
  ...,
  string
]
```

getStatistics(name)

输入事件名返回网站统计

返回类型如下

```
[
    {
      "date":string,
      "all":int,
      "client":int,
      "press":int,
      "blog":int,
      "media":int,
      "forum":int,
      "video":int,
      "weibo":int,
      "site":int,
      "news":int,
      "gov":int
    },
    {
      ...
    },
    ...
]
```

getEmotion(name)

输入事件名返回情感分析

返回类型如下:

```
{
  "sensitive":double
}
```

getOverseas(name)

输入事件名返回境内外分布

返回类型如下:

```
{
  "overseas":double
}
```

getMediaSource(name)

输入事件名返回媒体来源占比

返回类型如下:

```
{
  "all":int,
  "client":int,
  "press":int,
  "blog":int,
  "media":int,
  "forum":int,
  "video":int,
  "weibo":int,
  "site":int,
  "news":int,
  "gov":int
}
```

getActivity(name)

输入事件名返回媒体活跃度

返回类型如下:

```
[
  {
    "name":string,
    "num":int
  },
  {
  ...
  },
  ...
]
```

getArea(name)

输入事件名返回地域分析

返回类型如下:

```json
{
    "beijing":int,
    "shanghai":int,
    "tianjin":int,
    "chongqing":int,
    "xianggang":int,
    "aomen":int,
    "anhui":int,
    "fujian":int,
    "guangdong":int,
    "guangxi":int,
    "guizhou":int,
    "gansu":int,
    "hainan":int,
    "hebei":int,
    "henan":int,
    "heilongjiang":int,
    "hubei":int,
    "hunan":int,
    "jilin":int,
    "jiangsu":int,
    "jiangxi":int,
    "liaoning":int,
    "neimenggu":int,
    "ningxia":int,
    "qinghai":int,
    "shanxi":int,
    "shaanxi":int,
    "shandong":int,
    "sichuan":int,
    "taiwan":int,
    "xizang":int,
    "xinjiang":int,
    "yunnan":int,
    "zhejiang":int
}
```

getWords(name)

输入事件名返回关键词云

返回类型如下：

```
[
  {
    "name":string,
    "num":int
  },
  {
  ...
  },
  ...
]
```

getPopular(name)

输入事件名返回热门信息

返回类型如下:

```
[
  {
    "title":string,
    "source":string,
    "date":string,
    "num":int
  },
  {
  ...
  },
  ...
]
```

getNewsPoint(name)

输入事件名返回新闻观点分析

返回类型如下:

```
[
  {
    "name":string,
    num:double
  },
  {
  ...
  },
  ...
]
```

getForumPoint(name)

输入事件名返回论坛观点分析

返回类型如下:

```
[
  {
    "name":string,
    num:double
  },
  {
  ...
  },
  ...
]
```

getWeiboPoint(name)

输入事件名返回微博观点分析

返回类型如下:

```
[
  {
    "name":string,
    num:double
  },
  {
  ...
  },
  ...
]
```

getSummary(name)

输入事件名返回舆情总结

返回类型：string