

1. Project Overview

Whispr is a viral, anonymous social Q&A; platform where users from around the globe can ask and answer questions on any topic.

Users can seek wisdom, share opinions, or simply be curious. The app encourages engagement through karma points, daily streaks, and sharable replies. Its simplicity and emotional relatability make it highly addictive and suitable for daily use.

2. Website Structure & Flow

1. Home Page (Feed): Displays trending and latest questions.
2. Ask Page: User can submit a new question (tagged by topic).
3. Question Page: Shows a single question and its answers.
4. Answer Page: Submit answers to questions.
5. Profile Page (Anonymous): Shows user's karma, past activity.
6. Leaderboard: Shows top users based on karma points.
7. Admin Panel (Optional): Moderate content, manage reports.

3. Functional Requirements

User Management:

- Generate anonymous usernames on first visit.
- Track anonymous session ID.

Questions Module:

- Submit questions (text + optional details)
- Auto-tag questions
- Store with timestamp, location, user ID

Answers Module:

- Submit answers to questions
- Upvote/downvote
- Answer linked to question and user ID

Feed & Explore:

- Trending questions
- Tag filtering
- Location-based sorting

Gamification:

- Karma system (+1 per upvote)
- Daily streak tracking
- Leaderboard of top anonymous users

Moderation:

- Profanity filter
- Rate limiting on posts
- Spam detection

4. MongoDB Schema Design

User (anonymous)

```
{  
  _id: ObjectId,  
  username: String,  
  karma: Number,  
  createdAt: Date
```

```
}
```

Question

```
{  
  _id: ObjectId,  
  text: String,  
  description: String,  
  tags: [String],  
  userId: ObjectId,  
  timestamp: Date,  
  location: String,  
  answers: [ObjectId]  
}
```

Answer

```
{  
  _id: ObjectId,  
  questionId: ObjectId,  
  text: String,  
  userId: ObjectId,  
  timestamp: Date,  
  upvotes: Number,  
  downvotes: Number  
}
```

Vote

```
{  
  _id: ObjectId,
```

```
    userId: ObjectId,  
    answerId: ObjectId,  
    voteType: String // "up" or "down"  
}
```

5. Backend-First Development Strategy

1. Define RESTful API endpoints.
2. Implement MongoDB schemas and validation.
3. Build core APIs (Ask, Answer, Feed, Voting).
4. Add real-time updates via Socket.io.
5. Moderate content using keyword filters or external API.
6. Deploy backend and test with Postman collection.