

Relational operators [==(comparison), <, >, <=, >=, != (not equal)]: They are used to check the given condition or expression is true or false. If the relation is true then always the answer is 1. If relation is false always it return 0.


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug
Line 13 Col 23 Insert Indent Tab Fill Unindent *
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("%d\n",5==5);
printf("%d\n",2==3);
printf("%d\n",5>3);
printf("%d\n",3<=3);
printf("%d\n",5!=5);
printf("%d\n",'a'=='A');
printf("%d\n",'a'==97);
printf("%d\n",1.0==1);
getch();
}
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Build 9600
06:20 PM
15-May-25



Logical operators:

1. && - logical and
2. || - logical or
3. ! – logical not

&&, || operators are used to combine two or more expressions in to a single expression.


! operator used for negation. i.e. true becomes false and false become true.


True tables:


&& - and	Expression1	Expression2	Result
	1-true	1	1
	1	0-false	False
	0	1	0
	0	0	0
|| - or	1	1	1
	1	0	1
	0	1	1
	0	0	0


!true – false

!false – true



Mute
Start Video
Security
Participants
29
Chat
New share
Pause Share
Annotate
Slide Control
Apps
More
You are screen sharing
Stop share
File
Debug
Error: Function call missing) in function main
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("%d\n",5==5 7!=7);
getch();
}
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Page: 4 of 5
Words: 133
120%
06:31 PM
15-May-25



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug
Line 13 Col 29 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("%d\n",5==5, 7!=7);
printf("%d, %d\n",5==5, 7!=7);
printf("%d\n",5==5 && 7!=7);
printf("%d\n",5!=5 || 7==7);
printf("%d\n",!(5!=5));
printf("%d\n",2==2 && 3<=3 && 5!=5);
printf("%d\n",2==2 || 3<=3 && 5!=5);
printf("%d\n",(2==2 || 3<=3) && 5!=5);
getch();
}
/* && got first priority */
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
1894 × 763px
100%
06:50 PM
15-May-25



You are screen sharing
Stop share
1
1, 0
0
1
1
0
1
0
Activate Windows
Page: 6 of 7
Words: 133
120%
06:50 PM
15-May-25



5==5 && 7!=7
1 && 0
0
5!=5 || 7==7
0 || 1
1
! (5!=5)
0
!0
1
2==2 && 3<=3 && 5!=5
1 && 1
1 && 0
0
(2==2 || 3<=3)&& 5!=5
1 || 1
1 && 0
0
2==2 || 3<=3 && 5!=5
1 && 0
1 || 0
1


Note: In C compiler other than 0 anything is 1 i.e. true.









You are screen sharing
Stop share
File Edit Run Compile Project Options Debug
Line 16 Col 3 Insert Indent Tab Fill Unindent *
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("I ") || printf("Love ");
printf("") || printf("Like ");
printf("") && printf("Jhanvi ");
printf("Rashmika ") && printf("Mandana");
getch();
}
/*
In && operation when left exp false, right exp not checke
In || operation when left exp true, right exp not checked
*/
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Page: 9 of 10
Words: 160
120%
07:11 PM
15-May-25



You are screen sharing
Stop share
I Like Rashmika Mandana_
Activate Windows
Page: 9 of 10
Words: 160
120%
07:11 PM
15-May-25



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug
Line 18 Col 1 Insert Indent Tab Fill Unindent *
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
0 && printf("Good morning");
1 || printf("Good afternoon");
0 || printf("Good evening");
1 && printf("Good night");
getch();
}
/*
In && operation when left exp false, right exp not checked
In || operation when left exp true, right exp not checked
0 && 0 = 0
0 && 1 = 0
1 || 1 = 1
1 || 0 = 1
*/
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Page: 10 of 11
Words: 160
120%
07:23 PM
15-May-25



You are screen sharing
Stop share
Good eveningGood night
Activate Windows
Page: 11 of 12
Words: 160
120%
07:24 PM
15-May-25



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug
Line 10 Col 24 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b, c;
clrscr();
a = printf("I");
b = printf("Love");
c = printf("You");
printf("%d%d%d",a,b,c);
getch();
}
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Page: 12 of 13
Words: 160
120%
07:27 PM
15-May-25



You are screen sharing
Stop share
ILoveYou143
Activate Windows
Page: 12 of 13
Words: 160
120%
07:27 PM
15-May-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug
Line 9 Col 9 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b, c;
clrscr();
a = printf("I\t");
b = a*printf("Love\t");
c = a+b*printf("You\t");
printf("%d%d%d",a,b,c);
getch();
}
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Page: 14 of 15
Words: 160
150%
07:31 PM
15-May-25


You are screen sharing
Stop share
I Love You 21042
Activate Windows
Page: 15 of 16
Words: 160
150%
07:32 PM
15-May-25


TC
File Edit Run Compile Project Options Debug
Line 8 Col 20 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b, c;
clrscr();
a = printf("Kishore") != printf("Naidu");
printf("%d",a);
getch();
}
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
Page: 16 of 17
Words: 160
You are screen sharing
Stop share
150%
07:35 PM
15-May-25


TC
KishoreNaidu1
Activate Windows
Page: 17 of 18
Words: 160
You are screen sharing
Stop share
150%
07:35 PM
15-May-25


TC
File Edit Run Compile Project Options Debug
Line 7 Col 44 Insert Indent Tab Fill Unindent
#include<stdio.h>
#include<conio.h>
void main()
{
int a, b, c;
clrscr();
a = !printf("Kishore") && printf("Naidu");
printf("%d",a);
getch();
}
F1-Help F5-Zoom F6-Switch F7-Trace F8-Step F9-Make
You are screen sharing
Stop share
Mute
Start Video
Security
Participants
25
Chat
New share
Pause Share
Annotate
Slide Control
Apps
More
Page: 18 of 19
Words: 160
07:38 PM
15-May-25