


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 22 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("Bharathi addr %u\n","Bharathi");
printf("Bharathi\n" + 1);
printf(1+"Bharathi\n" + 1);
printf("Bharathi\n"-1);
printf("Krish %c Radha\n", 3);
printf("%d\n", 40000);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:08 PM
23-May-25
You are screen sharing
Stop share
Bharathi addr 422
harathi
arathi
Krish ♥ Radha
-25536
Activate Windows
Go to PC settings to activate Windows.
06:08 PM
23-May-25




Data type cycles:

In C & C++ compiler size is 16 bit. Hence int value 2^{16} ➔ which is 65536. This int value again divided into 2 types.

1. Signed int ➔ -32768 to +32767
2. Unsigned int ➔ 0 to 65535

In Java /.net/python etc compiler size is 32 bit. Hence int value 2^{32} ➔ which is 4294967296

signed int cycle




signed int cycle

32768

65536
-32768
-32768


32768
-32768 + 0 = -32768
0




signed int cycle

32770

65536
- 32770
-32766





32770
-32768 + 2 = -32766
2




signed int cycle

65540
-65536
4









Char cycle:


In C & C++ we are using ASCII Character set, which comes with 256 characters from 0 to 255. They are divided into again 2 types.

1. Signed char ➔ -128 to +127
2. Unsigned char ➔ 0 to 255




Conversions:



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 13 Col 11 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("%d\n", 012); /* oct to decimal */
printf("%o\n", 35); /* dec to octal */
printf("%d\n", 0x35);/* hexadecimal to dec */
printf("%x\n", 35); /* dec to hexadecimal */
printf("%x\n", 45); /* dec to hex */
printf("%X\n", 95); /* dec to hex */
printf("%x\n", 025); /* oct to hex */
printf("%o\n", 0x45); /* hex to oct */
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:05 PM
23-May-25


You are screen sharing
Stop share
10
43
53
23
2d
5F
15
105
Activate Windows
Go to PC settings to activate Windows.
07:05 PM
23-May-25


oct to dec




dec to octal



hexa to decimal



dec to hexa




hexa decimal values 0 to 9 10 11 12 13 14 15


a b c d e f




oct to decimal




dec to hexa





hexa to dec




dec to octal





You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 20 Col 1 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
printf("%x", -2<<2);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:10 PM
23-May-25



You are screen sharing
Stop share
fff8
Activate Windows
Go to PC settings to activate Windows.
07:10 PM
23-May-25



Finding simple interest?

Si=ptr/100


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 15 Col 1 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
float p,r,si,tot;
int t;
clrscr();
printf("Enter priniciple, time and rate of interest ");
scanf("%f %d %f",&p,&t,&r);
si = p*t*r/100;
tot= p + si;
printf("Si=%.2f, Tot=%.2f",si, tot);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:23 PM
23-May-25


You are screen sharing
Stop share
Enter priniciple, time and rate of interest 1000 10 2
Si=200.00, Tot=1200.00
Activate Windows
Go to PC settings to activate Windows.
07:23 PM
23-May-25


Read a consumer id, name, Quantity purchased and rate of item. Find amount, 35% discount and total.


Eg: consumer id = 1001 name = bablu Quantity = 10 item rate = 10


Amount = qty * rate ➔ 10*10=100

Discount = amount * 0.35 ➔ 35

Total = 100 – 35 = 65


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 26 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int consid;
char name[30];
float qty, price, amount, disc, tot;
clrscr();
printf("Enter consumer id, name, Quantity purchased and rate of item ");
scanf("%d %s %f %f",&consid, &name, &qty,&price);
amount = qty * price;
disc = amount * 35/100; /* amount * 0.35 */
tot = amount - disc;
printf("Amount=%.2f, Disc=%.2f, Tot=%.2f",amount, disc, tot);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:29 PM
23-May-25


You are screen sharing
Stop share
Enter consumer id, name, Quantity purchased and rate of item
1001 Bablu 10 10
Amount=100.00, Disc=35.00, Tot=65.00
Activate Windows
Go to PC settings to activate Windows.
07:29 PM
23-May-25


You are screen sharing
Stop share
Enter consumer id, name, Quantity purchased and rate of item
1001 kumari 1 1
Amount=1.00, Disc=0.35, Tot=0.65
Activate Windows
Go to PC settings to activate Windows.
07:34 PM
23-May-25