


Providing dynamic discount [runtime]:





You are screen sharing
Stop share
Enter consumer id, name, Quantity purchased and rate of item
2 kumari 1 1
Amount = 1.00
Enter discount percentage 0
Amount=1.00, Disc=0.00, Tot=1.00
Activate Windows
Go to PC settings to activate Windows.
06:10 PM
24-May-25
You are screen sharing
Stop share
Enter consumer id, name, Quantity purchased and rate of item
3 wife 1 10000
Amount = 10000.00
Enter discount percentage 100
Amount=10000.00, Disc=10000.00, Tot=0.00
Activate Windows
Go to PC settings to activate Windows.
06:11 PM
24-May-25



Interview questions on main()

1. **Without main () program compiler or not?**
   Yes compiled but never executed.
2. **Why the name main is given to this function?**
   Because of it calls the remaining functions.
3. **Who is calling the main function**
   Operating system calls the main()
4. **Can we make any alternate for main()**



5. **main( ) is a predefined or user defined function?**
   main() only predefined and body is used defined.
6. **main() belong to which header file / library / preprocessor?**
   main() never having a header file.
7. **Max how many main() function we can use in a program?**


Max one only.


8. **Who receives the main return value?**


   Always the return value of main() is received by operating system only.


We can declare the header files in 2 ways.


1. **#include<stdio.h>**
2. **#include “stdio.h”**





You are screen sharing
EN
Stop share
Good evening
Good night
Activate Windows
Go to PC settings to activate Windows.
06:57 PM
24-May-25


You are screen sharing
EN
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
int main( )
{
clrscr();
puts("Good evening");
return 0;
puts("Good night");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:02 PM
24-May-25
You are screen sharing
EN
Stop share
Good evening
Activate Windows
Go to PC settings to activate Windows.
07:02 PM
24-May-25


You are screen sharing
EN
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main( )
{
clrscr();
puts("Good evening");
return 0;
puts("Good night");
getch();
}
Error NONAME00.CPP 7: 'main()' cannot return a value
Activate Windows
Go to PC settings to activate Windows.
07:03 PM
24-May-25



You are screen sharing
EN
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main( )
{
clrscr();
puts("Good evening");
return ;
puts("Good night");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:04 PM
24-May-25



CONTROL STATEMENTS / CONTROL STRUCTURES

These statement are used to control program execution flow [order].

In C language we are using the following control statements.



goto label / jumping statement

It is used to transfer program execution

from one place to another place [label].

In this process it is jumping from one area to another without any condition. Hence it is also called **unconditional** jumping statement.

Syntax:



Here **goto** is a keyword.

Label is an identifier is used to identify the area[line].

Every label should be end with **:** (colon)


Keywords not allowed in labels i.e. label should be user defined.


Duplicate labels not allowed.


There is no space between go and to.


Label naming rules are similar to the identifier rules.


Note: goto label working style is similar to loops some times.





You are screen sharing
EN
Stop share
10th class
Intermediate
Graduation
Activate Windows
Go to PC settings to activate Windows.
07:27 PM
24-May-25


You are screen sharing
EN
Stop share
File Edit Search Run Compile Debug Project Options Window
E:TC\6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
goto x;
z: puts("Graduation"); getch(); return;
y: puts("Intermediate");
goto z;
x: // x is a label
puts("10th class");
goto y;
}
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
24-May-25


You are screen sharing
EN
Stop share
10th class
Intermediate
Graduation
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
24-May-25


You are screen sharing
EN
Stop share
File Edit Search Run Compile Debug Project Options Window
E:TC\6PM.C
#include<stdio.h>
#include<conio.h>
#include<stdlib.h> // #include<process.h>
void main()
{
clrscr();
goto x;
z: puts("Graduation"); getch(); exit(10);
y: puts("Intermediate");
goto z;
x: // x is a label
puts("10th class");
goto y;
}
Activate Windows
Go to PC settings to activate Windows.
07:30 PM
24-May-25


You are screen sharing
EN
Stop share
10th class
Intermediate
Graduation
Activate Windows
Go to PC settings to activate Windows.
07:30 PM
24-May-25