


Simple if examples:

Write a c program to print 1..5 times kishore without using loop?


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 14 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int i=1;
clrscr();
xyz:
if(i<=5)
{
puts("Kishore");
i++;
goto xyz;
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:14 PM
27-May-25
You are screen sharing
Stop share
Kishore
Kishore
Kishore
Kishore
Kishore
Activate Windows
Go to PC settings to activate Windows.
06:14 PM
27-May-25




Write a c program to print 1…n no's without using loop?





Find the absolute [always +Ve] value of given no?


If(n<0) n=-n;

Eg: if(-5 < 0) -5 = -(-5) ➔ +5



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 1 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int i=1, n;
clrscr();
printf("Enter n value "); scanf("%d",&n);
if(n<0)n=-n;
printf("Absolute value=%d",n);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:21 PM
27-May-25



You are screen sharing
Stop share
Enter n value -5
Absolute value=5
Activate Windows
Go to PC settings to activate Windows.
06:22 PM
27-May-25



You are screen sharing
Stop share
Enter n value 5
Absolute value=5
Activate Windows
Go to PC settings to activate Windows.
06:22 PM
27-May-25



i
n
5
1
2
3
4
5
6
abc:
if(i<=n)
{
p(i); 1 2 3 4 5
i++;
goto abc;
}


Finding alphabet or not?









You are screen sharing
Stop share
Enter any character b
It is an Alphabet
Activate Windows
Go to PC settings to activate Windows.
06:29 PM
27-May-25
You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 56 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter any character "); scanf("%c",&ch);
if(ch>='a' && ch<='z' || ch>='A'&& ch<='Z')puts("It is an Alphabet");
if(!(ch>='a' && ch<='z' || ch>='A'&& ch<='Z'))puts("Not an Alphabet");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:31 PM
27-May-25


You are screen sharing
Stop share
Enter any character G
It is an Alphabet
Activate Windows
Go to PC settings to activate Windows.
06:31 PM
27-May-25


You are screen sharing
Stop share
Enter any character v
It is an Alphabet
Activate Windows
Go to PC settings to activate Windows.
06:31 PM
27-May-25


You are screen sharing
Stop share
Enter any character 9
Not an Alphabet
Activate Windows
Go to PC settings to activate Windows.
06:31 PM
27-May-25



You are screen sharing
Stop share
Enter any character *
Not an Alphabet
Activate Windows
Go to PC settings to activate Windows.
06:31 PM
27-May-25




If..else: When the program is having 2 options and user have to execute one the go for if..else.


If condition true then only if block { } are executed and else is not considered.

If condition false then only else block { } are executed. Else never contain condition.




Finding alphabet or not using if..else?



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 6 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter any character "); scanf("%c",&ch);
if(ch>='a' && ch<='z' || ch>='A'&& ch<='Z')puts("It is an Alphabet");
else puts("Not an Alphabet");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:44 PM
27-May-25
You are screen sharing
Stop share
Enter any character 9
Not an Alphabet
Activate Windows
Go to PC settings to activate Windows.
06:44 PM
27-May-25



Finding it is a single digit or not?


-9 to 9 are called single digit no's.



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 8 Col 43 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter a single digit ");scanf("%d",&n);
if(n>=-9 && n<=9) printf("It is a sigle digit");
else printf("It is a not single digit no");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:47 PM
27-May-25
You are screen sharing
Stop share
Enter a single digit -4
It is a sigle digit
Activate Windows
Go to PC settings to activate Windows.
06:47 PM
27-May-25





Finding it is a special char or not?


! (a-z / A-Z / 0-9)➔ special char


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 35 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter a character ");scanf("%c",&ch);
if(ch>='a' && ch<='z'||ch>='A'&&ch<='Z'||ch>='0'&&ch<='9')
puts("It is not a special char");
else printf("It is a special char");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:51 PM
27-May-25
You are screen sharing
Stop share
Enter a character H
It is not a special char
Activate Windows
Go to PC settings to activate Windows.
06:51 PM
27-May-25



You are screen sharing
Stop share
Enter a character 7
It is not a special char
Activate Windows
Go to PC settings to activate Windows.
06:52 PM
27-May-25



You are screen sharing
Stop share
Enter a character *
It is a special char
Activate Windows
Go to PC settings to activate Windows.
06:52 PM
27-May-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 25 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter a character ");scanf("%c",&ch);
if(!(ch>='a' && ch<='z'||ch>='A'&&ch<='Z'||ch>='0'&&ch<='9'))
puts("It is a special char");
else printf("It is not a special char");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:53 PM
27-May-25
You are screen sharing
Stop share
Enter a character #
It is a special char
Activate Windows
Go to PC settings to activate Windows.
06:53 PM
27-May-25



Finding even/odd no?


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 19 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter a no "); scanf("%d",&n);
if(n%2==0) puts("Even");
else puts("Odd");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:55 PM
27-May-25
You are screen sharing
Stop share
Enter a no 7
Odd
Activate Windows
Go to PC settings to activate Windows.
06:56 PM
27-May-25





Without using % operator?

n/2*2==n ➔ even else odd


5/2=2*2=4==5 false ➔ else ➔ odd


4/2=2*2=4==4 true ➔ if ➔ even



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 8 Col 12 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter a no "); scanf("%d",&n);
if(n/2*2==n) puts("Even");
else puts("Odd");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:59 PM
27-May-25
You are screen sharing
Stop share
Enter a no 7
Odd
Activate Windows
Go to PC settings to activate Windows.
06:59 PM
27-May-25




Without using arithmetic operators?



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 8 Col 5 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter a no "); scanf("%d",&n);
if((n&1)==0) puts("Even");
else puts("Odd");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:06 PM
27-May-25


You are screen sharing
Stop share
Enter a no 4
Even
Activate Windows
Go to PC settings to activate Windows.
07:07 PM
27-May-25




Note: == got more priority than & operator. Hence we have to separate with a ( )








1==0

Finding leap year / common year?



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 8 Col 34 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter the year no "); scanf("%d",&n);
if(n%4==0 && n%100!=0 || n%400==0) puts("Leap year");
else puts("Common year");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:18 PM
27-May-25
You are screen sharing
Stop share
Enter the year no 1900
Common year
Activate Windows
Go to PC settings to activate Windows.
07:18 PM
27-May-25



You are screen sharing
Stop share
Enter the year no 2000
Leap year
Activate Windows
Go to PC settings to activate Windows.
07:18 PM
27-May-25


You are screen sharing
Stop share
Enter the year no 2024
Leap year
Activate Windows
Go to PC settings to activate Windows.
07:18 PM
27-May-25





Finding voter eligibility?



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 25 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter the age "); scanf("%d",&n);
if(n>=18) puts("Eligible");
else puts("Not Eligible");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:20 PM
27-May-25
You are screen sharing
Stop share
Enter the age 18
Eligible
Activate Windows
Go to PC settings to activate Windows.
07:20 PM
27-May-25





Read 6 sub marks and determine stu is passed / failed.


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 11 Col 30 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int rollno, tel, eng, hin, mat, sci, soc,tot;
char name[20];
float avg;
clrscr();
printf("Enter stu id "); scanf("%d",&rollno);
printf("Enter stu name "); scanf("%s",name);
printf("Ur name is %s",name);_
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:25 PM
27-May-25
You are screen sharing
Stop share
Enter stu id 1001
Enter stu name Kishore Naidu
Ur name is Kishore
Activate Windows
Go to PC settings to activate Windows.
07:25 PM
27-May-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 4 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int rollno, tel, eng, hin, mat, sci, soc,tot;
char name[20];
float avg;
clrscr();
printf("Enter stu id "); scanf("%d",&rollno);
/* flushall(); fflush(stdin); */
printf("Enter stu name "); gets(name); /* read strings with spaces */
printf("Ur name is %s",name);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
27-May-25
You are screen sharing
Stop share
Enter stu id 1001
Enter stu name Ur name is
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
27-May-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 10 Col 17 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int rollno, tel, eng, hin, mat, sci, soc,tot;
char name[20];
float avg;
clrscr();
printf("Enter stu id "); scanf("%d",&rollno);
flushall(); /* fflush(stdin); */
printf("Enter stu name "); gets(name); /* read strings with spaces */
printf("Ur name is %s",name);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:29 PM
27-May-25
You are screen sharing
Stop share
Enter stu id 1001
Enter stu name Kishore Naidu
Ur name is Kishore Naidu
Activate Windows
Go to PC settings to activate Windows.
07:29 PM
27-May-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 5 Col 60 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int rollno, tel, eng, hin, mat, sci, soc,tot;char name[20];float avg;
clrscr();
printf("Enter stu id "); scanf("%d",&rollno);
flushall(); /* fflush(stdin); */
printf("Enter stu name "); gets(name); /* read strings with spaces */
printf("Enter 6 sub marks ");
scanf("%d%d%d%d%d%d",&tel,&eng,&hin,&mat,&sci,&soc);
tot=tel+eng+hin+mat+sci+soc;
avg=tot/6.0;
puts("Roolno\tName\tTot\tAvg\tPass/Fail");
puts("--");
printf("%d\t%s\t%d\t%.2f\t",rollno,name,tot,avg);
if(tel>=35&&eng>=35&&hin>=35&&mat>=35&&sci>=35&&soc>=35)puts("Passed");
else puts("Failed");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:33 PM
27-May-25
You are screen sharing
Stop share
Enter stu id 1001
Enter stu name Krish
Enter 6 sub marks 99 89 90 89 90 98
Roolno Name Tot Avg Pass/Fail
1001 Krish 555 92.50 Passed
Activate Windows
Go to PC settings to activate Windows.
07:33 PM
27-May-25


You are screen sharing
Stop share
Enter stu id 1002
Enter stu name Kumari
Enter 6 sub marks 45 50 55 32 40 37
Roolno Name Tot Avg Pass/Fail
1002 Kumari 259 43.17 Failed
Activate Windows
Go to PC settings to activate Windows.
07:35 PM
27-May-25