



if..else if / ladder if: When the program contain 3 or more options and user have to select 1 then go for if else if ladder. In if..else if the conditions are tested from top to bottom one by one like the ladder steps and any one condition is true then statements in that if block are executed and program execution jumped to outside the if series. If no condition true then statements in else are executed. Here else is optional.




Finding max in 2 no's:



You are screen sharing
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b;
clrscr();
printf("Enter a, b values ");
scanf("%d %d",&a,&b);
if(a>b) puts("a is big");
else if(b>a) puts("b is big");
else puts("Both are equal");
getch();
}
10:47
Activate Windows
Go to PC settings to activate Windows.
06:26 PM
28-May-25



You are screen sharing
Stop share
Enter a, b values 4 4
Both are equal
Activate Windows
Go to PC settings to activate Windows.
06:27 PM
28-May-25







Find max in 3 no's:



You are screen sharing
Stop share
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b,c;
clrscr();
printf("Enter a, b, c values ");
scanf("%d %d %d",&a,&b,&c);
if(a==b && b==c) puts("All are equal");
else if(a>b && a>c) puts("a is big");
else if(a==b && a>c)puts("a & b are big");
else if(b==c && b>a) puts("b & c are big");
else if(a==c && a>b) puts("a & c are big");
else if(b>c) puts("b is big");
else puts("c is big");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:53 PM
28-May-25



You are screen sharing
Stop share
Enter a, b, c values 2 2 3
c is big
Activate Windows
Go to PC settings to activate Windows.
06:53 PM
28-May-25







Finding +Ve / -Ve / Zero?


You are screen sharing
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter n value ");
scanf("%d",&n);
if(n>0) puts("+Ve");
else if(n<0) puts("-Ve");
else puts("Zero");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:55 PM
28-May-25


You are screen sharing
Stop share
Enter n value 4
+Ve
Activate Windows
Go to PC settings to activate Windows.
06:55 PM
28-May-25






Finding the no of days in given month no?


Month no 1 , 3, 5, 7, 8, 10, 12 – 31 days


2 – 28/29 days


4, 6, 9, 11 – 30 days


Others – invalid month




You are screen sharing
Stop share
Enter the month no between 1-12: 4
30 days
Activate Windows
Go to PC settings to activate Windows.
07:03 PM
28-May-25


You are screen sharing
Stop share
Enter the month no between 1-12: 12
31 days
Activate Windows
Go to PC settings to activate Windows.
07:03 PM
28-May-25


You are screen sharing
Stop share
Enter the month no between 1-12: 2
28/29 days
Activate Windows
Go to PC settings to activate Windows.
07:03 PM
28-May-25


You are screen sharing
Stop share
Enter the month no between 1-12: 15
Invalid Month...
Activate Windows
Go to PC settings to activate Windows.
07:03 PM
28-May-25

Finding person stage?


Up to 12 – children


Up to 18 – teenagers


Up to 59 – middle aged


>=60 – senior citizens


If the age is < 1 or >100 printf(“Invalid age entered “);



You are screen sharing
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main()
{
int age;
clrscr();
printf("Enter person age between 1 - 100 ");
scanf("%d",&age);
if(age<1 || age>100) puts("Invalid age");
else if(age<=12) puts("Child");
else if(age<=18) puts("Teenager");
else if(age<=59) puts("Middle aged");
else puts("Senior citizen");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:08 PM
28-May-25


You are screen sharing
Stop share
Enter person age between 1 - 100 -3
Invalid age
Activate Windows
Go to PC settings to activate Windows.
07:09 PM
28-May-25



You are screen sharing
Stop share
Enter person age between 1 - 100 5
Child
Activate Windows
Go to PC settings to activate Windows.
07:09 PM
28-May-25



You are screen sharing
Stop share
Enter person age between 1 - 100 17
Teenager
Activate Windows
Go to PC settings to activate Windows.
07:09 PM
28-May-25








Read a character and find out it is lower / upper / digit / space / special char?



You are screen sharing
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter any character "); scanf("%c",&ch);
if(ch>='a'&&ch<='z')puts("Lower case char");
else if(ch>='A' && ch<='Z') puts("Upper case char");
else if(ch>='0' && ch<='9') puts("Digit");
else if(ch==' ') puts("Space");
else puts("Special char");
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
28-May-25



You are screen sharing
Stop share
Enter any character j
Lower case char
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
28-May-25


You are screen sharing
Stop share
Enter any character G
Upper case char
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
28-May-25



You are screen sharing
Stop share
Enter any character 9
Digit
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
28-May-25



You are screen sharing
Stop share
Enter any character *
Special char
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
28-May-25



You are screen sharing
Stop share
Enter any character
Space
Activate Windows
Go to PC settings to activate Windows.
07:14 PM
28-May-25





Using ASCII values:





You are screen sharing
Stop share
Enter any character A
Upper case char
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
28-May-25



You are screen sharing
Stop share
Enter any character d
Lower case char
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
28-May-25



You are screen sharing
Stop share
Enter any character 5
Digit
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
28-May-25



You are screen sharing
Stop share
Enter any character $
Special char
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
28-May-25





Using predefined character functions?





You are screen sharing
Stop share
Enter any character y
Lower case char
Activate Windows
Go to PC settings to activate Windows.
07:22 PM
28-May-25



You are screen sharing
Stop share
Enter any character H
Upper case char
Activate Windows
Go to PC settings to activate Windows.
07:22 PM
28-May-25


You are screen sharing
Stop share
Enter any character
Space
Activate Windows
Go to PC settings to activate Windows.
07:22 PM
28-May-25



You are screen sharing
Stop share
Enter any character 1
Digit
Activate Windows
Go to PC settings to activate Windows.
07:22 PM
28-May-25





Lower to upper / upper to lower ?





Using predefined functions?


You are screen sharing
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h> // getchar()
#include<conio.h>
#include<ctype.h>
void main()
{
char ch;
clrscr();
printf("Enter any character "); ch=getchar();
if(islower(ch)) ch=toupper(ch);
else ch=tolower(ch);
printf("Char=%c",ch);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
28-May-25



You are screen sharing
Stop share
Enter any character H
Char=h
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
28-May-25



You are screen sharing
Stop share
Enter any character f
Char=F
Activate Windows
Go to PC settings to activate Windows.
07:28 PM
28-May-25








User defined program?


You are screen sharing
Stop share
File Edit Search Run Compile Debug Project Options Window
NONAME00.CPP
#include<stdio.h> // getchar()
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter any character "); ch=getchar();
if(ch>='a'&&ch<='z') ch=ch-32; //toupper
else if(ch>='A' && ch<='Z') ch=ch+32; // tolower
printf("Char=%c",ch);
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:35 PM
28-May-25


You are screen sharing
Stop share
Enter any character *
Char=*
Activate Windows
Go to PC settings to activate Windows.
07:35 PM
28-May-25


You are screen sharing
Stop share
Enter any character 9
Char=9
Activate Windows
Go to PC settings to activate Windows.
07:35 PM
28-May-25


You are screen sharing
Stop share
Enter any character F
Char=f
Activate Windows
Go to PC settings to activate Windows.
07:36 PM
28-May-25



Domestic [house] Electricity bill generation

Units	Unit price
1-50	1.45
51-100	2.80
101-200	3.05
201-300	4.75
301-500	6.00
>500	6.24

30 units ➔ 30*1.45=43.5

80 units ➔ 1-50=50*1.45=72.5 ➔ 51-80 = 30*2.8= 84

Total 72.5 + 84 = 156.5

Hyd city bus ➔ ameerpet to mitrivanam – 1km ➔ 10/-

Hyd – vizag ➔ 680km * 10 = 6800

10km – 5

11-20 – 4.50

21-50 - 4