


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 1 Col 16 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,nc,r,c; clrscr();
printf("Enter no of rows and columns "); scanf("%d%d",&nr,&nc);
for(r=1;r<=nr;r++)
{
for(c=1;c<=nc;c++)
{
if(r%2==0)printf("%2c",64+c);else printf("%2c",96+c);
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:17 PM
10-Jun-25


You are screen sharing
Stop share
Enter no of rows and columns 10 26
a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
Activate Windows
Go to PC settings to activate Windows.
06:18 PM
10-Jun-25

abcd

ABCD

abcd


ABCD


```
for( r=1;r<=4;r++)
{
for(c=1;c<=4;c++)
{
if( r%2==0) p( 64+c );
else  p( 96+c );
}
p("\n");
}
```

c
1+64 A
2+64 B
3+64 C
4+64 D

1 abcd
2 ABCD
3 abcd
4 ABCD

96+1=97=a
96+2=98=b
96+3=99=c
96+4=100=d






```
for( r=1;r<=4;r++)
{  char ch=96+nc;
for(c=1;c<=4;c++)
{
if( r%2==0) p(  ch--  );
else  p( 96+c );
}
p("\n");
}
```

c

A

B

C

D

nr	nc
4	4

1 abcd

2 dcba

3 abcd

4 dcba

96+1=97=a
96+2=98=b
96+3=99=c
96+4=100=d


ch=96+4=100=dcba


abcd

dcba

abcd

dcba








AbCdEf


AbCdEf

AbCdEf


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 11 Col 68 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(c=1;c<=nr;c++)
{
if(r==c) printf("1 "); else if(r>c) printf("2 ");else printf("0 ");
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:30 PM
10-Jun-25


You are screen sharing
Stop share
Enter no of rows 10
1 0 0 0 0 0 0 0 0 0
2 1 0 0 0 0 0 0 0 0
2 2 1 0 0 0 0 0 0 0
2 2 2 1 0 0 0 0 0 0
2 2 2 2 1 0 0 0 0 0
2 2 2 2 2 1 0 0 0 0
2 2 2 2 2 2 1 0 0 0
2 2 2 2 2 2 2 1 0 0
2 2 2 2 2 2 2 2 1 0
2 2 2 2 2 2 2 2 2 1
Activate Windows
Go to PC settings to activate Windows.
06:30 PM
10-Jun-25


You are screen sharing
Stop share
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(c=1;c<=nr;c++)
{
if(r==c){ textcolor(LIGHTRED);cprintf("1 ");}
else if(r>c) {textcolor(LIGHTGREEN);cprintf("2 ");}
else {textcolor(YELLOW);cprintf("0 ");}
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:32 PM
10-Jun-25





1 0 0
1,1 1,2 1,3

2 1 0
2,1 2,2 2,3

2 2 1
3,1 3,2 3,3

```
if(  r==c ) p( 1 ); else if(r>c) p( 2 ); else p( 0 );
```


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 11 Col 14 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(c=1;c<=r;c++)
{
printf("* ");
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:36 PM
10-Jun-25




```
for( r=1;r<=4;r++)
{
for(c=1;c<=r ;c++)
{


 p(*);


}
p("\n");
}
```

```
1       *
2       * *
3       * * *
4       * * * *
```

c r

c = 1 to 1 = 1 star
c = 1 to 2 = 2 star
c = 1 to 3 = 3 star
c = 1 to 4 = 4 star


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 11 Col 46 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(c=1;c<=r;c++)
{
if((r+c)%2==0)printf("$ ");else printf("* ");
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:42 PM
10-Jun-25





```
for( r=1;r<=4;r++)
{
for(c=1;c<=r;c++)
{
 if((r+c)%2==0)p($); else p(*);


}
p("\n");
}
```


1
2
3
4


c y


c = 1 to 1 = 1 star
c = 1 to 2 = 2 star
c = 1 to 3 = 3 star
c = 1 to 4 = 4 star






You are screen sharing
Stop share
Line 17 Col 1 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,a=1; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(c=1;c<=r;c++)
{
printf("%3d",a++);
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:45 PM
10-Jun-25


You are screen sharing
Stop share
Enter no of rows 10
1
2 3
4 5 6
7 8 9 10
11 12 13 14 15
16 17 18 19 20 21
22 23 24 25 26 27 28
29 30 31 32 33 34 35 36
37 38 39 40 41 42 43 44 45
46 47 48 49 50 51 52 53 54 55
Activate Windows
Go to PC settings to activate Windows.
06:45 PM
10-Jun-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 11 Col 17 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,a; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(a=nr*(nr+1)/2, r=1;r<=nr;r++)
{
for(c=1;c<=r;c++)
{
printf("%3d",a--);
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:48 PM
10-Jun-25


You are screen sharing
Stop share
Enter no of rows 3
6
5 4
3 2 1
Activate Windows
Go to PC settings to activate Windows.
06:48 PM
10-Jun-25


You are screen sharing
Stop share
Enter no of rows 4
 10
  9 8
  7 6 5
  4 3 2 1
Activate Windows
Go to PC settings to activate Windows.
06:49 PM
10-Jun-25




```
a=1;

for( r=1;r<=4;r++)
{
for(c=1;c<=r ;c++)
{
p( a-- );


}
p("\n");
}
```


a = nr*(nr+1)/2
a = 3*4/2=6

nr=3
6
5 4
3 2 1

a = 4*5/2=10

nr=4
10
9 8
7 6 5
4 3 2 1



You are screen sharing
Stop share
Line 17 Col 15 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=nr;r>=1;r--)
{
for(c=r;c>=1;c--)
{
printf("%3d",c);
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:54 PM
10-Jun-25






```
for( r=nr; r>=1; r--)
{
for( c=r;c>=1;c--)
{
p( c );
}
p("\n");
}
```


nr	r	→ c
4	4	4 3 2 1
	3	3 2 1
	2	2 1
	1	1


4 3 2 1
3 2 1
2 1
1


You are screen sharing
Stop share
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)printf(" ");
for(c=1;c<=r;c++)
{
printf("*");
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
06:59 PM
10-Jun-25



You are screen sharing
Stop share
Enter no of rows 4
   *
  **
 ***
****
Activate Windows
Go to PC settings to activate Windows.
06:59 PM
10-Jun-25


You are screen sharing
Stop share
Enter no of rows 10
*
**
***
****
*****
******
****
****
****
****
Activate Windows
Go to PC settings to activate Windows.
07:00 PM
10-Jun-25



You are screen sharing
Stop share
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)printf(" ");
for(c=1;c<=r;c++)
{
printf("* ");
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:01 PM
10-Jun-25



You are screen sharing
Stop share
Enter no of rows 10
*
* *
* * *
* * * *
* * * * *
* * * * * *
* * * * * * *
* * * * * * * *
* * * * * * * * *
* * * * * * * * * *
Activate Windows
Go to PC settings to activate Windows.
07:01 PM
10-Jun-25

```
for( r=1; r<=nr;r++)
{
for( s=1;s<=nr-r;s++)p(" ");
```









You are screen sharing
Stop share
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)printf(" ");
for(c=1;c<=2*r-1;c++)
{
printf("*");
}
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:05 PM
10-Jun-25



You are screen sharing
Stop share
Enter no of rows 10
*
***
*****
****
****
****
****
****
****
****
Activate Windows
Go to PC settings to activate Windows.
07:06 PM
10-Jun-25


```
#include<stdio.h>
#include<conio.h>
#include<stdlib.h> /* random */
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows  "); scanf("%d",&nr);
while(!kbhit()) /* conio.h */
{
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)
{textcolor(random(16));cprintf("*");}
printf("\n");
}
}
}
```






You are screen sharing
Stop share
#include<stdio.h>
#include<conio.h>
#include<stdlib.h> /* random */
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
while(!kbhit()) /* conio.h */
{
for(r=1;r<=nr;r++)
{
textcolor(random(16));
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");
printf("\n");
}
}
}
Activate Windows
Go to PC settings to activate Windows.
07:12 PM
10-Jun-25



You are screen sharing
Stop share
****
****
****
****
****
****
*
***
*****
****
****
****
****
****
****
*
Activate Windows
Go to PC settings to activate Windows.
07:12 PM
10-Jun-25



You are screen sharing
Stop share
Line 17 Col 1 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
#include<stdlib.h> /* random */
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
while(!kbhit()) /* conio.h */
{textcolor(random(16));
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");
printf("\n");
}
}
}
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
10-Jun-25



You are screen sharing
Stop share
****
****
****
****
****
****
****
*
***
*****
****
****
****
****
****
****
****
*
Activate Windows
Go to PC settings to activate Windows.
07:13 PM
10-Jun-25



You are screen sharing
Stop share
Line 17 Col 20 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
#include<stdlib.h> /* random */
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
while(!kbhit()) /* conio.h */
{textcolor(LIGHTRED);
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");
printf("\n");
}
}
}
Activate Windows
Go to PC settings to activate Windows.
07:15 PM
10-Jun-25



You are screen sharing
Stop share
****
****
*
***
*****
****
****
*
***
*****
****
****
*
***
*****
****
****
*
Activate Windows
Go to PC settings to activate Windows.
07:15 PM
10-Jun-25



You are screen sharing
Stop share
Line 17 Col 18 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
#include<stdlib.h> /* random */
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
while(!kbhit()) /* conio.h */
{textcolor(LIGHTRED);
for(r=nr;r>=1;r--)
{
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");
printf("\n");
}
}
}
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
10-Jun-25



You are screen sharing
Stop share
***
*
****
****
*****
***
*
****
****
*****
***
*
****
****
*****
***
*
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
10-Jun-25


You are screen sharing
Stop share
***
*
****
****
*****
***
*
****
****
*****
***
*
****
****
*****
***
*
Activate Windows
Go to PC settings to activate Windows.
07:16 PM
10-Jun-25


You are screen sharing
Stop share
Line 17 Col 35 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");printf("\n");
}
for(r=nr-1;r>=1;r--)
{
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:18 PM
10-Jun-25



You are screen sharing
Stop share
Enter no of rows 4
*
***
*****
****
*****
***
*
Activate Windows
Go to PC settings to activate Windows.
07:18 PM
10-Jun-25



You are screen sharing
Stop share
Line 17 Col 2 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=nr-1;r>=1;r--)
{
for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");printf("\n");
}
for(r=1;r<=nr;r++)
{for(s=1;s<=nr-r;s++)cprintf(" ");
for(c=1;c<=2*r-1;c++)cprintf("*");printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:19 PM
10-Jun-25



You are screen sharing
Stop share
Enter no of rows 4
*****
***
*
*
***
*****
****
Activate Windows
Go to PC settings to activate Windows.
07:19 PM
10-Jun-25


```
for( r=1; r<=nr;r++)
{
for( s=1;s<=nr-r;s++)p(" ");
 for( c=1; c<=2*r-1;c++)p("*");
```









You are screen sharing
Stop share
Enter no of rows and columns 5 7
1 2 3 4 5 6 7
2 3 4 5 6 7 8
3 4 5 6 7 8 9
4 5 6 7 8 9 10
5 6 7 8 9 10 11
Activate Windows
Go to PC settings to activate Windows.
07:24 PM
10-Jun-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 1 Col 35 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int nr,r,c,s; clrscr();
printf("Enter no of rows "); scanf("%d",&nr);
for(r=1;r<=nr;r++)
{
for(s=1;s<=nr-r;s++)printf(" ");
for(c=1;c<=r;c++)printf("%d",c);
for(c=r-1;c>=1;c--)printf("%d",c);
printf("\n");
}
getch();
}
Activate Windows
Go to PC settings to activate Windows.
07:29 PM
10-Jun-25



Write a c program to print 1..n prime no's and count?

Eg: n=10 ➔ 2, 3, 5, 7 ← 4 prime no's

Write a c program to print 1..n palindrome no's and count?

Eg: 1 to 50 palindromes ➔ 1 to 9, 11, 22, 33, 44 ← 13 palindromes