




Magic characters or scan set characters:









TC
Enter a string
U entered _
You are screen sharing
Stop share
06:12 PM
18-Jun-25
TC
File Edit Run Compile Project Options Debug Break/watch
Line 7 Col 39 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); scanf("%[^.]",s);
printf("U entered %s",s);
getch();
}
You are screen sharing
Stop share
06:12 PM
18-Jun-25



TC
Enter a string
kishore
naresh it
ameerpet
hyd.
U entered
kishore
naresh it
ameerpet
hyd
You are screen sharing
Stop share
06:13 PM
18-Jun-25



TC
File Edit Run Compile Project Options Debug Break/watch
Line 7 Col 41 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); scanf("%[^A-Z]",s);
printf("U entered %s",s);
getch();
}
You are screen sharing
Stop share
06:13 PM
18-Jun-25


TC
Enter a string aryan KHAN
U entered aryan
You are screen sharing
Stop share
06:13 PM
18-Jun-25



TC
File Edit Run Compile Project Options Debug Break/watch
Line 7 Col 45 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); scanf("%[^A-Z 0-9]",s);
printf("U entered %s",s);
getch();
}
You are screen sharing
Stop share
06:14 PM
18-Jun-25


TC
Enter a string james bond 007
U entered james
You are screen sharing
Stop share
Mute
Start Video
Security
Participants
19
Chat
New share
Pause Share
Annotate
Slide Control
Apps
More
06:14 PM
18-Jun-25



TC
Enter a string Bahu Bali - 2
U entered
You are screen sharing
Stop share
06:15 PM
18-Jun-25


TC
File Edit Run Compile Project Options Debug Break/watch
Line 7 Col 37 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); scanf("%[A-Z 0-9]",s);
printf("U entered %s",s);
getch();
}
You are screen sharing
Stop share
06:16 PM
18-Jun-25



TC
Enter a string Jack Danial
U entered J
You are screen sharing
Stop share
Mute
Start Video
Security
Participants
19
Chat
New share
Pause Share
Annotate
Slide Control
Apps
More
06:16 PM
18-Jun-25



TC
File Edit Run Compile Project Options Debug Break/watch
Line 7 Col 41 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
clrscr();
printf("Enter a string "); scanf("%[^@#$]",s);
printf("U entered %s",s);
getch();
}
You are screen sharing
Stop share
06:16 PM
18-Jun-25



TC
Enter a string kishore@gmail.com
U entered kishore
You are screen sharing
Stop share
06:16 PM
18-Jun-25




Finding string length and reverse string:



TC
File Edit Run Compile Project Options Debug Break/watch
Line 13 Col 36 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
printf("Enter a string "); gets(s);
for(i=0;s[i]!='\0';i++) /* strlen() */
{
}
printf("Length=%d\n",i);
printf("Reverse ");
for(i--;i>=0;i--)printf("%c",s[i]);_
getch();
}
You are screen sharing
Stop share
06:25 PM
18-Jun-25



TC
Enter a string amar
Length=4
Reverse rama
You are screen sharing
Stop share
06:25 PM
18-Jun-25







Using strlen() and strrev():



TC
File Edit Run Compile Project Options Debug Break/watch
Line 12 Col 26 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
printf("Enter a string "); gets(s);
for(i=0;s[i];i++); /* strlen() */
printf("Length=%d\n",i);
printf("Reverse ");
for(i--;i>=0;i--)putchar(s[i]);
getch();
}
You are screen sharing
Stop share
Enter a string vijay malya
Length=11
Reverse aylam yajiv



You are screen sharing
Stop share
Enter a string RacecaR
Length=7
Reverse RacecaR
06:31 PM
18-Jun-25


You are screen sharing
Stop share
Enter a string ramu
Length=4
Reverse umar
06:31 PM
18-Jun-25





Lower to upper / upper to lower():



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 17 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
#include<string.h>
void main()
{
char s[100]; int i;
clrscr();
printf("Enter a string "); gets(s);
printf("Lower=%s\n",strlwr(s));
printf("Upper %s",strupr(s));
getch();
}


You are screen sharing
Stop share
Enter a string KisHorE
Lower=kishore
Upper KISHORE


Without using strlwr/strupr:










Read a string and replace lower / upper / digits / spaces / special char with ~ / @ / # / $ / *








Counting no of lower / upper / digits / spaces / special characters in given string?



You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 4 Col 2 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{char s[100]; int i,l,u,d,spa,spe; clrscr();
printf("Enter a string "); gets(s);
for(l=u=d=spa=spe=i=0;s[i]!='\0';i++)
{
if(s[i]>='a'&&s[i]<='z')l++;
else if(s[i]>='A'&&s[i]<='Z')u++;
else if(s[i]>='0'&&s[i]<='9')d++;
else if(s[i]==' ')spa++;
else spe++;
}
printf("%d lower,%d upper, %d digits,%d spaces, %d special",l,u,d,spa,spe);
getch();
}
06:46 PM
18-Jun-25


You are screen sharing
Stop share
Enter a string Bahu Bali - 2
6 lower,2 upper, 1 digits,3 spaces, 1 special
06:46 PM
18-Jun-25


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 1 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
printf("Enter a string "); gets(s);
for(i=0;s[i]!='\0';i++)puts(s+i);
getch();
}
06:48 PM
18-Jun-25



You are screen sharing
Stop share
Enter a string Bharathi
Bharathi
harathi
arathi
rathi
athi
thi
hi
i
06:48 PM
18-Jun-25







for(i=0;s[i]!='\0';i++) puts(s+i);

65500+0*1=65500 to \0 ==> abcd
65500+1*1=65501 to \0 ==> bcd
65500+2*1=65502 to \0 ==> cd
65500+3*1=65503 to \0 ==> d
65500+4*1=65504 = '\0' != \0 ==> false


You are screen sharing
Stop share
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 37 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i;
clrscr();
printf("Enter a string "); gets(s);
for(i=0;s[i]!='\0';i++); /* len */
for(; i>0; i--, s[i]='\0') puts(s);_
getch();
}
06:58 PM
18-Jun-25



You are screen sharing
Stop share
Enter a string Avinash
Avinash
Avinas
Avina
Avin
Avi
Av
A
06:59 PM
18-Jun-25




Creating the abbreviations?

Raudram Ranam Rudhiram ➔ R R R


Kabhi Kushi Kabhi Ghum ➔ K K K G








Finding no of words in given sentence.


Naresh it ameerpet hyd ➔ 4 words


You are screen sharing
Stop share
Line 17 Col 19 Insert Indent Tab Fill Unindent * E:6PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100]; int i,w=1;
clrscr();
printf("Enter a string "); gets(s);
for(i=0;s[i]!='\0';i++)
{
if(s[i]==' ' && s[i+1]!=' ') w++;
}
if(s[0]==' ')w--;
if(s[i-1]==' ')w--;
if(s[0]=='\0')w--;
printf("%d words",w);
getch();
}


You are screen sharing
Stop share
Enter a string
0 words



You are screen sharing
Stop share
Enter a string ram lalla
2 words
07:21 PM
18-Jun-25


You are screen sharing
Stop share
Enter a string ramleela
1 words
07:22 PM
18-Jun-25




```
if(s[0]!=' ')p(s[0]);


for( i=0; s[i]!='\0';i++)
{
if( s[i]==' '&&s[i+1]!=' ')p(s[i+1]);
}
```



Home work:

1 .

bahu bali

a 2 times

b 2 times

h 1 time

l 1 time

I 1 time

Space 1 time

U 1 time

2. finding palindrome string

Eg: liril, madam, Malayalam, nitin, level, nayan,…