

Identifiers: Identifiers are nothing but names of variables, functions, files, array, pointers etc.

Eg for variables:



Eg for functions:



Eg for files:

a.c, b.cpp, c.java, d.py, e.txt, f.html,…

Eg for array:


Int a[10]; integer array variable


Eg for pointer:

int * p ; integer pointer variable


Identifier Naming conventions [rules]:

1. Name should have to start with alphabet or underscore.



You're sharing your screen
Stop
File Edit Run Compile Project Options Debug Break/watch
Edit
Line 5 Col 2 Insert Indent Tab Fill Unindent * E:NONAME.C
#include<stdio.h>
void main()
{
int n;
}
Compiling
Main file: NONAME.C
Compiling: EDITOR → NONAME.C
Total File
Lines compiled: 217 217
Warnings: 0 0
Errors: 0 0
Available memory: 251K
Success : Press any key
Message
Activate Windows
Go to PC settings to activate Windows.
06:38 PM
09-May-25
You're sharing your screen
Stop
File Edit Run Compile Project Options Debug Break/watch
Edit
Line 4 Col 12 Insert Indent Tab Fill Unindent * E:NONAME.C
#include<stdio.h>
void main()
{
int _n;
}
Compiling
Main file: NONAME.C
Compiling: EDITOR → NONAME.C
Total File
Lines compiled: 217 217
Warnings: 0 0
Errors: 0 0
Available memory: 251K
Success : Press any key
Message
Activate Windows
Go to PC settings to activate Windows.
06:39 PM
09-May-25




2. Numbers allowed but not at first position.



3. Spaces not allowed.



4. Keywords not allowed as names.




5. Identifiers are case sensitive. i.e. lower and upper are different.


   Eg:


   Int a=10;

   Int A=45;




6. Duplicate names are not allowed in same function.


You're sharing your screen
Stop
File Edit Run Compile Project Options Debug Break/watch
Edit
Error: Redeclaration of 'x' in function main
#include<stdio.h>
void main()
{
int x=10;
int x=20;
int x=30;
printf("x=%d",x);
}
Message
Compiling E:\TC\NONAME.C:
Error E:\TC\NONAME.C 5: Redeclaration of 'x' in function main
Error E:\TC\NONAME.C 6: Redeclaration of 'x' in function main
Activate Windows
Go to PC settings to activate Windows.
06:46 PM
09-May-25
You're sharing your screen
Stop
File Edit Run Compile Project Options Debug Break/watch
Edit
Error: Redeclaration of 'x' in function main
#include<stdio.h>
void main()
{
int x=10; /* var declaration */
float x=2.5; /* dec */
printf("x=%d",x);
}
Message
Compiling E:\TC\NONAME.C:
Error E:\TC\NONAME.C 5: Redeclaration of 'x' in function main
Activate Windows
Go to PC settings to activate Windows.
06:56 PM
09-May-25




7. Special characters not allowed in names except _ .



Installing Turbo C++:

Open a browser [eg: chrome]

Type turbo c++ by akki




click on download turboc 7 by AKKI link or below link

https://turboc-7-by-akki.software.informer.com/download/

wait for the download (automatic)

click on below downloaded file




Double click on Setup_TurboC_7_v2.1.exe file


Click on yes ➔ next ➔ ➔ next ➔ ➔ next ➔ ➔ next ➔finish.

Now a blue windows called **IDE** [integrated development environment] is opened as follows.

To get full blue window press alt+Enter buttons.



Sample program:





F2 – Save [Fn+ F2]

Alt+F9 – compile or Alt+C and select compile

Ctrl+F9 – run or Alt+R and select Run

Alt+F5 – output [command prompt / console] or click Alt+W and select user screen



You're sharing your screen
Stop
Turbo c\c++ IDE for Windows 7\vista by AKKI
Welcome to C
Activate Windows
Go to PC settings to
activate Windows.



In Dev C++:

Open the browser

Type dev c++ download and press enter key




Click on Dev-C++ download link

Click on green colored download button and wait.


Click on yes ➔ install the software.

Sample program?



In Online compilers:

Open the browser and type C online compiler.



click on Online C compiler

Type the program and press Run button.

