

// shape a separate-deploy · pilot zero

# Pilot Zero Deployment Runbook

---

# Melisa • Pilot Zero Deployment Runbook

**Status:** LIVE runbook • Substantially updated 2026-07-05 with everything shipped through Wk 27.

**Owner:** Kade. **Sequencing:** Execute post-launch (Wk 2+ after Mon 13 Jul 2026 BR launch stabilises).

Pilot zero = the first hand-gloved Collective partner deployment. Purpose: prove the deployment shape end-to-end so the runbook can be tightened before onboarding partners #2-#10.

Per [POWERED\\_PLATFORM\\_BUILD\\_PLAN.md](#) §4 Phase 1: Melisa was originally scoped to run on a hand-gloved deployment with targeted branding override, before the full de-hardcode. **As of 2026-07-05 that is no longer necessary.** De-hardcode is done, tenant\_config is DB-backed with a full editor UI, custom-domain routing is shipped, per-tenant Stripe Connect + Twilio Subaccounts + Mode A+ doctrine tuning all live. Her deployment is now Shape B (single production deployment, multi-tenant), not Shape A (separate deploy).

Two hard truths ([PARTNER\\_JOURNEY.md](#)): 1. **Doctrine A + Mode A+ overlay** — she runs BR's doctrine branded as hers, with a partner-tuning overlay (voiceTone, bannedPhrases, terminologySubstitutions, coaching guidance). NOT full method-injection (Mode B). 2. **Multi-tenancy IS now product-ised** — most of the manual work from the original v0 runbook is now handled by the tenant seed SQL + the [Phase 2 Deployment Checklist](#). This runbook is now a companion, not the whole story.

Pre-built starting point: [../..../01\\_BODY\\_RECODE/06\\_SAAS\\_PLATFORM\\_BUILD/sql/2026-07-05\\_melisa\\_seed.sql](#) ships with the Collective Launch tier defaults, Yoga modality, and doctrine parameters pre-tuned for a warm/grounded/breath-forward voice. Fill placeholders + run to provision.

---

## 01 0 • Prerequisites (must be done before starting)

---

Confirm all before touching code:

- ☐ **Collective Partner Agreement + IP Licence Deed v1.0 signed** — drafts at `../legal/` (v0.1). Awaiting external lawyer review. Both must be signed together.
- ☐ **Setup fee cleared** — \$2,500 Launch tier (the Collective locked rate) invoiced + paid via Kade's Stripe
- ☐ Modality confirmed: Yoga (modality 2 — on `feature/yoga-modality` branch; merge to main before Melisa provisioning)
- ☐ Brand pack in hand (name, colours, logo variants light + dark, tagline, voice sample)
- ☐ Domain acquired + DNS access confirmed (her domain)

- ☐ **Melisa's own Stripe account** created — for her clients paying HER via Stripe Connect. Separate from Kade's Stripe.
  - ☐ **Kade's Stripe Customer + Subscription for Melisa's platform sub** — for Kade's own billing of Melisa per Agreement §6 (\$400/mo Launch tier locked for life). Stripe Customer id + Subscription id captured for licence.partnerBilling.
  - ☐ Email domain configured (Resend inbound + DKIM/SPF)
  - ☐ 1Password vault created for her credentials
  - ☐ BR launch has stabilised (Wk 2+ post 13 Jul launch, no critical incidents)
  - ☐ Yoga modality branch merged to main (currently `feature/yoga-modality` per git log)
- 

## 02 1 · Two deployment shapes — pick ONE

---

Kade's call which shape based on Melisa's scale + urgency.

### Shape A · Separate Vercel project (SIMPLER)

- Fork/branch the `body-recode-mvp` repo → `melisa-platform` (or her chosen slug)
- Separate Vercel project + separate Supabase project (fresh DB)
- Zero risk of cross-contamination with BR data
- Downside: divergent codebase — bug fixes have to be manually forwarded

### Shape B · Shared codebase + tenant-scoped deploy (CLOSER TO PHASE 2)

- Same repo, same Vercel project
- Same Supabase (data isolation via existing `coach_id` + RLS)
- Middleware routes her subdomain → her tenant context
- No config table yet (that's Phase 2) — her overrides live in an env var or hardcoded fallback file
- Downside: still have to build the middleware resolver (M effort per plan)

**Recommendation for pilot zero: Shape A.** Simplest, zero risk to BR launch stability, lets us learn what to build for Phase 2 without engineering the full multi-tenant path first.

---

## 03 2 · Provisioning steps (Shape A · separate deploy)

Ordered checklist. Each step is small — do NOT batch. Confirm each before moving to next.

### 2.1 · Fresh Supabase project

- ☐ Create new project in Supabase org (or same org — pick based on billing preference)
- ☐ Run every SQL migration in `~/Dropbox/01_BODY_RECODE/06_SAAS_PLATFORM_BUILD/sql/` in date order
- ☐ Verify auth.users table exists + RLS is enabled
- ☐ Create Melisa's coach user account manually via Supabase Auth (email + magic link)
- ☐ Note her coach\_id UUID (needed for tenant\_config seed if Phase 2 is wired)

### 2.2 · Fresh Vercel project

- ☐ Fork `body-recode-mvp` → `melisa-platform` (or her repo name)
- ☐ Switch to yoga modality branch state (merge `feature/yoga-modality` if not yet in main)
- ☐ Create new Vercel project pointing at new repo
- ☐ Connect her custom domain via Vercel (DNS setup per Vercel docs)

### 2.3 · Env vars (Melisa's Vercel project)

Set the following env vars (all differ from BR's): - [ ] `NEXT_PUBLIC_SUPABASE_URL` — her Supabase project URL - [ ] `NEXT_PUBLIC_SUPABASE_ANON_KEY` — her Supabase anon key - [ ] `SUPABASE_SERVICE_ROLE_KEY` — her Supabase service role key - [ ] `RESEND_API_KEY` — her Resend key (from her domain) - [ ] `STRIPE_SECRET_KEY` — her Stripe key - [ ] `STRIPE_WEBHOOK_SECRET` — her Stripe webhook secret - [ ] `NEXT_PUBLIC_APP_URL` — her domain - [ ] Any BR-specific env vars: set to sensible defaults or leave unset

### 2.4 · Targeted branding override (Phase 1 approach)

Update `src/config/tenant.ts` in HER repo (not BR's) with her values: - [ ] `brand.name` → her business name - [ ] `brand.nameWithMark` → her business name (with <sup>TM</sup> if trademarked) - [ ] `brand.tagline` → her tagline - [ ] `brand.logoUrlLight` → path to her logo (upload to /public/) - [ ] `brand.logoUrlDark` → dark version of her logo - [ ] `brand.apexDomain` → her domain - [ ] `brand.marketingDomain` → `https://her-domain` - [ ] `brand.performanceDomain` → same or scorecard subdomain - [ ] `brand.appDomain` → `app.her-domain` or same - [ ] `brand.supportEmail` → `info@her-domain` - [ ] `brand.replyToEmail` → `her@replies.her-domain` (Resend inbound) - [ ] `brand.fromEmail` → `her@send.her-domain` (Resend outbound) - [ ] `brand.accentColor` → her accent hex - [ ] `coach.*` → all fields with her name, email, photo URL, credentials, IG handles - [ ] `products.*` → her pricing + product names (or keep BR names under licence per her preference) - [ ]

```
licence.tenantId → her-slug - [ ] licence.poweredBy → true (if agreed) or false (if pure white-label) - [ ] modality.id → 'yoga' - [ ] modality.label → 'Yoga' - [ ] modality.doctrineMode → 'A'
```

## 2.5 · High-visibility surfaces — targeted overrides (per BUILD\_PLAN §4 Phase 1)

Where `src/config/tenant.ts` values aren't consumed yet, do a manual find+replace pass on the highest-visibility user-facing surfaces first: - [ ] From-email address in all Resend calls (grep `kade@send.bodyrecode.au`) - [ ] Logo URL in portal header (`src/app/portal/[token]/page.tsx`) - [ ] Logo URL in scorecard result page - [ ] Layout metadata: title + description + og:image (`src/app/layout.tsx`) - [ ] Homepage brand text (`src/app/page.tsx`) - [ ] Any hardcoded `Body Recode` text visible to end users on public pages

Do NOT try to override every hardcoded string this pass — only what the client and her leads will actually see. The full de-hardcode is Phase 2's L-effort work.

## 2.6 · Email deliverability

- ☐ DNS records set for her domain: SPF, DKIM, DMARC (Resend guide)
- ☐ Test send from her from-email to a fresh inbox (Gmail + Outlook)
- ☐ Verify NOT junking

## 2.7 · Stripe wiring

- ☐ Create her Stripe products matching her offer structure
- ☐ Configure webhook URL: her-domain/api/stripe/webhook
- ☐ Test a \$1 charge on a test card → verify reaches her Stripe + fires webhook

## 2.8 · Content seeding

- ☐ Import her brand voice samples into content templates
- ☐ Seed her scorecard funnel (based on BR's — her copy where different)
- ☐ Configure her modality pack settings (yoga doctrine params)
- ☐ Any partner-specific coach guidance defaults on training\_plans

---

## 04 3 · Definition of done (test end-to-end before handoff)

---

Confirm every one of these works on her live domain:

- ☐ Homepage loads with HER branding (no "Body Recode" visible above the fold)
  - ☐ Scorecard funnel: entry → quiz → submit → email report firing correctly
  - ☐ Report email: from HER from-address, with HER logo, HER voice
  - ☐ Client can sign up via portal → gets welcome email from HER
  - ☐ Foundational intake works + generates CFFS + Foundational Reading
  - ☐ Coach can approve/publish → client sees in portal
  - ☐ Weekly check-in flow works
  - ☐ Yoga session logging works (modality 2 features)
  - ☐ Payments: test client purchases her Blueprint (or equivalent) → cleared in her Stripe
  - ☐ Melisa can log in as coach → sees only her clients (not BR's)
  - ☐ Kade (as service\_role) still has admin access if needed for support
- 

## 05 4 • Training + handover (Stage 6 in PARTNER\_JOURNEY)

---

Once definition-of-done passes: - [ ] 1-hour training session: Kade walks Melisa through the dashboard, generate/approve loop, session logging - [ ] Handoff doc: credentials, how-to-approve-plans, how-to-log-sessions, how-to-add-clients, escalation contacts - [ ] Load in her first 3-5 clients as a real test - [ ] Melisa runs 1 full week solo, Kade on standby for launch-day issues

---

## 06 5 • Rollback plan (if pilot goes sideways)

---

If Melisa's deployment has critical issues that can't be resolved same-day: - [ ] Point her domain back to a "coming soon" holding page - [ ] Refund any client charges made through her platform during the incident - [ ] Document the failure mode + root cause - [ ] Rebuild plan with lessons applied

Zero data loss risk since her Supabase is separate from BR's.

---

## 07 6 • What we're LEARNING from pilot zero

---

The pilot's real deliverable is a **tightened runbook for partners #2-#10**. Track these observations during the pilot:

- Which manual override steps were most painful? (These are top priorities for Phase 2 automation)
- Which files did we miss on the branding override pass? (Add to the "definitive override list")
- How long did the whole deployment take? (Baseline for pricing + capacity planning)
- What questions did Melisa ask that suggest missing training material?
- What did SHE find confusing about the platform? (UX debt vs BR-native intuition)
- Which BR-specific hardcodes leaked past the override pass? (Feed into de-hardcode Wave 2)

After Melisa is live + stable for 30 days, use these findings to: 1. Update this runbook to v2 2. Prioritise the Phase 2 backlog based on real pain 3. Decide GO/NO-GO for partners #2-#10 onboarding

---

## 08 Related

---

- [POWERED\\_PLATFORM\\_BUILD\\_PLAN.md](#) — the full 4-phase plan this pilot is Phase 1 of
- [PARTNER\\_JOURNEY.md](#) — 8-stage partner onboarding process
- [OFFER\\_ARCHITECTURE.md](#) — pricing + agreement structure
- [YOGA\\_DOCTRINE\\_v1.md](#) — Melisa's modality pack
- `src/config/tenant.ts` (body-recode-mvp repo) — the tenant config scaffold this runbook overrides
- `sql/2026-07-01_tenant_config_schema.sql` (06\_SAAS\_PLATFORM\_BUILD/sql/) — Phase 2 DB migration (post-pilot execution)