g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD0_C17

Frequency Percent Row Pct Col Pct	Table of row by col		
	col		
row	1	2	Total
1	4	6	10
	9.52	14.29	23.81
	40.00	60.00	
	66.67	16.67	
2	2	30	32
	4.76	71.43	76.19
	6.25	93.75	
	33.33	83.33	
Total	6	36	42
	14.29	85.71	100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Odds Ratio	10.0000	1.4803	67.5536
Relative Risk (Column 1)	6.4000	1.3697	29.9048
Relative Risk (Column 2)	0.6400	0.3828	1.0700

Odds Ratio

Odds Ratio	10.0000
Asymptotic Conf Limits	
95% Lower Conf Limit	1.4803
95% Upper Conf Limit	67.5536
Exact Conf Limits	
95% Lower Conf Limit	1.0605
95% Upper Conf Limit	124.3995

Sample Size = 42

g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD1_B10

Frequency Percent Row Pct Col Pct	Table of row by col		
	col		
row	1	2	Total
1	12 27.27 66.67 54.55	6 13.64 33.33 27.27	18 40.91
2	10 22.73 38.46 45.45	16 36.36 61.54 72.73	26 59.09
Total	22 50.00	22 50.00	44 100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Odds Ratio	3.2000	0.9088	11.2679
Relative Risk (Column 1)	1.7333	0.9649	3.1137
Relative Risk (Column 2)	0.5417	0.2635	1.1134

Odds Ratio

Odds Ratio	3.2000

Asymptotic Conf Limits	
95% Lower Conf Limit	0.9088
95% Upper Conf Limit	11.2679

Exact Conf Limits	
95% Lower Conf Limit	0.7765
95% Upper Conf Limit	13.7751

Sample Size = 44

g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD1_R16

Frequency Percent Row Pct Col Pct	Table of row by col		
		col	
row	1	2	Total
1	0 0.00 0.00 0.00	3 8.82 100.00 9.68	3 8.82
2	3 8.82 9.68 100.00	28 82.35 90.32 90.32	31 91.18
Total	3 8.82	31 91.18	34 100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Relative Risk (Column 2)	1.1071	0.9866	1.2424

One or more statistics not computed -- zero cell.

Odds Ratio

Odds Ratio	0.0000

Asymptotic Conf Limits	
95% Lower Conf Limit	.
95% Upper Conf Limit	.

Exact Conf Limits	
95% Lower Conf Limit	0.0000
95% Upper Conf Limit	21.8634

Sample Size = 34

g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD3_K19

Frequency Percent Row Pct Col Pct	Table of row by col		
		col	
row	1	2	Total
1	18 36.73 72.00 69.23	7 14.29 28.00 30.43	25 51.02
2	8 16.33 33.33 30.77	16 32.65 66.67 69.57	24 48.98
Total	26 53.06	23 46.94	49 100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Odds Ratio	5.1429	1.5220	17.3775
Relative Risk (Column 1)	2.1600	1.1662	4.0006
Relative Risk (Column 2)	0.4200	0.2108	0.8368

Odds Ratio

Odds Ratio	5.1429

Asymptotic Conf Limits

95% Lower Conf Limit	1.5220
95% Upper Conf Limit	17.3775

Exact Conf Limits

95% Lower Conf Limit	1.3153
95% Upper Conf Limit	20.8329

Sample Size = 49

g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD3_L14

Frequency Percent Row Pct Col Pct	Table of row by col		
	col		
row	1	2	Total
1	1 3.45 16.67 33.33	5 17.24 83.33 19.23	6 20.69
2	2 6.90 8.70 66.67	21 72.41 91.30 80.77	23 79.31
Total	3 10.34	26 89.66	29 100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Odds Ratio	2.1000	0.1574	28.0212
Relative Risk (Column 1)	1.9167	0.2069	17.7530
Relative Risk (Column 2)	0.9127	0.6245	1.3338

Odds Ratio

Odds Ratio	2.1000

Asymptotic Conf Limits	
95% Lower Conf Limit	0.1574
95% Upper Conf Limit	28.0212

Exact Conf Limits	
95% Lower Conf Limit	0.0297
95% Upper Conf Limit	47.1224

Sample Size = 29

g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD4_B17

Frequency Percent Row Pct Col Pct	Table of row by col		
	col		
row	1	2	Total
1	0 0.00 0.00 0.00	2 5.56 100.00 6.90	2 5.56
2	7 19.44 20.59 100.00	27 75.00 79.41 93.10	34 94.44
Total	7 19.44	29 80.56	36 100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Relative Risk (Column 2)	1.2593	1.0612	1.4943

One or more statistics not computed -- zero cell.

Odds Ratio

Odds Ratio	0.0000

Asymptotic Conf Limits	
95% Lower Conf Limit	.
95% Upper Conf Limit	.

Exact Conf Limits	
95% Lower Conf Limit	0.0000
95% Upper Conf Limit	14.9327

Sample Size = 36

g013.sas:
1. proc freq exact CI for the odds ratio in each table

The FREQ Procedure

study=MOD4_B19

Frequency Percent Row Pct Col Pct	Table of row by col		
	col		
row	1	2	Total
1	38	1	39
	59.38	1.56	60.94
	97.44	2.56	
	92.68	4.35	
2	3	22	25
	4.69	34.38	39.06
	12.00	88.00	
	7.32	95.65	
Total	41	23	64
	64.06	35.94	100.00

Statistics for Table of row by col

Odds Ratio and Relative Risks

Statistic	Value	95% Confidence Limits	
Odds Ratio	278.6667	27.2958	2844.9483
Relative Risk (Column 1)	8.1197	2.8054	23.5007
Relative Risk (Column 2)	0.0291	0.0042	0.2028

Odds Ratio	
Odds Ratio	278.6667
Asymptotic Conf Limits	
95% Lower Conf Limit	27.2958
95% Upper Conf Limit	2844.9483
Exact Conf Limits	
95% Lower Conf Limit	24.0073
95% Upper Conf Limit	11765.0331

Sample Size = 64

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD0_C17

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	42
Sum of Frequencies Used	42

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	6
2	Nonevent	36

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
Effect	Test	Statistic	Exact	Mid
row	Score	6.9188	0.0214	0.0115
	Probability	0.0199	0.0214	0.0115

Exact Odds Ratios				
Parameter		Estimate	95% Confidence Limits	p-Value
row	1	9.243	1.060 124.400	0.0429

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD1_B10

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	44
Sum of Frequencies Used	44

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	22
2	Nonevent	22

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	3.3077	0.1243	0.1008
	Probability	0.0469	0.1243	0.1008

Exact Odds Ratios				
			95% Confidence	
Parameter		Estimate	Limits	p-Value
row	1	3.112	0.777 13.775	0.1243

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD1_R16

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	34
Sum of Frequencies Used	34

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	3
2	Nonevent	31

Class Level Information

Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	0.3091	1.0000	0.6244
	Probability	0.7512	1.0000	0.6244

Exact Odds Ratios

Parameter		Estimate		95% Confidence Limits		p-Value
row	1	2.716	*	0	21.863	0.7512

Note: * indicates a median unbiased estimate and a one-sided p-value.

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD3_K19

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	49
Sum of Frequencies Used	49

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	26
2	Nonevent	23

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	7.2005	0.0101	0.0071
	Probability	0.00606	0.0101	0.0071

Exact Odds Ratios				
			95% Confidence	
Parameter		Estimate	Limits	p-Value
row	1	4.955	1.315 20.833	0.0145

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD3_L14

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	29
Sum of Frequencies Used	29

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	3
2	Nonevent	26

Class Level Information

Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	0.3148	1.0000	0.7923
	Probability	0.4154	0.5153	0.3076

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	2.038	0.030	47.122	1.0000

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD4_B17

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	36
Sum of Frequencies Used	36

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	7
2	Nonevent	29

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	0.4970	1.0000	0.6778
	Probability	0.6444	1.0000	0.6778

Exact Odds Ratios					
			95% Confidence Limits		
Parameter	Estimate				p-Value
row	1	1.701	*	0 14.933	0.6444

Note: * indicates a median unbiased estimate and a one-sided p-value.

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD4_B19

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	64
Sum of Frequencies Used	64

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	41
2	Nonevent	23

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	47.5460	<.0001	<.0001
	Probability	6.11E-13	<.0001	<.0001

Exact Odds Ratios				
			95%	
Parameter	Estimate	Confidence Limits		p-Value
row	1 221.743	24.007	>999.999	<.0001

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=0

Model Information

Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	42
Sum of Frequencies Used	42

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	6
2	Nonevent	36

Class Level Information

Class	Value	Design Variables
study	MOD0_C17	
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	6.9188	0.0214	0.0115
	Probability	0.0199	0.0214	0.0115

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	9.243	1.060	124.400	0.0429

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=1

Model Information

Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	4
Number of Observations Used	4
Sum of Frequencies Read	78
Sum of Frequencies Used	78

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	25
2	Nonevent	53

Class Level Information

Class	Value	Design Variables	
study	MOD1_B10	1	
	MOD1_R16	0	
row	1	1	
	2	0	

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	2.5382	0.1447	0.1119
	Probability	0.0656	0.1447	0.1119

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	2.506	0.691	9.319	0.1888

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=3

Model Information

Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	4
Number of Observations Used	4
Sum of Frequencies Read	78
Sum of Frequencies Used	78

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	29
2	Nonevent	49

Class Level Information

Class	Value	Design Variables	
study	MOD3_K19	1	
	MOD3_L14	0	
row	1	1	
	2	0	

Exact Conditional Analysis

Exact Conditional Tests

Effect	Test	Statistic	p-Value Exact	Mid
row	Score	7.3250	0.0087	0.0058
	Probability	0.00569	0.0087	0.0058

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	4.180	1.291	14.359	0.0142

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=4

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	4
Number of Observations Used	4
Sum of Frequencies Read	100
Sum of Frequencies Used	100

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	48
2	Nonevent	52

Class Level Information

Class	Value	Design Variables	
study	MOD4_B17	1	
	MOD4_B19	0	
row	1	1	
	2	0	

Exact Conditional Analysis

Exact Conditional Tests

Effect	Test	Statistic	p-Value Exact	p-Value Mid
row	Score	41.2261	<.0001	<.0001
	Probability	1.31E-10	<.0001	<.0001

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	48.002	10.384	334.190	<.0001

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD0_C17

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	42
Sum of Frequencies Used	42

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	6
2	Nonevent	36

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	6.9188	0.0214	0.0115
	Probability	0.0199	0.0214	0.0115

Exact Odds Ratios				
			95% Confidence	
Parameter	Estimate		Limits	p-Value
row	1	9.243	1.060 124.400	0.0429

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD1_B10

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	44
Sum of Frequencies Used	44

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	22
2	Nonevent	22

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	3.3077	0.1243	0.1008
	Probability	0.0469	0.1243	0.1008

Exact Odds Ratios				
			95% Confidence	
Parameter		Estimate	Limits	p-Value
row	1	3.112	0.777 13.775	0.1243

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD1_R16

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	34
Sum of Frequencies Used	34

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	3
2	Nonevent	31

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	0.3091	1.0000	0.6244
	Probability	0.7512	1.0000	0.6244

Exact Odds Ratios					
			95% Confidence Limits		
Parameter	Estimate				p-Value
row	1	2.716	*	0 21.863	0.7512

Note: * indicates a median unbiased estimate and a one-sided p-value.

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD3_K19

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	49
Sum of Frequencies Used	49

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	26
2	Nonevent	23

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	7.2005	0.0101	0.0071
	Probability	0.00606	0.0101	0.0071

Exact Odds Ratios				
			95% Confidence Limits	
Parameter		Estimate	Limits	p-Value
row	1	4.955	1.315 20.833	0.0145

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD3_L14

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	29
Sum of Frequencies Used	29

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	3
2	Nonevent	26

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests				
			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	0.3148	1.0000	0.7923
	Probability	0.4154	0.5153	0.3076

Exact Odds Ratios				
			95% Confidence	
Parameter		Estimate	Limits	p-Value
row	1	2.038	0.030 47.122	1.0000

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD4_B17

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	36
Sum of Frequencies Used	36

Response Profile		
Ordered Value	Binary Outcome	Total Frequency
1	Event	7
2	Nonevent	29

Class Level Information		
Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	0.4970	1.0000	0.6778
	Probability	0.6444	1.0000	0.6778

Exact Odds Ratios

			95% Confidence Limits		p-Value
Parameter		Estimate			
row	1	1.701 *	0	14.933	0.6444

Note: * indicates a median unbiased estimate and a one-sided p-value.

g013.sas:
2. proc logistic, exactonly, by study

The LOGISTIC Procedure

study=MOD4_B19

Model Information

Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	64
Sum of Frequencies Used	64

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	41
2	Nonevent	23

Class Level Information

Class	Value	Design Variables
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	47.5460	<.0001	<.0001
	Probability	6.11E-13	<.0001	<.0001

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	221.743	24.007	>999.999	<.0001

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=0

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	2
Number of Observations Used	2
Sum of Frequencies Read	42
Sum of Frequencies Used	42

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	6
2	Nonevent	36

Class Level Information

Class	Value	Design Variables
study	MOD0_C17	
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	6.9188	0.0214	0.0115
	Probability	0.0199	0.0214	0.0115

Exact Odds Ratios

		95% Confidence Limits		
Parameter	Estimate			p-Value
row	1	9.243	1.060 124.400	0.0429

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=1

Model Information

Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	4
Number of Observations Used	4
Sum of Frequencies Read	78
Sum of Frequencies Used	78

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	25
2	Nonevent	53

Class Level Information

Class	Value	Design Variables	
study	MOD1_B10	1	
	MOD1_R16	0	
row	1	1	
	2	0	

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	2.5382	0.1447	0.1119
	Probability	0.0656	0.1447	0.1119

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	2.506	0.691	9.319	0.1888

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=3

Model Information	
Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	4
Number of Observations Used	4
Sum of Frequencies Read	78
Sum of Frequencies Used	78

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	29
2	Nonevent	49

Class Level Information

Class	Value	Design Variables	
study	MOD3_K19	1	
	MOD3_L14	0	
row	1	1	
	2	0	

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	7.3250	0.0087	0.0058
	Probability	0.00569	0.0087	0.0058

Exact Odds Ratios

		95% Confidence Limits		
Parameter	Estimate			p-Value
row	1	4.180	1.291	14.359	0.0142

g013.sas:
3. Homogeniety of the O.R. assumed, exactonly, by compar

The LOGISTIC Procedure

Modality=4

Model Information

Data Set	WORK.B
Response Variable (Events)	y
Response Variable (Trials)	m
Model	binary logit

Number of Observations Read	4
Number of Observations Used	4
Sum of Frequencies Read	100
Sum of Frequencies Used	100

Response Profile

Ordered Value	Binary Outcome	Total Frequency
1	Event	48
2	Nonevent	52

Class Level Information

Class	Value	Design Variables
study	MOD4_B17	1
	MOD4_B19	0
row	1	1
	2	0

Exact Conditional Analysis

Exact Conditional Tests

			p-Value	
Effect	Test	Statistic	Exact	Mid
row	Score	41.2261	<.0001	<.0001
	Probability	1.31E-10	<.0001	<.0001

Exact Odds Ratios

Parameter		Estimate	95% Confidence Limits		p-Value
row	1	48.002	10.384	334.190	<.0001