

Perfectub® by Braktub

Brand Guide

DRAFT v0.1 for Brak Tub review and approval. Logo files, palette and headline font in this guide are proposals by Bofill Technologies. *[PENDING: Brak Tub approval]*

One logo, used consistently.

Primary: full color on white

Reversed: on Ink Black

One color: black

One color: white on Perfectub Blue

Clear space & minimum size

Clear space: keep empty space on all sides at least the height of "by Braktub" (dashed box).

Minimum size: 1.25" wide in print, 150 px on screen, so "by Braktub" stays legible.

Keep the lockup: "Perfectub", the faucet-and-water "u", ® and "by Braktub" always appear together.

Don't



× **Stretch or squeeze**

× **Place on busy photos**

Don't recolor, outline, add shadows or effects, or rotate the logo.

Don't rebuild the wordmark in a font, or separate "by Braktub".

Don't use the older "BRAK TUB, Why waste the space?" mark seen in demo photos. *[PENDING: retire or keep?]*

Logo files: Brak Tub has supplied only JPG logos (white background). The transparent PNGs and the SVG on this page are RECREATIONS traced from "Perfectub_fina Clear Bkgrnd with Rl 2.jpg" by Bofill Technologies, for review only. *[PENDING: Brak Tub approval] [NEED: original vector master (AI/EPS/SVG/PDF) from the logo designer, plus the name of the "by Braktub" script font.]* Files: perfectub-logo-color / reversed / black / white-transparent.png, perfectub-logo-RECREATION-trace.svg (+ reversed).

Water blue, crisp black, lots of white.

Perfectub Blue

HEX #00ADEF
RGB 0 / 173 / 239
CMYK 100 / 28 / 0 / 6
Share ~15%

Primary. From the logo. Headline accents, numbers, bars, CTAs.

Ink Black

HEX #111111
RGB 17 / 17 / 17
CMYK 0 / 0 / 0 / 93
Share ~15%

Primary. From the logo "tub". Headlines, body text, footers.

White

HEX #FFFFFF
RGB 255 / 255 / 255
CMYK 0 / 0 / 0 / 0
Share ~55%

Background. Most of every page.

Deep Navy

HEX #003F71
RGB 0 / 63 / 113
CMYK 100 / 44 / 0 / 56
Share <5%

Secondary. Used on braktub.com. Small accents, italic callouts.

Pale Aqua

HEX #EAF7FD
RGB 234 / 247 / 253
CMYK 8 / 2 / 0 / 1
Share ~5%

Secondary tint. Callout boxes and panels.

Slate Gray

HEX #4A4A4A
RGB 74 / 74 / 74
CMYK 0 / 0 / 0 / 71
Share ~5%

Body copy and captions.

CMYK values are straight conversions from RGB, for reference only. Perfectub Blue (#00ADEF) sits very close to process cyan; ask the printer for a press proof. *[NEED: Brak's official color specs or Pantone match, if they exist]*

Contrast: set body text in Ink Black or Slate Gray on white. Use white text only on Ink Black, Deep Navy or Perfectub Blue at 14 pt and up.

Review flags: magenta #C2185B marks *[NEED]*/*[PENDING]* notes in drafts only. It is not a brand color and must be gone before release.

Geometric headlines, readable body.

HEADLINE • RECOMMENDED

Poppins

Aa Bb Cc 0123456789

SemiBold for headlines, Bold for labels. Round, geometric shapes echo the Perfectub wordmark. Free Google Font. *[PENDING: Brak approval]*

BODY • CURRENT (BRAKTUB.COM)

Open Sans

Aa Bb Cc 0123456789

Regular for body, Bold for lead-ins, Italic for captions. Already the site font. Free Google Font. Fallback: Arial.

Type scale (letter-size print)

Kicker	Poppins Bold, ALL CAPS, 8–9 pt, Perfectub Blue, +1 tracking	FOR CONTRACTORS & DEALERS
Headline	Poppins SemiBold, 21–28 pt, Ink Black	**Same 60-inch alcove.**
Subhead	Poppins SemiBold, 12–13 pt	**Why it sells**
Big number	Poppins SemiBold, 25–30 pt, Perfectub Blue	**30%**
Body	Open Sans, 9–11.5 pt, Slate Gray; bold lead-ins in Ink Black	Step out with steady balance.
Caption / note	Open Sans Italic or Regular, 7–8 pt, gray	*Dimensions in inches from Brak Tub cut sheets.*

The “by Braktub” script in the logo is part of the artwork; don't set copy in it. *[NEED: name of the logo fonts from the designer]*

Real tubs, bright and honest.



Installed hero: shows the apron, trimback wall and linear overflow.



Lifestyle install: color and fixtures, tub as the focus.



Studio product: for spec sheets and drain-handing callouts.



Demonstration: proves the step-out and shower-chair story.

Do

Show real, installed Perfectubs in bright, natural light.

Frame the apron and undercut, the flat floor, and tile meeting the tub.

Show people stepping in and out, caregivers, kids and pets: the real uses.

Keep bathrooms tidy and uncluttered; let white acrylic read as clean.

Avoid

Heavy filters, color casts, or retouching that changes the tub's shape.

AI-generated people, rooms or tubs presented as real installs.

Angles that hide the apron, or make the sides look “straight” with no undercut.

Busy backgrounds behind the logo or text.

The two hero photos above are AI-cleaned versions of Brak Tub originals (Drive: “AI Generated & Enhanced”). *[PENDING: Brak Tub approval of retouched images]*

Talk like the builders who designed it.

Brak Tub was founded by construction-industry professionals. The voice is practical and confident: plain words, real numbers, no hype.

Plain-spoken

Short sentences. Say “step in and out”, not “ingress/egress”.

Practical

Lead with what the tub does: room, balance, less water on the floor.

Confident, not clinical

A beautiful tub first; safety is built in, not bolted on.

Warm

Real life: kids, dogs, parents moving in, a long soak.

Three messages, with proof

Message	Proof points (from Brak Tub sources)	Audience
A bigger tub in the same space	30% more tub volume; standard 60" alcove; 30" or 32" wide; up to 15" bathing depth with linear overflow	Remodelers, larger bathers, design-minded buyers
Easier, steadier in and out	Patented undercut “toe-kick”; feet about 3" apart stepping out; flat bottom; shower chair sits flat and level	Aging in place, accessibility, caregivers, healthcare
Built for the trade	Full install kit; reinforced flat bottom; steel-rod back ledge; trimback wall; cut sheets	Contractors, dealers, lumber yards, architects

Lines we can use

“A safer way to bathe.” (braktub.com)

“It's all in the name.” (braktub.com)

“The day someone decided to put a shower head in a bathtub is the day the bathtub should have been re-designed, and now it is.” (Value Proposition)

“A bigger, safer bath. Same 60-inch alcove.” (flyer headline, proposed)

“Why waste the space?” (older Brak Tub tagline in demo photos) *[PENDING: keep or retire?]*

Story

Inventor Bruce Ahmes grew up around engineering; his father, Albert Ahmes, worked on the engineering effort behind the Apollo Lunar Module. Bruce asked the same question of the alcove tub: can we make this work better?

Sources: braktub.com; Perfectub Value Proposition PDF; customer profile (Oct 13, 2026); Jerry Gould and Rosemarie Torla emails (Oct 2026).

Say it this way.

Use	Avoid	Why
patented undercut; undercut apron; toe-kick instep	“straight sides”, “straight walls”, “vertical sides”	The undercut is a key, patented feature (Jerry Gould)
thin side walls; flat bottom; narrow-radius corners	“flat sides” (currently on braktub.com)	Sides aren't flat; they carry the undercut
30% more tub volume, same 60" alcove	“30% bigger tub” with no basis	Keep the claim tied to volume and footprint
easier, steadier entry and exit; a safer way to bathe	“fall-proof”, “slip-proof”, “prevents falls”, medical claims	Not a medical device; no guarantee
an alternative to a walk-in tub	calling Perfectub a walk-in tub	It is a standard alcove tub
Perfectub® (first use), then Perfectub; Brak Tub (company)	Perfect Tub, PerfecTub, Perfectub without ® on first use	Consistent naming *[PENDING: Brak Tub vs. Braktub]*
limited lifetime warranty (residential)	“lifetime warranty” on commercial jobs	Commercial installations: 1 year

Pending confirmation: don't publish without Brak Tub sign-off

Claim	Current status
ADA	Value Proposition says the 32" model “meets the ADA compliant height guidelines”. Customer profile lists ADA as open. Use “Brak Tub states…”, never “ADA certified”.
Mortar or foam bedding	Site: reinforced bottom “can eliminate the need”. Install guide: “not required, but highly recommended” on uneven floors. Never name a bedding brand: say “wet mortar bed or foam bedding.”
Drain handing	Left- and right-hand options exist (LH/RH TILT Linear photos). Handing per model/SKU not documented; BKTB-300 “right” file is titled “60x32LeftHandTub”. Meaning of “Tilt” unclear.
Balance figures	17° vs 5.5° lean and 0.306W vs 0.096W force come from Brak's center-of-gravity diagram; confirm source (patent figure?).
Floor space / price / rough-in	Site also claims “30% more floor space” (only volume used so far). Price $1,389–$1,496 may change. Above-the-floor rough version: no SKU or spec yet.