Akademija tehničko-umetničkih strukovnih studija, Odsek Visoka ICT škola, Beograd

# Dokumentacija

https://bogdanradovanovic.github.io/web\_prog1\_project/

Internet tehnologije (Web programiranje) Web programiranje 1

# Sadržaj

| Uvod                                      | 4  |
|---|----|
| Korišćene tehnologije                     | 4  |
| Opis funkcionalnosti                      | 4  |
| Template                                  | 5  |
| Organizacija                              | 6  |
| Organizaciona šema                        | 6  |
| Mapa sajta                                | 7  |
| robots.txt                                | 7  |
| Slike stranica i opisi funkcionalnosti    | 8  |
| Glavni meni (prisutan na svim stranicama) | 8  |
| index.html                                | 8  |
| devices.html                              | 10 |
| contact.html                              | 11 |
| author.html                               | 15 |
| Kodovi                                    | 16 |
| HTML                                      | 16 |
| index.html                                | 16 |
| devices.html                              | 20 |
| contact.html                              | 23 |
| author.html                               | 28 |
| CSS                                       | 32 |
| style.css                                 | 32 |
| index.css                                 | 33 |
| devices.css                               | 34 |
| contact.css                               | 35 |
| author.css                                | 36 |
| JavaScript                                | 37 |
| data.js                                   | 37 |
| navbar.js                                 | 37 |
| slider.js                                 | 40 |

| brandBanners.js | 42 |
|-----------------|----|
| devices.js      | 44 |
| contact.js      | 49 |

# Uvod

# Korišćene tehnologije

- -HTML
- -CSS
- -Bootstrap
- -JavaScript
- -JQuery
- -XML


# **Opis funkcionalnosti**

- -Dinamičko kreiranje sadržaja na osnovu postojećih podataka, posredstvom JavaScript-a. (index.html, devices.html, contact.html)
- -Sortiranje i filtriranje podata, koji će se koristiti za dinamički prikaz. (devices.html)
- -Sortiranje elemenata premeštanjem samih DOM objekata na strani. (devices.html)
- -Otvaranje galerije klikom na sliku bilo kog artikla. Galerija realizovana pomoću JQuery plugin-a. (devices.html)
- -Validacija podataka iz forme posredstvom JavaScripta-a i regularnih izraza. (contact.html)
- -Dinamičko ispisivanje podataka unetih preko forme, nakon uspešne validacije ili markiranje elemenata forme u Kojima nisu uneti validni podaci. (contact.html)

# **Template**

Nije korišćen gotov template, kao osnov za dizajn sajta.


Sav dizajn je realizovan posredstvom HTML-a, CSS-a, Bootrsap-a (Samo CSS biblioteke, bez JS-a) i dodatne CSS biblioteke za realizaciju animacije na početnoj strani (<a href="https://animate.style/">https://animate.style/</a>).



(Struktura koja predstavlja osnov svih stranica sajta.)

# Organizacija

# Organizaciona šema



## Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
      xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
            http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<!-- created with Free Online Sitemap Generator www.xml-sitemaps.com -->
<url>
  <loc>https://bogdanradovanovic.github.io/web_prog1_project/</loc>
  <lastmod>2024-02-20T07:00:14+00:00</lastmod>
  <priority>1.00</priority>
</url>
<url>
  <loc>https://bogdanradovanovic.github.io/web_prog1_project/index.html</loc>
  <lastmod>2024-02-20T07:00:14+00:00</lastmod>
  <priority>0.80</priority>
</url>
<url>
  <loc>https://bogdanradovanovic.github.io/web_prog1 project/devices.html</loc>
  <lastmod>2024-02-20T07:00:15+00:00</lastmod>
  <priority>0.80</priority>
</url>
<url>
  <loc>https://bogdanradovanovic.github.io/web_prog1_project/contact.html</loc>
  <lastmod>2024-02-20T07:00:15+00:00</lastmod>
  <priority>0.80</priority>
</url>
<url>
  <loc>https://bogdanradovanovic.github.io/web_prog1_project/author.html</loc>
  <lastmod>2024-02-20T07:00:14+00:00</lastmod>
  <priority>0.80</priority>
</url>
</urlset>
```

#### robots.txt

```
User-agent: *
Disallow:
```

# Slike stranica i opisi funkcionalnosti

### Glavni meni (prisutan na svim stranicama)




<u>Drop-down meni</u> kreiran pomoću osnovnog JQuery-a, bez korišćenja Plugin-ova. Dinamičko učitavanje podmenija JavaScript-om, na osnovu postojećih podataka. <u>Active link</u> u menije se određuje dinamički, na osnovu stranice na kojoj se korisnik nalazi.

#### index.html




<u>Slider</u> – Kreiran dinamički, JavaScript-om. Animacija realizovana JQuery-em. Setovan tajmer koji menja slide na tri sekunde. Slide se takođe menja na strelice, unapred i unazad, prilikom čega se vreme tajmera restartuje na nulu, pa će se automatska promena nastaviti na tri sekunde.



<u>Divovi</u> dinamički kreirani, na osnovu <u>kategorija</u> proizvoda. Na stranici se pojavljaju sa animacijom, tako da svi neparni "uklizavaju" u stranu sa leva na desno, dok parni divovi to čine sa suprotne strane, s desna na levo. Svaki će se pojaviti onog trenutka kada se u vidljivom delu browser-a dođe do njega. Za animaciju je korišćena CSS biblioteka (<u>https://animate.style/</u>), dok je sama funkcionalnost realizovana "native" JavaScript-om.

#### devices.html




Dinamički kreirani <u>artikli</u> na osnovu postojećih podataka. Kategorija se kreira u trenutku kreiranja artikla, ukoliko već ne postoji ta kategorija. U istom redu mogu biti samo artikli iz iste kategorije. Novi red se kreira u trenutku kada je prethodni red, koji pripada toj kategoriji, pun (sadrži tri artikla) ili kada je to prvi artikal iz svoje kategorije.

Mogu se <u>sortirati</u> po imenu (uzlazno ili silazno) i <u>filtrirati</u> po kategoriji (brendu) kojoj pripadaju. Svaka promena kriterijuma za sortiranje ili filtiranje, osvežiće prikaz artikala, uvek uzimajući u obzir i šta je izabrano kao kriterijum za sortiranje i šta kao kriterijum za filtriranje. Artikli se sortiraju i filtriraju na nivou podataka, pre prikaza, dok se kategorije sortiraju premeštanjem samih div-ova na strani. Drop-down lista filter kriterijuma je dinamički kreirana na osnovu podataka o artiklima. Klikom na bilo koju od slika, otvara se galerija koja sadrži slike svih artikala na strani, u tom trenutku. Kroz galeriju se može kretati klikovima na levoj, odnosno desnoj strani otvorene slike, ali takođe i korišćenjem strelica na tastaturi.

Za realizaciju galerije korišćen je JQuery plugin: <a href="https://lokeshdhakar.com/projects/lightbox2/">https://lokeshdhakar.com/projects/lightbox2/</a>

#### contact.html




<u>Kontakt forma</u> sa validacijom unetih podataka, pre submit-a. Tekstualna polja se proveravaju korišćenjem regularnih izraza. Padajuća lista za odabir opsega godina je dinamički kreirana.

Čekiranjem check-box polja prikazuje se inicijalno sakrivena grupa radio button-a:




Ukoliko se polje otčekira, grupa radio button-a će se opet sakriti.


Ukoliko uneti podaci nisu validni, njihova polja za unos će biti jasno označena:



Kako je poruka glavni razlog popunjavanja forme, ukoliko nije uneta, ostatak forme uopšte neće biti validiran, već će se ta greška odmah prikazati:



Ukoliko su svi podaci ispravno uneti, prikazaće se ispod forme, zajedno sa datumom i vremenom trenutka u kom je forma submit-ovana. Forma će potom biti ispražnjena i svi markeri za greške će biti uklonjeni:



### author.html



Izuzev glavnog menija, koji je prisutan na svim stranicama, ova stranica nema drugih funkcionalnosti i interaktivnih delova.

# Kodovi

#### **HTML**

#### index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="keywords" content="Apple, Iphone, Samsung, Galaxy, Huawei" />
    <meta name="description" content="Portal for all smartphone enthusiasts!"</pre>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Cosmobile</title>
    <link rel="stylesheet" type="text/css" href="assets/frameworks/bootstrap-</pre>
5.3.2-dist/css/bootstrap.css"/>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/4.1.1/animate.min.css"
    <link rel="stylesheet" type="text/css" href="assets/css/style.css">
    <link rel="stylesheet" type="text/css" href="assets/css/index.css">
</head>
<body>
  <div class="container">
    <header>
      <div class="row"></div>
      <!-- MAIN NAVIGATION -->
      <div class="row">
        <nav class="navbar navbar-expand-lg navbar-dark">
          <div class="container-fluid">
            <a class="navbar-brand" href="index.html">Cosmobile</a>
            <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNavDropdown" aria-
```

```
controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
navigation">
           <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse justify-content-end"</pre>
id="navbarNavDropdown">
           <a class="nav-link" aria-current="page"</pre>
href="index.html">Home</a>
            <a class="nav-link dropdown-toggle" href="devices.html"</pre>
role="button" data-bs-toggle="dropdown" aria-expanded="false">
               Devices
              </a>
              <!--dropdown-->
              id="dropdownSubMenu"> 
            <a class="nav-link" href="contact.html">Contact</a>
            <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
data-bs-toggle="dropdown" aria-expanded="false">
               Resources
              </a>
              <!--dropdown-->
              <1i>>
                 <a class="dropdown-item"</pre>
href="Documentation.pdf">Documentation</a>
               <
```

```
<a class="dropdown-item" href="sitemap.xml">Site Map</a>
                    <
                      <a class="dropdown-item" href="author.html">About
author</a>
                    </div>
          </div>
        </nav>
      </div>
    </header>
      <!-- SLIDER -->
      <div class="row">
          <div id="mainSlider" class="carousel slide carousel-fade" data-bs-</pre>
ride="carousel">
              <div class="carousel-inner"></div>
              <button id="btnPreviousSlide" class="carousel-control-prev"</pre>
type="button" data-bs-target="#mainSlider" data-bs-slide="prev">
                <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                <span class="visually-hidden">Previous</span>
              </button>
              <button id="btnNextSlide" class="carousel-control-next"</pre>
type="button" data-bs-target="#mainSlider" data-bs-slide="next">
                <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
                <span class="visually-hidden">Next</span>
              </button>
```

```
</div>
     </div>
     <!-- BRAND BANNERS -->
     <div class="row">
       <div class="container-fluid pt-4" id="brandsDiv"></div>
     </div>
     <!-- MESSAGE TO VISITOR -->
     <div class="row p-4 m-2 justify-content-center align-items-center"</pre>
id="msgToVisitor">
       Thank you for visiting our site!
<br/>For any question or suggestion you can contact us <a</pre>
href="contact.html">here</a>
     </div>
   </main>
   <footer class="row py-3">
     <a href="Documentation.pdf" class="nav-link px-</pre>
2">Documentation</a>
       <a href="sitemap.xml" class="nav-link px-2">Site
Map</a>
       <a href="author.html" class="nav-link px-2">About
author</a>
     © 2024, for Web programming course at <a</pre>
href="https://ict.edu.rs/" target="_blank">ICT College</a>, by Bogdan
Radovanović
   </footer>
 </div>
   <script type="text/javascript" src="assets/javascript/libs/jquery-</pre>
3.7.1.min.js"></script>
   <script type="text/javascript" src="assets/javascript/data.js"></script>
   <script type="text/javascript" src="assets/javascript/navbar.js"></script></script>
   <script type="text/javascript" src="assets/javascript/slider.js"></script>
   <script type="text/javascript"</pre>
src="assets/javascript/brandBanners.js"></script>
```

```
</body>
</html>
```

#### devices.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="keywords" content="Apple, Iphone, Samsung, Galaxy, Huawei" />
    <meta name="description" content="Portal for all smartphone enthusiasts!"</pre>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Cosmobile</title>
    <link rel="stylesheet" type="text/css" href="assets/frameworks/bootstrap-</pre>
5.3.2-dist/css/bootstrap.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/style.css">
    <link rel="stylesheet" type="text/css" href="assets/css/devices.css">
    <link rel="stylesheet" type="text/css" href="assets/plugins/lightbox2-</pre>
master/css/lightbox.css">
</head>
<body>
  <div class="container">
    <header>
      <div class="row"></div>
      <!-- MAIN NAVIGATION -->
      <div class="row">
        <nav class="navbar navbar-expand-lg navbar-dark">
          <div class="container-fluid">
            <a class="navbar-brand" href="index.html">Cosmobile</a>
            <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNavDropdown" aria-
```

```
controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
navigation">
           <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse justify-content-end"</pre>
id="navbarNavDropdown">
           <a class="nav-link" aria-current="page"</pre>
href="index.html">Home</a>
            <a class="nav-link dropdown-toggle" href="devices.html"</pre>
role="button" data-bs-toggle="dropdown" aria-expanded="false">
               Devices
              </a>
              <!--dropdown-->
              id="dropdownSubMenu"> 
            <a class="nav-link" href="contact.html">Contact</a>
            <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
data-bs-toggle="dropdown" aria-expanded="false">
               Resources
              </a>
              <!--dropdown-->
              <1i>>
                 <a class="dropdown-item"</pre>
href="Documentation.pdf">Documentation</a>
               <
```

```
<a class="dropdown-item" href="sitemap.xml">Site Map</a>
                   <
                     <a class="dropdown-item" href="author.html">About
author</a>
                   </div>
         </div>
       </nav>
     </div>
   </header>
   <main class="container-fluid my-3 py-4">
     <div id="filters" class="row justify-content-between mx-5 p-2">
       <div id="nameSort" class="col-6">
         <label for="ddlSort">Sort by: </label>
         <select class="form-select" id="ddlSort">
           <option value="0">-- select criteria --</option>
           <option value="name_asc">Name -> Ascending</option>
           <option value="name_desc">Name <- Descending</option>
         </select>
       </div>
       <div id="brandFilter" class="col-6">
         <label for="ddlFilter">Choose brand: </label>
         <select class="form-select" id="ddlFilter">
           <option value="0" selected>All brands</option>
         </select>
       </div>
     </div>
   </main>
   <footer class="row py-3">
```

```
<a href="Documentation.pdf" class="nav-link px-</pre>
2">Documentation</a>
      <a href="sitemap.xml" class="nav-link px-2">Site
Map</a>
      <a href="author.html" class="nav-link px-2">About
author</a>
     © 2024, for Web programming course at <a</pre>
href="https://ict.edu.rs/" target=" blank">ICT College</a>, by Bogdan
Radovanović
   </footer>
 </div>
   <script type="text/javascript" src="assets/javascript/libs/jquery-</pre>
3.7.1.min.js"></script>
   <script type="text/javascript" src="assets/javascript/data.js"></script>
   <script type="text/javascript" src="assets/javascript/navbar.js"></script>
   <script type="text/javascript" src="assets/javascript/devices.js"></script>
   <script type="text/javascript" src="assets/plugins/lightbox2-</pre>
master/js/lightbox.js"></script>
</body>
</html>
```

#### contact.html

```
<link rel="stylesheet" type="text/css" href="assets/css/contact.css">
</head>
<body>
  <div class="container">
   <header>
     <div class="row"></div>
     <!-- MAIN NAVIGATION -->
     <div class="row">
       <nav class="navbar navbar-expand-lg navbar-dark">
         <div class="container-fluid">
           <a class="navbar-brand" href="index.html">Cosmobile</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNavDropdown" aria-
controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
           </button>
           <div class="collapse navbar-collapse justify-content-end"</pre>
id="navbarNavDropdown">
            <a class="nav-link" aria-current="page"</pre>
href="index.html">Home</a>
              <a class="nav-link dropdown-toggle" href="devices.html"</pre>
role="button" data-bs-toggle="dropdown" aria-expanded="false">
                  Devices
                </a>
                <!--dropdown-->
                id="dropdownSubMenu">
```

```
<a class="nav-link" href="contact.html">Contact</a>
             <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
data-bs-toggle="dropdown" aria-expanded="false">
                Resources
              </a>
              <!--dropdown-->
              <a class="dropdown-item"</pre>
href="Documentation.pdf">Documentation</a>
                <1i>>
                  <a class="dropdown-item" href="sitemap.xml">Site Map</a>
                <1i>>
                  <a class="dropdown-item" href="author.html">About
author</a>
                </div>
        </div>
      </nav>
     </div>
   </header>
   <main class="container-fluid my-3 py-5 px-4">
     <h2>Contact us!</h2>
     Feel free to ask us or suggest anything. We will appreciate it! :)
```

```
<form id="form1" action="#" method="GET" name="form1" class="needs-</pre>
validation" novalidate>
        <div class="row mb-3">
          <div class="col-sm-4">
            <label for="tbEmail" class="form-label text-danger errorLabel"> *
</label>
            <label for="tbEmail" class="form-label">Email address:</label>
            <input type="email" id="tbEmail" name="tbEmail" class="form-control</pre>
inputElement" required/>
          </div>
        </div>
        <div class="row mb-3">
          <div class="col-sm-4">
            <label for="tbName" class="form-label text-danger errorLabel"> *
</label>
            <label for="tbName" class="form-label">Full name: </label>
            <input type="text" id="tbName" name="tbName" class="form-control</pre>
inputElement" required/>
          </div>
        </div>
        <div class="row mb-3">
          <div class="col-sm-4">
            <label for="tbNumber" class="form-label text-danger errorLabel"> *
</label>
            <label for="tbNumber" class="form-label">Phone number:</label>
            <input type="text" id="tbNumber" name="tbNumber" class="form-</pre>
control inputElement"/>
          </div>
        </div>
        <div class="row mb-3">
          <div class="col-sm-4" id="ageList"></div>
        </div>
        <div class="row mb-3">
          <div class="col-sm-5 form-check ms-3">
            <input type="checkbox" name="chbNotifications"</pre>
id="chbNotifications" value="Yes" class="form-check-input inputElement"/>
```

```
<label for="chbNotifications" class="form-check-label">Check for
mail notifications about new devices on our web site.</label>
          </div>
        </div>
        <div id="notificationsFrequency" class="row mb-3">
          <div class="col-sm-4">
            <span>How often would you like to be notified?</span><span</pre>
class="text-danger errorLabel"> *</span><br/>
            <input type="radio" name="rbNotifications" id="rbNotifications1"</pre>
value="Daily" class="form-check-input inputElement"/><label</pre>
for="rbNotifications1" class="form-check-label">   Daily</label><br/>><br/>
            <input type="radio" name="rbNotifications" id="rbNotifications2"</pre>
value="Weekly" class="form-check-input inputElement"/><label</pre>
for="rbNotifications2" class="form-check-label">   Weekly</label><br/>><br/>
            <input type="radio" name="rbNotifications" id="rbNotifications3"</pre>
value="Monthly" class="form-check-input inputElement"/><label</pre>
for="rbNotifications3" class="form-check-label">   Monthly</label><br/>><br/>
          </div>
        </div>
        <div class="row mb-3">
          <div class="col-sm-4">
            <label for="taNote" class="form-label text-danger errorLabel"> *
</label>
            <label for="taNote" class="form-label">Place for your message:
</label><br/>
            <textarea id="taNote" name="taNote" class="form-control</pre>
inputElement"></textarea>
          </div>
        </div>
        <input type="submit" value="Send" id="btnSend" name="btnSend"</pre>
class="btn"/>
      </form>
      <div class="row">
        <div id="infoDiv" class="col-sm-5 mt-3 ms-2 px-1 pt-3 pb-2"></div>
      </div>
```

```
</main>
   <footer class="row py-3">
     <a href="Documentation.pdf" class="nav-link px-</pre>
2">Documentation</a>>
      <a href="sitemap.xml" class="nav-link px-2">Site
Map</a>
      <a href="author.html" class="nav-link px-2">About
author</a>
     © 2024, for Web programming course at <a</pre>
href="https://ict.edu.rs/" target="_blank">ICT College</a>, by Bogdan
Radovanović
   </footer>
 </div>
   <script type="text/javascript" src="assets/javascript/libs/jquery-</pre>
3.7.1.min.js"></script>
   <script type="text/javascript" src="assets/javascript/data.js"></script>
   <script type="text/javascript" src="assets/javascript/navbar.js"></script>
   <script type="text/javascript" src="assets/javascript/contact.js"></script>
</body>
</html>
```

#### author.html

```
<link rel="stylesheet" type="text/css" href="assets/css/style.css">
   <link rel="stylesheet" type="text/css" href="assets/css/author.css">
</head>
<body>
 <div class="container">
   <header>
     <div class="row"></div>
     <!-- MAIN NAVIGATION -->
     <div class="row">
       <nav class="navbar navbar-expand-lg navbar-dark">
         <div class="container-fluid">
           <a class="navbar-brand" href="index.html">Cosmobile</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNavDropdown" aria-
controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
navigation">
             <span class="navbar-toggler-icon"></span>
           </button>
           <div class="collapse navbar-collapse justify-content-end"</pre>
id="navbarNavDropdown">
             <a class="nav-link" aria-current="page"</pre>
href="index.html">Home</a>
               <a class="nav-link dropdown-toggle" href="devices.html"</pre>
role="button" data-bs-toggle="dropdown" aria-expanded="false">
                   Devices
                 </a>
                 <!--dropdown-->
```

```
id="dropdownSubMenu"> 
            <a class="nav-link" href="contact.html">Contact</a>
            <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
data-bs-toggle="dropdown" aria-expanded="false">
               Resources
              </a>
              <!--dropdown-->
              <1i>>
                 <a class="dropdown-item"</pre>
href="Documentation.pdf">Documentation</a>
               <1i>>
                 <a class="dropdown-item" href="sitemap.xml">Site Map</a>
               <1i>>
                 <a class="dropdown-item" href="author.html">About
author</a>
               </div>
        </div>
      </nav>
    </div>
   </header>
   <main class="container-fluid my-3 p-4">
      <figure id="author" class="m-0">
         <img src="assets/images/profile_picture.jpg" alt="profile picture">
```

```
<figcaption>
                My name is Bogdan Radovanović, I was born in Jagodina in
1996.
              Graduated from gymnasium "Svetozar Marković" (Informatics
major), in my hometown
              and at this point, I'm attending <a href="https://ict.edu.rs/"
target=" blank">ICT College</a> in Belgrade.
              I am currently working at <a href="https://www.traceone.com/"
target="_blank">TraceOne</a>, as a Software Developer (Backend, .NET). <br/>
              Great enthusiast for a mind burst logical problems, on one side
of personality and nature addict, on the other. <br/>
              My life motto is: Lorem ipsum dolor sit amet, consectetur
adipiscing elit.
          </figcaption>
       </figure>
   </main>
   <footer class="row py-3">
     <a href="Documentation.pdf" class="nav-link px-</pre>
2">Documentation</a>
       <a href="sitemap.xml" class="nav-link px-2">Site
Map</a>
       <a href="author.html" class="nav-link px-2">About
author</a>
     © 2024, for Web programming course at <a</pre>
href="https://ict.edu.rs/" target="_blank">ICT College</a>, by Bogdan
Radovanović</a>
   </footer>
 </div>
   <script type="text/javascript" src="assets/javascript/libs/jquery-</pre>
3.7.1.min.js"></script>
   <script type="text/javascript" src="assets/javascript/data.js"></script>
   <script type="text/javascript" src="assets/javascript/navbar.js"></script>
</body>
</html>
```

## style.css

```
color:#fff;
body{
    font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande',
'Lucida Sans', Arial, sans-serif;
    font-weight: bold;
    font-size: medium;
    background-image: url("../images/background.jpg");
    background-size: 500px 565px;
/*MAIN MENU*/
nav{
    border-bottom-left-radius: 8px;
    border-bottom-right-radius: 8px;
    background-color: #0761a0;
.dropdown-menu-dark{
    background-color: #0761a0;
#navbarNavDropdown .dropdown-toggle::after {
    content: none;
.dropdown-menu .dropdown-menu {
    left: 100%;
    top: 0;
/*F00TER*/
footer{
    background-color: #0761a0;
    border-top-left-radius: 8px;
    border-top-right-radius: 8px;
```

```
footer ul{
    border-bottom:1px solid rgb(69, 69, 69);
}

footer .nav-link, footer p, footer a{
    color: #408fc7;
}

footer .nav-link:hover, footer a:hover{
    color: #074571;
}
```

#### index.css

```
/*SLIDER*/
#mainSlider .carousel-item {
    border-bottom-left-radius: 12px;
    border-bottom-right-radius: 12px;
    background-color: #408fc7;
#mainSlider img {
    height: 400px;
/*BRAND BANNERS*/
#brandsDiv figure {
    background-color: #408fc7;
    border-radius: 25px;
    border:5px solid #0761a0;
#brandsDiv img {
    height: 200px;
#brandsDiv figcaption{
    color: #0761a0;
   font-size: medium;
```

```
width: auto;
   text-align: justify;
}

/*MESSAGE TO VISITOR*/
#msgToVisitor{
   background-color: #408fc7;
   border-radius: 8px;
}

#msgToVisitor p{
   color: #074571;
}

#msgToVisitor a{
   color: #0761a0;
}
```

## devices.css

```
/*MAIN*/
main{
    background-color: #408fc7;
    border-radius: 8px;
}

main .card{
    border:5px solid #0761a0;
    border-radius: 8px;
    width: 65%;
    margin: 0 auto;
}

main .card-title {
    border:5px solid #0761a0;
    border-radius: 8px;
    background-color: #408fc7;
    color: #074571;
}
```

```
#filters{
    border:5px solid #0761a0;
    border-radius: 8px;
}

#filters div{
    width: min-content;
}

#filters select{
    width: min-content;
    background-color: #408fc7;
    border-color: #074571;
    font-style: italic;
}

#filters select, #filters label{
    color: #074571;
    font-weight: bold;
}
```

#### contact.css

```
main {
    background-color: #408fc7;
    border-radius: 8px;
}

main span, main label, main p, main h2, #ddlAge, #ddlAge>option, #infoDiv>ul>li
{
    color: #074571;
}

#btnSend {
    background-color: #074571;
    color: #408fc7;
    font-weight: bold;
}

#infoDiv, #notificationsFrequency, .errorLabel {
```

```
display: none;
}
#infoDiv {
   border:5px solid #074571;
   border-radius: 8px;
}
```

#### author.css

```
main {
    background-color: #408fc7;
    border-radius: 8px;
}

#author {
    display: inline-block;
}

#author img{
    float: left;
    height: 300px;
    border-radius: 8px;
    margin-right: 20px;
}

#author figcaption {
    color: #074571;
    font-size: medium;
}

#author figcaption a{
    color: #0761a0;
}
```

# **JavaScript**

### data.js

```
var brands = ["Samsung", "Apple", "Huawei"];
var devices = [
    ["Samsung", "Galaxy Note 20 Ultra 5G",
"https://fdn2.gsmarena.com/vv/pics/samsung/samsung-galaxy-note20-ultra-2.jpg",
"11"],
    ["Samsung", "Galaxy Z Flip 5G",
"https://fdn2.gsmarena.com/vv/pics/samsung/samsung-galaxy-z-flip-5g-mystic-
bronze-1.jpg", "12"],
    ["Samsung", "Galaxy A Quantum",
"https://fdn2.gsmarena.com/vv/pics/samsung/samsung-galaxy-a71-5g-1.jpg", "13"],
    ["Apple", "iPhone 12 Pro Max",
https://fdn2.gsmarena.com/vv/pics/apple/apple-iphone-12-pro-max-1.jpg", "21"],
    ["Apple", "iPhone 12 Mini", "https://fdn2.gsmarena.com/vv/pics/apple/apple-
iphone-12-mini-r1.jpg", "22"],
    ["Apple", "iPhone SE (2020)",
https://fdn2.gsmarena.com/vv/pics/apple/apple-iphone-se-2020-2.jpg", "23"],
    ["Huawei", "Mate 40 Pro+",
"https://fdn2.gsmarena.com/vv/pics/huawei/huawei-mate40-pro-plus-1.jpg", "31"],
    ["Huawei", "P30 Pro New Edition",
"https://fdn2.gsmarena.com/vv/pics/huawei/huawei-p30-pro-new-edition-2.jpg",
"32"],
    ["Huawei", "Mate Xs", "https://fdn2.gsmarena.com/vv/pics/huawei/huawei-
mate-xs-4.jpg", "33"]
];
var ageRanges = new Array ("Under 18", "18-29", "30-49", "50-69", "70+");
var monthNames = new Array ("January", "February", "March", "April", "May",
"June", "July", "August", "September", "October", "November", "December");
```

## navbar.js

```
function setActiveLink()
{
```

```
let urlParts = document.URL.split("/");
    let currentPage = urlParts[urlParts.length - 1].split("#")[0];
    let resourcePages = ["Documentation.pdf", "sitemap.xml", "author.html"];
    let menuItems = document.querySelectorAll("#navbarNavDropdown > ul > li >
a");
    for (let i = 0; i < menuItems.length; i++)</pre>
        let linkParts = menuItems[i].href.split("/");
        if(linkParts[linkParts.length -1] == currentPage)
            menuItems[i].classList.add("active");
            break;
        else if(resourcePages.includes(currentPage))
            for (const index in menuItems) {
                if(menuItems[index].textContent.toLowerCase().includes("resourc
es"))
                    menuItems[index].classList.add("active");
                    break;
            break;
function createMainMenu(devices)
    let dropdownSubMenu = document.getElementById("dropdownSubMenu");
    if (dropdownSubMenu != null)
        for (let i = 0; i < devices.length; i++)</pre>
            if(document.getElementById(devices[i][0].toLowerCase()+"Link") ==
null)
                let listElement = document.createElement("li");
```

```
listElement.classList.add("dropdown");
                listElement.id = devices[i][0].toLowerCase()+"Link";
                listElement.innerHTML = `<a class="dropdown-item dropdown-</pre>
toggle" href="devices.html#${devices[i][0]}" role="button" data-bs-
toggle="dropdown" aria-expanded="false">
                                            ${devices[i][0]}
                                        </a>
                                        <!--dropdown-->
                                        class="dropdown-menu dropdown-menu-
dark">`;
                dropdownSubMenu.appendChild(listElement);
            let secondLevelSubMenu =
document.querySelector("#"+devices[i][0].toLowerCase()+"Link > ul");
            if (secondLevelSubMenu != null)
                let subListElement = document.createElement("li");
                subListElement.innerHTML = `<a class="dropdown-item"</pre>
href="devices.html#${devices[i][0]}">${devices[i][1]}</a>`;
                secondLevelSubMenu.appendChild(subListElement);
        setActiveLink();
window.addEventListener("load", function ()
    createMainMenu(devices);
   //animation
    //low-res menu show
   $(".navbar-toggler").click(function()
        $($(this).data("bs-target")).toggle();
   });
    //sub-menu dropdown
```

```
$("#navbarNavDropdown li").hover(function()
{
    $(this).children("ul").toggle();
});
});
```

#### slider.js

```
function createSlider(devices, brands)
   let brandIndex = 0;
   for (let device of devices)
        if(brands.length > brandIndex && device[0] == brands[brandIndex])
            let carouselInner = document.querySelector("#mainSlider >
.carousel-inner");
            if(carouselInner != null)
                let slide = document.createElement("div");
                slide.classList.add("carousel-item");
                slide.innerHTML = `<a href="devices.html#${device[0]}">
                                        <img src="${device[2]}" class="d-block</pre>
mx-auto" alt="${device[0].trim()} ${device[1].trim()}">
                                    </a>`;
                carouselInner.appendChild(slide);
                brandIndex++;
   let carouselItem = document.querySelector("#mainSlider .carousel-item");
   if(carouselItem != null)
        carouselItem.classList.add("active");
function showNextSlide()
    let currentSlide = $('#mainSlider .active');
```

```
let nextSlide;
    if(currentSlide.next().length)
        nextSlide = currentSlide.next();
    else
        nextSlide = currentSlide.parent().children(':first');
    currentSlide.removeClass('active');
    nextSlide.addClass('active');
function showPreviousSlide()
    let currentSlide = $('#mainSlider .active');
    let previousSlide;
    if(currentSlide.prev().length)
        previousSlide = currentSlide.prev();
    else
        previousSlide = currentSlide.parent().children(':last');
    currentSlide.removeClass('active');
    previousSlide.addClass('active');
function restartTimer()
    clearInterval(window.sliderTimer);
    window.sliderTimer = setInterval(showNextSlide, 3000);
window.addEventListener("load", function ()
```

```
createSlider(devices, brands);

this.sliderTimer = setInterval(showNextSlide, 3000);

$('#btnNextSlide').click(() => {
    showNextSlide();
    restartTimer();
});

$('#btnPreviousSlide').click(() => {
    showPreviousSlide();
    restartTimer();
});
```

#### brandBanners.js

```
function createBrandBanners(brands)
    for (let i in brands)
        let categoryDiv = document.createElement("div");
        categoryDiv.classList.add("row");
        categoryDiv.classList.add("justify-content-center");
        let imgTag = `<img src="assets/images/brands/brand${parseInt(i)+1}.png"</pre>
class="img-thumbail float-start d-inline col-md-6 p-0"
alt="${brands[i].toUpperCase()}">`;
        let figCapTag = `<figcaption class="figure-caption float-start d-inline</pre>
text-break col-md-6 p-0">
                             Check out all ${brands[i]} phones.
                         </figcaption>`;
        let figureContent = i%2 === 0 ? imgTag+figCapTag : figCapTag+imgTag;
        categoryDiv.innerHTML = `<a href="devices.html#${brands[i]}" class="row</pre>
justify-content-center">
                                     <figure class="row col-md-6 py-3 px-5</pre>
justify-content-between align-items-center">
                                         ${figureContent}
                                     </figure>
                                 </a>`;
```

```
document.getElementById("brandsDiv").appendChild(categoryDiv);
function isInViewport(element)
    const rect = element.getBoundingClientRect();
    return (
        rect.top >= 0 &&
        rect.left >= 0 &&
        rect.bottom <= (window.innerHeight ||</pre>
document.documentElement.clientHeight) &&
        rect.right <= (window.innerWidth ||
document.documentElement.clientWidth)
    );
function brandsAnimate(brandsDiv)
    let visibleCount = 0;
    for (let i = 0; i < brandsDiv.length; i++)</pre>
        if(isInViewport(brandsDiv[i]) && brandsDiv[i].style.visibility ==
"hidden")
            brandsDiv[i].style.visibility = "visible";
            brandsDiv[i].classList.add("animate__animated");
            if(i%2==0)
                brandsDiv[i].classList.add("animate__slideInLeft")
            else
                brandsDiv[i].classList.add("animate__slideInRight");
        if(brandsDiv[i].style.visibility == "visible")
```

```
visibleCount++;
}

if(visibleCount == brandsDiv.length)
{
    document.removeEventListener("scroll", brandsAnimate);
}

window.addEventListener("load", function ()
{
    createBrandBanners(brands);
    this.brandsDiv = document.querySelectorAll("#brandsDiv > .row");
    for (let i = 0; i < brandsDiv.length; i++)
    {
        brandsDiv[i].style.visibility = "hidden";
    }
    brandsAnimate(brandsDiv);
    document.addEventListener("scroll", () => {brandsAnimate(brandsDiv)});
});
```

#### devices.js

```
function filterDevices(devices)
{
    let selectedBrand = document.getElementById("ddlFilter").value;
    if(selectedBrand != "0")
    {
        return devices.filter(device => {return device[0]==selectedBrand});
    }
    else
    {
        return devices;
    }
}
```

```
function sortDevices(devices)
    let sortCriteria = $("#ddlSort").val();
    if(sortCriteria != "0")
        let a, b;
        let brandDivs = $(".brandDiv");
        if(sortCriteria === "name_asc")
            a = 1, b = -1;
        else if(sortCriteria === "name_desc")
            a = -1, b = 1;
        brandDivs.sort(function (brand1, brand2)
            if ($(brand1).attr("id") > $(brand2).attr("id")) {return a}
            else if ($(brand1).attr("id") < $(brand2).attr("id")) {return b}</pre>
            else {return 0}
        });
        $("main").append(brandDivs);
        devices.sort(function (device1, device2)
            if (device1[1] > device2[1]) {return a}
            else if (device1[1] < device2[1]) {return b}</pre>
            else {return 0}
        });
function createCategoriesDivs(brands)
    if(brands.length > 0)
```

```
let mainElement = document.querySelector("main");
        for (const brand of brands)
            let categoryDiv = document.createElement("div");
            categoryDiv.id = brand;
            categoryDiv.className = "brandDiv";
            mainElement.appendChild(categoryDiv);
function returnDeviceCard (name, imgSrc)
    let columnElement = document.createElement("div");
    columnElement.classList.add("col");
        let cardElement = document.createElement("div");
        cardElement.classList.add("card", "h-100", "p-2");
            let galleryLink = document.createElement("a");
            galleryLink.setAttribute("href", imgSrc);
            galleryLink.setAttribute("data-lightbox", "devicesGallery");
            galleryLink.setAttribute("data-title", name);
            galleryLink.setAttribute("data-alt", name);
                let imgElement = document.createElement("img");
                imgElement.classList.add("card-img-top");
                imgElement.setAttribute("src", imgSrc);
                imgElement.setAttribute("alt", name);
            let cardBodyElement = document.createElement("div");
            cardBodyElement.classList.add("card-body", "d-flex");
                let deviceTitleElement = document.createElement("h5");
                deviceTitleElement.classList.add("card-title", "align-self-
end", "m-0", "p-3");
                let deviceTitle = document.createTextNode(name);
    deviceTitleElement.appendChild(deviceTitle);
    cardBodyElement.appendChild(deviceTitleElement);
```

```
galleryLink.appendChild(imgElement)
   cardElement.appendChild(galleryLink);
   cardElement.appendChild(cardBodyElement);
   columnElement.appendChild(cardElement);
   return columnElement;
function showDevices(devices)
   devices = filterDevices(devices);
   sortDevices(devices);
   if(devices.length > 0)
       let categoriesCounters = {};
       brands.forEach(brand =>
            document.getElementById(brand).innerHTML = "";
            categoriesCounters[brand] = 0;
        });
       let rowElement;
       for (let device of devices)
           if(categoriesCounters[device[0]]%3==0)
                if(categoriesCounters[device[0]] > 0)
                    document.querySelector("#"+device[0]+"
.newest").classList.remove("newest");
                rowElement = document.createElement("div");
                rowElement.classList.add("row", "row-cols-3", "mt-4",
'newest");
                rowElement.appendChild(returnDeviceCard(device[0]+"
"+device[1], device[2]));
                categoriesCounters[device[0]]++;
                document.getElementById(device[0]).appendChild(rowElement);
            else
```

```
rowElement = document.querySelector("#"+device[0]+" .newest");
                rowElement.appendChild(returnDeviceCard(device[0]+"
"+device[1], device[2]));
                categoriesCounters[device[0]]++;
function insertBrandFilters(brands)
    let ddlFilter = document.getElementById("ddlFilter");
    let filterOption, filterOptionText;
    for (const brand of brands)
        filterOption = document.createElement("option");
        filterOption.setAttribute("value", brand);
        filterOptionText = document.createTextNode(brand);
        filterOption.appendChild(filterOptionText);
        ddlFilter.appendChild(filterOption);
window.addEventListener("load", function ()
    createCategoriesDivs(brands);
    showDevices(devices);
    insertBrandFilters(brands);
    let ddlFilter = document.getElementById("ddlFilter");
    if (ddlFilter != null )
        ddlFilter.addEventListener("change", () => {showDevices(devices)});
   let ddlSort = document.getElementById("ddlSort");
   if (ddlSort != null)
        ddlSort.addEventListener("change", () => {showDevices(devices)});
```

```
});
```

#### contact.js

```
function createAgeSelectList(ageRanges)
   let ageList = document.getElementById("ageList");
   if(ageList != null)
       let ddList = document.createElement("select");
       ddList.setAttribute("id", "ddlAge");
       ddList.setAttribute("name", "ddlAge");
       ddList.classList.add("form-select", "inputElement");
       let ddlOption = document.createElement("option");
       ddlOption=document.createElement("option");
       ddlOption.setAttribute("value", 0);
       ddlOption.textContent = "-Select age-";
       ddList.appendChild(ddlOption);
       for (let i = 1; i < ageRanges.length; i++)</pre>
            ddlOption=document.createElement("option");
            ddlOption.setAttribute("value", ageRanges[i]);
           ddlOption.textContent = ageRanges[i];
            ddList.appendChild(ddlOption);
       let ddlLabel = document.createElement("label");
       ddlLabel.setAttribute("for", "ddlAge");
       ddlLabel.classList.add("form-label");
       ddlLabel.appendChild(document.createTextNode("Age:"));
       ageList.appendChild(ddlLabel);
       ageList.appendChild(ddList);
function emptyFormFields()
   let inputElements = document.guerySelectorAll(".inputElement");
```

```
let notificationsFrequencyDiv =
document.getElementById("notificationsFrequency");
    if(inputElements.length > 0 && notificationsFrequencyDiv != null)
        for (const inputElement of inputElements)
            let inputName = inputElement.tagName.toLowerCase();
            if(inputName == "textarea")
                inputElement.value = "";
            else if(inputName == "select")
                inputElement.value = "0";
            else
                let inputType = inputElement.getAttribute("type");
                if(inputType != null)
                    switch(inputType)
                        case "checkbox":
                        case "radio": inputElement.checked = false; break;
                        default: inputElement.value = "";
        notificationsFrequencyDiv.style.display = "none";
function printData(data)
    let infoDiv = document.getElementById("infoDiv");
    if(infoDiv != null)
```

```
infoDiv.innerHTML = "";
        let infoList = document.createElement("ul");
        let listElement;
        for(let i = 0; i < data.length; i++)</pre>
            listElement = document.createElement("li");
            listElement.appendChild(document.createTextNode(data[i]));
            infoList.appendChild(listElement);
        let dateObj = new Date();
        let dateString = `${monthNames[dateObj.getMonth()]}
${dateObj.getDate()}, ${dateObj.getFullYear()}
${dateObj.getHours()}:${dateObj.getMinutes()}:${dateObj.getSeconds()}`;
        listElement = document.createElement("li");
        listElement.appendChild(document.createTextNode("Submitted on:
"+dateString));
        infoList.appendChild(listElement);
        infoDiv.appendChild(infoList);
        infoDiv.style.display = "block";
        emptyFormFields();
function validateForm()
    let taNote = document.getElementById("taNote");
    if(taNote != null)
        let message = taNote.value;
        if (message == "")
            taNote.classList.add("border-2", "border-danger");
```

```
taNote.labels.forEach(label =>
        if(label.classList.contains("errorLabel"))
            label.style.display = "inline-block";
    });
    return false;
else
    const regEmail = /^[\w\d\._-]{3,}@\w{3,}(\.\w{2,3})+$/;
    const regName = /^[A-Z][a-z]\{2,\}(\s[A-Z][a-z]\{2,\})+\$/;
    const regNumber = /^06([0-6]|9)\d{6,7};
   let invalidInputs = new Array();
   let validData = new Array();
   //Email check
   let tbEmail = document.getElementById("tbEmail");
   if(tbEmail != null)
        let email = tbEmail.value.trim();
        if(regEmail.test(email))
            validData.push("Email address: "+email);
            tbEmail.classList.remove("border-2", "border-danger");
            tbEmail.labels.forEach(label =>
                if(label.classList.contains("errorLabel"))
                    label.style.display = "none";
            });
        else
            invalidInputs.push(tbEmail);
```

```
let tbName = document.getElementById("tbName");
if(tbName != null)
    let name = tbName.value.trim();
    if(regName.test(name))
        validData.push("Full name: "+name);
        tbName.classList.remove("border-2", "border-danger");
        tbName.labels.forEach(label =>
            if(label.classList.contains("errorLabel"))
                label.style.display = "none";
        });
    else
        invalidInputs.push(tbName);
//Number check
let tbNumber = document.getElementById("tbNumber");
if(tbNumber != null)
    let number = tbNumber.value.trim();
    if(number != "")
        if(regNumber.test(number))
            validData.push("Phone number: "+number);
            tbNumber.classList.remove("border-2", "border-danger");
            tbNumber.labels.forEach(label =>
                if(label.classList.contains("errorLabel"))
                    label.style.display = "none";
```

```
});
        else
            invalidInputs.push(tbNumber);
    else
        tbNumber.classList.remove("border-2", "border-danger");
        tbNumber.labels.forEach(label =>
            if(label.classList.contains("errorLabel"))
                label.style.display = "none";
        });
//Age check
let ddlAge = document.getElementById("ddlAge");
if(ddlAge != null)
    if(ddlAge.value != "0")
        validData.push("Age: "+ddlAge.value);
let chbNotifications = document.getElementById("chbNotifications");
let notifications = "No";
if(chbNotifications != null)
    if (chbNotifications.checked && document.form1 != undefined)
        //Notifications frequency check
        let rbNotifications = document.form1.rbNotifications;
        if(rbNotifications != undefined)
```

```
if(rbNotifications.value != "")
                            let rbErrorLabel =
document.querySelector("#notificationsFrequency .errorLabel");
                            if(rbErrorLabel != null)
                                 rbErrorLabel.style.display = "none";
                            for (let i = 0; i < rbNotifications.length; i++)</pre>
                                 rbNotifications[i].labels[0].classList.remove("
text-danger-emphasis");
                                 rbNotifications[i].classList.remove("border-2",
"border-danger");
                                 if (rbNotifications.value ==
rbNotifications[i].value)
                                     notifications = "Yes - " +
rbNotifications[i].value;
                            validData.push("Notifications: "+notifications);
                        else
                            for (var i = 0; i < rbNotifications.length; i++)</pre>
                                 invalidInputs.push(rbNotifications[i]);
                else
                    validData.push("Notifications: "+notifications);
```

```
validData.push("Message: "+message);
            taNote.classList.remove("border-2", "border-danger");
            taNote.labels.forEach(label =>
                if(label.classList.contains("errorLabel"))
                    label.style.display = "none";
            });
            console.log(validData);
            console.log(invalidInputs);
            //Final check
            if (invalidInputs == 0)
                printData(validData);
                return false;
            else
                for (let i = 0; i < invalidInputs.length; i++)</pre>
                    if(invalidInputs[i].name != "rbNotifications")
                        invalidInputs[i].labels.forEach(label =>
                            if(label.classList.contains("errorLabel"))
                                 label.style.display = "inline-block";
                        });
                    else
                        invalidInputs[i].labels[0].classList.add("text-danger-
emphasis");
                        let rbErrorLabel =
document.querySelector("#notificationsFrequency .errorLabel");
```

```
if(rbErrorLabel != null)
                            rbErrorLabel.style.display = "inline";
                    invalidInputs[i].classList.add("border-2", "border-
danger");
                return false;
        return false;
window.addEventListener("load", function ()
    createAgeSelectList(ageRanges);
    $("#chbNotifications").change(function()
        $("#notificationsFrequency").toggle();
    });
    document.getElementById("form1").onsubmit = validateForm;
```