

ВИСОКА ШКОЛА СТРУКОВНИХ СТУДИЈА
ЗА ИНФОРМАЦИОНЕ И КОМУНИКАЦИОНЕ ТЕХНОЛОГИЈЕ

ИНТЕРНЕТ ТЕХНОЛОГИЈЕ

**“Апликација за стоматолошку ординацију са
резервацијом термина”
WEB АПЛИКАЦИЈА У LARAVEL ОКРУЖЕЊУ
З а в р ш н и р а д**

Ментор:

Др Ненад Којић, дипл. инж.

Студент:

Богдан Вујновић 93/21

Београд, 2026.

ВИСОКА ШКОЛА СТРУКОВНИХ СТУДИЈА
ЗА ИНФОРМАЦИОНЕ И КОМУНИКАЦИОНЕ ТЕХНОЛОГИЈЕ

ИНТЕРНЕТ ТЕХНОЛОГИЈЕ

Предмет: Web програмирање PHP2

Тема: : **Web апликација стоматолошке ординације са резервацијом термина реализована у Laravel**

Оцена ____ (_____)

Чланови комисије:

Садржај

1 УВОД.....	9
2 РАДНО ОКРУЖЕЊЕ.....	11
3 ОРГАНИЗАЦИЈА САЈТА	12
3.1 Шема страница и подела апликације.....	12
3.2 Клијентска апликација	13
3.2.1 Home.....	13
3.2.2 About Us.....	14
3.2.3 Our Team	15
3.2.4 Our Team – Single.....	16
3.2.5 Dental Tourism	18
3.2.6 Our Services.....	20
3.2.7 Појединчане услуге	21
3.2.7.1 Endodontics.....	22
3.2.7.2 Periodontology	23
3.2.7.3 Implantology	24
3.2.7.4 Orthodontics.....	25
3.2.7.5 Oral surgery.....	26
3.2.7.6 Pediatric Dentistry.....	27
3.2.7.7 Teeth Whitening.....	28
3.2.8 Contact Us.....	29
3.2.9 Appointment	30
3.2.10 Appointments.....	35
3.2.11 Login.....	37
3.2.12 Register	39
3.3 Администрациона апликација.....	41
3.3.1 Login.....	41
3.3.2 Appointments.....	42
3.3.3 Availabilities.....	48
3.3.4 Categories	49
3.3.5 Dentists	50
3.3.6 Patients.....	53
3.3.7 Services.....	55
3.3.8 Surgery Chairs	56
3.3.9 User Accounts.....	57
4 КОДОВИ.....	59
4.1 Клијентска апликација	59

4.1.1	Controllers	59
4.1.1.1	FrontController.php	59
4.1.1.2	AuthController.php	60
4.1.1.3	AjaxController.php	62
4.1.2	Requests	63
4.1.2.1	BookAppointmentRequest.php	63
4.1.2.2	UserLoginRequest.php	64
4.1.2.3	UserRegisterRequest.php	65
4.1.3	Services	65
4.1.3.1	Functions.php	65
4.1.4	Components	67
4.1.4.1	SingleTeamMember.php	67
4.1.5	Views	67
4.1.5.1	Components	67
4.1.5.1.1	single-team-member.blade.php	67
4.1.5.2	Fixed	68
4.1.5.2.1	head.blade.php	68
4.1.5.2.2	preloader.blade.php	69
4.1.5.2.3	header.blade.php	69
4.1.5.2.4	page-header.blade.php	70
4.1.5.2.5	footer.blade.php	71
4.1.5.2.6	script.blade.php	72
4.1.5.3	Layouts	73
4.1.5.3.1	layout.blade.php	73
4.1.5.3.2	single-service-layout.blade.php	73
4.1.5.4	Pages/Main	75
4.1.5.4.1	home.blade.php	75
4.1.5.4.2	about.blade.php	86
4.1.5.4.3	team.blade.php	96
4.1.5.4.4	team-single.blade.php	96
4.1.5.4.5	tourism.blade.php	99
4.1.5.4.6	services.blade.php	106
4.1.5.4.7	contact.blade.php	109
4.1.5.4.8	appointment.blade.php	111
4.1.5.5	Pages/Services	115
4.1.5.5.1	endodontics.blade.php	115
4.1.5.5.2	implantology.blade.php	118

4.1.5.5.3	oral-surgery.blade.php	122
4.1.5.5.4	orthodontics.blade.php	126
4.1.5.5.5	pediatric-dentistry.blade.php.....	130
4.1.5.5.6	periodontology.blade.php.....	131
4.1.5.5.7	teeth-whitening.blade.php.....	135
4.1.5.6	Pages/Auth	139
4.1.5.6.1	login.blade.php.....	139
4.1.5.6.2	register.blade.php	141
4.1.5.7	Pages/Special	142
4.1.5.7.1	appointments.blade.php	142
4.1.5.8	Partials.....	143
4.1.5.8.1	cancel-appointment-modal.blade.php	143
4.1.5.8.2	our-counter.blade.php	144
4.1.5.8.3	our-team.blade.php	145
4.1.5.8.4	testimonials.blade.php.....	146
4.1.5.8.5	why-choose-us.blade.php.....	149
4.1.5.9	Livewire	152
4.1.5.9.1	appointments-list.blade.php	152
4.1.6	Livewire.....	152
4.1.6.1	AppointmentsList.php.....	152
4.1.7	Columns	153
4.1.7.1	CancelAppointmentColumn.php.....	153
4.1.8	Custom Javascript.....	154
4.1.8.1	appointments.js	154
4.1.9	CSS	156
4.1.9.1	custom.css	156
4.2	Администрациона апликација.....	156
4.2.1	(Filament) Resources	156
4.2.1.1	Appointments	156
4.2.1.1.1	AppointmentResource.....	156
4.2.1.1.2	AppointmentsTable.php.....	157
4.2.1.1.3	AppointmentForm.php.....	159
4.2.1.1.4	CreateAppointment.php	162
4.2.1.1.5	ListAppointments.php.....	163
4.2.1.2	Availabilities	163
4.2.1.2.1	AvailabilityResource.php.....	163
4.2.1.2.2	AvailabilitiesTable.php	164

4.2.1.2.3 AvailabilityForm.php	165
4.2.1.2.4 CreateAvailability.php	165
4.2.1.3 Categories.....	166
4.2.1.3.1 CategoryResource.php	166
4.2.1.3.2 CategoriesTable.php	167
4.2.1.3.3 CategoryForm.php	168
4.2.1.3.4 CreateCategory.php.....	168
4.2.1.4 Dentists.....	169
4.2.1.4.1 DentistResource.php	169
4.2.1.4.2 DentistsTable.php	170
4.2.1.4.3 DentistForm.php	171
4.2.1.4.4 CreateDentist.php.....	171
4.2.1.5 Patients	172
4.2.1.5.1 PatientResource.php.....	172
4.2.1.5.2 PatientsTable.php	173
4.2.1.5.3 PatientForm.php.....	174
4.2.1.5.4 CreatePatient.php	175
4.2.1.6 Services	176
4.2.1.6.1 ServiceResource.php.....	176
4.2.1.6.2 ServicesTable.php	177
4.2.1.6.3 ServiceForm.php	178
4.2.1.7 SurgeryChairs.....	178
4.2.1.7.1 SurgeryChairResource.php	178
4.2.1.7.2 SurgeryChairsTable.php	179
4.2.1.7.3 SurgeryChairForm.php	180
4.2.1.8 Users.....	180
4.2.1.8.1 UserResource.php	180
4.2.1.8.2 UsersTable.php	181
4.2.1.8.3 UserForm.php	182
4.2.2 Providers	183
4.2.2.1 AppServiceProvider.php.....	183
4.2.2.2 Filament/AdminPanelProvider.php	184
4.3 Серверска апликација (сервер ↔ база података)	185
4.3.1 Код за аутоматско ажурирање готових термина (console.php)	185
4.3.2 Models	185
4.3.2.1 Appointment.php	185
4.3.2.2 AppointmentStatus.php.....	187

4.3.2.3 Availability.php	187
4.3.2.4 BusinessHour.php	188
4.3.2.5 Category.php	188
4.3.2.6 Dentist.php	188
4.3.2.7 Hour.php	190
4.3.2.8 Page.php	191
4.3.2.9 Patient.php	191
4.3.2.10 Role.php	192
4.3.2.11 Service.php	193
4.3.2.12 SurgeryChair.php	193
4.3.2.13 User.php	193
4.3.3 Migrations	195
4.3.3.1 create_roles_table.php	195
4.3.3.2 create_patients_table.php	195
4.3.3.3 create_users_table.php	196
4.3.3.4 create_dentists_table.php	197
4.3.3.5 add_fk_user_id_column_to_patients_table.php	198
4.3.3.6 create_categories_table.php	198
4.3.3.7 create_services_table.php	199
4.3.3.8 create_availabilities_table.php	199
4.3.3.9 create_hours_table.php	200
4.3.3.10 create_appointment_statuses_table.php	201
4.3.3.11 create_appointments_table.php	201
4.3.3.12 create_surgery_chairs_table.php	202
4.3.3.13 create_business_hours_table.php	203
4.3.3.14 create_pages_table.php	204
4.3.3.15 create_sessions_table.php	205
4.3.3.16 create_cache_table.php	206
4.3.4 Factories	206
4.3.4.1 AppointmentFactory.php	206
4.3.4.2 PatientFactory.php	207
4.3.4.3 UserFactory.php	208
4.3.5 Seeders	209
4.3.5.1 DatabaseSeeder.php	209
4.3.5.2 CategorySeeder.php	209
4.3.5.3 ServiceSeeder.php	210
4.3.5.4 DentistSeeder.php	212

4.3.5.5 UserSeeder.php	215
4.3.5.6 AppointmentSeeder.php.....	215
5 ДИЗАЈН БАЗЕ ПОДАТАКА.....	217
6 ЗАКЉУЧАК	218
7 ЛИТЕРАТУРА.....	219

1 УВОД

У тренутно водећим земљама света може се уочити тренд међу стоматолошким ординацијама, већина њих користи софтверско решење за резервацију и организацију термина. Са повећањем пацијената и запослених комплексност праћења распореда стоматолога постаје све већа. Велике ординације, са више хиљада пацијената годишње, су приморане на унапређење свог пословања кроз софтверско решење које омогућава једноставно заказивање преко интернета - са аутоматском провером заузетости стоматолога и централизованом електронском базом свих предстојећих термина. Губи се потреба за папиролошком или алтернативном евиденцијом термина, као и за преглед распореда пре заказивања сваког термина.

Овај пројекат треба да пружи такво решење које омогућава стоматолошкој ординацији прелазак на модеран електронски начин пословања. Софтверско решење треба да пружи погодности као што су централизована база терминима и пацијената са лакоом претрагом. Јасно се може видети распоред сваког зубара, сви његови термини, пацијент с ким ће радити, када је заузет и када је слободан. Ординацији ће бити пружена могућност додавања нових услуга и стоматолога како унапређује своје технолошке могућности и стручни тим. Апликација ће омогућити и одлазак стоматолога на одсуствовање (као што је годишњи одмор), са интервалом од ког до ког датума пацијент, и ординација, није у могућности да резервише термине код њега.

Поред погодности за ординацију систем ће омогућити пацијенту да прегледа све своје прошле и предстојеће термине и откаже свој термин уз пропратну поруку за стоматолошку ординацију. Да би посетилац сајта заказао термин прво мора извршити регистрацију, по успешној регистрацији корисник добија налог с којим може резервисати термине, а његови подаци ће се сачувати у бази пацијената.

Администрационом делу апликације може приступити искључиво администратор. За администрациони део апликације коришћен је *Filament* - технологија у оквиру *Laravel* окружења која уклања потребу за писањем *CRUD* операција кроз комуникацију са претходно дефинисаним *Eloquent* моделима. Технологија је обимна и у почетку изазовна, али када се савлада може знатно убрзати стварање апликације. *Eloquent* моделе конвертује у Ресурсе (енг. *Resources*). Свака табела у бази података представља један ресурс који подразумевано има 3 странице – табелу (приказ редова у бази), форму за креирање записа (eng. *record*) и форму за мењање записа. Кроз надређивање наслеђених метода (енг. *method override*) можемо прилагодити процес креирања, мењања, приказивања и брисања записа у табели по потреби. Процес креирања и мењања записа ће више пута морати да се измени у прављењу ове апликације како би дошли до жељеног резултата.

Поред наведеног, постоје и специфични проблеми и захтеви са којима се софтвер за резервацију термина сусреће у стоматолошкој ординацији:

- 1) Број столица у ординацији – Термин није увек заузет када постоји један пацијент који долази у то време. Заузетост термина зависи и од тога колико операционих столица постоји у ординацији. Ако имамо 4 столице, то значи да ординација може истовремено прихватити до 4 пацијента за неки термин. Ординација треба да има могућност да повећа број доступних операционих столица за заказивање у складу са својим проширењем.

- 2) Заузетост стоматолога – Један стоматолог не може радити на два пацијента истовремено. Два пацијента не могу да резервишу термин у исто време код њега. Тако, при провери доступности једног термина постоје најмање 3 провере: да ли су све операционе столице већ попуњене, да ли стоматолог већ има заказаног пацијента и да ли је стоматолог одсутан у том периоду.
- 3) Комплексност услуга – Већина пацијента није довољно стручна да зна називе свих услуга које ће радити код стоматолога. Овакво знање може поседовати само стоматолог. Већина софтвера за стоматолошке ординације то решава овако: омогућити пацијенту самосталну резервацију само првих, почетних, једноставнијих, услуга (које трају 1 термин) као што су консултације, вађење млечног зуба, скенирање и слично. Након првог термина, стоматолог ће кроз администрациони део апликације, у договору са пацијентом, резервисати термин и доделити одговарајућу услугу.
- 4) Услуга може потрајати дуже од једног термина – Одређене услуге, као што су неке операције, не могу бити завршене у року од 1-ог термина (сат времена). Приликом одабира услуге и резервације стоматолог ће моћи да одреди да ће пацијентов термин заправо трајати више сати (више термина).

2 РАДНО ОКРУЖЕЊЕ

Развојно окружење:


- PhpStorm
Представља један од најпознатијих развојних окружења. Програмеру који га користи пружа велики број олакшица и може знатно убрзати рад.
- Herd
Специјални алат за хостинг на локалној мрежи. Покреће сопствени виртуелни сервер на ком се покрећу *Laravel* апликације. Пружа број модернијих функционалности у односу на *XAMPP*, али је из тог разлога и комплекснији.
- phpMyAdmin
Софтверски алат написан у *PHP* језику који омогућава администрацију и стварање базе података кроз веб интерфејс. У овом пројекту *phpMyAdmin* је покренут преко *Herd*-а.

Технологије, и библиотеке, коришћене у пројекту:

- Laravel (v.12)
Напредно *PHP* окружење (енг. *framework*) са изузетно великим бројем функционалности.
- Filament
Full-stack UI подокружење у оквиру *Laravel*-а. Заснован на *LiveWire* функционалностима уз довољно додатних функционалности да се и сам подразумева за окружење.
- LiveWire
Подокружење за *Laravel* које омогућава back-end девелоперима да кроз *PHP* дизајнирају динамички клијентски део (енг. *front-end*) апликације, кроз разне компоненте и класе.
- PHP
Језик на ком су заснована сва три наведена окружења и серверски језик који је због својих напредних могућности, једноставног коришћења и градитеља сајтова (као што је *WordPress*) заузео место убедљиво најкоришћенијег језика на вебу.
- HTML
Примењена је „*premium*” тема за сам изглед клијентског дела апликације. Она представља већину *HTML*-а.
- CSS
Html тема је пропраћена са одговарајућим *CSS* фајловима. По потреби ови фајлови су били усклађивани.
- JavaScript
Поред *JavaScript*-а који долази уз наведену тему за саму резервацију термина од стране пацијента је коришћен и *AJAX* за ажурирање странице у складу са његовим изборима.
- Bootstrap
CSS библиотека за лакше дизајнирање привлачног и респонзивног сајта или апликације кроз своју велику базу предефинисаних *CSS* класа.
- MySQL
Програмски језик за упите и наредбе над базом података. У овом пројекту је примењена *MySQL* база података.

3 ОРГАНИЗАЦИЈА САЈТА

3.1 Шема страница и подела апликације




Слика 3.1 – Блок шема апликације

На слици изнад (слика 3.1) приказана је блок пема апликације. Нису приказане све CRUD странице за администрациони део апликације.

3.2 Клијентска апликација


3.2.1 Home



Слика 3.2.1а – Home страница


На слици изнад (слика 3.2.1а), можемо видети горњи део почетне странице сајта стоматолошке ординације. На овој, као и на осталим страницама клијентског сајта, се понавља горња „трака“ са везом ка страници *Login*. А навигациони мени се учитава динамички из базе података. Како је сама страница доста дугачка нећемо је овде изложити целу.

Испод (слика 3.2.1б) можемо видети изглед компоненте *Our Team*. Она динамички учитава прва 4 стоматолога. Они се могу сортирати кроз администрациони део по редоследу који додели сама ординација (поглавље 3.3.5).



Слика 3.2.16 – *Our Team* компонента

3.2.2 About Us



+ ABOUT US


Your Journey to a Healthier Smile Begins Here

The goal of our clinic is to provide friendly, caring dentistry and the highest level of general, cosmetic, and specialist dental treatments. With dental

Слика 3.2.2 – *About Us* страница

Презентациона страница која говори о стоматолошкој ординацији – зашто баш они и како помажу пацијентима. Ова страница се такође учитава динамички, и поседује исту компоненту *Our Team* (погледати поглавље 3.2.1) као и почетна страница.

3.2.3 Our Team




Слика 3.2.3 – *Our Team* страница

Ово је динамичка страница која учитава стоматологе из базе података. Што омогућава ординацији да лако регулише свој стручни састав, додавањем и избацивањем стоматолога из апликације. Сваки стоматолог представља по једну картицу. Такође, на


слици изнад (слика 3.2.3) се по први пут може видети и цео изглед једне странице. У следећем поглављу (поглавље 3.2.4) ћемо видети и приказ појединачног стоматолога.

3.2.4 Our Team – Single




Слика 3.2.4а – *Our Team – Single* страница

Овде можемо видети више различитих података, као што су: име стоматолога, кратак уводни опис, биографија, додатне информације, слика и друго. Сви ови подаци се могу дефинисати или променити у администрационом делу апликације. Изнад (слика 3.2.4а) је приказан случај када су стоматологу испасни сви од понуђених поља, а испод (слика 3.2.4б) можемо видети, када то није случај, како се другачије приказује страница.



Слика 3.2.4б – *Our Team – Single* када стоматологу нису дефинисана сва понуђена поља

3.2.5 Dental Tourism




Слика 3.2.5а – *Dental Tourism* страница

Презентациона страница ординације која има за циљ да подстакне долазак нових пацијената из других земаља. Ординација ће се побринути око организовања смештаја за пацијента и пружиће им комплетну услугу у неколико термина.

На слици испод (слика 3.2.5б) се такође види *JS* галерија чији код долази уз тему.




Слика 3.2.5б – Галерија слика



Слика 3.2.5ц – Преглед једне слике из Галерије

3.2.6 Our Services




Слика 3.2.6 – *Our Services* страница

На страници *Services*, се приказују све врсте услуга које ординација пружа у виду картица (слика 3.2.6). Кликом на неку од њих (услуга) можемо детаљније прочитати о њој (поглавље 3.2.7).

3.2.7 Појединчане услуге


Свака од услуга има своју страницу. Ове странице, се не учитавају са подацима из базе података - да би се сачувала комплетна слобода за дизајнирањем страница које могу бити различите. Али, ипак све услуге примењују исти *layout* који дели страницу на *sidebar* и страницу услуге (слика 3.2.7).

У даљим листовима можемо видети све услуге које се налазе на сајту и њихове странице.



Слика 3.2.7 – *Sidebar* услуга


3.2.7.1 Endodontics



Слика 3.2.7.1 – *Endodontics* страница услуге

Информативна страница услуге *Endodontics*. Она се учитава динамички као засебан *view*. На дну постоји *FAQ* секција која помаже за *SEO*. Овде (слика 3.2.7.1) приказујемо само горњи део странице.


3.2.7.2 Periodontology



Слика 3.2.7.2 – *Periodontology* страница услуге

Информативна страница услуге *Periodontology*. Она се читава динамички као засебан *view*. На дну постоји *FAQ* секција која помаже за *SEO*. Овде (слика 3.2.7.2) приказујемо само горњи део странице.

3.2.7.3 Implantology



Слика 3.2.7.3 – *Implantology* страница услуге

Информативна страница услуге *Implantology*. Она се учитава динамички као засебан *view*. На дну постоји *FAQ* секција која помаже за *SEO*. Овде (слика 3.2.7.3) приказујемо само горњи део странице.


3.2.7.4 Orthodontics



Слика 3.2.7.4 – *Orthodontics* страница услуге

Информативна страница услуге *Orthodontics*. Она се читава динамички као засебан *view*. На дну постоји *FAQ* секција која помаже за *SEO*. Овде (слика 3.2.7.4) приказујемо само горњи део странице.


3.2.7.5 Oral surgery



Слика 3.2.7.5 – *Oral Surgery* страница услуге

Информативна страница услуге *Oral Surgery*. Она се читава динамички као засебан *view*. На дну постоји *FAQ* секција која помаже за *SEO*. Овде (слика 3.2.7.5) приказујемо само горњи део странице.

3.2.7.6 Pediatric Dentistry



Слика 3.2.7.6 – *Pediatric Dentistry* страница услуге

Информативна страница услуге *Pediatric Dentistry*. Она се учитава динамички као засебан *view*. Овде (слика 3.2.7.6) приказујемо само горњи део странице. Као и за остале услуге, све слике поседује *alt* тагове чиме побољшавамо *SEO*.


3.2.7.7 Teeth Whitening



Слика 3.2.7.7 – *Teeth Whitening* страница услуге

Информативна страница услуге *Teeth Whitening*. Она се читава динамички као засебан *view*. На дну постоји *FAQ* секција која помаже за *SEO*. Овде (слика 3.2.7.7) приказујемо само горњи део странице.


3.2.8 Contact Us



Слика 3.2.8 – *Contact Us* страница

На овој једноставној страници корисник, односно пацијент, може лако доћи до контакт података као и до адресе где се ординација налази.

3.2.9 Appointment




Слика 3.2.9а –Appointment страница за неауторизоване кориснике

Ово је главна страница на клијентском делу апликације. Да би се приступило форми за заказивање (слика 3.2.9б) потребно је да посетилац буде ауторизован.

The screenshot shows the 'Book Appointment' form. It has a '+ BOOKING' link and the heading 'Book Appointment'. The form consists of four dropdown menus: 'select service', 'choose dentist', an empty one, and another empty one. Below the third dropdown is the text 'Do you have a specific date in mind? You can [contact us](#).' At the bottom is a blue 'Book Appointment' button with a right-pointing arrow.

Слика 3.2.9б – Форма за заказивање термина

Форма за закизвање термина се састоји од 4 падајућа менија. Они се сви учитавају динамички из базе података. На тај начин ординација има могућност да мења, брише и додаје услуге као и стоматологе. Приликом попуњавања форме апликација бележи корисничке акције, унете изборе и преко AJAX-а прилагођава сва поља сем падајућег менија за Услуге.



Слика 3.2.9в – Динамички падајући мени са услугама

На слици изнад (слика 3.2.9в) приказан је падајући мени са услугама које је ординација одредила као доступне за заказивање. То су углавном једноставније врсте услуга, консултације и слично.

Initial braces consultation

choose dentist

- choose dentist
- Dr. Johan Joe
- Dr. Emma Brown**
- Dr. Christopher Case
- Dr. Smithi Emily
- Dr. Mike Johnson
- Dr. Alison Banson
- Amelia Wilson
- Sophia Nguyen

Слика 3.2.9г – Динамички падајући мени са стоматолозима

На слици изнад (слика 3.2.9г) приказан је падајући мени са стоматолозима у ординацији, које пацијент бира. Са њима се више може упознати на страници *Our Team* (поглавље 3.2.3). Након одабира стоматолога, падајући мени са датумима ће се динамички попунити као на слици испод (слика 3.2.9д).

choose date

- choose date
- 02.02.2026, Monday
- 03.02.2026, Tuesday
- 04.02.2026, Wednesday
- 05.02.2026, Thursday
- 06.02.2026, Friday
- 09.02.2026, Monday
- 10.02.2026, Tuesday**
- 11.02.2026, Wednesday
- 12.02.2026, Thursday
- 13.02.2026, Friday (No available appointments)
- 16.02.2026, Monday
- 17.02.2026, Tuesday
- 18.02.2026, Wednesday
- 19.02.2026, Thursday
- 20.02.2026, Friday
- 23.02.2026, Monday
- 24.02.2026, Tuesday
- 25.02.2026, Wednesday

Слика 3.2.9д – Динамички падајући мени за датум

Пацијент има слободу да закаже термин до 24 дана унапред. Ова ординација је отворена искључиво радним данима тако да викенди нису дозвољени за резервацију. Уколико стоматолог има заузете све термине за одређени дан, или су већ све операционе столице попуњене за сваку станицу, он неће бити доступан за заказивање и додаће се одговарајућа порука за корисника „*No available appointments*“ (слика 3.2.9д). Приликом учитавања датума апликација обраћа пажњу и да ли је стоматолог на одсуству.

Initial braces consultation

Dr. Emma Brown

10.02.2026, Tuesday

Do you have a specific date in mind? You can [contact us](#).

choose appointment time

choose appointment time

12:00

13:00

14:00 (Already booked)

15:00

16:00

17:00 (Already booked)

18:00

19:00

20:00 (Already booked)


Слика 3.2.9ђ – Динамички падајући мени са терминима

Након одабира стоматолога и датума, *AJAX*-ом ће се попунити и падајући мени са терминима, односно сатницама. Ординација ради од 12:00 до 20:00 сваког радног дана и радни дан стоматолога је подељен у 8 термина. Термини који су већ заузети се приказују на одговарајући начин (слика 3.2.9ђ).

Као што смо навели у уводу овог рада, заузетост термина зависи не само од тога да ли је термин заказан већ и од тога да ли је број операционих столица за тај сат испуњен. Заузетост термина због већ заказаног термина код тог стоматолога или због већ попуњених столица за ту сатницу се објашњава кориснику уз исту поруку *Already booked* (сатница је већ попуњена).


Такође, важно је нагласити да се форма за резервацију аутоматски ажурира приликом промене датума, термина или зубара. За сваку промену ће се опет извршити провера да ли су остала поља још увек валидна или је тај датум/термин заузет.

Након успешног заказивања термина (слика 3.2.9е) корисник ће бити обавештен и његов термин ће се додати на страници *Appointments* (поглавље 3.2.10).



The screenshot shows a web form titled "Book Appointment" with a "+ BOOKING" link above it. The form contains three dropdown menus: "select service", "choose dentist", and an empty one. Below the third dropdown is the text "Do you have a specific date in mind? You can [contact us](#)." followed by another empty dropdown. A blue button labeled "Book Appointment" with a right arrow is positioned above a green confirmation box that says "Appointment booked successfully."

Слика 3.2.9е – Приказ након успешно заказаног термина



This screenshot shows the same "Book Appointment" form, but with validation errors. Red text "Please select an item in the list." appears below the "select service" and "choose dentist" dropdowns. The "Book Appointment" button and the date selection section remain the same.

Слика 3.2.9е – Покушај заказивања погрешно попуњене форме

3.2.10 Appointments

Appointments Logout

Beodental Home About Us Our Team Dental Tourism Services Contact Us Book Appointment

Appointments

Home / Appointments

Appointment date	Dentist	Hour	Service	Status
Feb 12, 2026	Dr. Emma Brown	19:00	Initial braces consultation	Booked
Feb 3, 2026	Dr. Emma Brown	16:00	Initial braces consultation	Booked
Dec 15, 2025	Amelia Wilson	17:00	Removal of hard and soft plaque from teeth	Finished
Dec 1, 2025	Dr. Christopher Case	19:00	Root Canal Filling (2 canal)	Finished

Showing 1 to 4 of 4 results

10 Per page 10

Beodental

The goal of our clinic is to provide friendly, caring dentistry and highest level of general, cosmetic, and specialist dental treatments.

Quick Links

- Home
- About Us
- Services
- Book Appointment

Social Media

- Facebook
- Instagram
- Youtube
- X (Twitter)

Contact Us

reception@beodental.com
+(123) 698-5245

Copyright © 2026 All Rights Reserved.

Слика 3.2.10а – *Appointments* страница

Страница са листом свих прошлих и будућих термина пацијента. Термини који предстоје имају белу позадину чиме се издвајају. Пацијент такође има опцију да откаже термин (слика 3.2.10б, и слика 3.2.10г).

Appointment cancellation ×

Are you sure you want to cancel the appointment?

Message *

Confirm Close

Dr. Emma Brown 19:00 Initial braces consultation

Слика 3.2.10б – *Modal* за отказивање термина

Appointment cancellation ×

Are you sure you want to cancel the appointment?

Message *

Message is a required field.

Confirm Close

Dentist
Dr. Emma Brown
Dr. Emma Brown
Amelia Wilson 17:00 Removal of hard and soft plaque from teeth

Слика 3.2.10в – *Modal* за отказивање термина када пацијент изостави поруку

Appointment date ▾	Dentist	Hour	Service	Status ▾	
Feb 12, 2026	Dr. Emma Brown	19:00	Initial braces consultation	Booked	Cancel
Feb 3, 2026	Dr. Emma Brown	16:00	Initial braces consultation	Canceled	
Dec 15, 2025	Amelia Wilson	17:00	Removal of hard and soft plaque from teeth	Finished	
Dec 1, 2025	Dr. Christopher Case	19:00	Root Canal Filling (2 canal)	Finished	
Showing 1 to 4 of 4 results					
10 ▾ Per page 10 ▾					

Слика 3.2.10г – Приказ отказаног термина

3.2.11 Login

Beodental Login

Home / Login

Email

Password

Login

Don't have an account? You can [register](#).

Beodental

The goal of our clinic is to provide friendly, caring dentistry and highest level of general, cosmetic, and specialist dental treatments.

Quick Links

- Home
- About Us
- Services
- Book Appointment

Social Media

- Facebook
- Instagram
- Youtube
- X (Twitter)

Contact Us

reception@beodental.com
+(123) 698-5245

Copyright © 2026 All Rights Reserved.

Слика 3.2.11а – Login страница

Корисник се пријављује помоћу *email* адресе. Уколико је корисник дошао на ову страницу преко форме за резервацију онда ће се аутоматски вратити на ту страницу након успешног логовања. Уколико је дошао са друге странице биће преусмерен на *Home* страну.

Након пријављивања заглавље сајта се мења као на слици испод (слика 3.2.11б).

Appointments Logout

Beodental

Home About Us Our Team Dental Tourism Services Contact Us

Book Appointment

Слика 3.2.11б – Заглавље сајта за ауторизованог корисника

Admin Logout


Beodental

Home About Us Our Team Dental Tourism Services Contact Us

Book Appointment

Слика 3.2.11в – Заглавље сајта за ординацију

Уколико је пријављени корисник ординација (администратор) уместо везе ка страници са терминима биће доступна веза ка администрационом делу апликације (слика 3.2.11в).



The image shows a login form with two input fields: 'Email' and 'Password'. The 'Email' field contains a single vertical bar character '|'. Below the fields is a blue 'Login' button with a right-pointing arrow icon. Under the button, there is a link that says 'Don't have an account? You can [register](#).' Below the entire form, there is a red error message box that says 'Email is required'.

Слика 3.2.11в – Приказ добијене грешке за неуспешно логовање

Уколико корисник нема налог може га отворити одласком на *Register* страницу (поглавље 3.2.12).

Ауторизовани корисник нема могућност да приступи страницама за регистрацију и пријаву (регулисано путем *middleware* група).

3.2.12 Register

3.2.12 Register

Beodental Home About Us Our Team Dental Tourism Services Contact Us Book Appointment

Register

Home / Register

Email *

First name *

Last name *

Phone *

Password *

Confirm password *

Register

Already have an account? You can [login](#).

Beodental

The goal of our clinic is to provide friendly, caring dentistry and highest level of general, cosmetic, and specialist dental treatments.

Quick Links

- Home
- About Us
- Services
- Book Appointment

Social Media

- Facebook
- Instagram
- Youtube
- X (Twitter)

Contact Us


reception@beodental.com
+(123) 698-5245

Copyright © 2026 All Rights Reserved.

Слика 3.2.12 – Register страница

У форми за регистрацију сва поља су обавезна. Подаци које корисник унесе се чувају у на две различите локације.

Уколико је нови посетилац сајта дошао до странице за регистрацију преко *Login* странице на коју је дошао преко *Appointment* странице (странице за заказивање термина) маркер атрибут ће га испратити и до овде те ће га по успешној регистрацији вратити на страницу за заказивање.



The image shows a registration form with the following fields: Email *, First name *, Last name *, Phone *, Password *, and Confirm password *. A blue 'Register' button with a right arrow icon is located below the fields. Below the button, there is a link: 'Already have an account? You can [login](#).' Below the form, a red box contains the following validation messages: 'Email is required', 'First name is required', 'Last name is required', 'Phone is required', 'Password is required', and 'Password confirmation is required'.

Email *

First name *

Last name *

Phone *

Password *

Confirm password *

Register ➔

Already have an account? You can [login](#).

Email is required
First name is required
Last name is required
Phone is required
Password is required
Password confirmation is required


Слика 3.2.12 – Приказ неисправно попуњене форме за регистрацију

3.3 Администрациона апликација

Администрационом делу апликације, намењеног стоматолошкој ординацији, приступа се додавањем “/admin” у URL путању.

Овај део апликације је реализован уз технологију *Filament*, која је споменута у уводу рада.

3.3.1 Login

The image shows a login form for 'Beodental'. The form is centered on a light gray background. It has a title 'Beodental' and a subtitle 'Sign in'. Below the subtitle, there are two input fields: 'Email address*' and 'Password*'. The 'Email address*' field is a simple text box. The 'Password*' field is a text box with a toggle icon (an eye) to its right. Below these fields is a checkbox labeled 'Remember me'. At the bottom of the form is a yellow button labeled 'Sign in'.

Слика 3.3.1 – *Login* администрациона страница

Ординација има слободу избора између пријављивања на клијентском делу апликације и директно преко пријаве за администрациони део. Апликацији ће препознати оба начина пријаве и дати права администрационом кориснику.

3.3.2 Appointments

Beodental

Appointments > List

Appointments

New appointment

All Upcoming

☐	Appointment date	Dentist	Patient	Hour	Service	Status	
☐	Mar 2, 2026	Dr. Alison Banson	Jermey Hessel	20:00	Removing frenulum	Booked	Edit
☐	Mar 2, 2026	Dr. Christopher Case	Ericka Nader	18:00	Gingivectomy	Booked	Edit
☐	Mar 2, 2026	Amelia Wilson	Elias Zieme	17:00	Repair of dentures	Booked	Edit
☐	Mar 2, 2026	Dr. Smith Emily	Gisselle Little	15:00	Child examination (5 years)	Booked	Edit
☐	Mar 2, 2026	Dr. Christopher Case	Enid Blanda	13:00	All on 4	Booked	Edit
☐	Feb 27, 2026	Dr. Mike Johnson	Ashtyn Sauer	20:00	Fixed braces	Booked	Edit
☐	Feb 27, 2026	Dr. Alison Banson	Lora Blanda	18:00	Sinus lift	Booked	Edit
☐	Feb 27, 2026	Dr. Mike Johnson	Barrett Gusikowski	18:00	Teeth polish/stain removal for children	Booked	Edit
☐	Feb 27, 2026	Dr. Christopher Case	Isac Kemmer	17:00	Initial braces consultation	Booked	Edit
☐	Feb 27, 2026	Dr. Christopher Case	Madelyn Graham	16:00	All teeth replacement	Booked	Edit

Showing 1 to 10 of 1,002 results

Per page 10

1 2 3 4 ... 100 101 >

Слика 3.3.2а – *Appointments* администрациона страница

На слици изнад (слика 3.3.2а) се види табела са листом свих будућих, завршених и отказаних термина. Поређани по датуму и сатници. Сама табела може да се филтрира по више критеријума (слика 3.3.2б). Такође табела има и пагинацију чиме се оптимизује учитавање странице.

Filters

Reset

From dd/mm/yyyy To dd/mm/yyyy

Apply filters

☐	Appointment date	Dentist	Patient	Hour	Service	Status	
☐	Mar 2, 2026	Dr. Alison Banson	Jermey Hessel	20:00	Removing frenulum	Booked	Edit
☐	Mar 2, 2026	Dr. Christopher Case	Ericka Nader	18:00	Gingivectomy	Booked	Edit
☐	Mar 2, 2026	Amelia Wilson	Elias Zieme	17:00	Repair of dentures	Booked	Edit

Слика 3.3.2б – Филтрација табеле са терминима

Применом филтера табела показује различите податке, као што је приказано на слици испод (слика 3.3.2в).

Filters Reset

From: 03/02/2026 📅 Dentist: Dr. Christopher Case ▼ Patient: All ▼ Service: All ▼ Status: All ▼

To: 12/02/2026 📅

Apply filters 1

Active filters: Dentist: Dr. Christopher ×

☐	Appointment date ▼	Dentist ▼	Patient ▼	Hour ▼	Service ▼	Status ▼	
☐	Feb 11, 2026	Dr. Christopher Case	Leanne Runolfsdottir	19:00	Splint (Night guard)	Booked	Edit
☐	Feb 11, 2026	Dr. Christopher Case	Wilbert Hyatt	13:00	Gingivectomy	Booked	Edit
☐	Feb 10, 2026	Dr. Christopher Case	Jovani Quitzon	19:00	Child examination (6-12 years)	Booked	Edit
☐	Feb 9, 2026	Dr. Christopher Case	Berta Fisher	20:00	Complicated tooth extraction	Booked	Edit
☐	Feb 6, 2026	Dr. Christopher Case	Loyce Hahn	19:00	More than one tooth replacement	Booked	Edit
☐	Feb 6, 2026	Dr. Christopher Case	Wilbert Hyatt	13:00	Panoramic/OPG X-ray	Booked	Edit
☐	Feb 5, 2026	Dr. Christopher Case	Carrie Lind	19:00	Root Canal Filling (1 canal)	Booked	Edit
☐	Feb 5, 2026	Dr. Christopher Case	Kristina D'Amore	15:00	Adult examination	Booked	Edit
☐	Feb 5, 2026	Dr. Christopher Case	Chauncey Langosh	13:00	Temporary crowns made in laboratory	Booked	Edit
☐	Feb 3, 2026	Dr. Christopher Case	Chasity Reilly	15:00	Fixed braces	Booked	Edit

Showing 1 to 10 of 11 results Per page: 10 ▼ 1 2 >

Слика 3.3.2в – Табела са подешеним филтерима

За разлику од других филтера, падајући мени са пацијентима функционише по претрази чиме, се олакшава одабир правог пацијента (слика 3.3.2г).

Dentist Dr. Christopher Case ▼

Patient All ▼


Слика 3.3.2г – Филтер за пацијенте

Табела је подељена на два погледа *All* и *Upcoming* (слика 3.3.2д). Одласком на *Upcoming* поглед приказаће нам се само термини у стању *Booked*.

All Upcoming

Слика 3.3.2д – Одабир погледа табеле


Кликом на тастер „*New appointment*” одлазимо на страницу за креирање термина из администрационог панела, која је приказан на слици испод (слика 3.3.2ђ).



Слика 3.3.2ђ – Форма за креирање новог термина

Форма за креирање се динамички мења у складу са одабиром стоматолога и датума, слично као и на корисничком делу апликације. Поље за одабир датума је угашено док се не изабере стоматолог, а одабир термина није доступан док се прво не изабере датум. Такође, у одабиру датума, „угашени“ су нерадни дани ординације (викенди) и дани када ће стоматолог одсуствовати из ординације.

За разлику од форме која је доступна пацијентима ординација има више могућности. Можемо заказати термин до 12 месеци унапред, све услуге су доступне за заказивање (в. поглавље 3.3.7), и могуће је одредити трајање састанка са пацијентом на 2 или више термина (слика 3.3.2ж и слика 3.3.2з).



Слика 3.3.2е – Изглед датума који су угашени

Appointments > Create

Create Appointment

Dentist*

Patient*
Select

Appointment date*

Service*
Select

Hour*

Appointment note

Create Create & create another Cancel

Слика 3.3.2ж – Изглед форма када је датум изабран

Hour*

12:00 × 13:00 ×

Start typing to search...

14:00 (Booked)
15:00
16:00 (Booked)
17:00
18:00

Create Create & create another Cancel

Слика 3.3.2з – Одабир више термина

Кликом на „Select“, код поља за одабир пацијента и услуге, отвара се *modal* са десне стране који приказује све пацијенте или услуге (слика 3.2.3и). Они се приказују у засебној табели на којој имамо могућност претраге, пагинације и слично - ради што лакшег проналаска жељеног податка.

Appointments > Create

Create Appointment

Dentist*

Dr. Johan Joe

Appointment date*

Feb 12, 2026

Hour*

12:00 x 13:00 x

Appointment note

Create
Create & create another
Cancel

Patient

Q Search

☰

	First name	Last name	Email address	Phone	Account Id	Is active	Cr
☐	Test	Patient	test.user@gmail.com	060/381-2333	2	✓	Ja
☐	Roosevelt	Kunze	kozey.quinton@example.org	1-516-635-6901	3	✓	Ja
☐	Chelsea	Heathcote	josiah.beier@example.org	+1.743.519.0724	4	✓	Ja
☐	Brandon	Huels	Isauer@example.org	925.538.4105	5	✓	Ja
☐	Concepcion	Hessel	jacinthe.zieme@example.com	+1-331-669-6503	6	✓	Ja
☐	Maritza	Kirlin	heathcote.jarred@example.net	+1-219-227-7082	7	✓	Ja
☐	Alfonzo	Howell	schmidt.carlotta@example.net	458-558-4069	8	✓	Ja
☐	Jasmin	Conroy	ray.denesik@example.org	808-358-8549	9	✓	Ja
☐	Elissa	Volkman	stroman.eliane@example.org	1-224-940-0009	10	✓	Ja
☐	Loyce	Hahn	wmorissette@example.com	1-862-214-7923	11	✓	Ja

Per page 10
Next

Select
Cancel

Слика 3.3.2и – *Modal* за одабир пацијента

На слици испод (слика 3.3.2ј) приказана је форма за измену термина. А сам термин можемо обрисати кликом на „*Delete*“ тастер у оквиру форме за измену. Пре брисања, отвориће нам се *modal* за потврду наше одлуке (слика 3.3.2к).

Appointments > 2026-03-02 > Edit

Edit 2026-03-02

Delete

Dentist*

Dr. Alison Banson

Patient*

Jermey Hessel

Service*

Removing frenulum

Status*

Booked

Appointment date*

Mar 2, 2026


Hour*

20:00 (Booked)

Appointment note


Save changes
Cancel

Слика 3.3.2ј – Форма за измену термина



Слика 3.3.2к – *Modal* за потврду брисања термина


Такође, имамо опцију и брисања више термина одједном. Као што је приказано на слици испод (слика 3.3.2л).



Слика 3.3.2л – Брисање више термина одједном

Све табеле са којима ординација управља, а које су изложене у наставку овог рада, поседују сличне могућности креирања, табеларног приказа, измене и брисања, тако да ће бити мање детаљно описане. Нагласиће се неколико места на којима је било неопходно прилагодити процес уобичајеног понашања система.

3.3.3 Availabilities




The screenshot shows the 'Availabilities' administration page. At the top, there is a breadcrumb 'Availabilities > List' and a 'New availability' button. The main heading is 'Availabilities'. Below it is a table with columns: 'Dentist', 'From', and 'To'. The table contains two rows: one for 'Dr. Emma' with dates 'Feb 11, 2026' to 'Feb 18, 2026', and another for 'Dr. Smithi' with dates 'Nov 5, 2025' to 'Nov 13, 2025'. Each row has an 'Edit' link. At the bottom, it says 'Showing 1 to 2 of 2 results' and 'Per page 10'.

Dentist	From	To	
Dr. Emma	Feb 11, 2026	Feb 18, 2026	Edit
Dr. Smithi	Nov 5, 2025	Nov 13, 2025	Edit

Слика 3.3.3а – *Availabilities* администрациона страница

На слици изнад (слика 3.3.3а) је приказ странице за проглашавање одсуствовања запослених (нпр. годишњи одмор). Сви дани који се налазе у наведеном опсегу биће угашени у корисничкој и администрационој форми за заказивање термина. Обавезно је навести разлог одсуства.



The screenshot shows the 'Create Availability' form. It has a breadcrumb 'Availabilities > Create' and a heading 'Create Availability'. The form includes a 'Dentist' dropdown menu, a 'From date' field, a 'To date' field, and a 'Description' text area. At the bottom, there are three buttons: 'Create', 'Create & create another', and 'Cancel'.

Create Availability

Dentist*
Select an option

From date*
dd/mm/yyyy

To date*
dd/mm/yyyy

Description*

Create Create & create another Cancel

Слика 3.3.3б – Форма за креирање одсуства

Availabilities > Edit

Edit Availability

Dentist* Dr. Emma Brown **From date*** 11/02/2026

To date* 18/02/2026

Description* Days off

Save changes Cancel

Слика 3.3.3в – Форма за измену одсуства

3.3.4 Categories

Categories > List

Categories

New category

Search

☐	Name	Order	Is active	
☐	Endodontics	1	✓	Edit
☐	Periodontology	2	✓	Edit
☐	Implantology	3	✓	Edit
☐	Orthodontics	4	✓	Edit
☐	Oral Surgery	5	✓	Edit
☐	Pediatric dentistry	6	✓	Edit
☐	Whitening	7	✓	Edit
☐	Prosthetics	8	✓	Edit
☐	Examination	9	✓	Edit

Showing 1 to 9 of 9 results

Per page 10

Слика 3.3.4а – *Categories* администрациона страница

Овде ординација може да мења категорије услуга. Ове категорије се не приказују динамички на корисничком делу апликације.

Ради што бољег корисничког искуства (енг. *UX*) осигурано је да се приликом креирања или измене редоследа (колона *Order*) аутоматски регулише редослед осталих категорија. Нпр. додавањем нове категорије на место 5, категорија 5 и изнад ће се помакнути за једно место. Релокацијом (изменом) категорије на доње или горње место исправно ће се поређати остатак категорија, где ће се неким смањити број, а другима повећати у складу са тренутном позицијом категорије пре релоцирања.

Categories > Create

Create Category

Name*

Order*

Слика 3.3.4б – Форма за креирање категорије

Categories > Endodontics > Edit

Edit Endodontics

Name*

Order*

☒ Is active*

Слика 3.3.4в – Форма за измену категорије

3.3.5 Dentists

Dentists > List

Dentists

☐	Image	First name	Last name	Title	Order ▾	Is showing	Is active	
☐		Dr. Johan	Joe	Lead dentist	1	☒	☒	Edit
☐		Dr. Emma	Brown	Endodontics	2	☒	☒	Edit
☐		Dr. Christopher	Case	Senior dentist	3	☒	☒	Edit
☐		Dr. Smithi	Emily	Pediatric dentist	4	☒	☒	Edit
☐		Dr. Mike	Johnson	Oral surgeon	5	☒	☒	Edit
☐		Dr. Alison	Banson	Orthodontist	6	☒	☒	Edit
☐		Amelia	Wilson	Dental assistant	7	☒	☒	Edit
☐		Sophia	Nguyen	Receptionist	8	☒	☒	Edit

Showing 1 to 8 of 8 results

Per page 10 ▾

Слика 3.3.5а – *Dentists* администрациона страница

На слици изнад (3.3.5a) имамо приказ странице за администрацију стоматолога у апликацији. Можемо их додавати, брисати и мењати. Подаци које ориднаице унесе на овој страници се динамички учитавају на корисничком делу апликације. Поставком вредности „*Is showing*“ на true стоматолог ће се приказати на *Our Team* страници (поглавље 3.2.3).

Овде, исто као и на страници са категоријама (поглавље 3.2.4) примењујемо исти систем за регулисање редоследа стоматолога приликом додавања и измене њиховог места.

Као што је већ описано (поглавље 3.2.1), прва 4 стоматолога по редоследу ће се приказати у оквиру *Our Team* компоненте која се приказује на страницама *Home* и *About Us* на корисничком делу апликације.

Dentists > Create

Create Dentist

First name*

Last name*

Title

Email address

Short description

Biography

Additional description

Order*

Image route

☐ Show dentist on the website*

Слика 3.3.5б – Форма за додавање стоматолога

Dentists > Dr. Johan > Edit

Edit Dr. JohanDelete

First name*

Dr. Johan

Last name*

Joe

Title

Lead dentist

Email address

johan.joe@beodental.com

Short description

With a natural ability to manage anxious patients, Dr. Johan is highly regarded for his empathetic chairside manner and commitment to patient education. He takes the time to explain diagnoses and treatment options in a clear, reassuring way, helping patients feel informed and comfortable throughout their journey.

Biography

Johan is a compassionate and approachable dentist with 15 years of experience in general dentistry. He graduated from the prestigious Kings College London in 2012. Since graduating he has undertaken further exhaustive training to enhance his general and cosmetic dental

Additional description

Order*

1

Image route

xteam-1.jpg148 KB



☒ Show dentist on the website*

☒ Is active*

Save changes

Cancel

Слика 3.3.5в – Форма за измену стоматолога

3.3.6 Patients

Patients > List

New patient

Search

☐	First name	Last name	Email address	Phone	Account Id	Is active	Created at	
☐	Test	Patient	test.user@gmail.com	060/381-2333	2	☒	Jan 31, 2026	Edit
☐	Roosevelt	Kunze	kozey.quinton@example.org	1-516-635-6901	3	☒	Jan 31, 2026	Edit
☐	Chelsea	Heathcote	joshiah.beier@example.org	+1.743.519.0724	4	☒	Jan 31, 2026	Edit
☐	Brandon	Huels	lsauer@example.org	925.538.4105	5	☒	Jan 31, 2026	Edit
☐	Concepcion	Hessel	jacinthe.zieme@example.com	+1-331-669-6503	6	☒	Jan 31, 2026	Edit
☐	Maritza	Kirlin	heathcote.jarred@example.net	+1-219-227-7082	7	☒	Jan 31, 2026	Edit
☐	Alfonzo	Howell	schmidt.carlotta@example.net	458-558-4069	8	☒	Jan 31, 2026	Edit
☐	Jasmin	Conroy	ray.denesik@example.org	808-358-8549	9	☒	Jan 31, 2026	Edit
☐	Elissa	Volkman	stroman.eliane@example.org	1-224-940-0009	10	☒	Jan 31, 2026	Edit
☐	Loyce	Hahn	wmorissette@example.com	1-862-214-7923	11	☒	Jan 31, 2026	Edit

Showing 1 to 10 of 251 results

Per page 10

1234...2526>

Слика 3.3.6а – *Patients* администрациона страница

Да би термин могао бити резервисан неопходно је да пацијент буде у бази. На слици изнад (слика 3.3.6а) се види изглед базе пацијената са њиховим контакт подацима. Пацијенте може да додаје и ординација, није нужно да се увек они сами региструју.

У форми за креирање, одабиром „*Make user account*“ додаће се и неопходна поља за креирање корисничког налога који ће се узети за тог пацијента (слика 3.3.6в).

Patients > Create

Create Patient

First name*

Last name*

Phone*

Email address

☐ Make user account

Create

Create & create another

Cancel

Слика 3.3.6б – Форма за додавање пацијента

Patients > Create

Create Patient

First name*

Last name*

Phone*

Email address

☒ Make user account

User account

Email address*

Password*

Confirm password*

Create Create & create another Cancel

Слика 3.3.6в – Форма за додавање пацијента и корисничког налога

Patients > Roosevelt > Edit

Edit Roosevelt

First name*

Last name*

Phone*

Email address

☐ Make user account

Save changes Cancel

Delete

Слика 3.3.6г – Форма за измену пацијента

Налог за пацијента можемо направити и накнадно на страници *User Accounts* (поглавље 3.3.9).

3.3.7 Services

Services > List

Services

New service

☐	Name	Category	Order	Is able for reservation	Is active	
☐	Root Canal Filling (1 canal)	Endodontics	1			Edit
☐	Root Canal Filling (2 canal)	Endodontics	2			Edit
☐	Root Canal Filling (3 canal)	Endodontics	3			Edit
☐	Removal of hard and soft plaque from teeth	Periodontology	1			Edit
☐	Periodontal complete treatment	Periodontology	2			Edit
☐	Treatment of periodontal pockets per tooth	Periodontology	3			Edit
☐	Gingivectomy	Periodontology	4			Edit
☐	Initial implant consultation	Implantology	1			Edit
☐	Sinus lift	Implantology	2			Edit
☐	One tooth replacement	Implantology	3			Edit

Showing 1 to 10 of 56 results

Per page 10

1 2 3 4 5 6 >

Слика 3.3.7a – *Services* администрациона страница

На слици изнад (слика 3.3.7a) видимо табеларни приказ свих услуга. Услуге које се зелене за „*Is able for reservation*“ је могуће резервисати у падајућем менију на корисничком делу апликација од стране пацијента. Односно, ординација може регулисати које услуге дозвољавају корисницима за заказивање. Тренутно ординација има 56 различитих услуга, од чега је 17 доступно за резервацију пацијентима (в. увод – комплексност услуга).

Services > Create

Create Service

Name*

Category*

Description

Order*

☐ This service can be booked by the users*

Create

Create & create another

Cancel

Слика 3.3.7б – Форма за креирање услуге

Services > Apicoectomy > Edit

Edit Apicoectomy

Name* Apicoectomy **Category*** Oral Surgery

Description

Order* 7

☐ This service can be booked by the users* ☒ Is active*

[Save changes](#) [Cancel](#) [Delete](#)

Слика 3.3.7в – Форма за измену услуге

3.3.8 Surgery Chairs

Surgery Chairs > List

Surgery Chairs

Number of chairs
2 Edit

Showing 1 result Per page 10

Слика 3.3.8а – *Surgery Chairs* администрациона страница

Ово је једноставна страница за регулисање броја доступних операционих столица у ординацији. За разлику од других страница, овде ординација нема могућност да дода нови запис, већ само врши измене над постојећим податком (слика 3.3.8а). Уколико је повећан број операционих столица, онда ће бити могуће заказати више термина у оквиру једне сатнице. Овај податак се динамички учитава за неколико позадинских прорачуна.

Surgery Chairs > Edit

Edit Surgery Chair

Number of chairs*

Save changes Cancel

Delete

Слика 3.3.8б – Форма за измену броја операционих столица у ординацији

3.3.9 User Accounts

Users > List

Users

New user

Search

☐ Account Id ▾	Role ▾	Email address	Is active
☐ 1	Admin	software.admin@beodental.com	✓
☐ 2	Patient	test.user@gmail.com	✓
☐ 3	Patient	kozey.quinton@example.org	✓
☐ 4	Patient	joshiah.beier@example.org	✗
☐ 5	Patient	lsauer@example.org	✓
☐ 6	Patient	jacinthe.zieme@example.com	✗
☐ 7	Patient	heathcote.jarred@example.net	✓
☐ 8	Patient	schmidt.carlotta@example.net	✓
☐ 9	Patient	ray.denesik@example.org	✓
☐ 10	Patient	stroman.eliane@example.org	✓

Showing 1 to 10 of 252 results

Per page 10 ▾

1 2 3 4 ... 25 26 >

Слика 3.3.9а – *User Accounts* администрациона страница

Слично као и друге странице, страна *User Accounts* се учитава у виду табеларне листе (слика 3.3.9а). Овде ординације може да регулише активношћу налога, као и да по потреби промени шифру за корснику. Нова лозинска се дефинише одласком на измену корисничког налога (слика 3.3.9в).

Слика 3.3.9б – Форма за креирање корисничког налога

Као што се види на слици изнад (слика 3.3.9), имамо падајући мени *Patient* за пацијента. Одабиром пацијента у падајућем менију можемо да вежемо кориснички налог за пацијента који већ постоји у бази пацијената.

Слика 3.3.9в – Форма за измену корисничког налога

4 КОДОВИ

4.1 Клијентска апликација

4.1.1 Controllers

4.1.1.1 FrontController.php

```
<?php

namespace App\Http\Controllers\front;

use App\Http\Controllers\Controller;
use App\Http\Controllers\RootController;
use App\Http\Requests\BookAppointmentRequest;
use App\Models\Appointment;
use App\Models\Dentist;
use App\Models\Hour;
use App\Models\Page;
use App\Models\Service;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Mockery\Exception;

class FrontController extends RootController
{
    function homeIndex() {
        $dentists = Dentist::all()->sortBy('order')->take(4);
        return view('front.pages.main.home', ['dentists' => $dentists]);
    }
    function aboutIndex() {
        $dentists = Dentist::all()->sortBy('order')->take(4);
        return view('front.pages.main.about', ['dentists' => $dentists]);
    }

    function ourTeamIndex() {
        $dentists = Dentist::all()->sortBy('order');
        return view('front.pages.main.team', ['dentists' => $dentists]);
    }
    function ourTeamShow($id) {
        $dentist = Dentist::find($id);
        if(!$dentist) {
            abort(404);
        }

        return view('front.pages.main.team-single', ['dentist' =>
$dentist]);
    }
    function servicesIndex() {
        return view('front.pages.main.services');
    }
    function tourismIndex() {
        return view('front.pages.main.tourism');
    }
    function contactIndex() {
        return view('front.pages.main.contact');
    }
    function appointmentIndex() {
        if(Auth::check()) {
            $appointmentHours = Hour::where('is_available_for_booking', 1)-
```

```

>get();
    $dentists = Dentist::all()->sortBy('order');
    $services = Service::where('is_able_for_reservation', 1)-
>orderBy('name')->get();

    $dates = Appointment::getDatesExceptWeekends(24, 'd.m.Y, l');
    $this->data['dentists'] = $dentists;
    $this->data['appointmentHours'] = $appointmentHours;
    $this->data['services'] = $services;
    $this->data['dates'] = $dates;
}
return view('front.pages.main.appointment', ['data' => $this-
>data]);
}
function appointmentStore(BookAppointmentRequest $request) {
    $service = $request->services;
    $dentist = $request->dentists;
    $date = $request->dates;
    $hour = $request->appointment_hours;

    try {
        $alreadyBooked = Appointment::where('fk_dentist_id', $dentist)-
>where('appointment_date', $date)->where('fk_hour_id', $hour)->count() ?
true : false;
        if(!$alreadyBooked) {
            $appointment = new Appointment();
            $appointment->fk_hour_id = $hour;
            $appointment->fk_dentist_id = $dentist;
            $appointment->fk_patient_id = Auth::user()->patient-
>patient_id;
            $appointment->fk_appointment_status_id = 1;
            $appointment->fk_service_id = $service;
            $appointment->appointment_date = $date;
            $appointment->appointment_note = '';
            $save = $appointment->save();
        }

        return redirect()->route('appointment')->with('success',
'Appointment booked successfully.');
```

```

    } catch (Exception $ex) {
        throw new \Exception("Internal server error", 500);
    }
}

function appointmentsIndex() {
    return view('front.pages.special.appointments');
}
}

```

4.1.1.2 AuthController.php

```

<?php

namespace App\Http\Controllers\front;

use App\Http\Controllers\Controller;
use App\Http\Requests\UserLoginRequest;
use App\Http\Requests\UserRegisterRequest;
use App\Models\Patient;
use App\Models\User;
use Illuminate\Http\Request;

```

```

use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Facades\URL;

class AuthController extends Controller
{
    public function loginIndex()
    {
        return view('front.pages.auth.login');
    }
    public function registerIndex() {
        return view('front.pages.auth.register');
    }

    public function registerUser(UserRegisterRequest $request) {
        try {
            $user = new User();
            $user->email = $request->email;
            $user->password = Hash::make($request->password);
            $user->fk_role_id = 4;
            $user->save();

            $patient = new Patient();
            $patient->first_name = $request->first_name;
            $patient->last_name = $request->last_name;
            $patient->phone = $request->phone;
            $patient->email = $request->email;
            $patient->fk_user_id = $user->user_id;
            $patient->save();

            $user->fk_patient_id = $patient->patient_id;
            $user->save();

            Auth::login($user);

            $routeName = $request->get('fromAppointment') == 1 ?
"appointment" : "home";
            return redirect()->route($routeName);
        } catch(\Exception $e) {
            return 500;
        }
    }

    public function loginUser(UserLoginRequest $request) {
        $email = $request->email;
        $password = $request->password;

        $user = User::where('email', $email)->first();
        if (!Hash::check($password, $user->password)) {
            return redirect()->back()->withInput()->with('error-msg',
'Wrong password!');
        }

        Auth::login($user);

        $routeName = $request->get('fromAppointment') == 1 ? "appointment"
: "home";
        return redirect()->route($routeName);
    }

    public function logout()

```

```

    {
        Auth::logout();
        return redirect()->back();
    }
}

```

4.1.1.3 AjaxController.php

```

<?php

namespace App\Http\Controllers\front;

use App\Http\Controllers\Controller;
use App\Models\Appointment;
use App\Models\Dentist;
use App\Models\Hour;
use App\Models\SurgeryChair;

class AjaxController extends Controller
{
    function resolveAjaxRequest($section)
    {
        if ($_SERVER["REQUEST_METHOD"] == "GET" && $section == 'dentist')
        {
            $dates = Appointment::getDatesExceptWeekends(24, 'd.m.Y, l');

            $dentistId = $_GET["id"];
            $selectedDate = $_GET["date"];
            $hour = $_GET["hour"];

            $dentist = Dentist::find($dentistId);
            if ($dentist) {
                foreach ($dates as &$date) {
                    if (!$dentist->hasAvailableHours($date['value'])) {
                        $date['disabled'] = true;
                    }
                }
            }

            $hours = Hour::where('is_available_for_booking', 1)->get();
            if ($selectedDate != "") {
                foreach ($hours as &$hour) {
                    $numOfAppointmentsForHourAndDay =
Appointment::where('appointment_date', "=", $selectedDate)
->where('fk_hour_id', $hour->hour_id)
->count();

                    if ($numOfAppointmentsForHourAndDay >=
SurgeryChair::where('is_active', 1)->first()->number_of_chairs) {
                        $hour['disabled'] = true;
                    }

                    if (!$is_null($dentist) && !$dentist-
>isHourAvailable($hour->hour_id, $selectedDate)) {
                        $hour['disabled'] = true;
                    }
                }
            }

            $returnArray = [

```

```

        "dates" => $dates,
        "hours" => $hours
    ];

    return $returnArray;
}

// Cancele appointment as user
else if ($_SERVER["REQUEST_METHOD"] == "POST" && $section ==
'cancel-appointment')
{
    $appointment_id = $_POST["id"];
    $appointmentNote = $_POST["appointment_note"];

    if ($appointmentNote === "") {
        return false;
    }

    try {
        $appointment = Appointment::find($appointment_id);
        if ($appointment) {
            $appointment->fk_appointment_status_id = 3;
            $appointment->appointment_note = $appointmentNote;
            $appointment->save();
            return http_response_code(200);
        }
    } catch (\Exception $ex) {
        return http_response_code(500);
    }
}

return http_response_code(404);
}
}

```

4.1.2 Requests

4.1.2.1 BookAppointmentRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class BookAppointmentRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     */
    public function authorize(): bool
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array<string,

```

```

\Illuminate\Contracts\Validation\ValidationRule|array<mixed>|string>
*/
public function rules(): array
{
    return [
        "services" => "required|exists:services,service_id",
        "dentists" => "required|exists:dentists,dentist_id",
        "dates" => "required",
        "appointment_hours" => "required|exists:hours,hour_id",
    ];
}

public function messages(): array
{
    return [
        "required" => ":Attribute is required",
        "exists" => ":Attribute does not exist",
    ];
}
}

```

4.1.2.2 UserLoginRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class UserLoginRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     */
    public function authorize(): bool
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array<string,
\Illuminate\Contracts\Validation\ValidationRule|array<mixed>|string>
*/
    public function rules(): array
    {
        return [
            "email" => "required|email|exists:users",
        ];
    }

    public function messages(): array
    {
        return [
            "email.required" => "Email is required",
            "email.email" => "Please enter a valid email address",
            "email.exists" => "No user found for given email address.",
        ];
    }
}

```


4.1.2.3 UserRegisterRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class UserRegisterRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     */
    public function authorize(): bool
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array<string,
    \Illuminate\Contracts\Validation\ValidationRule|array<mixed>|string>
     */
    public function rules(): array
    {
        return [
            "email" => "required|email|unique:users",
            "first_name" => "required|string|min:2",
            "last_name" => "required|string|min:2",
            "phone" => "required|string|min:9",
            "password" => "required|min:8|max:100",
            "password_confirmation" => "required|min:8|same:password"
        ];
    }

    public function messages(): array
    {
        return [
            "required" => ":Attribute is required",
            "string" => ":Attribute must be a string",
            "min" => ":Attribute must be at least :min",
            "max" => ":Attribute must be at most :max",
            "same" => ":Attributes must be same as :password",
            "email.unique" => "There is already a user with this email address",
            "email.email" => "Please enter a valid email address",
        ];
    }
}
```

4.1.3 Services

4.1.3.1 Functions.php

```
<?php

namespace App\Services;

use Illuminate\Database\Eloquent\Model;
```

```

use Ramsey\Uuid\Type\Integer;

class Functions
{
    public function updateOrderOfOtherRecords($modelClass, $newOrderNum,
$recordId = null, $idColumn = '') : void
    {
        try {
            $model = new $modelClass();
            if($recordId != null) {
                $currentRecord = $model::find($recordId);
            }

            // Start - Code to increase records order that are in the same
            place as the new/edited record and above //
            if($recordId == null || $currentRecord->order >= $newOrderNum)
            {
                $recordsHigherThanNewPlace = $model::where('order', '>=',
$newOrderNum)
                    ->when($recordId != null, function ($query) use
($recordId, $idColumn) {
                        return $query->whereNot($idColumn, $recordId);
                    })
                    ->orderBy('order')->get();
                if (!$recordsHigherThanNewPlace->isEmpty()) {
                    $order = $newOrderNum;
                    foreach ($recordsHigherThanNewPlace as $record) {
                        $record->update(['order' => ++$order]);
                    }
                }
            }
            // End //

            // Start - Update records that are below current record to
            correct order //
            else if ($recordId != null && $currentRecord->order <
$newOrderNum) {
                $recordsThatAreBetweenCurrentAndNewOrder =
$model::where('order', '>', $currentRecord->order)
                    ->where('order', '<=', $newOrderNum)
                    ->orderBy('order')->get();
                if (!$recordsThatAreBetweenCurrentAndNewOrder->isEmpty()) {
                    foreach ($recordsThatAreBetweenCurrentAndNewOrder as
$record) {
                        $record->update(['order' => $record->order - 1]);
                    }
                }
            }
            // End //
        }
        catch (\Throwable $exception) {
            report($exception);
        }
    }
}

```

4.1.4 Components

4.1.4.1 SingleTeamMember.php

```
<?php

namespace App\View\Components;

use Closure;
use Illuminate\Contracts\View\View;
use Illuminate\View\Component;

class SingleTeamMember extends Component
{
    // public string $imageName;
    // public string $dentistName;
    public int $id;
    public string $imageName;
    public string $dentistName;
    public string $title;
    /**
     * Create a new component instance.
     */
    public function __construct(int $id, string $imageName, string
    $dentistName, string $title)
    {
        $this->id = $id;
        $this->imageName = $imageName;
        $this->dentistName = $dentistName;
        $this->title = $title;
    }

    /**
     * Get the view / contents that represent the component.
     */
    public function render(): View|Closure|string
    {
        return view('components.single-team-member', ['title' => $this-
        >title]);
    }
}
```

4.1.5 Views

4.1.5.1 Components

4.1.5.1.1 single-team-member.blade.php

```
<div class="col-lg-3 col-md-6">
    <!-- Team Member Item Start -->
    <div class="team-member-item wow fadeInUp">
        <!-- Team Image Start -->
        <div class="team-image">
            <figure class="image-anime">
                
            </figure>

            <!-- Team Social Icon Start -->
            <div class="team-social-icon">
```

```

        </div>
        <!-- Team Social Icon End -->
    </div>
    <!-- Team Image End -->

    <!-- Team Content Start -->
    <div class="team-content">
        <a href="{{route('our-team.show', ['id' =>
$id])}}"><h3>{{$dentistName}}</h3></a>
        <p>{{$title}}</p>
    </div>
    <!-- Team Content End -->
</div>
<!-- Team Member Item End -->
</div>

```

4.1.5.2 Fixed

4.1.5.2.1 head.blade.php

```

<!DOCTYPE html>
<html lang="zxx">
<head>
    <!-- Meta -->
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="keywords" content="">
    <meta name="author" content="Awaiken">
    <!-- Page Title -->
    <title>@yield('tabTitle') - BeoDental</title>
    <!-- Favicon Icon -->
    <link rel="shortcut icon" type="image/x-icon"
href="{{asset('images/favicon.png')}}">
    <!-- Google Fonts Css-->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400
;500;600;700;800&display=swap" rel="stylesheet">
    <!-- Bootstrap Css -->
    <link href="{{asset('css/bootstrap.min.css')}}" rel="stylesheet"
media="screen">
    <!-- SlickNav Css -->
    <link href="{{asset('css/slicknav.min.css')}}" rel="stylesheet">
    <!-- Swiper Css -->
    <link rel="stylesheet" href="{{asset('css/swiper-bundle.min.css')}}">
    <!-- Font Awesome Icon Css-->
    <link href="{{asset('css/all.css')}}" rel="stylesheet" media="screen">
    <!-- Animated Css -->
    <link href="{{asset('css/animate.css')}}" rel="stylesheet">
    <!-- Magnific Popup Core Css File -->
    <link rel="stylesheet" href="{{asset('css/magnific-popup.css')}}">
    <!-- Mouse Cursor Css File -->
    <link rel="stylesheet" href="{{asset('css/mousecursor.css')}}">
    <!-- Main Custom Css -->
    <link href="{{asset('css/custom.css')}}" rel="stylesheet"
media="screen">
</head>

```

4.1.5.2.2 preloader.blade.php

```
<!-- Preloader Start -->
<div class="preloader">
    <div class="loading-container">
        <div class="loading"></div>
        <div id="loading-icon"></div>
    </div>
</div>
<!-- Preloader End -->
```

4.1.5.2.3 header.blade.php

```
<!-- Header Start -->
<header class="main-header">
    <div class="header-sticky">
        <nav id="top-header-line" class="navbar-expand-lg">
            <div class="container">
                <ul class="d-flex gap-3">
                    @if(!Auth::check())
                        <li>
                            <a href="{{route('login')}}">Login</a>
                        </li>
                    @else
                        @if(auth()->user()->fk_role_id < 3)
                            <li>
                                <a
href="{{url(\App\Filament\Resources\Appointments\AppointmentResource::getUrl('index'))}}">Admin</a>
                            </li>
                        @else
                            <li>
                                <a
href="{{route('appointments.index')}}">Appointments</a>
                            </li>
                        @endif
                    @endif
                    <li>
                        <form action="{{route('logout')}}"
method="POST" id="logoutForm">
                            @csrf
                            <a href="#"
onclick="event.preventDefault();
document.getElementById('logoutForm').submit();">
                                Logout
                            </a>
                        </form>
                    </li>
                </ul>
            </div>
        </nav>
        <nav class="navbar navbar-expand-lg">
            <div class="container">
                <!-- Logo Start -->
                <a class="navbar-brand" href="..">
                    
                </a>
            </div>
        </nav>
    </div>
</header>
```

```

        </a>
        <!-- Logo End -->

        <!-- Main Menu Start -->
        <div class="collapse navbar-collapse main-menu">
            <div class="nav-menu-wrapper">
                <ul class="navbar-nav mr-auto" id="menu">
                    @foreach($menu as $page)
                        @if(!$page->has_submenu)
                            <li class="nav-item"><a class="nav-link" href="{{route($page->route)}}">{{ $page->name}}</a></li>
                            @continue;
                        @endif

                        <li class="nav-item submenu">
                            <a class="nav-link" href="{{route($page->route)}}">{{ $page->name}}</a>
                            <ul>
                                @foreach($page->children as $childPage)
                                    <li class="nav-item"><a class="nav-link" href="{{route($childPage->route)}}">{{ $childPage->name}}</a></li>
                                @endforeach
                            </ul>
                        </li>
                    @endforeach

                    <li class="nav-item highlighted-menu"><a class="nav-link" href="{{route('appointment')}}">book appointment</a></li>
                </ul>
            </div>
            <!-- Let's Start Button Start -->
            <div class="header-btn d-inline-flex">
                <a href="{{route('appointment')}}" class="btn-default">book appointment</a>
            </div>
            <!-- Let's Start Button End -->
        </div>
        <!-- Main Menu End -->
        <div class="navbar-toggle"></div>
    </div>
</nav>
<div class="responsive-menu"></div>
</div>
</header>
<!-- Header End -->

```

4.1.5.2.4 page-header.blade.php

```

<!-- Page Header Start -->
<div class="page-header">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-lg-12">
                <!-- Page Header Box Start -->
                <div class="page-header-box">
                    <h1 class="text-anime-style-2" data-cursor="opaque"><span>@yield('pageTitleFirstWord')</span>
                    @yield('pageTitleSecondWord')</h1>
                    <nav class="wow fadeInUp">

```

```

        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a
href="./">home</a></li>
                <li class="breadcrumb-item active" aria-
current="page">@yield('slug')</li>
            </ol>
        </nav>
    </div>
    <!-- Page Header Box End -->
</div>
</div>
</div>
</div>
<!-- Page Header End -->

```

4.1.5.2.5 footer.blade.php

```

<!-- Footer Start -->
<footer class="main-footer">
    <div class="container">
        <div class="row">
            <div class="col-lg-4">
                <!-- About Footer Start -->
                <div class="about-footer">
                    <!-- Footer Logo Start -->
                    <div class="footer-logo">
                        
                    </div>
                    <!-- Footer Logo End -->

                    <!-- About Footer Content Start -->
                    <div class="about-footer-content">
                        <p>The goal of our clinic is to provide friendly,
caring dentistry and highest level of general, cosmetic, and specialist
dental treatments.</p>
                    </div>
                    <!-- About Footer Content End -->
                </div>
                <!-- About Footer End -->
            </div>
            <div class="col-lg-3 col-md-4">
                <!-- Footer Quick Links Start -->
                <div class="footer-links footer-quick-links">
                    <h3>quick links</h3>
                    <ul>
                        <li><a href="{{route('home')}}">home</a></li>
                        <li><a href="{{route('about')}}">about us</a></li>
                        <li><a
href="{{route('services')}}">services</a></li>
                        <li><a href="{{route('appointment')}}">book
apointment</a></li>
                    </ul>
                </div>
                <!-- Footer Quick Links End -->
            </div>
            <div class="col-lg-3 col-md-4">
                <!-- Footer Social Links Start -->
                <div class="footer-links footer-social-links">
                    <h3>social media</h3>

```

```

        <ul>
            <li><a href="https://www.facebook.com/"
target="_blank">facebook</a></li>
            <li><a href="https://www.instagram.com/"
target="_blank">instagram</a></li>
            <li><a href="https://www.youtube.com/"
target="_blank">youtube</a></li>
            <li><a href="https://x.com/" target="_blank">x
(Twitter)</a></li>
        </ul>
    </div>
    <!-- Footer Social Links End -->
</div>

    <div class="col-lg-2 col-md-4">
        <!-- Footer Contact Links Start -->
        <div class="footer-links footer-contact-links">
            <h3>contact us</h3>
            <ul>
                <li><a class="text-lowercase"
href="#">reception@beodental.com</a></li>
                <li><a href="#">+(123) 698-5245</a></li>
            </ul>
        </div>
        <!-- Footer Contact Links End -->
    </div>
</div>

    <!-- Footer Copyright Section Start -->
    <div class="footer-copyright">
        <div class="row">
            <div class="col-lg-12">
                <!-- Footer Copyright Start -->
                <div class="footer-copyright-text">
                    <p>Copyright © 2026 All Rights Reserved.</p>
                </div>
                <!-- Footer Copyright End -->
            </div>
        </div>
    </div>
    <!-- Footer Copyright Section End -->
</div>
</footer>
<!-- Footer End -->

```

4.1.5.2.6 script.blade.php

```

<!-- JQuery Library File -->
<script src="{{asset('js/jquery-3.7.1.min.js')}}"></script>
<!-- Bootstrap js file -->
<script src="{{asset('js/bootstrap.min.js')}}"></script>
<!-- Validator js file -->
<script src="{{asset('js/validator.min.js')}}"></script>
<!-- SlickNav js file -->
<script src="{{asset('js/jquery.slicknav.js')}}"></script>
<!-- Swiper js file -->
<script src="{{asset('js/swiper-bundle.min.js')}}"></script>
<!-- Counter js file -->
<script src="{{asset('js/jquery.waypoints.min.js')}}"></script>
<script src="{{asset('js/jquery.counterup.min.js')}}"></script>
<!-- Magnific js file -->

```



```

<script src="{{asset('js/jquery.magnific-popup.min.js')}}"></script>
<!-- SmoothScroll -->
<script src="{{asset('js/SmoothScroll.js')}}"></script>
<!-- Parallax js -->
<script src="{{asset('js/parallaxie.js')}}"></script>
<!-- MagicCursor js file -->
<script src="{{asset('js/gsap.min.js')}}"></script>
<script src="{{asset('js/magiccursor.js')}}"></script>
<!-- Text Effect js file -->
<script src="{{asset('js/SplitText.js')}}"></script>
<script src="{{asset('js/ScrollTrigger.min.js')}}"></script>
<!-- YTPlayer js File -->
<script src="{{asset('js/jquery.mb.YTPlayer.min.js')}}"></script>
<!-- Wow js file -->
<script src="{{asset('js/wow.js')}}"></script>
<!-- Main Custom js file -->
<script src="{{asset('js/function.js')}}"></script>

```

4.1.5.3 Layouts

4.1.5.3.1 layout.blade.php

```

<!DOCTYPE html>
<html lang="zxx">

    @include("front.fixed.head")

    @hasSection('style')
        @yield('style')
    @endif

    <body>

        @include("front.fixed.preloader")

        @include("front.fixed.header")

        @if (!Request::is('/'))
            @include('front.fixed.page-header')
        @endif

        @yield("content")

        @include("front.fixed.footer")

        @include("front.fixed.script")

        @hasSection('script')
            @yield('script')
        @endif
    </body>
</html>

```

4.1.5.3.2 single-service-layout.blade.php

```

@extends("front.layouts.layout")

@section("content")
    <!-- Page Service Single Start -->

```

```

<div class="page-service-single">
  <div class="container">
    <div class="row">
      <div class="col-lg-4">
        <!-- Service Sidebar Start -->
        <div class="service-sidebar">
          <!-- Service Categories List Start -->
          <div class="service-catagery-list wow fadeInUp">
            <h3>our services</h3>
            <ul>
              <li><a
href="{{route('endodontics')}}">Endodontics</a></li>
              <li><a
href="{{route('periodontology')}}">Periodontology</a></li>
              <li><a
href="{{route('implantology')}}">Implantology</a></li>
              <li><a
href="{{route('orthodontics')}}">Orthodontics</a></li>
              <li><a href="{{route('oral-
surgery')}}">Oral surgery</a></li>
              <li><a href="{{route('pediatric-
dentistry')}}">Pediatric dentistry</a></li>
              <li><a href="{{route('teeth-
whitening')}}">Teeth whitening</a></li>
            </ul>
          </div>
          <!-- Service Categories List End -->

          <!-- Sidebar Cta Box Start -->
          <div class="sidebar-cta-box wow fadeInUp" data-wow-
delay="0.25s">
            <!-- Cta Content Start -->
            <div class="icon-box">
              
            </div>

            <div class="cta-content">
              <h3>Need help ?</h3>
              <p>Schedule your initial consultation today
and start your journey towards a pain-free, healthier smile. Book an
appointment now!</p>
            </div>
            <!-- Cta Content End -->

            <!-- Cta Appointment Button Start -->
            <div class="cta-contact-btn">
              <a href="{{route('appointment')}}"
class="btn-default">Book an appointment</a>
            </div>
            <!-- Cta Appointment Button End -->
          </div>
          <!-- Sidebar Cta Box End -->
        </div>
        <!-- Service Sidebar End -->
      </div>

      <div class="col-lg-8">
        @yield('service-content')
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
    <!-- Page Service Single End -->
@endsection

```

4.1.5.4 Pages/Main

4.1.5.4.1 home.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle')
    Home
@endsection

@section("content")
    <!-- Hero Section Start -->
    <div class="hero">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-6">
                    <!-- Hero Content Start -->
                    <div class="hero-content">
                        <!-- Section Title Start -->
                        <div class="section-title">
                            <h1 class="text-anime-style-2" data-cursor="-
opaque">Experience
                                <span>Dental Excellence</span> with a
Gentle Touch </h1>
                                <p class="wow fadeInUp" data-wow-
delay="0.25s">Take the first step towards a healthier
                                    smile. Schedule a consultation with our
professional team. It's quick, easy, and
                                    convenient to book online. We're here to
help you achieve your dental goals!</p>
                                </div>
                                <!-- Section Title End -->

                                <!-- Hero Content Body Start -->
                                <div class="hero-content-body wow fadeInUp" data-
wow-delay="0.5s">
                                    <a href="{{route('appointment')}}" class="btn-
default">make an appointment</a>
                                </div>
                                <!-- Hero Content Body End -->

                                <!-- Google Rating Start -->
                                <div class="google-rating wow fadeInUp" data-wow-
delay="0.75s">
                                    <ul>
                                        <li>Google Rating <span>5.0</span></li>
                                        <li>
                                            <i class="fa-solid fa-star"></i>
                                            <i class="fa-solid fa-star"></i>
                                            <i class="fa-solid fa-star"></i>
                                            <i class="fa-solid fa-star"></i>
                                            <i class="fa-solid fa-star"></i>
                                        </li>
                                        <li>based on 492 reviews</li>
                                    </ul>
                                </div>

```

```

        <!-- Google Rating End -->
    </div>
    <!-- Hero Content End -->
</div>

<div class="col-lg-6">
    <!-- Hero Image Start -->
    <div class="hero-image">
        <!-- Hero Img Start -->
        <div class="hero-img">
            <figure>
                
            </figure>
        </div>
        <!-- Hero Img End -->

        <!-- Hero Image Tag Start -->
        <div class="export-dantist-box">
            <div class="icon-box">
                <figure class="image-anime">
                    
                </figure>
            </div>
            <div class="export-dantist-content">
                <h3>dr. clara Lee</h3>
                <p>dentist</p>
            </div>
        </div>
        <!-- Hero Image Tag End -->

        <!-- Hero Icon List Start -->
        <div class="hero-icon-list">
            <div class="hero-icon-box-1">
                
            </div>

            <div class="hero-icon-box-2">
                
            </div>

            <div class="hero-icon-box-3">
                
            </div>
        </div>
        <!-- Hero Icon List End -->

        <!-- Icon Start Image Start -->
        <div class="icon-star-image">
            
        </div>
        <!-- Icon Start Image End -->
    </div>
</div>
</div>

```

```

        </div>
    </div>
    <!-- Hero Section End -->

    <!-- Call To Action Start -->
    <div class="cta-box">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-4 col-md-6 col-12">
                    <!-- Cta Box Item Start -->
                    <div class="cta-box-item wow fadeInUp">
                        <div class="icon-box">
                            
                        </div>
                        <div class="cta-box-content">
                            <h3>need dental services ?</h3>
                            <p>Call on : +(123) 698-5245</p>
                        </div>
                    </div>
                    <!-- Cta Box Item End -->

                    <!-- Cta Box Item Start -->
                    <div class="col-lg-4 col-md-6 col-12">
                        <div class="cta-box-item wow fadeInUp" data-wow-
delay="0.25s">
                            <div class="icon-box">
                                
                            </div>
                            <div class="cta-box-content">
                                <h3>opening hours</h3>
                                <p>Mon to Sat 12:00AM to 8:00PM</p>
                            </div>
                        </div>
                        <!-- Cta Box Item End -->

                        <div class="col-lg-4 col-md-12 col-12">
                            <!-- Cta Box Btn Start -->
                            <div class="cta-box-btn wow fadeInUp" data-wow-
delay="0.5s">
                                <a href="{{route('appointment')}}" class="btn-
default btn-highlighted">make an appointment</a>
                            </div>
                            <!-- Cta Box Btn End -->
                        </div>
                    </div>
                </div>
            </div>
        </div>
    <!-- Call To Action End -->

    <!-- About Us Section Start -->
    <div class="about-us">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-6">
                    <!-- About Image Start -->
                    <div class="about-image">
                        <div class="about-img-1">

```

```

        <figure class="image-anime reveal">
            
        </figure>
    </div>

    <div class="about-img-2">
        <figure class="image-anime reveal">
            
        </figure>
    </div>

    <!-- About Experience Circle Start -->
    <div class="about-experience">
        <figure>
            
        </figure>
    </div>
    <!-- About Experience Circle End -->
</div>
<!-- About Image End -->
</div>

<div class="col-lg-6">
    <!-- About Content Start -->
    <div class="about-content">
        <!-- Section Title Start -->
        <div class="section-title">
            <h3 class="wow fadeInUp">about us</h3>
            <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Your Journey</span> to a
                Healthier Smile Begins Here</h2>
            <p class="wow fadeInUp" data-wow-
delay="0.25s">The goal of our clinic is to provide
                friendly, caring dentistry and the highest
                level of general, cosmetic, and specialist
                dental treatments. With dental practices
                throughout the world.</p>
        </div>
        <!-- Section Title End -->

        <!-- About Us Body Start -->
        <div class="about-us-body wow fadeInUp" data-wow-
delay="0.5s">
            <ul>
                <li>experienced team</li>
                <li>comprehensive services</li>
                <li>state-of-the-art technology</li>
                <li>emergency dental services</li>
            </ul>
        </div>
        <!-- About Us Body End -->

        <!-- About Us Footer Start -->
        <div class="about-us-footer wow fadeInUp" data-wow-
delay="0.75s">
            <a href="{{route('about')}}" class="btn-
default">read more about us</a>
        </div>
    </div>

```

```

        <!-- About Us Footer End -->
    </div>
    <!-- About Content End -->
</div>
</div>
</div>
</div>
<!-- About Us Section End -->

<!-- Our Serviceds Section Start -->
<div class="our-services">
    <div class="container">
        <div class="row section-row">
            <div class="col-lg-12">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">our services</h3>
                    <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Hight Quality</span> Services for
You.</h2>
                    <p class="wow fadeInUp" data-wow-delay="0.25s">We
are committed to sustainability. eco-friendly
initiatives.</p>
                </div>
                <!-- Section Title End -->
            </div>
        </div>
        <div class="row">
            <div class="col-lg-3 col-md-6">
                <!-- Service Item Start -->
                <div class="service-item wow fadeInUp">
                    <div class="icon-box">
                        <div class="img">
                            
                        </div>
                    </div>
                    <div class="service-body">
                        <h3>endodontics</h3>
                        <p>Advanced root canal treatments to relieve
pain and save natural teeth.</p>
                    </div>
                    <div class="read-more-btn">
                        <a href="{{route('endodontics')}}">read
more</a>
                    </div>
                </div>
            </div>
            <!-- Service Item End -->
        </div>
        <div class="col-lg-3 col-md-6">
            <!-- Service Item Start -->
            <div class="service-item wow fadeInUp" data-wow-
delay="0.4s">
                <div class="icon-box">
                    <div class="img">
                        
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div class="service-body">
            <h3>Periodontology</h3>
            <p>Specialized care for healthy gums and
prevention of gum disease.</p>
        </div>
        <div class="read-more-btn">
            <a href="{{route('periodontology')}}">read
more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>

<div class="col-lg-3 col-md-6">
    <!-- Service Item Start -->
    <div class="service-item wow fadeInUp" data-wow-
delay="0.2s">
        <div class="icon-box">
            <div class="img">
                
            </div>
        </div>
        <div class="service-body">
            <h3>Implantology</h3>
            <p>Permanent, natural-looking dental implants
to replace missing teeth</p>
        </div>
        <div class="read-more-btn">
            <a href="#">read more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>

<div class="col-lg-3 col-md-6">
    <!-- Service Item Start -->
    <div class="service-item wow fadeInUp" data-wow-
delay="0.8s">
        <div class="icon-box">
            <div class="img">
                
            </div>
        </div>
        <div class="service-body">
            <h3>orthodontics</h3>
            <p>Teeth straightening solutions for a
confident, perfectly aligned smile.</p>
        </div>
        <div class="read-more-btn">
            <a href="{{route('orthodontics')}}">read
more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>

<div class="col-lg-12">

```



```

        <!-- Service Box Footer Start -->
        <div class="services-box-footer wow fadeInUp" data-wow-
delay="1s">
            <p>We believe in using the latest technology and
techniques to ensure the best outcomes for our
            patients.</p>
            <a href="{{route('services')}}" class="btn-
default">view all service</a>
        </div>
        <!-- Service Box Footer End -->
    </div>
</div>

<!-- Intro Clinic Video Section Start -->
<div class="intro-clinic-video">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-12">
                <!-- Visit Clinic Start -->
                <div class="visit-clinic parallaxie"
                    style="background-image:
url(&quot;https://html.awaikentheses.com/dentaire/images/visit-clinic-
bg.jpg&quot;); background-size: cover; background-repeat: no-repeat;
background-attachment: fixed; background-position: center 43.11px;">
                    <!-- Visit Clinic Content Start -->
                    <div class="visit-clinic-content">
                        <!-- Section Title Start -->
                        <div class="section-title">
                            <h3 class="wow fadeInUp">visit
clinic</h3>
                            <h2 class="text-anime-style-2" data-
cursor="-opaque">Comprehensive Dental Care For
                            All Ages</h2>
                        </div>
                        <!-- Section Title End -->

                        <!-- Visit Clinic Btn Start -->
                        <div class="visit-clinic-btn wow fadeInUp"
data-wow-delay="0.25s"
                            data-cursor-text="Play">
                            <a
href="https://www.youtube.com/watch?v=Y-x0efGlseA" class="popup-video play-
btn">play
                                video</a>
                            </div>
                        <!-- Visit Clinic Btn End -->
                    </div>
                    <!-- Visit Clinic Content End -->
                </div>
                <!-- Visit Clinic End -->
            </div>
        </div>
    </div>
</div>
<!-- Intro Clinic Video Section End -->

<!-- Our Counter Section Start -->
@include('front.partials.our-counter');
<!-- Our Counter Section End -->

```

```

        <!-- Icon Start Image Start -->
        <div class="icon-star-image">
            
        </div>
        <!-- Icon Start Image End -->
    </div>
    <!-- Our Servicedes Section End -->

    <!-- Section Why Choose Us -->
    @include('front.partials.why-choose-us');

    <!-- How It Work Start -->
    <div class="how-it-work">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-6">
                    <!-- How It Work Image Start -->
                    <div class="how-it-work-img">
                        <figure class="reveal image-anime">
                            
                        </figure>
                    </div>
                    <!-- How It Work Image End -->
                </div>

                <div class="col-lg-6">
                    <div class="how-it-work-content">
                        <!-- Section Title Start -->
                        <div class="section-title">
                            <h3 class="wow fadeInUp">how it works</h3>
                            <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>What We Do</span> for Your Teeth
                            </h2>
                            <p class="wow fadeInUp" data-wow-
delay="0.25s">We provide complete dental care, combining
                                prevention, restoration, and cosmetic
                                treatments to keep your smile healthy, confident,
                                and beautiful at every stage of life.</p>
                            </div>
                        <!-- Section Title End -->

                        <!-- How Work Accordion Start -->

                        <!-- FAQ Accordion Start -->
                        <div class="faq-accordion how-work-accordion"
id="accordion">
                            <!-- FAQ Item Start -->
                            <div class="accordion-item wow fadeInUp">
                                <div class="icon-box">
                                    
                                </div>
                                <h2 class="accordion-header" id="heading1">
                                    <button class="accordion-button"
type="button" data-bs-toggle="collapse"
                                    data-bs-target="#collapse1"
aria-expanded="true" aria-controls="collapse1">
                                        book an appointment
                                    </button>
                                </h2>

```

```

<div id="collapse1" class="accordion-
collapse collapse show" aria-labelledby="heading1"
    data-bs-parent="#accordion">
    <div class="accordion-body">
        <p>Easily book an appointment
online or by phone and get expert care when you
        need it.</p>
    </div>
</div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-
wow-delay="0.25s">
    <div class="icon-box">
        
    </div>
    <h2 class="accordion-header" id="heading2">
        <button class="accordion-button
collapsed" type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse2"
aria-expanded="false" aria-controls="collapse2">
            What conditions can dental therapy
            treat?
        </button>
    </h2>
    <div id="collapse2" class="accordion-
collapse collapse" aria-labelledby="heading2"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Dental therapy treats cavities,
gum disease, and tooth sensitivity.
            We restore damaged teeth and
            replace missing ones with care.
            Preventive treatments keep your
            smile healthy and strong.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-
wow-delay="0.5s">
    <div class="icon-box">
        
    </div>
    <h2 class="accordion-header" id="heading3">
        <button class="accordion-button
collapsed" type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse3"
aria-expanded="false" aria-controls="collapse3">
            expert care
        </button>
    </h2>
    <div id="collapse3" class="accordion-
collapse collapse" aria-labelledby="heading3"
        data-bs-parent="#accordion">

```

```

                                <div class="accordion-body">
                                    <p>Expert care from highly skilled
dental professionals, providing precise,
                                compassionate, and personalized
treatment to ensure your teeth and gums stay
                                healthy, strong, and beautiful
for years to come.</p>
                                </div>
                            </div>
                        </div>
                    <!-- FAQ Item End -->
                </div>
            <!-- FAQ Accordion End -->
        <!-- How Work Accordion End -->
    </div>
</div>
</div>
</div>
<!-- How It Work End -->

<!-- Section Our Team -->
@include('front.partials.our-team')

<!-- Section Testimonials -->
@include('front.partials.testimonials')

<!-- Footer Contact Us Start -->
<div class="contact-now">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-lg-6">
                <!-- Google Map Start -->
                <div class="contact-google-map">
                    <!-- Google Map Iframe Start -->
                    <div class="google-map-iframe">
                        <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d96737.1056204530
8!2d-
74.08535042841811!3d40.739265258395164!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f1
3.1!3m3!1m2!1s0x89c24fa5d33f083b%3A0xc80b8f06e177fe62!2sNew%20York%2C%20NY%
2C%20USA!5e0!3m2!1sen!2sin!4v1703158537552!5m2!1sen!2sin"
                                allowfullscreen="" loading="lazy"
                                referrerpolicy="no-referrer-when-
downgrade"></iframe>
                        </div>
                    <!-- Google Map Iframe End -->
                </div>
            <!-- Google Map End -->
        </div>
    </div>

    <div class="col-lg-6">

        <!-- Footer Contact Content Start -->
        <div class="contact-now-content">
            <!-- Section Title Start -->
            <div class="section-title">
                <h3 class="wow fadeInUp">contact now</h3>
                <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Get Free</span> Professional

```

```

Consultation</h2>
</div>
<!-- Section Title End -->

<!-- Contact Info Start -->
<div class="contact-now-info">
  <!-- Contact Info Item Start -->
  <div class="contact-info-list wow fadeInUp"
data-wow-delay="0.2s">
    <!-- Icon Box Start -->
    <div class="icon-box">
      
    </div>
    <!-- Icon Box End -->

    <!-- Contact Info Content Start -->
    <div class="contact-info-content">
      <p>24/11 Robert Road , New York ,
USA</p>
    </div>
    <!-- Contact Info Content End -->
  </div>
  <!-- Contact Info Item End -->

  <!-- Contact Info Item Start -->
  <div class="contact-info-list wow fadeInUp"
data-wow-delay="0.4s">
    <!-- Icon Box Start -->
    <div class="icon-box">
      
    </div>
    <!-- Icon Box End -->

    <!-- Contact Info Content Start -->
    <div class="contact-info-content">
      <p>+(123) 698-5245</p>
    </div>
    <!-- Contact Info Content End -->
  </div>
  <!-- Contact Info Item End -->

  <!-- Contact Info Item Start -->
  <div class="contact-info-list wow fadeInUp"
data-wow-delay="0.6s">
    <!-- Icon Box Start -->
    <div class="icon-box">
      
    </div>
    <!-- Icon Box End -->

    <!-- Contact Info Content Start -->
    <div class="contact-info-content">
      <p>reception@beodental.com</p>
    </div>
    <!-- Contact Info Content End -->
  </div>
  <!-- Contact Info Item End -->

  <!-- Contact Info Item Start -->

```

```

                                <div class="contact-info-list wow fadeInUp"
data-wow-delay="0.8s">
                                <!-- Icon Box Start -->
                                <div class="icon-box">
                                    
                                </div>
                                <!-- Icon Box End -->

                                <!-- Contact Info Content Start -->
                                <div class="contact-info-content">
                                    <p>Mon to Sat 12:00AM to 8:00PM</p>
                                </div>
                                <!-- Contact Info Content End -->
                                </div>
                                <!-- Contact Info Item End -->
                                </div>

                                <!-- Footer Appointment Button Start -->
                                <div class="contact-appointment-btn wow fadeInUp"
data-wow-delay="1s">
                                    <a href="{{route('appointment')}}" class="btn-
default">make an appointment</a>
                                </div>
                                <!-- Footer Appointment Button End -->
                                </div>
                                <!-- Footer Contact Content End -->
                                </div>
                                </div>
                                </div>
                                <!-- Footer Contact Us End -->
@endsection

```

4.1.5.4.2 about.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle')
    About Us
@endsection

@section('pageTitleFirstWord')
    About
@endsection
@section('pageTitleSecondWord')
    Us
@endsection
@section('slug')
    about us
@endsection

@section("content")
    <!-- Page About Us Start -->
    <div class="about-us page-about-us">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-6">
                    <!-- About Image Start -->
                    <div class="about-image">
                        <div class="about-img-1">

```

```

        <figure class="image-anime reveal">
            
        </figure>
    </div>

    <div class="about-img-2">
        <figure class="image-anime reveal">
            
        </figure>
    </div>

    <!-- About Experience Circle Start -->
    <div class="about-experience">
        <figure>
            
        </figure>
    </div>
    <!-- About Experience Circle End -->
</div>
<!-- About Image End -->
</div>

<div class="col-lg-6">
    <!-- About Content Start -->
    <div class="about-content">
        <!-- Section Title Start -->
        <div class="section-title">
            <h3 class="wow fadeInUp">about us</h3>
            <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Your Journey</span> to a
                Healthier Smile Begins Here</h2>
            <p class="wow fadeInUp" data-wow-
delay="0.25s">The goal of our clinic is to provide
                friendly, caring dentistry and the highest
                level of general, cosmetic, and specialist
                dental treatments. With dental practices
                throughout the world.</p>
        </div>
        <!-- Section Title End -->

        <!-- About Us Body Start -->
        <div class="about-us-body wow fadeInUp" data-wow-
delay="0.5s">
            <ul>
                <li>experienced team</li>
                <li>comprehensive services</li>
                <li>state-of-the-art technology</li>
                <li>emergency dental services</li>
            </ul>
        </div>
        <!-- About Us Body End -->
    </div>
    <!-- About Content End -->
</div>
</div>
</div>
<!-- Page About Us End -->

```

```

<!-- Insurance Company Logo Slider Start -->
<div class="insurance-company-carousel">
  <div class="container">
    <div class="row align-items-center">
      <div class="col-lg-4">
        <div class="insurance-carousel-title">
          <h3>Trusted by the industry's leading implant
providers</h3>
        </div>
      </div>
      <div class="col-lg-8">
        <!-- company Carousel Start -->
        <div class="company-carousel">
          <div class="swiper companies logo slider">
            <div class="swiper-wrapper align-items-center">
              <!-- company Logo Start -->
              <div class="swiper-slide">
                <div class="company-logo">
                  
                </div>
              </div>
              <!-- company Logo End -->

              <!-- company Logo Start -->
              <div class="swiper-slide">
                <div class="company-logo">
                  
                </div>
              </div>
              <!-- company Logo End -->

              <!-- company Logo Start -->
              <div class="swiper-slide">
                <div class="company-logo">
                  
                </div>
              </div>
              <!-- company Logo End -->

              <!-- company Logo Start -->
              <div class="swiper-slide">
                <div class="company-logo">
                  
                </div>
              </div>
              <!-- company Logo End -->

              <!-- company Logo Start -->
              <div class="swiper-slide">
                <div class="company-logo">
                  
                </div>
              </div>
              <!-- company Logo End -->
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```



```

        <!-- company Logo Start -->
        <div class="swiper-slide">
            <div class="company-logo">
                
            </div>
        </div>
        <!-- company Logo End -->

        <!-- company Logo Start -->
        <div class="swiper-slide">
            <div class="company-logo">
                
            </div>
        </div>
        <!-- company Logo End -->
    </div>
</div>
<!-- company Carousel End -->
</div>
</div>
<!-- Insurance Company Logo Slider End -->

<!-- How It Work Start -->
<div class="how-it-work">
    <div class="container">
        <div class="row align-items-center">

            <div class="col-lg-6">
                <div class="how-it-work-content">
                    <!-- Section Title Start -->
                    <div class="section-title">
                        <h3 class="wow fadeInUp">how it works</h3>
                        <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>What We Do</span> for Your Teeth
                    </h2>
                    <p class="wow fadeInUp" data-wow-
delay="0.25s">We provide complete dental care, combining
                        prevention, restoration, and cosmetic
                        treatments to keep your smile healthy, confident,
                        and beautiful at every stage of life.</p>
                    </div>
                    <!-- Section Title End -->

                    <!-- How Work Accordion Start -->

                    <!-- FAQ Accordion Start -->
                    <div class="faq-accordion how-work-accordion"
id="accordion">
                        <!-- FAQ Item Start -->
                        <div class="accordion-item wow fadeInUp">
                            <div class="icon-box">
                                
                            </div>
                            <h2 class="accordion-header" id="heading1">

```

```

<button class="accordion-button"
type="button" data-bs-toggle="collapse"
                                data-bs-target="#collapse1"
aria-expanded="true" aria-controls="collapse1">
    book an appointment
</button>
</h2>
<div id="collapse1" class="accordion-
collapse collapse show" aria-labelledby="heading1"
    data-bs-parent="#accordion">
    <div class="accordion-body">
        <p>Easily book an appointment
online or by phone and get expert care when you
        need it.</p>
    </div>
</div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-
wow-delay="0.25s">
    <div class="icon-box">
        
    </div>
    <h2 class="accordion-header" id="heading2">
        <button class="accordion-button
collapsed" type="button" data-bs-toggle="collapse"
                                data-bs-target="#collapse2"
aria-expanded="false" aria-controls="collapse2">
            What conditions can dental therapy
            treat?
        </button>
    </h2>
    <div id="collapse2" class="accordion-
collapse collapse" aria-labelledby="heading2"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Dental therapy treats cavities,
gum disease, and tooth sensitivity.
            We restore damaged teeth and
            replace missing ones with care.
            Preventive treatments keep your
            smile healthy and strong.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-
wow-delay="0.5s">
    <div class="icon-box">
        
    </div>
    <h2 class="accordion-header" id="heading3">
        <button class="accordion-button
collapsed" type="button" data-bs-toggle="collapse"
                                data-bs-target="#collapse3"

```

```

aria-expanded="false" aria-controls="collapse3">
    expert care
    </button>
</h2>
<div id="collapse3" class="accordion-
collapse collapse" aria-labelledby="heading3"
    data-bs-parent="#accordion">
    <div class="accordion-body">
        <p>Expert care from highly skilled
dental professionals, providing precise,
                                compassionate, and personalized
treatment to ensure your teeth and gums stay
                                healthy, strong, and beautiful
for years to come.</p>
    </div>
</div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->
<!-- How Work Accordion End -->
</div>
</div>

<div class="col-lg-6">
    <!-- How It Work Image Start -->
    <div class="how-it-work-img">
        <figure class="reveal image-anime">
            
        </figure>
    </div>
    <!-- How It Work Image End -->
</div>

</div>
</div>
</div>
<!-- How It Work End -->

<!-- Section Why Choose Us -->
@include('front.partials.why-choose-us');

<!-- Dental Process Start -->
<div class="dental-process">
    <div class="container">
        <div class="row section-row">
            <div class="col-lg-12">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">dental implant
process</h3>
                    <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Guiding</span> you to optimal Teeth
                </h2>
                </div>
                <!-- Section Title End -->
            </div>
        </div>
    </div>

    <div class="row">

```

```

<div class="col-lg-3 col-md-6">
  <!-- Dental Process Item Start -->
  <div class="dental-process-item wow fadeInUp">
    <!-- Dental Process Image Start -->
    <div class="dental-process-image">
      <div class="dental-process-img">
        <figure class="image-anime">
          
        </figure>
      </div>

      <div class="dental-process-number">
        <h3>01</h3>
      </div>
    </div>
    <!-- Dental Process Image End -->

    <!-- Dental Process Content Start -->
    <div class="dental-process-content">
      <h3>initial examination</h3>
      <p>Book initial examination or call us for
getting an appointment.</p>
    </div>
    <!-- Dental Process Content End -->
  </div>
  <!-- Dental Process Item End -->
</div>

<div class="col-lg-3 col-md-6">
  <!-- Dental Process Item Start -->
  <div class="dental-process-item wow fadeInUp" data-wow-
delay="0.25s">
    <!-- Dental Process Image Start -->
    <div class="dental-process-image">
      <div class="dental-process-img">
        <figure class="image-anime">
          
        </figure>
      </div>

      <div class="dental-process-number">
        <h3>02</h3>
      </div>
    </div>
    <!-- Dental Process Image End -->

    <!-- Dental Process Content Start -->
    <div class="dental-process-content">
      <h3>tooth extraction</h3>
      <p>After examination we will remove all
unhealthy teeth. </p>
    </div>
    <!-- Dental Process Content End -->
  </div>
  <!-- Dental Process Item End -->
</div>

<div class="col-lg-3 col-md-6">
  <!-- Dental Process Item Start -->

```

```

<div class="dental-process-item wow fadeInUp" data-wow-
delay="0.5s">
    <!-- Dental Process Image Start -->
    <div class="dental-process-image">
        <div class="dental-process-img">
            <figure class="image-anime">
                
            </figure>
        </div>

        <div class="dental-process-number">
            <h3>03</h3>
        </div>
    </div>
    <!-- Dental Process Image End -->

    <!-- Dental Process Content Start -->
    <div class="dental-process-content">
        <h3>bone grafting</h3>
        <p>Doing all necessary preparation for your new
smile. </p>
    </div>
    <!-- Dental Process Content End -->
</div>
<!-- Dental Process Item End -->
</div>

<div class="col-lg-3 col-md-6">
    <!-- Dental Process Item Start -->
    <div class="dental-process-item wow fadeInUp" data-wow-
delay="0.75s">
        <!-- Dental Process Image Start -->
        <div class="dental-process-image">
            <div class="dental-process-img">
                <figure class="image-anime">
                    
                </figure>
            </div>

            <div class="dental-process-number">
                <h3>04</h3>
            </div>
        </div>
        <!-- Dental Process Image End -->

        <!-- Dental Process Content Start -->
        <div class="dental-process-content">
            <h3>crown placement</h3>
            <p>Putting custom-made dental crowns
beautifying your smile!</p>
        </div>
        <!-- Dental Process Content End -->
    </div>
    <!-- Dental Process Item End -->
</div>
</div>
</div>
<!-- Dental Process End -->

```

```

<!-- Our Services Section Start -->
<div class="our-services">
  <!-- Expertise Experience Section Start -->
  <div class="expertise-experience">
    <div class="container">
      <div class="row align-items-center">
        <div class="col-lg-6">
          <!-- Expertise Experience Content Start -->
          <div class="expertise-experience-content">
            <!-- Section Title Start -->
            <div class="section-title">
              <h3 class="wow fadeInUp">expertise
experience</h3>
              <h2 class="text-anime-style-2" data-
cursor="-opaque"><span>Expert Dentists</span>
                Providing Quality Care</h2>
              <p class="wow fadeInUp" data-wow-
delay="0.25s">Our team of highly trained and
                experienced dentists is dedicated to
delivering comprehensive, precise, and
                compassionate dental care. From
preventive checkups and restorative treatments to
                advanced cosmetic procedures, we focus
on keeping your teeth and gums healthy while
                enhancing your smile, comfort, and
confidence at every visit.</p>
            </div>
            <!-- Section Title End -->

            <!-- Expertise Experience Body Start -->
            <div class="expertise-experience-body wow
fadeInUp" data-wow-delay="0.5s">
              <ul>
                <li>experienced team</li>
                <li>comprehensive services</li>
                <li>state-of-the-art technology</li>
                <li>emergency dental services</li>
              </ul>
            </div>
            <!-- Expertise Experience Body Body End -->
          </div>
          <!-- Expertise Experience Content End -->
        </div>

        <div class="col-lg-6">
          <!-- Expertise Experience Image Start -->
          <div class="expertise-experience-img">
            <figure class="image-anime reveal">
              
            </figure>
          </div>
          <!-- Expertise Experience Image End -->
        </div>
      </div>
    </div>
  </div>
</div>
<!-- Expertise Experience Section End -->

```

```

<!-- Intro Clinic Video Section Start -->
<div class="intro-clinic-video">
  <div class="container-fluid">
    <div class="row">
      <div class="col-lg-12">
        <!-- Visit Clinic Start -->
        <div class="visit-clinic parallaxie"
          style="background-image:
url(&quot;https://html.awaikenthemes.com/dentaire/images/visit-clinic-
bg.jpg&quot;); background-size: cover; background-repeat: no-repeat;
background-attachment: fixed; background-position: center 43.11px;">
          <!-- Visit Clinic Content Start -->
          <div class="visit-clinic-content">
            <!-- Section Title Start -->
            <div class="section-title">
              <h3 class="wow fadeInUp">visit
clinic</h3>
              <h2 class="text-anime-style-2" data-
cursor="-opaque">Comprehensive Dental Care For
All Ages</h2>
            </div>
            <!-- Section Title End -->

            <!-- Visit Clinic Btn Start -->
            <div class="visit-clinic-btn wow fadeInUp"
data-wow-delay="0.25s"
              data-cursor-text="Play">
              <a
href="https://www.youtube.com/watch?v=Y-x0efGlseA" class="popup-video play-
btn">play
              video</a>
            </div>
            <!-- Visit Clinic Btn End -->
          </div>
          <!-- Visit Clinic Content End -->
        </div>
        <!-- Visit Clinic End -->
      </div>
    </div>
  </div>
<!-- Intro Clinic Video Section End -->

<!-- Our Counter Section Start -->
@include('front.partials.our-counter');
<!-- Our Counter Section End -->

<!-- Icon Start Image Start -->
<div class="icon-star-image">
  
</div>
<!-- Icon Start Image End -->
</div>
<!-- Our Serviced Section End -->

<!-- Section Our Team -->
@include('front.partials.our-team')

<!-- Section Testimonials -->
@include('front.partials.testimonials')

```

```
@endsection
```

4.1.5.4.3 team.blade.php

```
@extends("front.layouts.layout")

@section('tabTitle') Our Team @endsection
@section('pageTitleFirstWord') Our @endsection
@section('pageTitleSecondWord') Team @endsection
@section('slug') Our Team @endsection

@section("content")
    <!-- Page Team Start -->
    <div class="page-team">
        <div class="container">
            <div class="row">
                @foreach($dentists as $dentist)
                    <x-single-team-member
                        :id="$dentist->dentist_id"
                        :image-name="$dentist->image_route"
                        :dentist-name="$dentist->full_name"
                        :title="$dentist->title"
                    />
                @endforeach
            </div>
        </div>
    </div>
    <!-- Page Team End -->
@endsection
```

4.1.5.4.4 team-single.blade.php

```
@extends("front.layouts.layout")

@section('tabTitle') {{$dentist->full_name}} @endsection

@section('pageTitleSecondWord') {{$dentist->full_name}} @endsection

@section('slug') Our Team <li class="breadcrumb-item active" aria-current="page">{{$dentist->full_name}}</li> @endsection

@section("content")
    <!-- Team Details Section Start -->
    <div class="page-team-single">
        <div class="container">
            <div class="row no-gutters">
                <div class="col-lg-5">
                    <!-- team member image start -->
                    <div class="team-member-image">
                        <figure class="image-anime">
                            
                        </figure>
                    </div>
                    <!-- team member image end -->
                </div>
            </div>
        </div>
    </div>
endsection
```



```

        <div class="col-lg-7">
            <!-- team member details start -->
            <div class="team-member-details">
                <div class="member-detail-header">
                    <h2 class="text-anime-style-2">{{ $dentist-
>full_name }}</h2>
                    <p class="wow fadeInUp">{{ $dentist->title }}</p>
                </div>
                <div class="member-detail-content">
                    <p class="wow fadeInUp" data-wow-
delay="0.25s">{{ $dentist->short_description }}</p>
                </div>
                <div class="member-detail-body wow fadeInUp" data-
wow-delay="0.5s">
                    @if(strlen($dentist->email))
                        <ul>
                            <li><span>Email</span>{{ $dentist-
>email }}</li>
                        </ul>
                    @endif
                </div>
                <div class="member-social-list">-->
                <ul class="wow fadeInUp" data-wow-
delay="0.75s">-->
                    <li><a href="#"><i class="fa-brands fa-
facebook-f"></i></a></li>-->
                    <li><a href="#"><i class="fa-brands fa-
youtube"></i></a></li>-->
                    <li><a href="#"><i class="fa-brands fa-
instagram"></i></a></li>-->
                    <li><a href="#"><i class="fa-brands fa-
x-twitter"></i></a></li>-->
                </ul>-->
            </div>-->
        </div>
    <!-- team member details end -->
</div>
</div>
<!--Team Details Section End -->

<!-- About Member Details Start -->
<div class="about-member-details">
    <div class="container">
        <div class="row justify-content-center">
            @if($dentist->biography != null)
                <div class="col-lg-6">
                    <!-- About Member Info Start -->
                    <div class="about-member-info">
                        <div class="member-info-title">
                            <h2 class="wow fadeInUp">personal info</h2>
                        </div>
                        <div class="member-info-content">
                            <p class="wow fadeInUp" data-wow-
delay="0.25s">{{ $dentist->biography }}</p>
                        </div>
                    </div>
                    <!-- About Member Info End -->
                </div>
            </if>
        </div>
    </div>
</div>

```

```

        </div>
    @endif

    <div class="col-lg-6">

        <!-- Team Sidebar Cta Box Start -->
        <div class="team-sidebar-cta wow fadeInUp" data-wow-
delay="0.25s">

            <!-- Cta Content Start -->
            <div class="cta-info-content">
                <div class="icon-box">
                    
                </div>

                <div class="cta-content">
                    <h3>ready to start your journey to
recovery?</h3>
                    <p>Schedule your initial consultation today
and start your journey towards a pain-free healthier smile Contact us
now!</p>

                    <!-- Cta Appointment Button Start -->
                    <div class="cta-appointment-btn">
                        <a href="{{route('appointment')}}"
class="btn-default">book appointment</a>
                    </div>
                    <!-- Cta Appointment Button End -->
                </div>
            </div>
            <!-- Cta Content End -->
        </div>
    <!-- Team Sidebar Cta Box End -->
</div>

@if(strlen($dentist->additional_description))
    <div class="col-lg-8 mx-auto">
        <!-- About Member Info Start -->
        <div class="about-member-info">
            <div class="member-info-title">
                <h2 class="wow fadeInUp">Additional
info</h2>
            </div>
            <div class="member-info-content">
                <p class="wow fadeInUp" data-wow-
delay="0.25s">{{ $dentist->additional_description}}</p>
            </div>
        </div>
        <!-- About Member Info End -->
    </div>
@endif

</div>
</div>
</div>
<!-- About Member Details End -->
@endsection

```

4.1.5.4.5 tourism.blade.php

```
@extends("front.layouts.layout")

@section('tabTitle') Dental Tourism @endsection

@section('pageTitleFirstWord') Dental @endsection
@section('pageTitleSecondWord') Tourism @endsection
@section('slug') Dental Tourism @endsection

@section("content")
    <!-- Page Techonology Start -->
    <div class="page-techonology">
        <div class="container">
            <!-- Techonology Item Start -->
            <div class="row techonology-item align-items-center">
                <div class="col-lg-6">
                    <!-- Techonology Image Box Start -->
                    <div class="techonology-image-box">
                        <!-- Techonology Image Start -->
                        <div class="techonology-image-1">
                            <figure class="image-anime reveal">
                                
                            </figure>
                        </div>
                        <!-- Techonology Image End -->

                        <!-- Techonology Image Start -->
                        <div class="techonology-image-2">
                            <figure class="image-anime reveal">
                                
                            </figure>
                        </div>
                        <!-- Techonology Image End -->
                    </div>
                    <!-- Techonology Image Box End -->
                </div>

                <div class="col-lg-6">
                    <!-- Techonology Content Start -->
                    <div class="techonology-content">
                        <!-- Section Title Start -->
                        <div class="section-title">
                            <h3 class="wow fadeInUp">expertise</h3>
                            <h2 class="text-anime-style-2" data-cursor="opaque"><span>Advanced</span> Dentistry</h2>
                            <p class="wow fadeInUp" data-wow-delay="0.25s">Our advanced dental care combines the latest technology, innovative techniques, and expert knowledge to provide precise, effective, and comfortable treatments. From preventive care and restorative procedures to cosmetic enhancements, we focus on improving your oral health, restoring function, and creating a beautiful, confident smile tailored to your unique needs.</p>
                        </div>
                        <!-- Section Title End -->
                    </div>
                    <!-- Techonology Content End -->
                </div>
            </div>
            <!-- Techonology Item End -->
        </div>
    </div>
</section>
```

```

<!-- Techonology Item Start -->
<div class="row techonology-item align-items-center">
  <div class="col-lg-6">
    <!-- Techonology Image Box Start -->
    <div class="techonology-image-box">
      <!-- Techonology Image Start -->
      <div class="techonology-image-1">
        <figure class="image-anime reveal">
          
        </figure>
      </div>
      <!-- Techonology Image End -->

      <!-- Techonology Image Start -->
      <div class="techonology-image-2">
        <figure class="image-anime reveal">
          
        </figure>
      </div>
      <!-- Techonology Image End -->
    </div>
    <!-- Techonology Image Box End -->
  </div>

  <div class="col-lg-6">
    <!-- Techonology Content Start -->
    <div class="techonology-content">
      <!-- Section Title Start -->
      <div class="section-title">
        <h3 class="wow fadeInUp">technology</h3>
        <h2 class="text-anime-style-2" data-cursor="opaque"><span>Digital</span> Radiography</h2>
        <p class="wow fadeInUp" data-wow-delay="0.25s">Our advanced digital X-ray technology captures detailed images of your teeth, gums, and jaw with minimal radiation. This allows for faster, more accurate diagnoses, precise treatment planning, and improved monitoring of your oral health, all while ensuring your safety and comfort during every visit.</p>
      </div>
      <!-- Section Title End -->
    </div>
    <!-- Techonology Content End -->
  </div>
</div>
<!-- Techonology Item End -->

<!-- Techonology Item Start -->
<div class="row techonology-item align-items-center">
  <div class="col-lg-6">
    <!-- Techonology Image Box Start -->
    <div class="techonology-image-box">
      <!-- Techonology Image Start -->
      <div class="techonology-image-1">
        <figure class="image-anime reveal">
          
        </figure>
      </div>

```

```

        <!-- Techonology Image End -->

        <!-- Techonology Image Start -->
        <div class="techonology-image-2">
            <figure class="image-anime reveal">
                
            </figure>
        </div>
        <!-- Techonology Image End -->
    </div>
    <!-- Techonology Image Box End -->
</div>

<div class="col-lg-6">
    <!-- Techonology Content Start -->
    <div class="techonology-content">
        <!-- Section Title Start -->
        <div class="section-title">
            <h3 class="wow fadeInUp">attention to
detail</h3>
            <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>DC</span> X-Ray</h2>
            <p class="wow fadeInUp" data-wow-
delay="0.25s">Our high-resolution digital X-ray system captures
exceptionally clear images of your teeth, gums, and jaw, allowing for
precise diagnoses and effective treatment planning, while minimizing
radiation exposure to ensure your safety and comfort.</p>
        </div>
        <!-- Section Title End -->
    </div>
    <!-- Techonology Content End -->
</div>
</div>
<!-- Techonology Item End -->

<!-- Techonology Item Start -->
<div class="row techonology-item align-items-center">
    <div class="col-lg-6">
        <!-- Techonology Image Box Start -->
        <div class="techonology-image-box">
            <!-- Techonology Image Start -->
            <div class="techonology-image-1">
                <figure class="image-anime reveal">
                    
                </figure>
            </div>
        </div>
        <!-- Techonology Image End -->

        <!-- Techonology Image Start -->
        <div class="techonology-image-2">
            <figure class="image-anime reveal">
                
            </figure>
        </div>
        <!-- Techonology Image End -->
    </div>
    <!-- Techonology Image Box End -->
</div>

```

```

        <div class="col-lg-6">
            <!-- Techonology Content Start -->
            <div class="techonology-content">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">operational</h3>
                    <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Advanced</span> Endodontics Equipments</h2>
                    <p class="wow fadeInUp" data-wow-
delay="0.25s">Our clinic uses cutting-edge endodontic technology and
precision instruments to perform root canal and other specialized
treatments with the highest accuracy and comfort. These advanced tools
allow us to treat even complex cases efficiently, minimize discomfort,
preserve your natural teeth, and promote long-term oral health, giving you
a durable, healthy, and pain-free smile.</p>
                </div>
                <!-- Section Title End -->
            </div>
            <!-- Techonology Content End -->
        </div>
    </div>
    <!-- Techonology Item End -->

    <!-- Techonology Item Start -->
    <div class="row techonology-item align-items-center">
        <div class="col-lg-6">
            <!-- Techonology Image Box Start -->
            <div class="techonology-image-box">
                <!-- Techonology Image Start -->
                <div class="techonology-image-1">
                    <figure class="image-anime reveal">
                        
                    </figure>
                </div>
                <!-- Techonology Image End -->

                <!-- Techonology Image Start -->
                <div class="techonology-image-2">
                    <figure class="image-anime reveal">
                        
                    </figure>
                </div>
                <!-- Techonology Image End -->
            </div>
            <!-- Techonology Image Box End -->
        </div>
        <div class="col-lg-6">
            <!-- Techonology Content Start -->
            <div class="techonology-content">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">certified</h3>
                    <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Advanced</span> Dental Implant Equipment</h2>
                    <p class="wow fadeInUp" data-wow-
delay="0.25s">We use state-of-the-art implant technology and precision
instruments to ensure safe, accurate, and efficient placement of dental

```

implants. This advanced equipment allows for minimally invasive procedures, faster healing, and long-lasting results, helping restore your smile, function, and confidence with the highest level of care.</p>

```
</div>
<!-- Section Title End -->
</div>
<!-- Techonology Content End -->
</div>
</div>
<!-- Techonology Item End -->
</div>
<!-- Page Techonology End -->

<!-- Photo Gallery Section Start -->
<div class="our-gallery-page">
  <div class="container">
    <!-- gallery section start -->
    <div class="row gallery-items">
      <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-cursor-
text="View">
          <a href="{{asset('images/gallery-1.jpg')}}">
            <figure>
              
            </figure>
          </a>
        </div>
        <!-- image gallery end -->
      </div>

      <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-wow-
delay="0.2s" data-cursor-text="View">
          <a href="{{asset('images/gallery-2.jpg')}}">
            <figure>
              
            </figure>
          </a>
        </div>
        <!-- image gallery end -->
      </div>

      <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-wow-
delay="0.4s" data-cursor-text="View">
          <a href="{{asset('images/gallery-3.jpg')}}">
            <figure>
              
            </figure>
          </a>
        </div>
        <!-- image gallery end -->
      </div>
    </div>
  </div>
</div>
```

```

        <div class="col-lg-3 col-md-4 col-6">
            <!-- image gallery start -->
            <div class="photo-gallery wow fadeInUp" data-wow-
delay="0.6s" data-cursor-text="View">
                <a href="{{asset('images/gallery-4.jpg')}}">
                    <figure>
                        
                    </figure>
                </a>
            </div>
            <!-- image gallery end -->
        </div>

        <div class="col-lg-3 col-md-4 col-6">
            <!-- image gallery start -->
            <div class="photo-gallery wow fadeInUp" data-wow-
delay="0.8s" data-cursor-text="View">
                <a href="{{asset('images/gallery-5.jpg')}}">
                    <figure>
                        
                    </figure>
                </a>
            </div>
            <!-- image gallery end -->
        </div>

        <div class="col-lg-3 col-md-4 col-6">
            <!-- image gallery start -->
            <div class="photo-gallery wow fadeInUp" data-wow-
delay="1s" data-cursor-text="View">
                <a href="{{asset('images/gallery-6.jpg')}}">
                    <figure>
                        
                    </figure>
                </a>
            </div>
            <!-- image gallery end -->
        </div>

        <div class="col-lg-3 col-md-4 col-6">
            <!-- image gallery start -->
            <div class="photo-gallery wow fadeInUp" data-wow-
delay="1.2s" data-cursor-text="View">
                <a href="{{asset('images/gallery-7.jpg')}}">
                    <figure>
                        
                    </figure>
                </a>
            </div>
            <!-- image gallery end -->
        </div>

        <div class="col-lg-3 col-md-4 col-6">
            <!-- image gallery start -->
            <div class="photo-gallery wow fadeInUp" data-wow-
delay="1.4s" data-cursor-text="View">
                <a href="{{asset('images/gallery-8.jpg')}}">

```



```

            <figure>
                
            </figure>
        </a>
    </div>
    <!-- image gallery end -->
</div>

    <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-wow-
delay="1.6s" data-cursor-text="View">
            <a href="{{asset('images/gallery-9.jpg')}}">
                <figure>
                    
                </figure>
            </a>
        </div>
        <!-- image gallery end -->
    </div>

    <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-wow-
delay="1.8s" data-cursor-text="View">
            <a href="{{asset('images/gallery-10.jpg')}}">
                <figure>
                    
                </figure>
            </a>
        </div>
        <!-- image gallery end -->
    </div>

    <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-wow-
delay="2s" data-cursor-text="View">
            <a href="{{asset('images/gallery-11.jpg')}}">
                <figure>
                    
                </figure>
            </a>
        </div>
        <!-- image gallery end -->
    </div>

    <div class="col-lg-3 col-md-4 col-6">
        <!-- image gallery start -->
        <div class="photo-gallery wow fadeInUp" data-wow-
delay="2.2s" data-cursor-text="View">
            <a href="{{asset('images/gallery-12.jpg')}}">
                <figure>
                    
                </figure>
            </a>

```

```

        </div>
        <!-- image gallery end -->
    </div>
</div>
<!-- gallery section end -->
</div>
</div>
<!-- Photo Gallery Section End -->

@endsection

```

4.1.5.4.6 services.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle')
    Services
@endsection

@section('pageTitleFirstWord')
    Our
@endsection
@section('pageTitleSecondWord')
    Services
@endsection
@section('slug')
    services
@endsection

@section("content")
    <!-- Page Services Start -->
    <div class="page-services">
        <div class="container">
            <div class="row justify-content-center">
                <div class="col-lg-3 col-md-6">
                    <!-- Service Item Start -->
                    <div class="service-item wow fadeInUp">
                        <div class="icon-box">
                            <div class="img">
                                
                            </div>
                        </div>
                        <div class="service-body">
                            <h3>endodontics</h3>
                            <p>Advanced root canal treatments to relieve pain and save natural teeth.</p>
                        </div>
                        <div class="read-more-btn">
                            <a href="{{route('endodontics')}}">read more</a>
                        </div>
                    </div>
                    <!-- Service Item End -->
                </div>
                <div class="col-lg-3 col-md-6">
                    <!-- Service Item Start -->
                    <div class="service-item wow fadeInUp" data-wow-
delay="0.4s">

```

```

        <div class="icon-box">
            <div class="img">
                
            </div>
        </div>
        <div class="service-body">
            <h3>Periodontology</h3>
            <p>Specialized care for healthy gums and
prevention of gum disease.</p>
        </div>
        <div class="read-more-btn">
            <a href="{{route('periodontology')}}">read
more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>

<div class="col-lg-3 col-md-6">
    <!-- Service Item Start -->
    <div class="service-item wow fadeInUp" data-wow-
delay="0.2s">
        <div class="icon-box">
            <div class="img">
                
            </div>
        </div>
        <div class="service-body">
            <h3>Implantology</h3>
            <p>Permanent, natural-looking dental implants
to replace missing teeth</p>
        </div>
        <div class="read-more-btn">
            <a href="#">read more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>

<div class="col-lg-3 col-md-6">
    <!-- Service Item Start -->
    <div class="service-item wow fadeInUp" data-wow-
delay="0.8s">
        <div class="icon-box">
            <div class="img">
                
            </div>
        </div>
        <div class="service-body">
            <h3>orthodontics</h3>
            <p>Teeth straightening solutions for a
confident, perfectly aligned smile.</p>
        </div>
        <div class="read-more-btn">
            <a href="{{route('orthodontics')}}">read
more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>

```

```

        </div>
        <!-- Service Item End -->
    </div>

    <div class="col-lg-3 col-md-6">
        <!-- Service Item Start -->
        <div class="service-item wow fadeInUp" data-wow-
delay="1s">
            <div class="icon-box">
                <div class="img">
                    
                </div>
            </div>
            <div class="service-body">
                <h3>oral surgery</h3>
                <p>Safe and precise surgical procedures for
complex dental conditions.</p>
            </div>
            <div class="read-more-btn">
                <a href="{{route('oral-surgery')}}">read
more</a>
            </div>
        </div>
        <!-- Service Item End -->
    </div>

    <div class="col-lg-3 col-md-6">
        <!-- Service Item Start -->
        <div class="service-item wow fadeInUp" data-wow-
delay="1.2s">
            <div class="icon-box">
                <div class="img">
                    
                </div>
            </div>
            <div class="service-body">
                <h3>pediatric dentistry</h3>
                <p>Gentle, child-friendly dental care for
healthy growing smiles.</p>
            </div>
            <div class="read-more-btn">
                <a href="{{route('pediatric-dentistry')}}">read
more</a>
            </div>
        </div>
        <!-- Service Item End -->
    </div>

    <div class="col-lg-3 col-md-6">
        <!-- Service Item Start -->
        <div class="service-item wow fadeInUp" data-wow-
delay="0.6s">
            <div class="icon-box">
                <div class="img">
                    
                </div>
            </div>

```

```

        <div class="service-body">
            <h3>teeth whitening</h3>
            <p>Professional whitening treatments for a
brighter, whiter smile.</p>
        </div>
        <div class="read-more-btn">
            <a href="{{route('teeth-whitening')}}">read
more</a>
        </div>
    </div>
    <!-- Service Item End -->
</div>
</div>
<!-- Page Services End -->

<!-- Section Why Choose Us -->
@include('front.partials.why-choose-us');

<!-- Section Testimonials -->
@include('front.partials.testimonials')

@endsection

```

4.1.5.4.7 contact.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle') Contact @endsection
@section('pageTitleFirstWord') Contact @endsection
@section('pageTitleSecondWord') Us @endsection
@section('slug') Contact Us @endsection

@section("content")
    <!-- Page Contact Start -->
    <div class="page-contact">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-6">
                    <div class="contact-us-content">
                        <!-- Section Title Start -->
                        <div class="section-title">
                            <h3 class="wow fadeInUp">contact info</h3>
                            <h2 class="text-anime-style-2" data-cursor=""-
opaque"><span>Connecting</span> Near & Far </h2>
                            <p class="wow fadeInUp" data-wow-
delay="0.25s">For emergency dental care or to schedule an appointment
contact our office or visit our clinic.</p>
                        </div>
                        <!-- Section Title End -->

                        <!-- Contact US Info Start -->
                        <div class="contact-us-info">
                            <div class="row">
                                <div class="col-md-6">
                                    <!-- Contact US Item Start -->
                                    <div class="contact-us-item wow
fadeInUp">

```

```

location.svg'))}" alt="location-icon">
</div>
<!-- Icon Box End -->

<!-- Contact Us Content Start -->
<div class="contact-info-content">
  <h3>visit us on</h3>
  <p>24/11 Robert Road , New York
, USA</p>
</div>
<!-- Contact Us Content End -->
</div>
<!-- Contact Us Item End -->
</div>

<div class="col-md-6">
  <!-- Contact US Item Start -->
  <div class="contact-us-item wow
fadeInUp" data-wow-delay="0.25s">
    <!-- Icon Box Start -->
    <div class="icon-box">
      
    </div>
    <!-- Icon Box End -->

    <!-- Contact Us Content Start -->
    <div class="contact-info-content">
      <h3>contact us</h3>
      <p>+(123) 698-5245</p>
    </div>
    <!-- Contact Us Content End -->
  </div>
  <!-- Contact Us Item End -->
</div>

<div class="col-md-6">
  <!-- Contact US Item Start -->
  <div class="contact-us-item wow
fadeInUp" data-wow-delay="0.5s">
    <!-- Icon Box Start -->
    <div class="icon-box">
      
    </div>
    <!-- Icon Box End -->

    <!-- Contact Us Content Start -->
    <div class="contact-info-content">
      <h3>working hours</h3>
      <p>Mon-Fri : 12:00AM To
8:00PM</p>
      <p>Sat-Sun : Closed</p>
    </div>
    <!-- Contact Us Content End -->
  </div>
  <!-- Contact Us Item End -->
</div>

<div class="col-md-6">

```

```

                                <!-- Contact US Item Start -->
                                <div class="contact-us-item wow
fadeInUp" data-wow-delay="0.75s">
                                <!-- Icon Box Start -->
                                <div class="icon-box">
                                    
                                </div>
                                <!-- Icon Box End -->

                                <!-- Contact Us Content Start -->
                                <div class="contact-info-content">
                                    <h3>email us</h3>
                                    <p>reception@beodental.com</p>
                                </div>
                                <!-- Contact Us Content End -->
                                </div>
                                <!-- Contact Us Item End -->
                                </div>
                                </div>
                                </div>
                                <!-- Contact US Info End -->
                                </div>
                                <div class="col-lg-6">
                                    <!-- Google Map Start -->
                                    <div class="google-map">
                                        <!-- Google Map Iframe Start -->
                                        <div class="google-map-iframe">
                                            <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d96737.1056204530
8!2d-
74.08535042841811!3d40.739265258395164!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f1
3.1!3m3!1m2!1s0x89c24fa5d33f083b%3A0xc80b8f06e177fe62!2sNew%20York%2C%20NY%
2C%20USA!5e0!3m2!1sen!2sin!4v1703158537552!5m2!1sen!2sin"
allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-
downgrade"></iframe>
                                        </div>
                                        <!-- Google Map Iframe End -->
                                    </div>
                                    <!-- Google Map End -->
                                </div>
                                </div>
                                </div>
                                <!-- Page Contact End -->
@endsection

```

4.1.5.4.8 appointment.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle')
    Booking
@endsection
@section('pageTitleFirstWord')
    Make An
@endsection
@section('pageTitleSecondWord')
    Appointment

```

```

@endsection
@section('slug')
    Make An Appointment
@endsection

@section("content")
    <!-- Page Appointment Start -->
    <div class="page-book-appointment">
        <div class="container">
            <div class="book-appointment-form">
                <div class="row section-row">
                    <div class="col-lg-12">
                        <!-- Section Title Start -->
                        <div class="section-title">
                            <h3 class="wow fadeInUp">booking</h3>
                            <h2 class="text-anime-style-2" data-cursor="opa-
opaque"><span>Book</span> Appointment</h2>
                        </div>
                        <!-- Section Title End -->
                    </div>
                </div>

                <div class="row d-flex justify-content-center">
                    <div class="col-lg-7">
                        @if(!Auth::check())
                            <div class="text-center">
                                <p>To book an appointment please log
in.</p>
                                <a href="{{route('login',
['fromAppointment' => 1])}}">Login</a>
                            </div>
                        @else
                            <div class="appointment-form wow fadeInUp">
                                <!-- Form Start -->
                                <form id="appointmentBookingForm"
action="{{route('appointment.store')}}" method="POST"
enctype="multipart/form-data" data-
toggle="validator">
                                    @csrf
                                    <div class="row">
                                        <div class="form-group col-md-12
mb-4">
                                            <select name="services"
class="form-control form-select" id="services"
required>
                                                <option value="" disabled
selected>select service</option>
                                                @foreach($data['services']
as $service)
                                                    <option
value="{{ $service->service_id }}">{{ $service->name }}</option>
                                                @endforeach
                                            </select>
                                            <div class="help-block with-
errors"></div>
                                        </div>

                                        <div class="form-group col-md-12
mb-4">
                                            <select name="dentists"
id="dentists" class="form-control form-select"

```



```

                                required>
                                <option value="" disabled
selected>choose dentist</option>
                                @foreach($data['dentists']
as $dentist)
                                <option
value="{{ $dentist->dentist_id }}">{{ $dentist->first_name}} {{ $dentist-
>last_name}}</option>
                                @endforeach
                                </select>
                                <div class="help-block with-
errors"></div>
                                </div>
                                <div class="form-group col-md-12
mb-3">
                                <select name="dates" id="dates"
class="form-control form-select">
                                {{--
                                <option value="" disabled selected>choose date</option>--}}
                                {{--
                                @foreach($data['dates'] as $date)--}}
                                {{--
                                <option value="{{ $date['value'] }}" >{{ $date['name'] }}</option>--}}
                                {{--
                                @endforeach--}}
                                </select>
                                <p class="mt-1 mb-0 text-start"
style="margin-left: 20px">Do you have a
                                specific date in mind? You
can <a href="{{ route('contact') }}">contact
                                us</a>.</p>
                                </div>
                                <div class="form-group col-md-12
mb-5">
                                <select
name="appointment_hours" id="appointment_hours"
                                class="form-control
form-select">
                                {{--
                                <option value="" disabled selected>choose appointment time</option>--}}
                                {{--
                                @foreach($data['appointmentHours'] as $hour)--}}
                                {{--
                                <option value="{{ $hour->hour_id }}" >{{ $hour->name}} PM</option>--}}
                                {{--
                                @endforeach--}}
                                </select>
                                </div>
                                {{--
                                <div class="form-group col-md-12 mb-5">--}}
                                {{--
                                <input type="date" name="date" class="form-control" id="date" required>--}}
                                {{--
                                <div class="help-block with-errors"></div>--}}
                                {{--
                                </div>--}}

```

```

                                @if(Auth::user()->fk_role_id > 2)
                                <div class="col-md-12">
                                <button type="submit"
class="btn-default">book appointment</button>
                                <div id="msgSubmit"
class="h3 hidden"></div>
                                </div>
                                @else
                                <div class="col-md-12">
                                <p>Booking through client
form isn't available for administrator
                                accounts. Please switch
to <a href="{{url('/admin')}}">Admin</a>
                                panel.</p>
                                </div>
                                @endif
                                </div>
                                </form>
                                <!-- Form End -->
                                <div class="row justify-content-center mb-
5">
                                <div class="col-xl-10 col-lg-10 col-sm-
10 wow fadeInUp">
                                @if ($errors->any())
                                <div class="alert alert-danger
mt-3">
                                @foreach($errors->all() as
$error)
                                <p class="mb-0">{{
$error }}</p>
                                @endforeach
                                </div>
                                @elseif(session('success'))
                                <div class="alert alert-success
mt-3">
                                <p class="mb-0">{{
session('success') }}</p>
                                </div>
                                @endif
                                </div>
                                </div>
                                </div>
                                @endif
                                </div>
                                </div>
                                </div>
                                </div>
                                <!-- Page Appointment End -->

                                <!-- Section Why Choose Us -->
                                @include('front.partials.why-choose-us');

                                <!-- Section Testimonials -->
                                @include('front.partials.testimonials');
                                @endsection

                                @section('script')
                                <script type="text/javascript"
src="{{asset('js/pages/appointments.js')}}"></script>
                                @endsection

```

4.1.5.5 Pages/Services

4.1.5.5.1 endodontics.blade.php

```
@extends("front.layouts.single-service-layout")

@section('tabTitle') Endodontics @endsection
@section('pageTitleFirstWord') Endodontics @endsection
@section('pageTitleSecondWord') @endsection
@section('slug') Endodontics @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>
        </div>
        <!-- Service Featured Image End -->

        <!-- Service Entry Content Start -->
        <div class="service-entry">
            <h3 class="wow fadeInUp">Save your tooth on time.</h3>
            <p class="wow fadeInUp" data-wow-delay="0.2s">A well-
endodontically repaired tooth is the basis and condition of future dental
treatment. That is why in our dental practice we have focused special
attention on this branch of dentistry.</p>
            <p class="wow fadeInUp" data-wow-delay="0.4s">We perform dental
treatment following world standards with NiTi machine expanders (protapers)
of the Densplay brand. This type of expander with high conicity and
flexibility provides ideal treatment even for teeth with very curved
canals. Gutta-percha points from the same manufacturer ideally obturate the
canals of treated teeth.</p>
            <h3 class="wow fadeInUp" data-wow-delay="0.6s">When is
endodontic tooth treatment necessary?</h3>
            <p class="wow fadeInUp" data-wow-delay="0.8s">Endodontics is
most often used in the following situations:</p>
            <ol class="wow fadeInUp" data-wow-delay="1s">
                <li><strong>Deep cavity:</strong> When the cavity affects
the inside of the tooth and causes pain or infection.</li>
                <li><strong>Tooth injuries:</strong> In the case of a
fracture or damage to the tooth that reaches the pulp.</li>
                <li><strong>Chronic infections:</strong> If cysts or
abscesses develop around the root of the tooth.</li>
            </ol>

            <!-- Service Entry Image Start -->
            <div class="service-entry-image">
                <div class="row">
                    <div class="col-md-6 col-12">
                        <!-- Service Entry Image Start -->
                        <div class="service-entry-img-1">
                            <figure class="image-anime reveal">
                                
                            </figure>
                        </div>
                        <!-- Service Entry Image End -->
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>

        <div class="col-md-6 col-12">
            <!-- Service Entry Image Start -->
            <div class="service-entry-img-2">
                <figure class="image-anime reveal">
                    
                </figure>
            </div>
            <!-- Service Entry Image End -->
        </div>
    </div>
</div>

    <h3 class="wow fadeInUp" data-wow-delay="0.6s">Why is a timely
reaction important when the first signs of pain appear?</h3>
    <p class="wow fadeInUp" data-wow-delay="0.8s">Ignoring dental
pulp problems can lead to serious complications, including loss
teeth, spread of infection and pain. With timely endodontic
treatment, you can save your tooth and avoid
more expensive and invasive treatments in the future.</p>

    <p class="wow fadeInUp" data-wow-delay="1s">
        A condition for good endodontic treatment is a good
clinical radiographic diagnosis. The Medenta practice has the most modern
type of digital radiography (Sopro) which enables quick and comfortable
diagnostics with high precision and minimal doses of radiation.</p>
    <!-- Service Entry Image End -->
</div>
<!-- Service Entry Content End -->
</div>
<!-- Service Single Content End -->

<!-- Service Accordion Start -->
<div class="service-faqs">
    <div class="faqs-section-title">
        <h2 class="text-anime-style-2" data-cursor="-opaque">Frequently
Asked Questions</h2>
    </div>

    <!-- FAQ Accordion Start -->
    <div class="faq-accordion" id="accordion">
        <!-- FAQ Item Start -->
        <div class="accordion-item wow fadeInUp">
            <h2 class="accordion-header" id="heading1">
                <button class="accordion-button" type="button" data-bs-
toggle="collapse"
                    data-bs-target="#collapse1" aria-
expanded="true" aria-controls="collapse1">
                    What are symptoms that may warrant a root canal?
                </button>
            </h2>
            <div id="collapse1" class="accordion-collapse collapse
show" aria-labelledby="heading1"
                data-bs-parent="#accordion">
                <div class="accordion-body">
                    <p>If you experience symptoms such as visible
injury or swelling around the tooth, sensitivity to temperature or pain in
the tooth and gums, your dentist may recommend non-surgical root canal
treatment. Trauma to the teeth, such as fractured or cracked teeth may also

```

```

require root canal therapy.</p>
    </div>
  </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.25s">
  <h2 class="accordion-header" id="heading2">
    <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
      data-bs-target="#collapse2" aria-
expanded="false" aria-controls="collapse2">
      What happens in a root canal procedure?
    </button>
  </h2>
  <div id="collapse2" class="accordion-collapse collapse"
aria-labelledby="heading2"
    data-bs-parent="#accordion">
    <div class="accordion-body">
      <p>In root canal therapy, the endodontist removes
the injured or diseased pulp and then thoroughly cleans and seals the root
canal system. This therapy usually involves local anesthesia and may be
completed in one or more visits depending on the treatment required.
Success for this type of treatment occurs in about 90% of cases.
      <br/><br/>
      If your tooth is not amenable to endodontic
treatment or the chance of success is unfavorable, our endodontists will
inform you at the time of consultation or when a complication becomes
evident during or after treatment.</p>
    </div>
  </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="0.5s">
  <h2 class="accordion-header" id="heading3">
    <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
      data-bs-target="#collapse3" aria-
expanded="false" aria-controls="collapse3">
      Is a root canal painful?
    </button>
  </h2>
  <div id="collapse3" class="accordion-collapse collapse"
aria-labelledby="heading3"
    data-bs-parent="#accordion">
    <div class="accordion-body">
      <p>Many endodontic procedures are performed to
relieve the pain of toothaches caused by pulp inflammation or infection.
Endodontists understand a great deal about pain management. With modern
techniques and anesthetics, the vast majority of patients report that they
are comfortable during the procedure.
      <br/><br/>
      For the first few days after treatment, your
tooth may feel sensitive, especially if there was pain or infection before
the procedure. Over-the-counter medications, such as Advil® or Tylenol®,
are usually enough to manage this sensitivity. In some cases, prescription
medications may be necessary and are available from your endodontist.

```

```

Follow your endodontist's instructions carefully.
        <br/><br/>
        Your tooth may continue to feel slightly
different from your other teeth for some time after your endodontic
treatment is completed. Of course, if you experience pressure or pain that
lasts more than a few days, call your endodontist. If swelling increases
after your root canal contact your endodontist.</p>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.75s">
    <h2 class="accordion-header" id="heading4">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse4" aria-
expanded="false" aria-controls="collapse4">
            Will the tooth need any special care or additional
treatment after endodontic treatment?
        </button>
    </h2>
    <div id="collapse4" class="accordion-collapse collapse"
aria-labelledby="heading4"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Most endodontically treated teeth last as long
as other natural teeth. In a few cases, a tooth that has undergone
endodontic treatment does not heal or the pain continues. Occasionally, the
tooth may become painful or diseased months or even years after successful
treatment. When this occurs, an endodontic retreatment procedure can save
the tooth.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->
</div>
<!-- Service Accordian End -->
@endsection

```

4.1.5.5.2 implantology.blade.php

```

@extends("front.layouts.single-service-layout")

@section('tabTitle') Implantology @endsection
@section('pageTitleFirstWord') Implantology @endsection
@section('pageTitleSecondWord') @endsection
@section('slug') Implantology @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>

```

```

</div>
<!-- Service Featured Image End -->

<!-- Service Entry Content Start -->
<div class="service-entry">
  <h3 class="wow fadeInUp">When is implant placement
necessary?</h3>
  <p class="wow fadeInUp" data-wow-delay="0.2s">Dental implants
are an ideal solution for patients who have lost one or more teeth due to:
<strong>cavities or gum disease</strong>, <strong>tooth injury and
trauma</strong>, <strong>periodontal disease</strong>, <strong>long-term
wearing of ill-fitting dentures.</strong></p>
  <p class="wow fadeInUp" data-wow-delay="0.4s">Implants not only
restore the functionality of the jaw, but also prevent further bone decay,
which often happens when the entire tooth or tooth root is missing.</p>
  <h3 class="wow fadeInUp" data-wow-delay="0.6s">What does the
process look like?</h3>
  <p class="wow fadeInUp" data-wow-delay="0.8s">The installation
of dental implants consists of several precisely planned steps:</p>
  <ol>
    <li class="wow fadeInUp" data-wow-delay="1s">
      <p><strong>First consultation and planning</strong>
</strong><br/>
      Our experts analyze the condition of your teeth, gums,
and jaw using state-of-the-art diagnostic equipment, including digital
orthopantograms and 3D scanners. Based on these, we create an individual
treatment plan.</p>
    </li>
    <li class="wow fadeInUp" data-wow-delay="1.2s">
      <p><strong>Installation of implants</strong> <br/>
      The implant, made of high-quality titanium, is
surgically placed into the jawbone. This procedure is painless thanks to
local anesthesia and a minimally invasive technique.</p>
    </li>
    <li class="wow fadeInUp" data-wow-delay="1.4s">
      <p><strong>Fusion period (osseointegration)</strong>
</strong><br/>
      After placement, the implant fuses with the bone
over a period of several months, providing a solid foundation for a future
crown or bridge.</p>
    </li>
    <li class="wow fadeInUp" data-wow-delay="1.6s">
      <p><strong>Placing the prosthetic part</strong> <br/>
      After completed osseointegration, a metal-ceramic
or zirconium crown is placed on the implant, which is completely adapted to
the color and shape of your natural teeth.</p>
    </li>
  </ol>

  <h3 class="wow fadeInUp" data-wow-delay="1.8s">We represent
several implant systems with great success</h3>
  <p class="wow fadeInUp" data-wow-delay="2s">All implant systems
are of exceptional quality. The decision to set up is determined depending
on the indication. Our broad experience has shown certain advantages of
certain systems according to the position and structure of the bone.</p>
  <ul class="wow fadeInUp" data-wow-delay="2.2s">
    <li>Astra Tech ® (Sweden, USA)</li>
    <li>Zimmer ® (USA)</li>
    <li>AlphaBio ® (Israel)</li>
    <li>ICX ® (Germany, Switzerland)</li>
  </ul>

```

```

        <!-- Service Entry Image End -->
    </div>
    <!-- Service Entry Content End -->
</div>
<!-- Service Single Content End -->

<!-- Service Accordion Start -->
<div class="service-faqs">
    <div class="faqs-section-title">
        <h2 class="text-anime-style-2" data-cursor="-opaque">Frequently
Asked Questions</h2>
    </div>

    <!-- FAQ Accordion Start -->
    <div class="faq-accordion" id="accordion">
        <!-- FAQ Item Start -->
        <div class="accordion-item wow fadeInUp">
            <h2 class="accordion-header" id="heading1">
                <button class="accordion-button" type="button" data-bs-
toggle="collapse"
                    data-bs-target="#collapse1" aria-
expanded="true" aria-controls="collapse1">
                    Why remove wisdom teeth before implantation?
                </button>
            </h2>
            <div id="collapse1" class="accordion-collapse collapse
show" aria-labelledby="heading1"
                data-bs-parent="#accordion">
                <div class="accordion-body">
                    <p>Indications for implantation and removal of
wisdom teeth are in no way related to each other, so if the wisdom teeth
are healthy and in the correct position, there is no need to touch them
before installing the implant. But if wisdom teeth still need to be
removed, this can be combined with implantation as part of the same
operation under sedation.</p>
                </div>
            </div>
        </div>
        <!-- FAQ Item End -->

        <!-- FAQ Item Start -->
        <div class="accordion-item wow fadeInUp" data-wow-
delay="0.25s">
            <h2 class="accordion-header" id="heading2">
                <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
                    data-bs-target="#collapse2" aria-
expanded="false" aria-controls="collapse2">
                    Why can there be pain in neighboring teeth after
implantation?
                </button>
            </h2>
            <div id="collapse2" class="accordion-collapse collapse"
aria-labelledby="heading2"
                data-bs-parent="#accordion">
                <div class="accordion-body">
                    <p>Dental implantation does not involve any
interventions on areas of neighboring teeth (in fact, this is one of its
main advantages), therefore, with a correctly performed operation, there
should not be any pain in other teeth. At least we at the Sirius Dent
Medical Center have never encountered such cases.</p>
                </div>
            </div>
        </div>
    </div>

```



```

        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="0.5s">
    <h2 class="accordion-header" id="heading3">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse3" aria-
expanded="false" aria-controls="collapse3">
            On what day does the swelling go away after dental
implantation?
        </button>
    </h2>
    <div id="collapse3" class="accordion-collapse collapse"
aria-labelledby="heading3">
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>After dental implantation, the swelling may
increase until the third day, and after that it decreases. On the seventh
day, the swelling finally subsides, and after a control examination, the
stitches are removed. If we are talking about a patient who cannot stay in
Odesa for a week, he will be given stitches that dissolve by themselves and
do not need to be removed.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.75s">
    <h2 class="accordion-header" id="heading4">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse4" aria-
expanded="false" aria-controls="collapse4">
            How to clean teeth during implantation?
        </button>
    </h2>
    <div id="collapse4" class="accordion-collapse collapse"
aria-labelledby="heading4">
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Before installing a permanent crown, you should
brush your teeth in the area of implantation with the utmost care. Once the
crown is in place, there are no longer any restrictions on cleaning. And
let us remind you that an implant, like any engineering structure, needs
care and periodic professional hygiene. Then it will serve you for the rest
of your life.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="1s">
    <h2 class="accordion-header" id="heading5">
        <button class="accordion-button collapsed"

```

```

type="button" data-bs-toggle="collapse"
                    data-bs-target="#collapse5" aria-
expanded="false" aria-controls="collapse5">
    Do dental implants last?
</button>
</h2>
<div id="collapse5" class="accordion-collapse collapse"
aria-labelledby="heading5"
        data-bs-parent="#accordion">
    <div class="accordion-body">
        <p>Unlike natural teeth, dental implants are not
susceptible to dental disease such as decay; however, the health of the
gums is vital to maintaining lasting implant success. Conscientious home
care by the patient and regular professional cleanings and check-ups are
essential elements for dental implant sustainability. Each patient is
different, and success relies upon diagnosis and planning, medical history,
and a variety of other factors.</p>
    </div>
    </div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->
</div>
<!-- Service Accordian End -->
@endsection

```

4.1.5.5.3 oral-surgery.blade.php

```

@extends("front.layouts.single-service-layout")

@section('tabTitle') Oral Surgery @endsection
@section('pageTitleFirstWord') Oral @endsection
@section('pageTitleSecondWord') Surgery @endsection
@section('slug') Oral Surgery @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>
        </div>
        <!-- Service Featured Image End -->

        <!-- Service Entry Content Start -->
        <div class="service-entry">
            <h3 class="wow fadeInUp">What is oral surgery?</h3>
            <p class="wow fadeInUp" data-wow-delay="0.2s">Oral surgery
refers to any mouth operation. It includes procedures done on your teeth,
gums, tongue or any other area inside your oral cavity.</p>
            <p class="wow fadeInUp" data-wow-delay="0.4s">There are several
types of oral operations done each year. Some of the most common
include:</p>
            <ul class="wow fadeInUp" data-wow-delay="0.6s">
                <li><strong>Wisdom tooth removal</strong> to treat or
prevent pain and infection.</li>
                <li><strong>Tooth extractions</strong> to remove decayed or
damaged teeth.</li>
            </ul>
        </div>
    </div>
    <!-- Service Entry Content End -->

```

```

        <li><strong>Dental bone grafts</strong> to increase the
volume and density of your jawbone.</li>
        <li><strong>Dental implants</strong> to replace missing
teeth.</li>
        <li><strong>Gum grafts</strong> to treat thinning or
receding gums.</li>
    </ul>
    <h3 class="wow fadeInUp" data-wow-delay="0.6s">What are the
benefits of oral surgery?</h3>
    <p class="wow fadeInUp" data-wow-delay="0.8s">Oral surgery can
correct conditions that nonsurgical treatments can't.</p>

    <ul class="wow fadeInUp" data-wow-delay="1s">
        <li>Better health.</li>
        <li>Enhanced aesthetics.</li>
        <li>Improved function.</li>
        <li>Pain relief.</li>
    </ul>

    <!-- Service Entry Image Start -->
    <div class="service-entry-image">
        <div class="row">
            <div class="col-md-6 col-12">
                <!-- Service Entry Image Start -->
                <div class="service-entry-img-1">
                    <figure class="image-anime reveal">
                        
                    </figure>
                </div>
                <!-- Service Entry Image End -->
            </div>

            <div class="col-md-6 col-12">
                <!-- Service Entry Image Start -->
                <div class="service-entry-img-2">
                    <figure class="image-anime reveal">
                        
                    </figure>
                </div>
                <!-- Service Entry Image End -->
            </div>
        </div>
    </div>

    <p class="wow fadeInUp" data-wow-delay="0.2s"> In combination
with routine dental care, oral surgery can treat conditions that cause
infection, like tooth decay and gum disease. Better oral health means
improved overall health.</p>

    <p class="wow fadeInUp" data-wow-delay="0.4s">The appearance of
your teeth can have a big impact on anxiety and how comfortable you feel in
social situations. Oral surgery can help address these concerns.</p>

    <p class="wow fadeInUp" data-wow-delay="0.6s">Oral surgery can
help replace damaged or missing teeth, reducing issues with eating and
speaking.</p>

    <p class="wow fadeInUp" data-wow-delay="0.8s">Oral surgery can
correct painful issues like broken teeth, extensive decay and sore,

```

```

bleeding gums.</p>

    <p class="wow fadeInUp" data-wow-delay="1s">Preventive
treatments like wisdom teeth removal can help you avoid potential problems
later.</p>

    <!-- Service Entry Image End -->
</div>
    <!-- Service Entry Content End -->
</div>
<!-- Service Single Content End -->

<!-- Service Accordion Start -->
<div class="service-faqs">
    <div class="faqs-section-title">
        <h2 class="text-anime-style-2" data-cursor="-opaque">Frequently
Asked Questions</h2>
    </div>

    <!-- FAQ Accordion Start -->
    <div class="faq-accordion" id="accordion">
        <!-- FAQ Item Start -->
        <div class="accordion-item wow fadeInUp">
            <h2 class="accordion-header" id="heading1">
                <button class="accordion-button" type="button" data-bs-
toggle="collapse"
                    data-bs-target="#collapse1" aria-
expanded="true" aria-controls="collapse1">
                    What is the recovery time?
                </button>
            </h2>
            <div id="collapse1" class="accordion-collapse collapse
show" aria-labelledby="heading1"
                data-bs-parent="#accordion">
                <div class="accordion-body">
                    <p>Healing times vary, but most people feel like
themselves again in about two to three days. The more extensive your oral
surgery, the more time it will take to recover. You shouldn't have severe
pain after oral surgery. But you'll have some degree of discomfort. Your
provider will give you medications to keep you comfortable.</p>
                    <p>After oral surgery, your mouth will continue to
heal even after you feel better. Soft tissues usually heal in about one
month. Bone could take up to six months to heal.</p>
                </div>
            </div>
        </div>
        <!-- FAQ Item End -->

        <!-- FAQ Item Start -->
        <div class="accordion-item wow fadeInUp" data-wow-
delay="0.25s">
            <h2 class="accordion-header" id="heading2">
                <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
                    data-bs-target="#collapse2" aria-
expanded="false" aria-controls="collapse2">
                    When should I call my dental doctor?
                </button>
            </h2>
            <div id="collapse2" class="accordion-collapse collapse"
aria-labelledby="heading2"

```

```

        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>After oral surgery, call your healthcare
provider if you develop these signs of infection:</p>
            <ul>
                <li>Severe pain that doesn't go away with
medication.</li>
                <li>Fever of 38.9 degrees Celsius or
higher.</li>
                <li>Pus coming from your incisions.</li>
            </ul>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="0.5s">
    <h2 class="accordion-header" id="heading3">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse3" aria-
expanded="false" aria-controls="collapse3">
            What are the risks or complications of oral
surgery?
        </button>
    </h2>
    <div id="collapse3" class="accordion-collapse collapse"
aria-labelledby="heading3">
        <div data-bs-parent="#accordion">
            <div class="accordion-body">
                <p>Like any procedure, oral surgery comes with
risks. Possible complications include:</p>
                <ul>
                    <li>Infection.</li>
                    <li>Injury to neighboring teeth.</li>
                    <li>Dry socket.</li>
                    <li>Numbness.</li>
                    <li>Tooth fragments left behind.</li>
                    <li>Sinus perforation (a hole in your sinus
membrane).</li>
                </ul>
            </div>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="1s">
    <h2 class="accordion-header" id="heading5">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse5" aria-
expanded="false" aria-controls="collapse5">
            What happens after oral surgery?
        </button>
    </h2>
    <div id="collapse5" class="accordion-collapse collapse"
aria-labelledby="heading5">
        <div data-bs-parent="#accordion">
            <div class="accordion-body">

```

```

        <p>Your healthcare provider will monitor you while
the sedatives and/or anesthesia wear off. They'll also give you post-op
instructions explaining how to care for yourself and a list of soft foods
to eat after oral surgery. Following these guidelines will reduce your risk
of bleeding, infection and other complications.</p>
    </div>
</div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->
</div>
<!-- Service Accordion End -->
@endsection

```

4.1.5.5.4 orthodontics.blade.php

```

@extends("front.layouts.single-service-layout")

@section('tabTitle') Orthodontics @endsection
@section('pageTitleFirstWord') Orthodontics @endsection
@section('pageTitleSecondWord') @endsection
@section('slug') Orthodontics @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>
        </div>
        <!-- Service Featured Image End -->

        <!-- Service Entry Content Start -->
        <div class="service-entry">
            <h3 class="wow fadeInUp">What is orthodontics?</h3>
            <p class="wow fadeInUp" data-wow-delay="0.2s">Orthodontics is a
dental specialty focused on aligning your bite and straightening your
teeth. You might need to see an orthodontist if you have crooked,
overlapped, twisted or gapped teeth. Common orthodontic treatments include
traditional braces, clear aligners and removable retainers.</p>
            <p class="wow fadeInUp" data-wow-delay="0.4s">The way your
teeth fit together has a significant impact on your oral health. By
improving the way your upper and lower teeth meet, you can reduce your risk
for a host of oral health issues, including cavities, gum disease and
excessive wear (erosion).</p>
            <h3 class="wow fadeInUp" data-wow-delay="0.6s">When should I
take my child to the orthodontist?</h3>
            <p class="wow fadeInUp" data-wow-delay="0.8s">According to the
Association of Orthodontists, children should have their first orthodontic
visit no later than the age of 7. While many children won't need treatment
at this age, it's a good time to find out if there are any issues to watch
out for. Often, children who need early orthodontic treatment can reduce
their need for extensive dental procedures in the future</p>

            <!-- Service Entry Image Start -->
            <div class="service-entry-image">
                <div class="row">
                    <div class="col-md-6 col-12">

```

```

        <!-- Service Entry Image Start -->
        <div class="service-entry-img-1">
            <figure class="image-anime reveal">
                
            </figure>
        </div>
        <!-- Service Entry Image End -->
    </div>

    <div class="col-md-6 col-12">
        <!-- Service Entry Image Start -->
        <div class="service-entry-img-2">
            <figure class="image-anime reveal">
                
            </figure>
        </div>
        <!-- Service Entry Image End -->
    </div>
</div>

<p class="wow fadeInUp" data-wow-delay="0.2s">After setting up
the braces, it is very important to regularly come to check up and monitor
the results achieved in accordance with the further development of the
patient. A specialist in Orthodontics during check-ups normally does small
therapeutic changes and gives a patient the necessary instructions
regarding the further course of treatment.</p>

<p class="wow fadeInUp" data-wow-delay="0.4s">To complete the
therapeutic effect of the fixed braces, they must be worn mostly 1- 2
years, and after removing the same, the patient must wear a so-called.
retention appliance (only at night) in order to complete achieved
results.</p>
    <!-- Service Entry Image End -->
</div>
    <!-- Service Entry Content End -->
</div>
    <!-- Service Single Content End -->

    <!-- Service Accordion Start -->
    <div class="service-faqs">
        <div class="faqs-section-title">
            <h2 class="text-anime-style-2" data-cursor="-opaque">Frequently
Asked Questions</h2>
        </div>

        <!-- FAQ Accordion Start -->
        <div class="faq-accordion" id="accordion">
            <!-- FAQ Item Start -->
            <div class="accordion-item wow fadeInUp">
                <h2 class="accordion-header" id="heading1">
                    <button class="accordion-button" type="button" data-bs-
toggle="collapse"
                        data-bs-target="#collapse1" aria-
expanded="true" aria-controls="collapse1">
                        what is orthodontics?
                    </button>
                </h2>
                <div id="collapse1" class="accordion-collapse collapse

```

```

show" aria-labelledby="heading1"
    data-bs-parent="#accordion">
    <div class="accordion-body">
        <p>Orthodontics is a dental specialty focused on
diagnosing, preventing, and treating dental and facial irregularities, such
as misaligned teeth and jaws.</p>
    </div>
</div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.25s">
    <h2 class="accordion-header" id="heading2">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse2" aria-
expanded="false" aria-controls="collapse2">
            Who benefits from orthodontics?
        </button>
    </h2>
    <div id="collapse2" class="accordion-collapse collapse"
aria-labelledby="heading2"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Almost everyone can gain some benefit from
orthodontics. But some people need treatment more than others. Many people
seek orthodontic treatment because they want to improve the appearance of
their smile. But in addition to cosmetic benefits, orthodontics offers
improved chewing function and better oral health.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="0.5s">
    <h2 class="accordion-header" id="heading3">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse3" aria-
expanded="false" aria-controls="collapse3">
            Common orthodontic problems
        </button>
    </h2>
    <div id="collapse3" class="accordion-collapse collapse"
aria-labelledby="heading3"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Types of orthodontic problems include:</p>
            <ul>
                <li><strong>Overbite</strong>, when your upper
teeth stick out over your lower teeth.</li>
                <li><strong>Underbite</strong>, when your lower
teeth stick out further than your upper teeth.</li>
                <li>Overlapping teeth.</li>
                <li>Crowded teeth.</li>
                <li>Crooked teeth.</li>
                <li>Rotated teeth.</li>
                <li>Impacted teeth (which are partially or

```



```

fully trapped in your jawbone).</li>
    </ul>
</div>
</div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.75s">
    <h2 class="accordion-header" id="heading4">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse4" aria-
expanded="false" aria-controls="collapse4">
            Who shouldn't have orthodontic treatment?
        </button>
    </h2>
    <div id="collapse4" class="accordion-collapse collapse"
aria-labelledby="heading4">
        <div class="accordion-body">
            <p>To qualify for orthodontic treatment, you
shouldn't have any serious dental issues like extensive decay or gum
disease. Placing braces on diseased teeth can have a serious negative
impact on your oral health.</p>
            <p>If you have cavities or gum disease, see a
dentist for treatment. Once you manage those conditions, ask your dentist
if orthodontic treatment is right for you.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="1s">
    <h2 class="accordion-header" id="heading5">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse5" aria-
expanded="false" aria-controls="collapse5">
            When should I see an orthodontist?
        </button>
    </h2>
    <div id="collapse5" class="accordion-collapse collapse"
aria-labelledby="heading5">
        <div class="accordion-body">
            <p>Schedule an appointment with an orthodontist any
time you're concerned about the appearance, health or function of your
teeth. Many orthodontists will see you without a referral. But your dentist
can recommend an orthodontist, too.</p>
            <p>If you think your child may need to see an
orthodontist, ask your dentist for recommendations. Orthodontists generally
see children as young as 7.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->

```

```

    </div>
    <!-- Service Accordion End -->
@endsection

```

4.1.5.5 pediatric-dentistry.blade.php

```

@extends("front.layouts.single-service-layout")

@section('tabTitle') Pediatric Dentistry @endsection
@section('pageTitleFirstWord') Pediatric @endsection
@section('pageTitleSecondWord') Dentistry @endsection
@section('slug') Pediatric Dentistry @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>
        </div>
        <!-- Service Featured Image End -->

        <!-- Service Entry Content Start -->
        <div class="service-entry">
            <h3 class="wow fadeInUp">What Is Pediatric Dentistry?</h3>
            <p class="wow fadeInUp" data-wow-delay="0.2s">Pediatric
dentistry is a dental specialty that focuses on the oral health of children
from birth through the teenage years. Dentists who specialize in this field
are called pediatric dentists.</p>
            <p class="wow fadeInUp" data-wow-delay="0.4s">Unlike general
dentistry, pediatric dentistry is designed specifically for:</p>

            <ul class="wow fadeInUp" data-wow-delay="0.6s">
                <li>Growing teeth and jaws</li>
                <li>Child psychology and behavior</li>
                <li>Age-appropriate dental treatments</li>
                <li>Preventive care and education</li>
            </ul>

            <h3 class="wow fadeInUp" data-wow-delay="0.8s">What Does a
Pediatric Dentist Do?</h3>

            <p class="wow fadeInUp" data-wow-delay="1s">A pediatric
dentist's role goes far beyond treating teeth. Their responsibilities
include prevention, education, early diagnosis, and building trust with
young patients.</p>
            <p class="wow fadeInUp" data-wow-delay="1.2s">Responsibilities
of a pediatric dentist:</p>

            <ul class="wow fadeInUp" data-wow-delay="1.4s">
                <li>Performing a child's first dental examination</li>
                <li>Monitoring tooth development</li>
                <li>Treating cavities in baby teeth</li>
                <li>Providing pediatric root canal treatments</li>
                <li>Applying fluoride treatments</li>
                <li>Applying dental sealants (fissure sealants)</li>
                <li>Managing dental injuries</li>
                <li>Educating families on oral hygiene</li>
            </ul>

```

```

        <li>Helping children overcome dental fear</li>
    </ul>

    <!-- Service Entry Image Start -->
    <div class="service-entry-image">
        <div class="row">
            <div class="col-md-6 col-12">
                <!-- Service Entry Image Start -->
                <div class="service-entry-img-1">
                    <figure class="image-anime reveal">
                        
                    </figure>
                </div>
                <!-- Service Entry Image End -->
            </div>

            <div class="col-md-6 col-12">
                <!-- Service Entry Image Start -->
                <div class="service-entry-img-2">
                    <figure class="image-anime reveal">
                        
                    </figure>
                </div>
                <!-- Service Entry Image End -->
            </div>
        </div>
    </div>
    <!-- Service Entry Content End -->
</div>
<!-- Service Single Content End -->

@endsection

```

4.1.5.5.6 periodontology.blade.php

```

@extends("front.layouts.single-service-layout")

@section('tabTitle') Periodontology @endsection
@section('pageTitleFirstWord') Periodontology @endsection
@section('pageTitleSecondWord') @endsection
@section('slug') Periodontology @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>
        </div>
        <!-- Service Featured Image End -->

        <!-- Service Entry Content Start -->
        <div class="service-entry">

```

```

        <h3 class="wow fadeInUp">What is periodontology and what does
it do?</h3>
        <p class="wow fadeInUp" data-wow-delay="0.2s">Periodontology
deals with gum health.
        Healthy gums and healthy bone are the foundation of a
healthy tooth.
        Teeth are able to stand only on a good foundation. Modern
methods of periodontal treatment are based on <strong>reconstruction and
regeneration of the bone damaged by inflammation.</strong></p>
        <p class="wow fadeInUp" data-wow-delay="0.4s">Periodontitis,
also known as 'periodontosis', is the cause of many tooth tissue
pathologies. The tooth can look healthy on the outside, but the foundation
which keeps him in the jaw is inflamed. With already inflamed periodontium,
it is possible to apply specific antibiotic methods of treatment, with the
goal to prevent the bacteria present in the mouth and the gums. Afterward,
scaling, polishing, and root planning are the next steps in order to avoid
tooth extraction.</p>
        <h3 class="wow fadeInUp" data-wow-delay="0.6s">Symptoms of
periodontology diseases</h3>
        <p class="wow fadeInUp" data-wow-delay="0.8s">Recognize in time
the signs that your gums need professional care:</p>
        <ol class="wow fadeInUp" data-wow-delay="1s">
            <li>Red, swollen or painful gums</li>
            <li>Bleeding gums when brushing teeth</li>
            <li>Receding gums, which makes teeth appear longer than
they once were</li>
            <li>Teeth chattering</li>
            <li>Unpleasant breath or taste in the mouth</li>
        </ol>
        <p class="wow fadeInUp" data-wow-delay="1.2s">If you notice any
of these symptoms, contact us immediately to begin adequate treatment.</p>

        <!-- Service Entry Image Start -->
        <div class="service-entry-image">
            <div class="row">
                <div class="col-md-6 col-12">
                    <!-- Service Entry Image Start -->
                    <div class="service-entry-img-1">
                        <figure class="image-anime reveal">
                            
                        </figure>
                    </div>
                    <!-- Service Entry Image End -->
                </div>

                <div class="col-md-6 col-12">
                    <!-- Service Entry Image Start -->
                    <div class="service-entry-img-2">
                        <figure class="image-anime reveal">
                            
                        </figure>
                    </div>
                    <!-- Service Entry Image End -->
                </div>
            </div>
        </div>
        <!-- Service Entry Image End -->
    </div>
    <!-- Service Entry Content End -->

```

```

</div>
<!-- Service Single Content End -->

<!-- Service Accordion Start -->
<div class="service-faqs">
  <div class="faqs-section-title">
    <h2 class="text-anime-style-2" data-cursor="-opaque">Frequently
Asked Questions</h2>
  </div>

  <!-- FAQ Accordion Start -->
  <div class="faq-accordion" id="accordion">

    <!-- FAQ Item Start -->
    <div class="accordion-item wow fadeInUp" data-wow-delay="0.5s">
      <h2 class="accordion-header" id="heading3">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
data-bs-target="#collapse3" aria-
expanded="false" aria-controls="collapse3">
          Will periodontal surgery be necessary?
        </button>
      </h2>
      <div id="collapse3" class="accordion-collapse collapse
show" aria-labelledby="heading3"
data-bs-parent="#accordion">
        <div class="accordion-body">
          <p>Periodontal surgery is typically avoided unless
absolutely necessary; however, there are times when surgical intervention
is the only treatment option that will allow you to best preserve and
maintain your oral health.</p>
        </div>
      </div>
    </div>

    <!-- FAQ Item End -->

    <!-- FAQ Item Start -->
    <div class="accordion-item wow fadeInUp">
      <h2 class="accordion-header" id="heading1">
        <button class="accordion-button" type="button" data-bs-
toggle="collapse"
data-bs-target="#collapse1" aria-
expanded="true" aria-controls="collapse1">
          Can children develop periodontal disease?
        </button>
      </h2>
      <div id="collapse1" class="accordion-collapse collapse"
aria-labelledby="heading1"
data-bs-parent="#accordion">
        <div class="accordion-body">
          <p>While it is possible for children and
adolescents to develop periodontal disease, it is very rare. All the same,
it is important that children and adolescents practice good oral health
care and keep their teeth and gums healthy to reduce their risk of
developing periodontal disease in the future. Be certain that your children
brush their teeth twice daily and practice proper flossing techniques. It
is also important to ensure they have regular (biannual) dental checkups so
their teeth can be professionally cleaned and their oral health can be
monitored. By establishing these good habits early on, your child will have
a much higher likelihood of avoiding issues like periodontal disease and
enjoy a lifetime of good oral health.

```

```

        <br/><br/>
        As a parent, you should also be aware of the
warning signs of periodontal disease, which include red, swollen, bleeding
gums or bad breath that won't go away. If your child develops any of these
symptoms, tell your dental professional right away. It's also a good idea
to ensure your dental professional knows your complete family history, as
genetics can play an important role in the early development of periodontal
disease.</p>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.25s">
    <h2 class="accordion-header" id="heading2">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse2" aria-
expanded="false" aria-controls="collapse2">
            What will happen during my first periodontal
examination?
        </button>
    </h2>
    <div id="collapse2" class="accordion-collapse collapse"
aria-labelledby="heading2"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Your first periodontal examination will involve
a thorough examination of your mouth, including the health of your gums,
the alignment of your bite, and the status of your teeth. During this
examination, your periodontist will also look for indications of jaw
dysfunction, gum recession, loss of bone, and/or periodontal disease. If
necessary, an X-Ray or other diagnostic test may be taken to determine a
diagnosis.

            <br/><br/>
            Once a proper diagnosis has been made, your
periodontist will discuss available treatment options and answer any
questions you have. Once a treatment plan has been determined, the
examination will be complete, after which a follow-up appointment will be
scheduled if necessary.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.75s">
    <h2 class="accordion-header" id="heading4">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse4" aria-
expanded="false" aria-controls="collapse4">
            Is periodontal disease contagious?
        </button>
    </h2>
    <div id="collapse4" class="accordion-collapse collapse"
aria-labelledby="heading4"
        data-bs-parent="#accordion">

```

```

        <div class="accordion-body">
            <p>Periodontal disease has not been proven to be
contagious, however, periodontal disease is caused by bacteria, which can
be transmitted through saliva. As such, it is best to avoid sharing spoons,
forks, or other utensils that may carry bacteria from another person who
has periodontal disease.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="1s">
    <h2 class="accordion-header" id="heading5">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse5" aria-
expanded="false" aria-controls="collapse5">
            What is a periodontist?
        </button>
    </h2>
    <div id="collapse5" class="accordion-collapse collapse"
aria-labelledby="heading5"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>A periodontist is a specialist dentist who has
completed 5 years at dental school, and after a period in general dental
practice has undertaken a further 3 years postgraduate training in
periodontology and implant dentistry.</p>
        </div>
    </div>
</div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->
</div>
<!-- Service Accordian End -->
@endsection

```

4.1.5.5.7 teeth-whitening.blade.php

```

@extends("front.layouts.single-service-layout")

@section('tabTitle') Teeth whitening @endsection
@section('pageTitleFirstWord') Teeth @endsection
@section('pageTitleSecondWord') Whitening @endsection
@section('slug') Teeth Whitening @endsection

@section("service-content")
    <!-- Service Single Content Start -->
    <div class="service-single-content">
        <!-- Service Featured Image Start -->
        <div class="service-featured-image">
            <figure class="reveal image-anime">
                
            </figure>
        </div>
        <!-- Service Featured Image End -->

        <!-- Service Entry Content Start -->
    </div>
</section>

```

```

<div class="service-entry">
  <h3 class="wow fadeInUp">How teeth whitening works?</h3>
  <p class="wow fadeInUp" data-wow-delay="0.2s">While the process
can differ depending on which system you choose, teeth whitening generally
works by using a bleaching gel and UV lighting to break stains down,
causing a brightening effect on the overall appearance of your teeth.</p>
  <p class="wow fadeInUp" data-wow-delay="0.4s">This stain
removal and lightening leaves teeth looking <strong>white, shiny, and
beautiful </strong>- boosting your confidence and taking years off your
assumed age!</p>

  <h3 class="wow fadeInUp" data-wow-delay="0.6s">Your 2-step
journey to a whiter smile</h3>
  <p class="wow fadeInUp" data-wow-delay="0.8s"><strong>The first
appointment</strong> will be your consultation with any of our dentist that
you can book through our website.</p>
  <p class="wow fadeInUp" data-wow-delay="1s">If you are deemed
suitable for this treatment, impressions of your teeth will be taken for
your custom-made trays.</p>
  <p class="wow fadeInUp" data-wow-delay="1.2s"><strong>The
second appointment</strong> will be when you receive your teeth whitening
treatment from one of our hygienists or dentists.</p>
  <p class="wow fadeInUp" data-wow-delay="1.4s">During the
treatment, the whitening gel will be painted on your teeth by the hygienist
- you may feel a slightly warm sensation, but for the next 60 minutes all
you have to do is relax in our comfy dental chairs.</p>
  <p class="wow fadeInUp" data-wow-delay="1.6s">After the hour is
up, you will be given aftercare information to make sure your new smile can
last for as long as possible.</p>

  <!-- Service Entry Image Start -->
  <div class="service-entry-image">
    <div class="row">
      <div class="col-md-6 col-12">
        <!-- Service Entry Image Start -->
        <div class="service-entry-img-1">
          <figure class="image-anime reveal">
            
          </figure>
        </div>
        <!-- Service Entry Image End -->
      </div>

      <div class="col-md-6 col-12">
        <!-- Service Entry Image Start -->
        <div class="service-entry-img-2">
          <figure class="image-anime reveal">
            
          </figure>
        </div>
        <!-- Service Entry Image End -->
      </div>
    </div>
  </div>
  <!-- Service Entry Image End -->

  <p class="wow fadeInUp" data-wow-delay="0.2s">The effectiveness
of teeth whitening depends on various factors, including the method used,

```


the cause of discoloration, and the individual's teeth. In-office whitening treatments generally provide the most noticeable results, often lightening teeth by several shades in a single visit. At-home kits can also be very effective, especially when used consistently and as directed.</p>

<p class="wow fadeInUp" data-wow-delay="0.4s">It's important to note that teeth whitening is not permanent. The longevity of the results depends on your lifestyle and oral hygiene habits. Avoiding foods and drinks that cause staining, not smoking, and maintaining good oral hygiene can help prolong the effects of whitening treatments.</p>

<h3 class="wow fadeInUp" data-wow-delay="0.6s">Am I suitable for teeth whitening?</h3>

<p class="wow fadeInUp" data-wow-delay="0.8s">Thanks to the range of treatments available now, most patients will be eligible for teeth whitening - even if they struggle with sensitive teeth. However, due to the active ingredients used in whitening treatments, there are a few notable exceptions. If patients are any of the below, they're likely to be denied teeth whitening treatment:</p>

<ol class="wow fadeInUp" data-wow-delay="1s" style="padding-left: 1rem">

Under the age of 18 - though this does depend on the individual circumstance

Who have poor oral health or unhealthy teeth and gums

Who are currently pregnant, or breastfeeding - as there are some concerns that bleach products can affect the health of your baby

</div>

<!-- Service Entry Content End -->

</div>

<!-- Service Single Content End -->

<!-- Service Accordion Start -->

<div class="service-faqs">

<div class="faqs-section-title">

<h2 class="text-anime-style-2" data-cursor="-opaque">Frequently Asked Questions</h2>

</div>

<!-- FAQ Accordion Start -->

<div class="faq-accordion" id="accordion">

<!-- FAQ Item Start -->

<div class="accordion-item wow fadeInUp">

<h2 class="accordion-header" id="heading1">

<button class="accordion-button" type="button" data-bs-toggle="collapse"

data-bs-target="#collapse1" aria-expanded="true" aria-controls="collapse1">

How long after teeth whitening can I eat?

</button>

</h2>

<div id="collapse1" class="accordion-collapse collapse show" aria-labelledby="heading1"

data-bs-parent="#accordion">

<div class="accordion-body">

<p>Unless advised otherwise, you should be fine to return to your usual diet and eat or drink as normal once your treatment is complete.</p>

```

        <p>It is worth noting, however, that in the 48
hours after your initial whitening treatment, we do recommend that you
avoid dark-coloured foods and smoking to maximise the results and give you
the smile you expect. Similarly, if you want to help your results last even
longer, you can ask our reception team for a full list of the foods and
drinks to avoid after whitening. </p>
    </div>
</div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.25s">
    <h2 class="accordion-header" id="heading2">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse2" aria-
expanded="false" aria-controls="collapse2">
            How long does it take to get your teeth whitened?
        </button>
    </h2>
    <div id="collapse2" class="accordion-collapse collapse"
aria-labelledby="heading2"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Usually one appointment of one hour and then up
to two weeks of at home treatment.</p>
            <p>A further appointment may be required but only
in exceptional cases.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="0.5s">
    <h2 class="accordion-header" id="heading3">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
            data-bs-target="#collapse3" aria-
expanded="false" aria-controls="collapse3">
            are teeth whitening treatments safe?
        </button>
    </h2>
    <div id="collapse3" class="accordion-collapse collapse"
aria-labelledby="heading3"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>Yes, teeth whitening treatments performed by a
dentist or with dentist-approved products are safe and effective.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-
delay="0.75s">
    <h2 class="accordion-header" id="heading4">
        <button class="accordion-button collapsed"

```

```

type="button" data-bs-toggle="collapse"
                    data-bs-target="#collapse4" aria-
expanded="false" aria-controls="collapse4">
    does tooth whitening hurt?
</button>
</h2>
<div id="collapse4" class="accordion-collapse collapse"
aria-labelledby="heading4"
    data-bs-parent="#accordion">
<div class="accordion-body">
    <p>If you receive professional teeth whitening such
as the sort that we offer here at the London Centre for Cosmetic Dentistry,
then you should never feel any pain or discomfort during the process. You
may feel extra sensitivity, especially if you had sensitive teeth to begin
with, however, any sensitivity should be short-lived. If you feel you're
struggling with sensitive teeth, then you can speak with our dentists who
can help.</p>
    </div>
</div>
</div>
<!-- FAQ Item End -->

<!-- FAQ Item Start -->
<div class="accordion-item wow fadeInUp" data-wow-delay="1s">
    <h2 class="accordion-header" id="heading5">
        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse"
                    data-bs-target="#collapse5" aria-
expanded="false" aria-controls="collapse5">
            how can i whiten my teeth at home?
        </button>
    </h2>
    <div id="collapse5" class="accordion-collapse collapse"
aria-labelledby="heading5"
        data-bs-parent="#accordion">
        <div class="accordion-body">
            <p>At-home whitening options include over-the-
counter whitening strips, gels, toothpaste, and custom trays provided by
your dentist.</p>
        </div>
    </div>
</div>
<!-- FAQ Item End -->
</div>
<!-- FAQ Accordion End -->
</div>
<!-- Service Accordian End -->
@endsection

```

4.1.5.6 Pages/Auth

4.1.5.6.1 login.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle')
    Login
@endsection

@section('pageTitleFirstWord')
    Login

```

```

@endsection
@section('slug')
    login
@endsection

@section("content")

    <div>

        <div class="row justify-content-center">
            <div id="login-box" class="col-xl-4 col-lg-6 col-sm-10 wow
fadeInUp">

                @if(app('request')->input('fromAppointment'))
                    @php($fromAppointment = 1)
                @else
                    @php($fromAppointment = 0)
                @endif
                <form action="{{route('login', ['fromAppointment' =>
$fromAppointment]) }}" method="POST">
                    @csrf
                    <div class="mb-3">
                        <label for="email" class="form-label">Email</label>
                        <input type="email" class="form-control" id="email"
name="email" value="{{old('email')}}" />
                    </div>
                    <div class="mb-3">
                        <label for="password" class="form-
label">Password</label>
                        <input type="password" class="form-control"
id="password" name="password"/>
                    </div>
                    <div class="col-md-12 d-flex justify-content-center">
                        <button type="submit" class="btn-default"
>Login</button>
                    </div>
                </form>
                <div class="d-flex justify-content-center mt-3">
                    <p class="mb-0">Don't have an account? You can <a
href="{{route('register', ['fromAppointment' =>
$fromAppointment]) }}">register</a>.</p>
                </div>
            </div>
        </div>

        <div class="row justify-content-center mb-5">
            <div class="col-xl-4 col-lg-6 col-sm-10 wow fadeInUp">
                @if ($errors->any())
                    <div class="alert alert-danger">
                        @foreach($errors->all() as $error)
                            <p class="mb-0">{{ $error }}</p>
                        @endforeach
                    </div>
                @endif
                @if (session('error-msg'))
                    <div class="alert alert-danger">
                        <p class="mb-0">{{session('error-msg')}}</p>
                    </div>
                @endif
            </div>
        </div>
    </div>

```

```
</div>
```

```
@endsection
```

4.1.5.6.2 register.blade.php

```
@extends("front.layouts.layout")
```

```
@section('tabTitle') Register @endsection
```

```
@section('pageTitleFirstWord') Register @endsection
```

```
@section('slug') register @endsection
```

```
@section("content")
```

```
<div>
```

```
<div class="row justify-content-center">
```

```
<div id="login-box" class="col-xl-4 col-lg-6 col-sm-10 wow  
fadeInUp">
```

```
@if(app('request')->input('fromAppointment'))
```

```
@php($fromAppointment = 1)
```

```
@else
```

```
@php($fromAppointment = 0)
```

```
@endif
```

```
<form action="{{route('register', ['fromAppointment' =>  
$fromAppointment])}}" method="POST">
```

```
@csrf
```

```
<div class="mb-3">
```

```
<label for="email" class="form-label">Email
```

```
*</label>
```

```
<input type="email" class="form-control" id="email"  
name="email" value="{{ old('email') }}" />
```

```
</div>
```

```
<div class="mb-3">
```

```
<label for="first_name" class="form-label">First  
name *</label>
```

```
<input type="text" name="first_name" class="form-  
control" id="first_name" value="{{ old('first_name') }}">
```

```
</div>
```

```
<div class="mb-3">
```

```
<label for="last_name" class="form-label">Last name  
*</label>
```

```
<input type="text" name="last_name" class="form-  
control" id="last_name" value="{{ old('last_name') }}">
```

```
</div>
```

```
<div class="mb-3">
```

```
<label for="phone" class="form-label">Phone  
*</label>
```

```
<input type="text" name="phone" class="form-  
control" id="phone" value="{{ old('phone') }}">
```

```
</div>
```

```
<div class="mb-3">
```

```
<label for="password" class="form-label">Password  
*</label>
```

```
<input type="password" class="form-control"  
id="password" name="password" value="{{ old('password') }}" />
```

```
</div>
```

```
<div class="mb-3">
```

```
<label for="password_confirmation " class="form-  
label">Confirm password *</label>
```

```

        <input type="password" class="form-control"
id="password_confirmation " name="password_confirmation" value="{{
old('password_confirmation') }}" />
    </div>
    <div class="col-md-12 d-flex justify-content-center">
        <button type="submit" class="btn-default"
>Register</button>
    </div>
</form>
<div class="d-flex justify-content-center mt-3">
    <p class="mb-0">Already have an account? You can <a
href="{{route('login', ['fromAppointment' =>
$fromAppointment])}}">login</a>.</p>
</div>
</div>
</div>
</div>
<div class="row justify-content-center mb-5">
    <div class="col-xl-4 col-lg-6 col-sm-10 wow fadeInUp">
        @if ($errors->any())
            <div class="alert alert-danger">
                @foreach($errors->all() as $error)
                    <p class="mb-0">{{ $error }}</p>
                @endforeach
            </div>
        @endif
    </div>
</div>
</div>
</div>
@endsection

```

4.1.5.7 Pages/Special

4.1.5.7.1 appointments.blade.php

```

@extends("front.layouts.layout")

@section('tabTitle') Appointments @endsection

@section('pageTitleFirstWord') Appointments @endsection
@section('slug') appointments @endsection

@section('style')
    <link href="{{asset('css/filament/filament/app.css')}}"
rel="stylesheet" media="screen" />
    @livewireStyles()
    @filamentStyles()
@endsection

@section("content")
    <!-- Modals Start -->
    <x-cancel-appointment-modal></x-cancel-appointment-modal>
    <!-- Modals End -->

    <!-- Page Appointments Start -->
    <div class="page-appointments">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-lg-12">
                    @livewire('appointments-list')
                </div>
            </div>
        </div>
    </div>
    <!-- Page Appointments End -->

```

```

        </div>
    </div>
</div>
<!-- Page Appointments End -->
@endsection

@section('script')
    @livewireScripts()
    @filamentScripts()
    <script type="text/javascript"
src="{{asset('js/pages/appointments.js')}}"></script>
@endsection

```

4.1.5.8 Partial

4.1.5.8.1 cancel-appointment-modal.blade.php

```

<div class="modal modal_confirmation" tabindex="-1" role="dialog">
    <div class="modal-dialog" role="document">
        <div class="modal-content" style="margin-top: 20vh;">
            <form method="POST" name="smdFormOffer_new" action=""
id="smdFormOffer_new" enctype="multipart/form-data">
                @csrf
                <div class="modal-header">
                    <h5 class="modal-title">Appointment cancellation</h5>
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body" style="min-height: 10vh; min-width:
50vh;">
                    <tr>
                        <p class="modal-message">Are you sure you want to
cancel the appointment?</p>
                    </tr>
                    <tr>
                        <p class="mb-1">Message *</p>
                    </tr>
                    <tr>
                        <textarea class="form-control"
name="appointment_note" id="appointment_note" cols="30"
rows="7"></textarea>
                    </tr>
                    <div id="error-message" class="">
                        <div class="alert alert-danger mt-3">
                            <p class="mb-0">Message is a required
field.</p>
                        </div>
                    </div>
                </div>
                <div class="modal-footer">
                    <button id="confirm-button" type="button" class="btn
btn-danger">Confirm</button>
                    <button type="button" class="btn btn-secondary close-
button" data-dismiss="modal">Close</button>
                </div>
            </form>
        </div>
    </div>
</div>

```

4.1.5.8.2 our-counter.blade.php

```
<div class="our-counter">
  <div class="container">
    <div class="row">
      <div class="col-lg-3 col-md-6">
        <!-- Counter Item Start -->
        <div class="counter-item">
          <!-- Counter Title Start -->
          <div class="counter-title">
            <h2><span class="counter">75</span>+</h2>
            <h3>insurance covered</h3>
          </div>
          <!-- Counter Title End -->

          <!-- Counter Content Start -->
          <div class="counter-content">
            <p>Call us, there is a high chance we got you
covered!</p>
          </div>
          <!-- Counter Content End -->
        </div>
        <!-- Counter Item End -->
      </div>

      <div class="col-lg-3 col-md-6">
        <!-- Counter Item Start -->
        <div class="counter-item">
          <!-- Counter Title Start -->
          <div class="counter-title">
            <h2><span class="counter">15</span></h2>
            <h3>Years open</h3>
          </div>
          <!-- Counter Title End -->

          <!-- Counter Content Start -->
          <div class="counter-content">
            <p>15+ years delivering with experience and
excellence.</p>
          </div>
          <!-- Counter Content End -->
        </div>
        <!-- Counter Item End -->
      </div>

      <div class="col-lg-3 col-md-6">
        <!-- Counter Item Start -->
        <div class="counter-item">
          <!-- Counter Title Start -->
          <div class="counter-title">
            <h2><span class="counter">22</span>K</h2>
            <h3>happy customers</h3>
          </div>
          <!-- Counter Title End -->

          <!-- Counter Content Start -->
          <div class="counter-content">
            <p>Thousands of customers served with care,
comfort, and confidence.</p>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```



```

        <!-- Counter Content End -->
    </div>
    <!-- Counter Item End -->
</div>

<div class="col-lg-3 col-md-6">
    <!-- Counter Item Start -->
    <div class="counter-item">
        <!-- Counter Title Start -->
        <div class="counter-title">
            <h2><span class="counter">7</span>+</h2>
            <h3>experienced dentists</h3>
        </div>
        <!-- Counter Title End -->

        <!-- Counter Content Start -->
        <div class="counter-content">
            <p>We are an team of highly educated
professionals!</p>
        </div>
        <!-- Counter Content End -->
    </div>
    <!-- Counter Item End -->
</div>
</div>
</div>
</div>

```

4.1.5.8.3 our-team.blade.php

```

<div class="our-team">
    <div class="container">
        <div class="row section-row">
            <div class="col-lg-12">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">our team</h3>
                    <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>Our Friendly</span> Dentists Team
                    </h2>
                    <p class="wow fadeInUp" data-wow-delay="0.25s">We are
committed to sustainability. eco-friendly
                    initiatives.</p>
                </div>
                <!-- Section Title End -->
            </div>
        </div>
    </div>

    <div class="row">
        @foreach($dentists as $dentist)
            <x-single-team-member
                :id="$dentist->dentist_id"
                :image-name="$dentist->image_route"
                :dentist-name="$dentist->full_name"
                :title="$dentist->title"
            />
        @endforeach
    </div>
</div>
<!-- Icon Start Image Start -->
<div class="icon-star-image">

```

```

        
    </div>
    <!-- Icon Start Image End -->
</div>

```

4.1.5.8.4 testimonials.blade.php

```

<!-- Our Testimonial Start -->
<div class="our-testimonials">
    <div class="container">
        <div class="row section-row">
            <div class="col-lg-12">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">testimonial</h3>
                    <h2 class="text-anime-style-2" data-cursor="-
opaque"><span>What our</span> Client Say</h2>
                    <p class="wow fadeInUp" data-wow-delay="0.25s">We are
committed to always delivering the best service.</p>
                </div>
                <!-- Section Title End -->
            </div>
        </div>

        <div class="row align-items-center">
            <div class="col-lg-5">
                <!-- Testimonial Image Start -->
                <div class="testimonial-image">
                    <div class="testimonial-img">
                        <figure class="reveal image-anime">
                            
                        </figure>
                    </div>

                    <!-- Terstimonial Rating Box Start -->
                    <div class="testimonial-rating-box">
                        <!-- Counter Item Start -->
                        <div class="rating-counter-item">
                            <div class="rating-counter-number">
                                <h3><span class="counter">4.7</span>/5</h3>
                            </div>

                            <div class="rating-counter-content">
                                <p>This rate is given by user after
visiting our location</p>
                            </div>
                        </div>
                    </div>
                    <!-- Counter Item End -->

                    <!-- Service Rating Start -->
                    <div class="service-rating">
                        <ul>
                            <li>
                                <i class="fa-solid fa-star"></i>
                                <i class="fa-solid fa-star"></i>
                                <i class="fa-solid fa-star"></i>
                                <i class="fa-solid fa-star"></i>
                                <i class="fa-regular fa-star"></i>
                            </li>
                            <li>for excellence services</li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
        <!-- Service Rating End -->
    </div>
    <!-- Terstimonial Rating Box End -->
</div>
<!-- Testiminial Image End -->
</div>

<div class="col-lg-7">
    <!-- Testimonial Slider Start -->
    <div class="testimonial-slider">
        <div class="swiper">
            <div class="swiper-wrapper" data-cursor-
text="Drag">
                <!-- Testimonial Slide Start -->
                <div class="swiper-slide">
                    <div class="testimonial-item">
                        <div class="testimonial-header">
                            <div class="testimonial-quote-
image">
                                
                            </div>
                            <div class="testimonial-content">
                                <p>"I want to say thank you to
my dentist Dr. Mike! Thank you for helping me
                                overcome my fear of the
dentist! Overall a great experience. Can only recommend!</p>
                            </div>
                        </div>
                        <div class="testimonial-body">
                            <div class="author-image">
                                <figure class="image-anime">
                                    
                                </figure>
                            </div>
                            <div class="author-content">
                                <h3>robert lee</h3>
                                <p>restaurant owner</p>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <!-- Testimonial Slide End -->

            <!-- Testimonial Slide Start -->
            <div class="swiper-slide">
                <div class="testimonial-item">
                    <div class="testimonial-header">
                        <div class="testimonial-quote-
image">
                            
                        </div>
                        <div class="testimonial-content">
                            <p>"The best dental experience
I've ever had! The team was professional
                            and friendly, and the
results were amazing. Highly recommend!"Dr.
                            Smith and his staff are

```

```

fantastic! They made me feel comfortable and          at ease during my
visit."</p>
    </div>
  </div>
  <div class="testimonial-body">
    <div class="author-image">
      <figure class="image-anime">
        
      </figure>
    </div>
    <div class="author-content">
      <h3>banson doe</h3>
      <p>teacher</p>
    </div>
  </div>
</div>
<!-- Testimonial Slide End -->

<!-- Testimonial Slide Start -->
<div class="swiper-slide">
  <div class="testimonial-item">
    <div class="testimonial-header">
      <div class="testimonial-quote-
image">
        
      </div>
    <div class="testimonial-content">
      <p>"Excellent service and care.
The staff is knowledgeable and always          willing to answer
questions. I wouldn't go anywhere else for my          dental needs.""From the
moment I walked in, I felt welcomed and          cared for. staff is
exceptional."</p>
    </div>
  </div>
  <div class="testimonial-body">
    <div class="author-image">
      <figure class="image-anime">
        
      </figure>
    </div>
    <div class="author-content">
      <h3>thomas linda</h3>
      <p>designer</p>
    </div>
  </div>
</div>
<!-- Testimonial Slide End -->
</div>
<div class="testimonial-btn">
  <div class="testimonial-button-prev"></div>
  <div class="testimonial-button-next"></div>
</div>

```

```

        </div>
    </div>
    <!-- Testimonial Slider End -->
</div>
</div>
</div>
<!-- Our Testimonial End -->

```

4.1.5.8.5 why-choose-us.blade.php

```

<!-- Why Choose Us Section Start -->
<div class="why-choose-us">
    <div class="container">
        <div class="row section-row">
            <div class="col-lg-12">
                <!-- Section Title Start -->
                <div class="section-title">
                    <h3 class="wow fadeInUp">why choose us</h3>
                    <h2 class="text-anime-style-2" data-cursor="opaque"><span>Diagnosis of</span> Dental Diseases</h2>
                    <p class="wow fadeInUp" data-wow-delay="0.25s">We are committed to sustainability. eco-friendly initiatives.</p>
                </div>
                <!-- Section Title End -->
            </div>
        </div>
        <div class="row">
            <div class="col-lg-4 col-md-6 order-1">
                <!-- Why Choose Box Start -->
                <div class="why-choose-box-1">
                    <!-- Why Choose Item Start -->
                    <div class="why-choose-item wow fadeInUp">
                        <!-- Icon Box Start -->
                        <div class="icon-box">
                            
                        </div>
                        <!-- Icon Box End -->

                        <!-- Why Choose Content Start -->
                        <div class="why-choose-content">
                            <h3>experienced dentists</h3>
                            <p>Trusted, experienced dentists delivering expert care with compassion.</p>
                        </div>
                        <!-- Why Choose Content End -->
                    </div>
                    <!-- Why Choose Item End -->

                    <!-- Why Choose Item Start -->
                    <div class="why-choose-item wow fadeInUp" data-wow-delay="0.25s">
                        <!-- Icon Box Start -->
                        <div class="icon-box">
                            
                        </div>
                        <!-- Icon Box End -->

```

```

        <!-- Why Choose Content Start -->
        <div class="why-choose-content">
            <h3>personalized care</h3>
            <p>Personalized care tailored to your unique
health needs and goals.</p>
        </div>
        <!-- Why Choose Content End -->
    </div>
    <!-- Why Choose Item End -->

    <!-- Why Choose Item Start -->
    <div class="why-choose-item wow fadeInUp" data-wow-
delay="0.5s">
        <!-- Icon Box Start -->
        <div class="icon-box">
            
        </div>
        <!-- Icon Box End -->

        <!-- Why Choose Content Start -->
        <div class="why-choose-content">
            <h3>flexible payment options</h3>
            <p>Flexible payment options designed to fit
your budget and needs.</p>
        </div>
        <!-- Why Choose Content End -->
    </div>
    <!-- Why Choose Item End -->
</div>
    <!-- Why Choose Box Start -->
</div>

    <div class="col-lg-4 order-lg-1 order-md-2 order-1">
        <!-- Why Choose Image Start -->
        <div class="why-choose-image wow fadeInUp">
            <figure>
                
            </figure>
        </div>
        <!-- Why Choose Image End -->
    </div>

    <div class="col-lg-4 col-md-6 order-lg-2 order-md-1 order-2">
        <!-- Why Choose Box Start -->
        <div class="why-choose-box-2">
            <!-- Why Choose Item Start -->
            <div class="why-choose-item wow fadeInUp">
                <!-- Icon Box Start -->
                <div class="icon-box">
                    
                </div>
                <!-- Icon Box End -->

                <!-- Why Choose Content Start -->
                <div class="why-choose-content">
                    <h3>emergency services</h3>
                    <p>Call us if it's something urgent and there
is not free appointment.</p>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
        <!-- Why Choose Content End -->
    </div>
    <!-- Why Choose Item End -->

    <!-- Why Choose Item Start -->
    <div class="why-choose-item wow fadeInUp" data-wow-
delay="0.25s">
        <!-- Icon Box Start -->
        <div class="icon-box">
            
        </div>
        <!-- Icon Box End -->

        <!-- Why Choose Content Start -->
        <div class="why-choose-content">
            <h3>positive patient reviews</h3>
            <p>Positive patient reviews reflecting trust,
care, and proven results.</p>
        </div>
        <!-- Why Choose Content End -->
    </div>
    <!-- Why Choose Item End -->

    <!-- Why Choose Item Start -->
    <div class="why-choose-item wow fadeInUp" data-wow-
delay="0.5s">
        <!-- Icon Box Start -->
        <div class="icon-box">
            
        </div>
        <!-- Icon Box End -->

        <!-- Why Choose Content Start -->
        <div class="why-choose-content">
            <h3>latest technology</h3>
            <p>Latest medical technology ensuring accurate
diagnosis and treatment.</p>
        </div>
        <!-- Why Choose Content End -->
    </div>
    <!-- Why Choose Item End -->
    <!-- Why Choose Box Start -->
</div>
</div>
<!-- Icon Start Image Start -->
<div class="icon-star-image">
    
</div>
<!-- Icon Start Image End -->
</div>
<!-- Why Choose Us Section End -->

```

4.1.5.9 Livewire

4.1.5.9.1 appointments-list.blade.php

```
<div>
    {{ $this->table }}
</div>
```

4.1.6 Livewire

4.1.6.1 AppointmentsList.php

```
<?php

namespace App\Livewire;

use App\Filament\Tables\Columns\CancelAppointmentColumn;
use App\Models\Appointment;
use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Livewire\Component;
use Filament\Actions\Concerns\InteractsWithActions;
use Filament\Actions\Contracts\HasActions;
use Filament\Schemas\Concerns\InteractsWithSchemas;
use Filament\Schemas\Contracts\HasSchemas;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Concerns\InteractsWithTable;
use Filament\Tables\Contracts\HasTable;
use Filament\Tables\Table;
use Illuminate\Contracts\View\View;

class AppointmentsList extends Component implements HasActions, HasSchemas, HasTable
{
    use InteractsWithActions;
    use InteractsWithSchemas;
    use InteractsWithTable;

    public function table(Table $table): Table
    {
        return $table
            ->query(Appointment::query()
                ->where('fk_patient_id', '=', auth()->user()-
>patient->patient_id ?? 0))
            ->columns([
                TextColumn::make('appointment_date')
                    ->date()
                    ->sortable(),
                TextColumn::make('dentist.first_name')
                    ->label('Dentist')
                    ->getStateUsing(fn ($record) => $record->dentist-
>first_name . ' ' . $record->dentist->last_name)
                    ->numeric(),
                TextColumn::make('hour.name')
                    ->label('Hour'),
                TextColumn::make('service.name')
                    ->label('Service')
                    ->numeric(),
                TextColumn::make('appointmentStatus.name')
                    ->label('Status')
            ]);
    }
}
```



```

        ->numeric()
        ->sortable(),

CancelAppointmentColumn::make('appointmentStatus.appointment_status_id')
    ->label('')
    ]->defaultSort('appointment_date', 'desc')
    ->recordClasses( fn (Appointment $record) => match ($record->appointmentStatus->name) {
        'Finished' => 'bg-light',
        'Canceled' => 'bg-light',
        default => null
    })
    ->filters([
        //
    ])
    ->recordActions([
    ])
    ->toolbarActions([
    ]);
    }

    public function render() : View
    {
        return view('livewire.appointments-list');
    }
}

```

4.1.7 Columns

4.1.7.1 CancelAppointmentColumn.php

```

<?php

namespace App\Filament\Tables\Columns;

use Filament\Tables\Columns\Column;

class CancelAppointmentColumn extends Column
{
    protected string $view = 'filament.tables.columns.cancel-appointment-column';

    function isCancellable($statusId): bool
    {
        if($statusId === 1) {
            return true;
        }
        return false;
    }

    function getAppointmentId() {
        return $this->record->attributesToArray()['appointment_id'];
    }
}

```

4.1.8 Custom Javascript

4.1.8.1 appointments.js

```
$(document).ready(function()
{
    $('#dentists, #dates').on('change', function() {
        var dentistSelect = $('#dentists');
        var selectedDentist = dentistSelect.val();

        var dateSelect = $('#dates');
        var selectedDate = dateSelect.val();
        dateSelect.empty();

        var hourSelect = $('#appointment_hours');
        var selectedHour = hourSelect.val();
        hourSelect.empty();

        $.ajax({
            method: 'GET',
            url: "/ajax/dentist",
            data: {id: selectedDentist, date: selectedDate, hour:
selectedHour},
            dataType: 'json',
            success: function(data) {
                var dates = data['dates'];
                var hours = data['hours'];

                // Dates //
                let firstOption = document.createElement('option');
                firstOption.innerHTML = "choose date";
                firstOption.selected = true;
                firstOption.disabled = true;
                dateSelect.append(firstOption);

                dates.forEach(function(d) {
                    let option = document.createElement("option");
                    option.value = d.value;
                    option.innerText = d.name;

                    if(d.value == selectedDate) {
                        option.selected = true;
                    }
                    if(d.disabled) {
                        option.innerText += " (No available appointments)";
                        option.value = "";
                        option.disabled = true
                    }

                    dateSelect.append(option);
                })
                // Dates End //

                // Hours //
                let firstOptionHour = document.createElement('option');
                firstOptionHour.innerHTML = "choose appointment time";
                firstOptionHour.selected = true;
                firstOptionHour.disabled = true;
                hourSelect.append(firstOptionHour);

                hours.forEach(function(h) {
```

```

        let option = document.createElement("option");
        option.value = h.hour_id;
        option.innerText = h.name;

        if(h.hour_id == selectedHour){
            option.selected = true;
        }
        if(h.disabled){
            option.innerText += " (Already booked)";
            option.value = "";
            option.disabled = true
        }

        hourSelect.append(option);
    })
    // Hours End //
}
})
})

function openCancelModal(appointmentId)
{
    $('.modal_confirmation').show();

    $('#confirm-button').on('click', () => {
        let appointmentNote = $('#appointment_note').val();

        if(appointmentNote === ""){
            $('#error-message').show();
            return;
        }
        else {
            $('#error-message').hide();
        }

        $.ajax({
            method: 'POST',
            url: "/ajax/cancel-appointment",
            data: {
                _token: $('input[name="_token"]').val(),
                id: appointmentId,
                appointment_note: appointmentNote,
            },
            dataType: 'json',
            success: function(data){
                window.location.reload();
            }
        })
    })
})

$('.close-button, .close').on('click', function() {
    $('.modal_confirmation').hide();
    $('#appointment_note').val("");
    $('#error-message').hide();
})
}

```

4.1.9 CSS

На сајту се углавном користи CSS од теме, који има око 5000 линија, и bootstrap. Испод се налази само исечак који сам лично додао. За остале дораде сам користио bootstrap класе.

4.1.9.1 custom.css

```
/*
*****
/***** 30. Appointments css *****/
*****
*/
.page-appointments {
    padding: 100px 0 50px;
}

.modal_confirmation {
    background-color: var(--bg-gray-transparent);
}

.modal_confirmation .modal-header {
    justify-content: space-between;
}

.modal_confirmation #error-message {
    display: none;
}
```

4.2 Администрациона апликација

4.2.1 (Filament) Resources

4.2.1.1 Appointments

4.2.1.1.1 AppointmentResource

```
<?php

namespace App\Filament\Resources\Appointments;

use App\Filament\Resources\Appointments\Pages\CreateAppointment;
use App\Filament\Resources\Appointments\Pages>EditAppointment;
use App\Filament\Resources\Appointments\Pages>ListAppointments;
use App\Filament\Resources\Appointments\Schemas\AppointmentForm;
use App\Filament\Resources\Appointments\Tables\AppointmentsTable;
use App\Models\Appointment;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class AppointmentResource extends Resource
{
    protected static ?string $model = Appointment::class;

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;

    protected static ?string $recordTitleAttribute = 'appointment_date';
}
```

```

public static function form(Schema $schema): Schema
{
    return AppointmentForm::configure($schema);
}

public static function table(Table $table): Table
{
    return AppointmentsTable::configure($table);
}

public static function getRelations(): array
{
    return [
        //
    ];
}

public static function getPages(): array
{
    return [
        'index' => ListAppointments::route('/'),
        'create' => CreateAppointment::route('/create'),
        'edit' => EditAppointment::route('/{record}/edit'),
    ];
}
}

```

4.2.1.1.2 AppointmentsTable.php

```

<?php

namespace App\Filament\Resources\Appointments\Tables;

use App\Models\Dentist;
use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Forms\Components\DatePicker;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Enums\FiltersLayout;
use Filament\Tables\Filters\Filter;
use Filament\Tables\Filters\SelectFilter;
use Filament\Tables\Table;
use Illuminate\Database\Eloquent\Builder;

class AppointmentsTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('appointment_date')
                    ->date()
                    ->sortable(),
                TextColumn::make('dentist.first_name')
                    ->label('Dentist')
                    ->getStateUsing(fn ($record) => $record->dentist->first_name . ' ' . $record->dentist->last_name)
                    ->numeric()
                    ->sortable(),
                TextColumn::make('patient.first_name')
                    ->label('Patient')

```

```

->getStateUsing(fn ($record) => $record->patient->first_name . ' ' . $record->patient->last_name)
->numeric()
->sortable(),
TextColumn::make('hour.name')
->label('Hour')
->sortable(),
TextColumn::make('service.name')
->label('Service')
->numeric()
->sortable(),
TextColumn::make('appointmentStatus.name')
->label('Status')
->numeric()
->sortable(),
TextColumn::make('created_at')
->dateTime()
->sortable()
->toggleable(isToggledHiddenByDefault: true),
TextColumn::make('updated_at')
->dateTime()
->sortable()
->toggleable(isToggledHiddenByDefault: true),
])
->defaultSort(function (Builder $query): Builder {
    return $query
        ->orderBy('appointment_date', 'desc')
        ->orderBy('fk_hour_id', 'desc');
})
->filters([
    Filter::make('appointment_date')
        ->schema([
            DatePicker::make('date_from')
                ->label('From'),
            DatePicker::make('date_to')
                ->label('To')
        ])
])
->query(function (Builder $query, array $data): Builder {
    return $query
        ->when(
            $data['date_from'],
            fn (Builder $query, $date): Builder =>
                $query->whereDate('appointment_date', '>=', $date),
        )
        ->when(
            $data['date_to'],
            fn (Builder $query, $date): Builder =>
                $query->whereDate('appointment_date', '<=', $date),
        );
    });
    SelectFilter::make('dentist')
        ->relationship('dentist', 'first_name')
        ->getOptionLabelFromRecordUsing(fn ($record) =>
            $record->first_name . ' ' . $record->last_name),
    SelectFilter::make('patient')
        ->relationship('patient', 'first_name')
        ->getOptionLabelFromRecordUsing(fn ($record) =>
            $record->first_name . ' ' . $record->last_name)
        ->searchable(),
    SelectFilter::make('service')

```

```

        ->relationship('service', 'name'),
        SelectFilter::make('appointmentStatus')
        ->relationship('appointmentStatus', 'name')
        ->label('Status'),
    ], layout: FiltersLayout::AboveContentCollapsible)
->recordActions([
    EditAction::make(),
])
->toolbarActions([
    BulkActionGroup::make([
        DeleteBulkAction::make(),
    ]),
]);
}
}

```

4.2.1.1.3 AppointmentForm.php

```

<?php

namespace App\Filament\Resources\Appointments\Schemas;

use App\Filament\Resources\Patients\Tables\PatientsTable;
use App\Filament\Resources\Services\Tables\ServicesTable;
use App\Models\Appointment;
use App\Models\Dentist;
use App\Models\Hour;
use Carbon\CarbonPeriod;
use Filament\Forms\Components\DatePicker;
use Filament\Forms\Components\Hidden;
use Filament\Forms\Components\ModalTableSelect;
use Filament\Forms\Components>Select;
use Filament\Forms\Components\Textarea;
use Filament\Forms\Components\TextInput;
use Filament\Schemas\Components\Utilities\Get;
use Filament\Schemas\Components\Utilities\Set;
use Filament\Schemas\Schema;
use Carbon\Carbon;

class AppointmentForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                Select::make('fk_dentist_id')
                    ->label('Dentist')
                    ->relationship('dentist', 'first_name')
                    ->getOptionLabelFromRecordUsing(fn ($record) =>
                        $record->first_name . ' ' . $record->last_name)
                    ->required()
                    ->afterStateUpdated(function (Set $set) {
                        $set('appointment_date', null);
                    })
                    ->reactive(),
                ModalTableSelect::make('fk_patient_id')
                    ->relationship('patient', 'first_name')
                    ->tableConfiguration(PatientsTable::class)
                    ->getOptionLabelFromRecordUsing(fn ($record) =>
                        $record->first_name . ' ' . $record->last_name)

```

```

->required(),
DatePicker::make('appointment_date')
->native(false)
->required()
->disabledDates(function(callable $get) {
    $dentistId = $get('fk_dentist_id');
    if(!$dentistId) {
        return [];
    }

    $dates = array();

    $dentist = Dentist::find($dentistId);
    if($dentist) {
        $daysOff = $dentist->getDayOffDates();
        foreach($daysOff as $date) {
            $dates[] = $date;
        }
    }

    for ($i = strtotime('+1 days'); $i <=
strtotime('+365 days'); $i += 86400) {
        if (date('N', $i) > 5) {
            $dates[] = date('Y-m-d', $i);
        }
    }

    return $dates;
})
->maxDate(now()->addDays(365))
->disabled(function(callable $get) {
    return is_null($get('fk_dentist_id'));
})
->afterStateUpdated(function(Set $set) {
    $set('fk_hour_id', null);
})
->format('Y-m-d')
->reactive(),
ModalTableSelect::make('fk_service_id')
->relationship('service', 'name')
->tableConfiguration(ServicesTable::class)
->required(),
Select::make('fk_hour_id_create')
->multiple()
->label('Hour')
->options(function(callable $get) {
    $returnHours = array();

    $dentistId = $get('fk_dentist_id');
    if(!$dentistId) {
        return [];
    }

    $dentist = Dentist::find($dentistId);
    if($dentist) {
        $hours = Hour::query()
            ->where('is_available_for_booking', '=', 1)
            ->pluck('name', 'hour_id')
            ->toArray();
        foreach($hours as $key => $value) {
            if(!$dentist->isHourAvailable($key,

```



```

date('Y-m-d', strtotime($get('appointment_date')))) {
    $value .= " (Booked)";
}
$returnHours[$key] = $value;
}
}

return $returnHours;
})
->disableOptionWhen(function (string $value, Get $get)
{
    $dentistId = $get('fk_dentist_id');
    $dentist = Dentist::find($dentistId);
    if($dentist->isHourAvailable($value, date('Y-m-d',
strtotime($get('appointment_date')))) {
        return false;
    }
    return true;
})
->hiddenOn('edit')
->disabledOn('edit')
->visible(fn (Get $get): bool => $get('fk_dentist_id')
&& $get('appointment_date'))
->required(),
Select::make('fk_hour_id')
->label('Hour')
->options(function(callable $get) {
    $returnHours = array();

    $dentistId = $get('fk_dentist_id');
    if(!$dentistId) {
        return [];
    }

    $dentist = Dentist::find($dentistId);
    if($dentist) {
        $hours = Hour::query()
            ->where('is_available_for_booking', '=', 1)
            ->pluck('name', 'hour_id')
            ->toArray();
        foreach($hours as $key => $value) {
            if(!$dentist->isHourAvailable($key,
date('Y-m-d', strtotime($get('appointment_date')))) {
                $value .= " (Booked)";
            }
            $returnHours[$key] = $value;
        }
    }

    return $returnHours;
})
->disableOptionWhen(function (string $value, Get $get,
Appointment $record) {
    $dentistId = $get('fk_dentist_id');
    $dentist = Dentist::find($dentistId);

    if($value == $record->fk_hour_id) {
        return false;
    }

    if($dentist->isHourAvailable($value, date('Y-m-d',

```

```

strtotime($get('appointment_date')))) {
    return false;
}

    return true;
})
->hiddenOn('create')
->disabledOn('create')
->required(),
Select::make('fk_appointment_status_id')
->label('Status')
->relationship('appointmentStatus', 'name')
->hiddenOn('create')
->required(),
Textarea::make('appointment_note')
->columnSpanFull()
->rows(6),
]);
}
}

```

4.2.1.1.4 CreateAppointment.php

```

<?php

namespace App\Filament\Resources\Appointments\Pages;

use App\Filament\Resources\Appointments\AppointmentResource;
use Filament\Actions\CreateAction;
use Filament\Resources\Pages\CreateRecord;
use Illuminate\Database\Eloquent\Model;

class CreateAppointment extends CreateRecord
{
    protected static string $resource = AppointmentResource::class;

    protected function handleRecordCreation(array $data): Model
    {
        // Allow multiple records creation if service will be longer than
        one hour
        $records = array();
        $hourIds = $data['fk_hour_id_create'];

        foreach($hourIds as $hourId) {
            $data['fk_hour_id'] = $hourId;
            $data['appointment_note'] = "";
            $records[] = parent::handleRecordCreation($data); // TODO:
            Change the autogenerated stub
        }

        // Return first created appointment
        return $records[0];
    }
}

```

4.2.1.1.5 ListAppointments.php

```
<?php

namespace App\Filament\Resources\Appointments\Pages;

use App\Filament\Resources\Appointments\AppointmentResource;
use Filament\Actions\CreateAction;
use Filament\Resources\Pages\ListRecords;
use Filament\Schemas\Components\Tabs\Tab;
use Illuminate\Database\Eloquent\Builder;

class ListAppointments extends ListRecords
{
    protected static string $resource = AppointmentResource::class;

    protected function getHeaderActions(): array
    {
        return [
            CreateAction::make(),
        ];
    }

    public function getTabs(): array
    {
        return [
            'All' => Tab::make(),
            'Upcoming' => Tab::make()
                ->modifyQueryUsing(fn (Builder $query) => $query-
>where('appointment_date', '>=', now()->subWeek())),
        ];
    }
}
```

4.2.1.2 Availabilities

4.2.1.2.1 AvailabilityResource.php

```
<?php

namespace App\Filament\Resources\Availabilities;

use App\Filament\Resources\Availabilities\Pages\CreateAvailability;
use App\Filament\Resources\Availabilities\Pages>EditAvailability;
use App\Filament\Resources\Availabilities\Pages>ListAvailabilities;
use App\Filament\Resources\Availabilities\Schemas\AvailabilityForm;
use App\Filament\Resources\Availabilities\Tables\AvailabilitiesTable;
use App\Models\Availability;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class AvailabilityResource extends Resource
{
    protected static ?string $model = Availability::class;

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;
}
```

```

public static function form(Schema $schema): Schema
{
    return AvailabilityForm::configure($schema);
}

public static function table(Table $table): Table
{
    return AvailabilitiesTable::configure($table);
}

public static function getRelations(): array
{
    return [
        //
    ];
}

public static function getPages(): array
{
    return [
        'index' => ListAvailabilities::route('/'),
        'create' => CreateAvailability::route('/create'),
        'edit' => EditAvailability::route('/{record}/edit'),
    ];
}
}

```

4.2.1.2.2 AvailabilitiesTable.php

```

<?php

namespace App\Filament\Resources\Availabilities\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class AvailabilitiesTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('dentist.first_name')
                    ->label('Dentist')
                    ->sortable(),
                TextColumn::make('from_date')
                    ->label('From')
                    ->date()
                    ->sortable(),
                TextColumn::make('to_date')
                    ->label('To')
                    ->date()
                    ->sortable(),
                TextColumn::make('created_at')
                    ->dateTime()
                    ->sortable()
                    ->toggleable(isToggledHiddenByDefault: true),
                TextColumn::make('updated_at')

```

```

        ->dateTime()
        ->sortable()
        ->toggable(isToggledHiddenByDefault: true),
    ])
    ->filters([
        //
    ])
    ->recordActions([
        EditAction::make(),
    ])
    ->toolbarActions([
        BulkActionGroup::make([
            DeleteBulkAction::make(),
        ]),
    ]),
    ]);
}
}

```

4.2.1.2.3 AvailabilityForm.php

```

<?php

namespace App\Filament\Resources\Availabilities\Schemas;

use Filament\Forms\Components\DatePicker;
use Filament\Forms\Components\DateTimePicker;
use Filament\Forms\Components\Select;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Textarea;
use Filament\Schemas\Schema;

class AvailabilityForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                Select::make('fk_dentist_id')
                    ->relationship('dentist', 'first_name')
                    ->getOptionLabelFromRecordUsing(fn ($record) =>
$record->first_name . ' ' . $record->last_name)
                    ->required(),
                DatePicker::make('from_date')
                    ->required(),
                DatePicker::make('to_date')
                    ->required(),
                Textarea::make('description')
                    ->required()
                    ->columnSpanFull(),
            ]);
    }
}

```

4.2.1.2.4 CreateAvailability.php

```

<?php

namespace App\Filament\Resources\Availabilities\Pages;

use App\Filament\Resources\Availabilities\AvailabilityResource;

```

```

use App\Models\Appointment;
use Filament\Resources\Pages\CreateRecord;
use Illuminate\Database\Eloquent\Model;
use SebastianBergmann\CodeCoverage\Report\Xml\Report;

class CreateAvailability extends CreateRecord
{
    protected static string $resource = AvailabilityResource::class;

    public function handleRecordCreation(array $data): Model
    {
        // Cancel all appointments that the dentist has in the new days off
        period
        $bookedAppointments =
Appointment::where('fk_appointment_status_id', 1)
                                ->where('appointment_date', '>=',
$data['from_date'])
                                ->where('appointment_date', '<=',
$data['to_date'])
                                ->where('fk_dentist_id',
$data['fk_dentist_id'])
                                ->get();
        if(!$bookedAppointments->isEmpty()){
            $bookedAppointments->each(function (Appointment $appointment) {
                $appointment->update(['fk_appointment_status_id' => 3]);
            });
        }

        return parent::handleRecordCreation($data); // TODO: Change the
autogenerated stub
    }
}

```

4.2.1.3 Categories

4.2.1.3.1 CategoryResource.php

```

<?php

namespace App\Filament\Resources\Categories;

use App\Filament\Resources\Categories\Pages\CreateCategory;
use App\Filament\Resources\Categories\Pages>EditCategory;
use App\Filament\Resources\Categories\Pages>ListCategories;
use App\Filament\Resources\Categories\Schemas\CategoryForm;
use App\Filament\Resources\Categories\Tables\CategoriesTable;
use App\Models\Category;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class CategoryResource extends Resource
{
    protected static ?string $model = Category::class;

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;

    protected static ?string $recordTitleAttribute = 'name';

```

```

public static function form(Schema $schema): Schema
{
    return CategoryForm::configure($schema);
}

public static function table(Table $table): Table
{
    return CategoriesTable::configure($table);
}

public static function getRelations(): array
{
    return [
        //
    ];
}

public static function getPages(): array
{
    return [
        'index' => ListCategories::route('/'),
        'create' => CreateCategory::route('/create'),
        'edit' => EditCategory::route('/{record}/edit'),
    ];
}
}

```

4.2.1.3.2 CategoriesTable.php

```

<?php

namespace App\Filament\Resources\Categories\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class CategoriesTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('name')
                    ->searchable(),
                TextColumn::make('order')
                    ->numeric()
                    ->sortable(),
                IconColumn::make('is_active')
                    ->boolean(),
                // IconColumn::make('is_deleted')
                // ->boolean(),
            ])
            ->defaultSort('order')
            ->filters([
                //
            ])
    }
}

```

```

        ->recordActions([
            EditAction::make(),
        ])
        ->toolbarActions([
            BulkActionGroup::make([
                DeleteBulkAction::make(),
            ]),
        ]);
    }
}

```

4.2.1.3.3 CategoryForm.php

```

<?php

namespace App\Filament\Resources\Categories\Schemas;

use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Schema;

class CategoryForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                TextInput::make('name')
                    ->required(),
                TextInput::make('order')
                    ->required()
                    ->numeric(),
                Toggle::make('is_active')
                    ->hiddenOn('create')
                    ->required(),
            ]);
    }
}

```

4.2.1.3.4 CreateCategory.php

```

<?php

namespace App\Filament\Resources\Categories\Pages;

use App\Filament\Resources\Categories\CategoryResource;
use App\Models\Category;
use App\Services\Functions;
use Filament\Resources\Pages\CreateRecord;

class CreateCategory extends CreateRecord
{
    protected static string $resource = CategoryResource::class;

    public function __construct(
        protected Functions $functions = new Functions()
    ) { }

    protected function handleRecordCreation(array $data) :
        \Illuminate\Database\Eloquent\Model
    {
        //
    }
}

```



```

    {
        $order = $data['order'];

        $this->functions->updateOrderOfOtherRecords(Category::class,
$order);

        return parent::handleRecordCreation($data);
    }
}

```

4.2.1.4 Dentists

4.2.1.4.1 DentistResource.php

```

<?php

namespace App\Filament\Resources\Dentists;

use App\Filament\Resources\Dentists\Pages\CreateDentist;
use App\Filament\Resources\Dentists\Pages>EditDentist;
use App\Filament\Resources\Dentists\Pages>ListDentists;
use App\Filament\Resources\Dentists\Schemas\DentistForm;
use App\Filament\Resources\Dentists\Tables\DentistsTable;
use App\Models\Dentist;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class DentistResource extends Resource
{
    protected static ?string $model = Dentist::class;

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;

    protected static ?string $recordTitleAttribute = 'first_name';

    public static function form(Schema $schema): Schema
    {
        return DentistForm::configure($schema);
    }

    public static function table(Table $table): Table
    {
        return DentistsTable::configure($table);
    }

    public static function getRelations(): array
    {
        return [
            //
        ];
    }

    public static function getPages(): array
    {
        return [
            'index' => ListDentists::route('/'),
            'create' => CreateDentist::route('/create'),

```

```

        'edit' => EditDentist::route('/{record}/edit'),
    ];
}
}

```

4.2.1.4.2 DentistsTable.php

```

<?php

namespace App\Filament\Resources\Dentists\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\ImageColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class DentistsTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                ImageColumn::make('image_route')
                    ->label('Image')
                    ->circular(),
                TextColumn::make('first_name')
                    ->searchable(),
                TextColumn::make('last_name')
                    ->searchable(),
                TextColumn::make('title')
                    ->searchable(),
                TextColumn::make('order')
                    ->numeric()
                    ->sortable(),
                IconColumn::make('is_showing')
                    ->boolean(),
                IconColumn::make('is_active')
                    ->boolean(),
                TextColumn::make('created_at')
                    ->dateTime()
                    ->sortable()
                    ->toggable(isToggledHiddenByDefault: true),
                TextColumn::make('updated_at')
                    ->dateTime()
                    ->sortable()
                    ->toggable(isToggledHiddenByDefault: true),
            ])
            ->defaultSort('order')
            ->filters([
                //
            ])
            ->recordActions([
                EditAction::make(),
            ])
            ->toolbarActions([
                BulkActionGroup::make([
                    DeleteBulkAction::make(),
                ]),
            ]),
    }
}

```

```

    });
}
}

```

4.2.1.4.3 DentistForm.php

```

<?php

namespace App\Filament\Resources\Dentists\Schemas;

use Filament\Forms\Components\FileUpload;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Textarea;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Schema;

class DentistForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                TextInput::make('first_name')
                    ->required(),
                TextInput::make('last_name')
                    ->required(),
                TextInput::make('title'),
                TextInput::make('email')
                    ->label('Email address')
                    ->email(),
                Textarea::make('short_description')
                    ->columnSpanFull(),
                Textarea::make('biography')
                    ->columnSpanFull(),
                Textarea::make('additional_description')
                    ->columnSpanFull(),
                TextInput::make('order')
                    ->required()
                    ->numeric(),
                FileUpload::make('image_route')
                    ->image()
                    ->maxSize(5120)
                    ->visibility('public'),
                Toggle::make('is_showing')
                    ->label('Show dentist on the website')
                    ->required(),
                Toggle::make('is_active')
                    ->hiddenOn('create')
                    ->required(),
            ]);
    }
}

```

4.2.1.4.4 CreateDentist.php

```

<?php

namespace App\Filament\Resources\Dentists\Pages;

use App\Filament\Resources\Dentists\DentistResource;

```

```

use App\Models\Dentist;
use App\Services\Functions;
use Filament\Resources\Pages\CreateRecord;

class CreateDentist extends CreateRecord
{
    protected static string $resource = DentistResource::class;

    public function __construct(
        protected Functions $functions = new Functions()
    ) { }

    protected function handleRecordCreation(array $data) :
    \Illuminate\Database\Eloquent\Model
    {
        $order = $data['order'];

        $this->functions->updateOrderOfOtherRecords(Dentist::class,
        $order);

        return parent::handleRecordCreation($data);
    }
}

```

4.2.1.5 Patients

4.2.1.5.1 PatientResource.php

```

<?php

namespace App\Filament\Resources\Patients;

use App\Filament\Resources\Patients\Pages\CreatePatient;
use App\Filament\Resources\Patients\Pages>EditPatient;
use App\Filament\Resources\Patients\Pages>ListPatients;
use App\Filament\Resources\Patients\Schemas\PatientForm;
use App\Filament\Resources\Patients\Tables\PatientsTable;
use App\Models\Patient;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class PatientResource extends Resource
{
    protected static ?string $model = Patient::class;

    protected static string|BackedEnum|null $navigationIcon =
    Heroicon::OutlinedRectangleStack;

    protected static ?string $recordTitleAttribute = 'first_name';

    public static function form(Schema $schema): Schema
    {
        return PatientForm::configure($schema);
    }

    public static function table(Table $table): Table
    {
        return PatientsTable::configure($table);
    }
}

```

```

    }

    public static function getRelations(): array
    {
        return [
            //
        ];
    }

    public static function getPages(): array
    {
        return [
            'index' => ListPatients::route('/'),
            'create' => CreatePatient::route('/create'),
            'edit' => EditPatient::route('/{record}/edit'),
        ];
    }
}

```

4.2.1.5.2 PatientsTable.php

```

<?php

namespace App\Filament\Resources\Patients\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class PatientsTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('first_name')
                    ->searchable(),
                TextColumn::make('last_name')
                    ->searchable(),
                TextColumn::make('email')
                    ->label('Email address')
                    ->searchable(),
                TextColumn::make('phone')
                    ->searchable(),
                TextColumn::make('fk_user_id')
                    ->label('Account Id')
                    ->numeric()
                    ->sortable(),
                IconColumn::make('is_active')
                    ->boolean(),
                //
                //
                IconColumn::make('is_deleted')
                    ->boolean(),
                TextColumn::make('created_at')
                    ->date()
                    ->sortable(),
                TextColumn::make('updated_at')
                    ->dateTime()
                    ->sortable()
            ])
    }
}

```

```

        ->toggleable(isToggledHiddenByDefault: true),
    ])
    ->filters([
        //
    ])
    ->recordActions([
        EditAction::make(),
    ])
    ->toolbarActions([
        BulkActionGroup::make([
            DeleteBulkAction::make(),
        ]),
    ]),
    ]);
}
}

```

4.2.1.5.3 PatientForm.php

```

<?php

namespace App\Filament\Resources\Patients\Schemas;

use App\Models\Patient;
use App\Models\Role;
use Filament\Forms\Components\Checkbox;
use Filament\Forms\Components\Hidden;
use Filament\Forms\Components>Select;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Components\Section;
use Filament\Schemas\Components\Utilities\Get;
use Filament\Schemas\Schema;
use PhpParser\Node\Expr\Empty_;

class PatientForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                TextInput::make('first_name')
                    ->required(),
                TextInput::make('last_name')
                    ->required(),
                TextInput::make('phone')
                    ->tel()
                    ->required(),
                TextInput::make('email')
                    ->label('Email address')
                    ->email(),
                Checkbox::make('make_user_account')
                    ->label('Make user account')
                    ->reactive(),

                Section::make(''),

                Section::make('User account')
                    ->schema([
                        TextInput::make('user_email')
                            ->label('Email address')
                            ->email()
                    ])
            ])
    }
}

```

```

        ->required(),
        TextInput::make('password')
        ->password()
        ->required(),
        TextInput::make('password_confirmation')
        ->label('Confirm password')
        ->password()
        ->same('password')
        ->required(),
    ]->visible(fn (Get $get): bool =>
$get('make_user_account'))
        ->columns(2)
        ->columnSpanFull()
//         Toggle::make('is_deleted')
//         ->required(),
    ]);
}
}

```

4.2.1.5.4 CreatePatient.php

```

<?php

namespace App\Filament\Resources\Patients\Pages;

use App\Filament\Resources\Patients\PatientResource;
use App\Models\Patient;
use App\Models\User;
use Filament\Resources\Pages\CreateRecord;
use \Illuminate\Database\Eloquent\Model;

class CreatePatient extends CreateRecord
{
    protected static string $resource = PatientResource::class;

    protected function handleRecordCreation(array $data) : Model
    {
        if(!$data['make_user_account'])
        {
            return parent::handleRecordCreation($data);
        }
        // If administrator choose to create a user account for the patient
        at the same time

        $user = new User();
        $user->fk_role_id = 4;
        $user->email = $data['user_email'];
        $user->password = bcrypt($data['password']);
        $user->save();

        $patient = new Patient();
        $patient->first_name = $data['first_name'];
        $patient->last_name = $data['last_name'];
        $patient->email = $data['email'];
        $patient->phone = $data['phone'];
        $patient->fk_user_id = $user->user_id;
        $patient->save();

        $user->fk_patient_id = $patient->patient_id;
        $user->save();
    }
}

```

```

        return $patient;
    }
}

```

4.2.1.6 Services

4.2.1.6.1 ServiceResource.php

```

<?php

namespace App\Filament\Resources\Services;

use App\Filament\Resources\Services\Pages\CreateService;
use App\Filament\Resources\Services\Pages>EditService;
use App\Filament\Resources\Services\Pages\ListServices;
use App\Filament\Resources\Services\Schemas\ServiceForm;
use App\Filament\Resources\Services\Tables\ServicesTable;
use App\Models\Service;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class ServiceResource extends Resource
{
    protected static ?string $model = Service::class;

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;

    protected static ?string $recordTitleAttribute = 'name';

    public static function form(Schema $schema): Schema
    {
        return ServiceForm::configure($schema);
    }

    public static function table(Table $table): Table
    {
        return ServicesTable::configure($table);
    }

    public static function getRelations(): array
    {
        return [
            //
        ];
    }

    public static function getPages(): array
    {
        return [
            'index' => ListServices::route('/'),
            'create' => CreateService::route('/create'),
            'edit' => EditService::route("/{record}/edit"),
        ];
    }
}

```


4.2.1.6.2 ServicesTable.php

```
<?php

namespace App\Filament\Resources\Services\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class ServicesTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('name')
                    ->searchable(),
                TextColumn::make('category.name')
                    ->sortable(),
                TextColumn::make('order')
                    ->numeric()
                    ->sortable(),
                // TextColumn::make('price')
                // ->money()
                // ->sortable(),
                IconColumn::make('is_able_for_reservation')
                    ->label('Is able for reservation')
                    ->boolean(),
                IconColumn::make('is_active')
                    ->boolean(),
                // IconColumn::make('is_deleted')
                // ->boolean(),
                TextColumn::make('created_at')
                    ->dateTime()
                    ->sortable()
                    ->toggleable(isToggledHiddenByDefault: true),
                TextColumn::make('updated_at')
                    ->dateTime()
                    ->sortable()
                    ->toggleable(isToggledHiddenByDefault: true),
            ])
            ->filters([
                //
            ])
            ->recordActions([
                EditAction::make(),
            ])
            ->toolbarActions([
                BulkActionGroup::make([
                    DeleteBulkAction::make(),
                ]),
            ]);
    }
}
```

4.2.1.6.3 ServiceForm.php

```
<?php

namespace App\Filament\Resources\Services\Schemas;

use Filament\Forms\Components\Select;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Textarea;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Components\Section;
use Filament\Schemas\Schema;

class ServiceForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                TextInput::make('name')
                    ->required(),
                Select::make('fk_category_id')
                    ->relationship('category', 'name')
                    ->required(),
                Textarea::make('description')
                    ->rows(6)
                    ->columnSpanFull(),
                TextInput::make('order')
                    ->required()
                    ->numeric(),
                Section::make(),
                Toggle::make('is_able_for_reservation')
                    ->label('This service can be booked by the users')
                    ->required(),
                Toggle::make('is_active')
                    ->hiddenOn('create')
                    ->required(),
            ]);
    }
}
```

4.2.1.7 SurgeryChairs

4.2.1.7.1 SurgeryChairResource.php

```
<?php

namespace App\Filament\Resources\SurgeryChairs;

use App\Filament\Resources\SurgeryChairs\Pages\CreateSurgeryChair;
use App\Filament\Resources\SurgeryChairs\Pages>EditSurgeryChair;
use App\Filament\Resources\SurgeryChairs\Pages\ListSurgeryChairs;
use App\Filament\Resources\SurgeryChairs\Schemas\SurgeryChairForm;
use App\Filament\Resources\SurgeryChairs\Tables\SurgeryChairsTable;
use App\Models\SurgeryChair;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;
use Illuminate\Database\Eloquent\Model;
```

```

class SurgeryChairResource extends Resource
{
    protected static ?string $model = SurgeryChair::class;

    public static function canCreate(): bool
    {
        return false;
    }

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;

    public static function form(Schema $schema): Schema
    {
        return SurgeryChairForm::configure($schema);
    }

    public static function table(Table $table): Table
    {
        return SurgeryChairsTable::configure($table);
    }

    public static function getRelations(): array
    {
        return [
            //
        ];
    }

    public static function getPages(): array
    {
        return [
            'index' => ListSurgeryChairs::route('/'),
            'create' => CreateSurgeryChair::route('/create'),
            'edit' => EditSurgeryChair::route('/{record}/edit'),
        ];
    }
}

```

4.2.1.7.2 SurgeryChairsTable.php

```

<?php

namespace App\Filament\Resources\SurgeryChairs\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class SurgeryChairsTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('number_of_chairs')
                    ->numeric()
            ])
    }
}

```

```

    ])
    ->filters([
        //
    ])
    ->recordActions([
        EditAction::make(),
    ]);
}
}

```

4.2.1.7.3 SurgeryChairForm.php

```

<?php

namespace App\Filament\Resources\SurgeryChairs\Schemas;

use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Schema;

class SurgeryChairForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                TextInput::make('number_of_chairs')
                    ->required()
                    ->numeric(),
            ]);
    }
}

```

4.2.1.8 Users

4.2.1.8.1 UserResource.php

```

<?php

namespace App\Filament\Resources\Users;

use App\Filament\Resources\Users\Pages\CreateUser;
use App\Filament\Resources\Users\Pages>EditUser;
use App\Filament\Resources\Users\Pages>ListUsers;
use App\Filament\Resources\Users\Schemas\UserForm;
use App\Filament\Resources\Users\Tables\UsersTable;
use App\Models\User;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;

class UserResource extends Resource
{
    protected static ?string $model = User::class;

    protected static string|BackedEnum|null $navigationIcon =
Heroicon::OutlinedRectangleStack;

    protected static ?string $recordTitleAttribute = 'first_name';
}

```

```

protected static ?string $navigationLabel = 'User Accounts';

public static function form(Schema $schema): Schema
{
    return UserForm::configure($schema);
}

public static function table(Table $table): Table
{
    return UsersTable::configure($table);
}

public static function getRelations(): array
{
    return [
        //
    ];
}

public static function getPages(): array
{
    return [
        'index' => ListUsers::route('/'),
        'create' => CreateUser::route('/create'),
        'edit' => EditUser::route('/{record}/edit'),
    ];
}
}

```

4.2.1.8.2 UsersTable.php

```

<?php

namespace App\Filament\Resources\Users\Tables;

use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;

class UsersTable
{
    public static function configure(Table $table): Table
    {
        return $table
            ->columns([
                TextColumn::make('user_id')
                    ->label('Account Id')
                    ->sortable(),
                TextColumn::make('role.name')
                    ->label('Role')
                    ->numeric()
                    ->sortable(),
                TextColumn::make('email')
                    ->label('Email address')
                    ->searchable(),
                IconColumn::make('is_active')
                    ->boolean(),
                TextColumn::make('created_at')
                    ->dateTime()
            ]);
    }
}

```

```

        ->sortable()
        ->toggableable(isToggledHiddenByDefault: true),
        TextColumn::make('updated_at')
        ->dateTime()
        ->sortable()
        ->toggableable(isToggledHiddenByDefault: true),
    ])
    ->filters([
        //
    ])
    ->recordActions([
    ])
    ->toolbarActions([
        BulkActionGroup::make([
            DeleteBulkAction::make(),
        ]),
    ]);
}
}

```

4.2.1.8.3 UserForm.php

```

<?php

namespace App\Filament\Resources\Users\Schemas;

use App\Models\Patient;
use App\Models\Role;
use Filament\Forms\Components\ModalTableSelect;
use Filament\Forms\Components\Select;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Schema;

class UserForm
{
    public static function configure(Schema $schema): Schema
    {
        return $schema
            ->components([
                TextInput::make('email')
                    ->label('Email address')
                    ->email()
                    ->required(),
                TextInput::make('password')
                    ->password()
                    ->required(),
                Select::make('fk_role_id')
                    ->label('Role')
                    ->relationship('role', 'name')
                    ->options(function(callable $get) {
                        $roles = Role::where('role_id', '>', 1)
                            ->pluck('name', 'role_id')
                            ->toArray();
                        return $roles;
                    })
                    ->required(),
                TextInput::make('password_confirmation')
                    ->label('Confirm password')
                    ->password()
            ])
    }
}

```

```

        ->same('password')
        ->required(),
        Select::make('fk_patient_id')
        ->label('Patient')
        ->options(Patient::whereNull('fk_user_id')->get()-
>pluck('full_name', 'patient_id')),
    ]);
}
}

```

4.2.2 Providers

4.2.2.1 AppServiceProvider.php

```

<?php

namespace App\Providers;

use App\Models\Page;
use Illuminate\Support\Facades\Blade;
use Illuminate\Support\Facades\View;
use Illuminate\Support\ServiceProvider;

class AppServiceProvider extends ServiceProvider
{
    /**
     * Register any application services.
     */
    public function register(): void
    {
        //
    }

    /**
     * Bootstrap any application services.
     */
    public function boot(): void
    {
        if(app()->runningInConsole()) {
            return;
        }
        // Menu Loading Begin //
        $query = Page::where('is_backend_page', 0)
            ->where('is_in_main_menu', 1)
            ->where('is_active', 1);

        $menu = (clone $query)
            ->where('fk_parent_page_id', null)
            ->get()
            ->sortBy('order');

        foreach($menu as $page) {
            if($page->has_submenu) {
                $childPages = (clone $query)
                    ->where('fk_parent_page_id', $page-
>page_id)
                    ->get()
                    ->sortBy('order');
                $page->children = $childPages;
            }
        }
    }
}

```

```

        View::share('menu', $menu);
        // Menu Loading End //
    }
}

```

4.2.2.2 Filament/AdminPanelProvider.php

```

<?php

namespace App\Providers\Filament;

use Filament\Enums\ThemeMode;
use Filament\Http\Middleware\Authenticate;
use Filament\Http\Middleware\AuthenticateSession;
use Filament\Http\Middleware\DisableBladeIconComponents;
use Filament\Http\Middleware\DispatchServingFilamentEvent;
use Filament\Navigation\NavigationItem;
use Filament\Pages\Dashboard;
use Filament\Panel;
use Filament\PanelProvider;
use Filament\Support\Colors\Color;
use Filament\Widgets\AccountWidget;
use Filament\Widgets\FilamentInfoWidget;
use Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse;
use Illuminate\Cookie\Middleware\EncryptCookies;
use Illuminate\Foundation\Http\Middleware\VerifyCsrfToken;
use Illuminate\Routing\Middleware\SubstituteBindings;
use Illuminate\Session\Middleware\StartSession;
use Illuminate\View\Middleware\ShareErrorsFromSession;

class AdminPanelProvider extends PanelProvider
{
    public function panel(Panels $panels): Panels
    {
        return $panels
            ->favicon(asset('images/favicon.png'))
            ->default()
            ->id('admin')
            ->path('admin')
            ->login()
            ->darkMode(false)
            ->colors([
                'primary' => Color::Amber,
            ])
            ->discoverResources(in: app_path('Filament/Resources'), for:
'App\Filament\Resources')
            ->discoverPages(in: app_path('Filament/Pages'), for:
'App\Filament/Pages')
            ->pages([
//                Dashboard::class,
            ])
            ->discoverWidgets(in: app_path('Filament/Widgets'), for:
'App\Filament/Widgets')
            ->widgets([
                AccountWidget::class,
                FilamentInfoWidget::class,
            ])
            ->middleware([
                EncryptCookies::class,
                AddQueuedCookiesToResponse::class,

```



```

        StartSession::class,
        AuthenticateSession::class,
        ShareErrorsFromSession::class,
        VerifyCsrfToken::class,
        SubstituteBindings::class,
        DisableBladeIconComponents::class,
        DispatchServingFilamentEvent::class,
    ])
    ->navigationItems([
        NavigationItem::make('Go To Client Website')
            ->url('/')
            ->icon('heroicon-m-arrow-top-right-on-square')
            ->sort(10),
    ])
    ->authMiddleware([
        Authenticate::class,
    ])
    ->globalSearch(false);
}
}

```

4.3 Серверска апликација (сервер ↔ база података)

4.3.1 Код за аутоматско ажурирање готових термина (console.php)

```

<?php

use Illuminate\Foundation\Inspiring;
use Illuminate\Support\Facades\Artisan;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Schedule;

Artisan::command('inspire', function () {
    $this->comment(Inspiring::quote());
})->purpose('Display an inspiring quote');

// Change booked appointments (that are done) to finished automatically
// every hour
Schedule::call(function () {
    DB::table('appointments')
        ->where('appointment_date', '<', date('Y-m-d', time()))
        ->where('fk_appointment_status_id', '=', 1)
        ->update(['fk_appointment_status_id' => 2]);
})->hourly();

```

4.3.2 Models

4.3.2.1 Appointment.php

```

<?php

namespace App\Models;

use Database\Factories\AppointmentFactory;
use Illuminate\Database\Eloquent\Attributes\UseFactory;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\Relations\HasOne;

```

```

#[UseFactory(AppointmentFactory::class)]
class Appointment extends Model
{
    use HasFactory;

    protected $primaryKey = 'appointment_id';

    protected $fillable = [
        'appointment_date',
        'fk_hour_id',
        'fk_patient_id',
        'fk_service_id',
        'fk_dentist_id',
        'fk_appointment_status_id',
        'appointment_note'
    ];

    // Relationships //
    public function hour() : BelongsTo
    {
        return $this->belongsTo(Hour::class, 'fk_hour_id');
    }
    public function dentist() : BelongsTo
    {
        return $this->belongsTo(Dentist::class, 'fk_dentist_id')->withTrashed();
    }
    public function patient() : BelongsTo
    {
        return $this->belongsTo(Patient::class, 'fk_patient_id');
    }
    public function appointmentStatus() : BelongsTo
    {
        return $this->belongsTo(AppointmentStatus::class, 'fk_appointment_status_id');
    }
    public function service() : BelongsTo
    {
        return $this->belongsTo(Service::class, 'fk_service_id');
    }
    // Relationships End //

    static function getAvailableDates()
    {
        $dates = Appointment::getDatesExceptWeekends(24);

        foreach ($dates as $date) {
            $appointments = Appointment::where('appointment_date', $date)->get();
        }

        return $dates;
    }

    function hasBookings($date) {
        // $hours = Hour::where('is_available_for_booking', 1)->where('date', $date)->get();
    }

    static function getDatesExceptWeekends($numOfDaysWithWeekends = 30, $format = "Y-m-d") : array

```

```

    {
        $dates = array();
        $from = 1;
        for ($i = strtotime('+'. $from. ' days'); $i <=
strtotime('+'. ($from+$numOfDaysWithWeekends). ' days'); $i += 86400) {
            if (date('N', $i) < 6) {
                $dates[] = [
                    'value' => date('Y-m-d', $i),
                    'name' => date($format, $i),
                    'disabled' => false
                ];
            }
        }
        return $dates;
    }
}

```

4.3.2.2 AppointmentStatus.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class AppointmentStatus extends Model
{
    protected $primaryKey = 'appointment_status_id';
    protected $fillable = ['name'];

    public $timestamps = false;
}

```

4.3.2.3 Availability.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;

class Availability extends Model
{
    protected $primaryKey = 'availability_id';

    protected $fillable = [
        'fk_dentist_id',
        'from_date',
        'to_date',
        'description',
    ];

    // Relationships //
    public function dentist() : BelongsTo
    {
        return $this->belongsTo(Dentist::class, 'fk_dentist_id');
    }
}

```

```

    }
    // Relationships End //
}

```

4.3.2.4 BusinessHour.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class BusinessHour extends Model
{
    protected $primaryKey = 'business_hour_id';
    protected $fillable = ['day', 'from_hour_id', 'to_hour_id',
    'is_work_day'];
}

```

4.3.2.5 Category.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\HasMany;
use Illuminate\Database\Eloquent\SoftDeletes;

class Category extends Model
{
    use SoftDeletes;

    protected $primaryKey = 'category_id';

    protected $fillable = [
        'name',
        'order',
    ];

    public $timestamps = false;

    public function services() : HasMany
    {
        return $this->hasMany(Service::class, 'fk_service_id');
    }
}

```

4.3.2.6 Dentist.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsToMany;
use Illuminate\Database\Eloquent\Relations\HasMany;
use Illuminate\Database\Eloquent\Relations\HasOne;
use Illuminate\Database\Eloquent\SoftDeletes;

```

```

/**
 * @method static firstOrCreate(array $dentist)
 */
class Dentist extends Model
{
    use SoftDeletes;

    protected $primaryKey = 'dentist_id';

    protected $fillable = [
        'fk_user_id',
        'first_name',
        'last_name',
        'title',
        'short_description',
        'biography',
        'additional_description',
        'email',
        'order',
        'image_route',
        'is_showing',
        'is_active',
    ];

    // Relationships //
    public function user() : HasOne
    {
        return $this->hasOne(User::class, 'fk_user_id');
    }
    public function appointments() : HasMany
    {
        return $this->hasMany(Appointment::class, 'fk_dentist_id');
    }
    public function availabilities() : HasMany
    {
        return $this->hasMany(Availability::class, 'fk_dentist_id');
    }
    // Relationships End //

    public function getDayOffDates() : array
    {
        $dates = array();
        $availabilities = $this->availabilities()
            ->where('to_date', '>=', now())
            ->get();
        foreach ($availabilities as $availability) {
            $fromDate = $availability->from_date;
            $toDate = $availability->to_date;
            while(strtotime($fromDate) <= strtotime($toDate)) {
                $dates[] = $fromDate;
                $fromDate = strtotime("+1 day", strtotime($fromDate));
                $fromDate = date("Y-m-d", $fromDate);
            }
        }

        return $dates;
    }

    public function hasAvailableHours($date) : bool
    {

```

```

        $availabilities = $this->availabilities()
            ->where('from_date', "<=", $date)
            ->where('to_date', ">=", $date)
            ->count();

        $appointments = $this->appointments()
            ->where('appointment_date', '=', $date)
            ->where('fk_appointment_status_id', '<',
'3')
            ->count();

        if($appointments >= 8 || $availabilities > 0) {
            return false;
        }

        return true;
    }

    public function isHourAvailable($hour, $date) :bool
    {
        $dentistAppointment = $this->appointments()
            ->where('appointment_date', '=', $date)
            ->where('fk_hour_id', $hour)
            ->where('fk_appointment_status_id', '<',
'3')
            ->count();

        $numOfSurgeryChairs = SurgeryChair::where('is_active', 1)->first()-
>number_of_chairs;

        $thereIsTwoAppointments = Appointment::where('appointment_date',
'=', $date)
            ->where('fk_hour_id', $hour)
            ->where('fk_appointment_status_id', '<',
'3')
            ->count() >= $numOfSurgeryChairs;

        if($dentistAppointment || $thereIsTwoAppointments) {
            return false;
        }

        return true;
    }

    public function getFullNameAttribute() : string
    {
        return $this->first_name . ' ' . $this->last_name;
    }
}

```

4.3.2.7 Hour.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsToMany;
use Illuminate\Database\Eloquent\Relations\HasOne;

class Hour extends Model

```

```

{
    protected $primaryKey = 'hour_id';

    // Relationships //
    public function appointment() : BelongsToMany
    {
        return $this->belongsToMany(Appointment::class);
    }
    // Relationships End //
}

```

4.3.2.8 Page.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\SoftDeletes;

class Page extends Model
{
    use SoftDeletes;

    protected $primaryKey = 'page_id';
    protected $fillable = ['name', 'route', 'order', 'is_backend_page',
    'is_in_main_menu', 'is_active', 'is_deleted', 'fk_parent_page_id',
    'has_submenu'];
    public $timestamps = false;

    public function hasSubpages() {
        return $this->attributes['has_submenu'] == 1;
    }

    public function getSubpages() {
        $subpages = Page::where('fk_parent_id', $this->attributes['page_id'])->get();
        $this->attributes['has_subpages'] = 1;
        $this->attributes['subpages'] = $subpages;
        return $this;
    }
}

```

4.3.2.9 Patient.php

```

<?php

namespace App\Models;

use Database\Factories\PatientFactory;
use Illuminate\Database\Eloquent\Attributes\UseFactory;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\Relations\BelongsToMany;
use Illuminate\Database\Eloquent\SoftDeletes;

```

```

/**
 * @property int patient_id
 * @property string first_name
 * @property string last_name
 * @property string phone
 * @property string email
 * @property int|null fk_user_id
 */
#[UseFactory(PatientFactory::class)]
class Patient extends Model
{
    use SoftDeletes, HasFactory;

    protected $primaryKey = 'patient_id';

    protected $fillable = [
        'fk_user_id',
        'first_name',
        'last_name',
        'phone',
        'email'
    ];

    function appointments() : BelongsToMany
    {
        return $this->belongsToMany(Appointment::class, 'fk_patient_id');
    }
    public function user() : BelongsTo
    {
        return $this->belongsTo(User::class, 'fk_user_id');
    }

    public function getFullNameAttribute() : string
    {
        return $this->first_name . ' ' . $this->last_name;
    }
}

```

4.3.2.10 Role.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\HasMany;

class Role extends Model
{
    protected $primaryKey = 'role_id';

    protected $fillable = ['name'];

    public $timestamps = false;

    public function users() : HasMany
    {
        return $this->hasMany(User::class, 'fk_role_id');
    }
}

```


4.3.2.11 Service.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\SoftDeletes;

/**
 * @method static firstOrCreate(array $service)
 */
class Service extends Model
{
    use SoftDeletes;

    protected $primaryKey = 'service_id';

    protected $fillable = [
        'fk_category_id',
        'name',
        'description',
        'order',
        'additional_description',
        'price',
        'is_able_for_reservation',
        'is_active'
    ];

    public function category() : BelongsTo
    {
        return $this->belongsTo(Category::class, 'fk_category_id');
    }
}
```

4.3.2.12 SurgeryChair.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class SurgeryChair extends Model
{
    protected $primaryKey = 'surgery_chair_id';
    protected $fillable = ['number_of_chairs'];
    public $timestamps = true;
}
```

4.3.2.13 User.php

```
<?php

namespace App\Models;

use Filament\Models\Contracts\FilamentUser;
use Filament\Models\Contracts\HasName;
```

```

use Illuminate\Auth\Authenticatable;
use Illuminate\Contracts\Auth\Authenticatable as AuthenticatableContract;
use Filament\Panel;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\Relations\HasMany;
use Illuminate\Database\Eloquent\Relations\HasOne;
use Illuminate\Database\Eloquent\SoftDeletes;
use Illuminate\Database\Eloquent\Attributes\UseFactory;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Database\Factories\UserFactory;

/**
 * @property string user_id
 * @property string email
 * @property string password
 * @property int fk_role_id
 * @property int|null fk_patient_id
 */
#[UseFactory(UserFactory::class)]
class User extends Model implements FilamentUser, AuthenticatableContract,
HasName
{
    use Authenticatable, SoftDeletes, HasFactory;

    protected $primaryKey = 'user_id';
    public $fillable = ['fk_role_id', 'fk_patient_id', 'email',
'password'];
    public $timestamps = true;

    public function role(): BelongsTo
    {
        return $this->belongsTo(Role::class, 'fk_role_id');
    }

    public function dentist(): HasOne
    {
        return $this->hasOne(Dentist::class, 'fk_user_id');
    }

    public function patient(): HasOne
    {
        return $this->hasOne(Patient::class, 'fk_user_id');
    }

    public function canAccessPanel(Panel $panel): bool
    {
        if ($panel->getId() === 'admin' && $this->fk_role_id === 2) {
            return true;
        }
        return false;
    }

    public function getUserName(): string
    {
        return "{$this->attributes['first_name']} {$this->attributes['last_name']}";
    }

    public function getFilamentName(): string
    {

```

```

        return "{$this->first_name} {$this->last_name}";
    }
}

```

4.3.3 Migrations

4.3.3.1 create_roles_table.php

```

<?php

use App\Models\Role;
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('roles', function (Blueprint $table) {
            $table->id('role_id');
            $table->string('name');
        });

        // ** Default Records Start ** //
        foreach(['Super Admin', 'Admin', 'Dentist', 'Patient'] as $role) {
            DB::table('roles')->insert(['name' => $role]);
        }
        // ** Default Records End ** //
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('roles');
    }
};

```

4.3.3.2 create_patients_table.php

```

<?php

use App\Models\Patient;
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('patients', function (Blueprint $table) {

```

```

        $table->id('patient_id');
        $table->string('first_name');
        $table->string('last_name');
        $table->string('phone');
        $table->string('email');
        $table->boolean('is_active')->default(1);
        $table->softDeletes();
        $table->timestamps();
    });

    // ** Default Records Start ** //
    Patient::firstOrCreate([
        'first_name' => "Test",
        'last_name' => 'Patient',
        'phone' => '060/381-2333',
        'email' => 'test.user@gmail.com',
    ]);
    // ** Default Records End ** //
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('patients');
}
};

```

4.3.3.3 create_users_table.php

```

<?php

use App\Models\User;
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('users', function (Blueprint $table) {
            $table->id('user_id');
            $table->foreignId('fk_role_id')->constrained('roles',
'role_id');
            $table->foreignId('fk_patient_id')->nullable()->references(
'patient_id')->on('patients');
            $table->string('email');
            $table->string('password');
            $table->boolean('is_active')->default(1);
            $table->softDeletes();
            $table->timestamps();
        });

        // ** Default Records Start ** //
        User::firstOrCreate([
            'fk_role_id' => 2,

```

```

        'email' => 'software.admin@beodental.com',
        'password' => Hash::make('Password123!'),
    ]);
    User::firstOrCreate([
        'fk_role_id' => 4,
        'email' => 'test.user@gmail.com',
        'password' => Hash::make('Password123!'),
    ]);
    // ** Default Records End ** //
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('users');
}
};

```

4.3.3.4 create_dentists_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('dentists', function (Blueprint $table) {
            $table->id('dentist_id');
            $table->foreignId('fk_user_id')->nullable()-
>constrained('users', 'user_id');
            $table->string('first_name');
            $table->string('last_name');
            $table->string('title')->nullable();
            $table->text('short_description')->nullable();
            $table->text('biography')->nullable();
            $table->text('additional_description')->nullable();
            $table->string('email')->nullable();
            $table->integer('order');
            $table->string('image_route')->nullable();
            $table->boolean('is_showing')->default(1);
            $table->boolean('is_active')->default(1);
            $table->softDeletes();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('dentists');
    }
};

```

```
}  
};
```

4.3.3.5 add_fk_user_id_column_to_patients_table.php

```
<?php  
  
use App\Models\Patient;  
use App\Models\User;  
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;  
  
return new class extends Migration  
{  
    /**  
     * Run the migrations.  
     */  
    public function up(): void  
    {  
        Schema::table('patients', function (Blueprint $table) {  
            $table->foreignId('fk_user_id')->after('patient_id')->  
>nullable()  
                ->references('user_id')->on('users');  
        });  
  
        // Default Data Start //  
        Patient::find(1)->update(['fk_user_id' => 2]);  
        User::find(2)->update(['fk_patient_id' => 1]);  
        // Default Data End //  
    }  
  
    /**  
     * Reverse the migrations.  
     */  
    public function down(): void  
    {  
        Schema::table('patients', function (Blueprint $table) {  
            //  
        });  
    }  
};
```

4.3.3.6 create_categories_table.php

```
<?php  
  
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;  
  
return new class extends Migration  
{  
    /**  
     * Run the migrations.  
     */  
    public function up(): void  
    {  
        Schema::create('categories', function (Blueprint $table) {  
            $table->id('category_id');
```

```

        $table->string('name');
        $table->integer('order');
        $table->boolean('is_active')->default(1);
        $table->softDeletes();
    });
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('categories');
}
};

```

4.3.3.7 create_services_table.php

```

$table->integer('order');
        $table->text('additional_description')->nullable();
        $table->decimal('price', 10, 2)->default(0);
        $table->boolean('is_able_for_reservation')->default(0);
        $table->boolean('is_active')->default(1);
        $table->softDeletes();
        $table->timestamps();
    });
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('services');
}
};

```

4.3.3.8 create_availabilities_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('availabilities', function (Blueprint $table) {
            $table->id('availability_id');
            $table->foreignId('fk_dentist_id');
            $table->date('from_date');
            $table->date('to_date');
            $table->text('description');
            $table->timestamps();
        });
    }
};

```

```

    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('availabilities');
    }
};

```

4.3.3.9 create_hours_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    protected $hours = ['01:00', '02:00', '03:00', '04:00', '05:00',
'06:00', '07:00',
    '08:00', '09:00', '10:00', '11:00', '12:00', '13:00', '14:00',
'15:00', '16:00',
    '17:00', '18:00', '19:00', '20:00', '21:00', '22:00', '23:00',
'00:00'];

    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('hours', function (Blueprint $table) {
            $table->id('hour_id');
            $table->string('name');
            $table->boolean('is_available_for_booking')->default(0);
            $table->boolean('is_active')->default(1);
        });

        // ** Default Records Start ** //
        foreach($this->hours as $hour) {
            if(in_array($hour, ['12:00', '13:00', '14:00', '15:00',
'16:00', '17:00', '18:00', '19:00', '20:00'])) {
                DB::table('hours')->insert(['name' => $hour,
'is_available_for_booking' => 1]);
                continue;
            }
            DB::table('hours')->insert(['name' => $hour]);
        }
        // ** Default Records End ** //
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('hours');
    }
};

```


4.3.3.10 create_appointment_statuses_table.php

```
<?php

use App\Models\AppointmentStatus;
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('appointment_statuses', function (Blueprint $table) {
            $table->id('appointment_status_id');
            $table->string('name');
        });

        // ** Default Records Start ** //
        foreach(['Booked', 'Finished', 'Canceled'] as $status) {
            AppointmentStatus::firstOrCreate(['name' => $status]);
        }
        // ** Default Records End ** //
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('appointment_statuses');
    }
};
```

4.3.3.11 create_appointments_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('appointments', function (Blueprint $table) {
            $table->id('appointment_id');

            $table->foreignId('fk_hour_id')
                ->constrained('hours', 'hour_id');

            $table->foreignId('fk_dentist_id')
                ->constrained('dentists', 'dentist_id');

            $table->foreignId('fk_patient_id')
```

```

        ->constrained('patients', 'patient_id');

        $table->foreignId('fk_appointment_status_id')
            ->default(1)
            ->constrained('appointment_statuses',
'appointment_status_id');

        $table->foreignId('fk_service_id')
            ->constrained('services', 'service_id');

        $table->date('appointment_date');

        $table->text('appointment_note')->nullable();

        $table->timestamps();
    });
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('appointments');
}
};

```

4.3.3.12 create_surgery_chairs_table.php

```

<?php

use App\Models\SurgeryChair;
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('surgery_chairs', function (Blueprint $table) {
            $table->id('surgery_chair_id');
            $table->integer('number_of_chairs');
            $table->boolean('is_active')->default(1);
            $table->timestamps();
        });

        // ** Default Records Start ** //
        SurgeryChair::firstOrCreate([
            'number_of_chairs' => 2,
        ]);
        // ** Default Records End ** //
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
    }
};

```

```

    {
        Schema::dropIfExists('surgery_chairs');
    }
};

```

4.3.3.13 create_business_hours_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    protected $business_hours = [
        ['day_number' => '1', 'fk_from_hour_id' => '12', 'fk_to_hour_id' =>
'20', 'is_work_day' => 1],
        ['day_number' => '2', 'fk_from_hour_id' => '12', 'fk_to_hour_id' =>
'20', 'is_work_day' => 1],
        ['day_number' => '3', 'fk_from_hour_id' => '12', 'fk_to_hour_id' =>
'20', 'is_work_day' => 1],
        ['day_number' => '4', 'fk_from_hour_id' => '12', 'fk_to_hour_id' =>
'20', 'is_work_day' => 1],
        ['day_number' => '5', 'fk_from_hour_id' => '12', 'fk_to_hour_id' =>
'20', 'is_work_day' => 1],
        ['day_number' => '6', 'fk_from_hour_id' => '1', 'fk_to_hour_id' =>
'24', 'is_work_day' => 0],
        ['day_number' => '7', 'fk_from_hour_id' => '1', 'fk_to_hour_id' =>
'24', 'is_work_day' => 0],
    ];
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('business_hours', function (Blueprint $table) {
            $table->id('business_hour_id');
            $table->smallInteger('day_number');
            $table->foreignId('fk_from_hour_id')->constrained('hours',
'hour_id');
            $table->foreignId('fk_to_hour_id')->constrained('hours',
'hour_id');
            $table->boolean('is_work_day')->default(1);
        });

        // ** Default Records Start ** //
        foreach($this->business_hours as $day) {
            DB::table('business_hours')->insert([
                'day_number' => $day['day_number'],
                'fk_from_hour_id' => $day['fk_from_hour_id'],
                'fk_to_hour_id' => $day['fk_to_hour_id'],
                'is_work_day' => $day['is_work_day'],
            ]);
        }
        // ** Default Records End ** //
    }

    /**
     * Reverse the migrations.
     */

```

```

    public function down(): void
    {
        Schema::dropIfExists('business_hours');
    }
};

```

4.3.3.14 create_pages_table.php

```

<?php

use App\Models\Page;
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    protected array $frontPages = [
        ['name' => 'Home', 'route' => 'home', 'order' => 1],
        ['name' => 'About us', 'route' => 'about', 'order' => 2],
        ['name' => 'Our team', 'route' => 'our-team', 'order' => 3],
        ['name' => 'Dental tourism', 'route' => 'tourism', 'order' => 4],
        ['name' => 'Services', 'route' => 'services', 'order' => 5,
'has_submenu' => 1],
        ['name' => 'Endodontics', 'route' => 'endodontics', 'order' => 1,
'fk_parent_page_id' => '5'],
        ['name' => 'Periodontology', 'route' => 'periodontology', 'order'
=> 2, 'fk_parent_page_id' => '5'],
        ['name' => 'Implantology', 'route' => 'implantology', 'order' => 3,
'fk_parent_page_id' => '5'],
        ['name' => 'Orthodontics', 'route' => 'orthodontics', 'order' => 4,
'fk_parent_page_id' => '5'],
        ['name' => 'Oral surgery', 'route' => 'oral-surgery', 'order' => 5,
'fk_parent_page_id' => '5'],
        ['name' => 'Pediatric dentistry', 'route' => 'pediatric-dentistry',
'order' => 6, 'fk_parent_page_id' => '5'],
        ['name' => 'Teeth whitening', 'route' => 'teeth-whitening', 'order'
=> 7, 'fk_parent_page_id' => '5'],
        ['name' => 'Contact us', 'route' => 'contact', 'order' => 6],
        ['name' => 'Appointment', 'route' => 'appointment', 'order' => 7,
'is_in_main_menu' => 0]
    ];

    protected array $backPages = [
        ['name' => 'Reservations', 'route' => 'reservations', 'order' =>
1],
        ['name' => 'Dentist scheduals', 'route' => 'dentist-scheduals',
'order' => 2],
        ['name' => 'Dentists', 'route' => 'dentists', 'order' => 3],
        ['name' => 'Patients', 'route' => 'patients', 'order' => 4],
        ['name' => 'Services', 'route' => 'services', 'order' => 5],
        ['name' => 'Categories', 'route' => 'categories', 'order' => 6],
        ['name' => 'Users', 'route' => 'users', 'order' => 7],
        ['name' => 'Business hours', 'route' => 'business-hours', 'order'
=> 8],
    ];
    /**
     * Run the migrations.
     */
    public function up(): void
    {

```

```

        Schema::create('pages', function (Blueprint $table) {
            $table->id('page_id');
            $table->foreignId('fk_parent_page_id')->nullable()-
>references('page_id')->on('pages');
            $table->string('name');
            $table->string('route');
            $table->integer('order')->default(0);
            $table->boolean('is_backend_page')->default(0);
            $table->boolean('is_in_main_menu')->default(1);
            $table->boolean('has_submenu')->default(0);
            $table->boolean('is_active')->default(1);
            $table->softDeletes();
        });

        // ** Default Records Start ** //
        foreach($this->frontPages as $page) {
            Page::firstOrCreate($page);
        }

        foreach($this->backPages as $page) {
            $page['is_backend_page'] = 1;
            Page::firstOrCreate($page);
        }
        // ** Default Records End ** //
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('pages');
    }
};

```

4.3.3.15 create_sessions_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('sessions', function (Blueprint $table) {
            $table->string('id')->primary();
            $table->foreignId('user_id')->nullable()->index();
            $table->string('ip_address', 45)->nullable();
            $table->text('user_agent')->nullable();
            $table->longText('payload');
            $table->integer('last_activity')->index();
        });
    }

    /**

```

```

        * Reverse the migrations.
        */
    public function down(): void
    {
        Schema::dropIfExists('sessions');
    }
};

```

4.3.3.16 create_cache_table.php

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('cache', function (Blueprint $table) {
            $table->string('key')->primary();
            $table->mediumText('value');
            $table->integer('expiration');
        });

        Schema::create('cache_locks', function (Blueprint $table) {
            $table->string('key')->primary();
            $table->string('owner');
            $table->integer('expiration');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('cache');
        Schema::dropIfExists('cache_locks');
    }
};

```

4.3.4 Factories

4.3.4.1 AppointmentFactory.php

```

<?php

namespace Database\Factories;

use App\Models\Appointment;
use App\Models\Dentist;
use App\Models\Hour;
use App\Models\Patient;
use App\Models\Service;
use Illuminate\Database\Eloquent\Factories\Factory;

```

```

/**
 * @extends
 * \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Appointment>
 */
class AppointmentFactory extends Factory
{
    /**
     * The name of the factory's corresponding model.
     */
    protected $model = Appointment::class;

    /**
     * Define the model's default state.
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        $dates = $this->getDatesExceptWeekendsForFakeData();
        $appointment_date = fake()->randomElement($dates);
        $status = 2; // Finished
        if($appointment_date > now()){
            $status = 1;
        }

        return [
            'appointment_date' => $appointment_date,
            'fk_appointment_status_id' => $status,
            'fk_hour_id' => Hour::where('is_available_for_booking', 1)-
>inRandomOrder()->first()->hour_id,
            'fk_dentist_id' => Dentist::where('dentist_id', '!=', 8)-
>inRandomOrder()->first()->dentist_id,
            'fk_patient_id' => Patient::inRandomOrder()->first()-
>patient_id,
            'fk_service_id' => Service::inRandomOrder()->first()-
>service_id,
        ];
    }

    // Gets dates 6 months before today and 30 days in the future. Without
    // weekends.
    public function getDatesExceptWeekendsForFakeData(): array
    {
        $dates = array();
        for ($i = strtotime('-180 days'); $i <= strtotime('+30 days'); $i
+= 86400) {
            if (date('N', $i) < 6) {
                $dates[] = date('Y-m-d', $i);
            }
        }
        return $dates;
    }
}

```

4.3.4.2 PatientFactory.php

```
<?php
```

```

namespace Database\Factories;

use App\Models\Patient;
use Illuminate\Database\Eloquent\Factories\Factory;

/**
 * @extends
 * \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Patient>
 */
class PatientFactory extends Factory
{
    /**
     * The name of the factory's corresponding model.
     */
    protected $model = Patient::class;

    /**
     * Define the model's default state.
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        return [
            'first_name' => $this->faker->firstName(),
            'last_name' => $this->faker->lastName(),
            'phone' => $this->faker->phoneNumber(),
        ];
    }
}

```

4.3.4.3 UserFactory.php

```

<?php

namespace Database\Factories;

use Illuminate\Database\Eloquent\Factories\Factory;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Str;
use App\Models\User;
class UserFactory extends Factory
{
    /**
     * The name of the factory's corresponding model.
     */
    protected $model = User::class;

    /**
     * The current password being used by the factory.
     */
    protected static ?string $password;

    /**
     * Define the model's default state.
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        return [

```



```

        'fk_role_id' => 4,
        'email' => fake()->unique()->safeEmail(),
        'password' => static::$password ??= Hash::make('Password123!'),
        'is_active' => fake()->boolean(90),
    ];
}
}

```

4.3.5 Seeders

4.3.5.1 DatabaseSeeder.php

```

<?php

namespace Database\Seeders;

use App\Models\Category;
use App\Models\User;
// use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class DatabaseSeeder extends Seeder
{
    /**
     * Seed the application's database.
     */
    public function run(): void
    {
        $this->call([
            CategorySeeder::class,
            ServiceSeeder::class,
            DentistSeeder::class,
            UserSeeder::class,
            AppointmentSeeder::class,
        ]);
    }
}

```

4.3.5.2 CategorySeeder.php

```

<?php

namespace Database\Seeders;

use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class CategorySeeder extends Seeder
{
    private $categories = ['Endodontics', 'Periodontology',
        'Implantology', 'Orthodontics', 'Oral Surgery', 'Pediatric
dentistry', 'Whitening', 'Prosthetics', 'Examination'];

    public function run() : void
    {
        $order = 1;
        foreach ($this->categories as $category) {
            \DB::table('categories')->insert([
                'name' => $category,
                'order' => $order++
            ]);
        }
    }
}

```

```

    });
}
}
}

```

4.3.5.3 ServiceSeeder.php

```

<?php

namespace Database\Seeders;

use App\Models\Service;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class ServiceSeeder extends Seeder
{
    private $services = [
        ['fk_category_id' => 1, 'name' => 'Root Canal Filling (1 canal)',
'order' => 1],
        ['fk_category_id' => 1, 'name' => 'Root Canal Filling (2 canal)',
'order' => 2],
        ['fk_category_id' => 1, 'name' => 'Root Canal Filling (3 canal)',
'order' => 3],

        ['fk_category_id' => 2, 'name' => 'Removal of hard and soft plaque
from teeth', 'order' => 1],
        ['fk_category_id' => 2, 'name' => 'Periodontal complete treatment',
'order' => 2],
        ['fk_category_id' => 2, 'name' => 'Treatment of periodontal pockets
per tooth', 'order' => 3],
        ['fk_category_id' => 2, 'name' => 'Gingivectomy', 'order' => 4],

        ['fk_category_id' => 3, 'name' => 'Initial implant consultation',
'order' => 1, 'is_able_for_reservation' => 1],
        ['fk_category_id' => 3, 'name' => 'Sinus lift', 'order' => 2],
        ['fk_category_id' => 3, 'name' => 'One tooth replacement', 'order'
=> 3],
        ['fk_category_id' => 3, 'name' => 'More than one tooth
replacement', 'order' => 4],
        ['fk_category_id' => 3, 'name' => 'All teeth replacement ', 'order'
=> 5],
        ['fk_category_id' => 3, 'name' => 'Bone Augmentation', 'order' =>
6],

        ['fk_category_id' => 3, 'name' => 'All on 4 ', 'order' => 7],
        ['fk_category_id' => 3, 'name' => 'All on 6', 'order' => 8],

        ['fk_category_id' => 4, 'name' => 'Initial braces consultation',
'order' => 1, 'is_able_for_reservation' => 1],
        ['fk_category_id' => 4, 'name' => 'Mobile braces', 'order' => 2],
        ['fk_category_id' => 4, 'name' => 'Fixed braces ', 'order' => 3],
        ['fk_category_id' => 4, 'name' => 'Aesthetically fixed jaw
apparatus', 'order' => 4],
        ['fk_category_id' => 4, 'name' => 'Splint (Night guard) ', 'order'
=> 5],

        ['fk_category_id' => 5, 'name' => 'A routine tooth extraction',
'order' => 1, 'is_able_for_reservation' => 1],
        ['fk_category_id' => 5, 'name' => 'Complicated tooth extraction',
'order' => 2],
        ['fk_category_id' => 5, 'name' => 'Extraction of impacted tooth',

```

```

'order' => 3, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 5, 'name' => 'Incision of abscesses', 'order'
=> 4],
  ['fk_category_id' => 5, 'name' => 'Cystectomy', 'order' => 5],
  ['fk_category_id' => 5, 'name' => 'Removing frenulum', 'order' =>
6],
  ['fk_category_id' => 5, 'name' => 'Apicoectomy', 'order' => 7],
  ['fk_category_id' => 5, 'name' => 'Surgical extraction of wisdom
tooth', 'order' => 8],
  ['fk_category_id' => 6, 'name' => 'Extraction of milk tooth',
'order' => 1, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 6, 'name' => 'Filling', 'order' => 2],
  ['fk_category_id' => 6, 'name' => 'Watering firura ', 'order' =>
3],
  ['fk_category_id' => 6, 'name' => 'Removal of soft deposits',
'order' => 4],
  ['fk_category_id' => 7, 'name' => 'Initial whitening consultation',
'order' => 1, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 7, 'name' => 'Home whitening', 'order' => 2],
  ['fk_category_id' => 7, 'name' => '"White Smile" robot whitening',
'order' => 3],
  ['fk_category_id' => 7, 'name' => 'Whitening dental surgery',
'order' => 4],
  ['fk_category_id' => 7, 'name' => 'The treated tooth whitening',
'order' => 5],
  ['fk_category_id' => 7, 'name' => 'Teeth polish/stain removal for
adults', 'order' => 6, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 7, 'name' => 'Teeth polish/stain removal for
children', 'order' => 7, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 8, 'name' => 'Initial prosthetics
consultation', 'order' => 1, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 8, 'name' => 'Initial prosthesis
consultation', 'order' => 1, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 8, 'name' => 'Metal-ceramic crown', 'order' =>
2],
  ['fk_category_id' => 8, 'name' => 'All-ceramic crowns (specially
designed)', 'order' => 3],
  ['fk_category_id' => 8, 'name' => 'Veneers', 'order' => 4],
  ['fk_category_id' => 8, 'name' => 'Laminates', 'order' => 5],
  ['fk_category_id' => 8, 'name' => 'Temporary crown', 'order' => 6],
  ['fk_category_id' => 8, 'name' => 'Temporary crowns made in
laboratory', 'order' => 7],
  ['fk_category_id' => 8, 'name' => 'Total prosthesis', 'order' =>
8],
  ['fk_category_id' => 8, 'name' => 'Total prosthesis (top +
bottom)', 'order' => 9],
  ['fk_category_id' => 8, 'name' => 'Repair of dentures', 'order' =>
10, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 9, 'name' => 'Examination and basic hygiene',
'order' => 1, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 9, 'name' => 'Adult examination', 'order' =>
2, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 9, 'name' => 'Child examination (5 years)',
'order' => 3, 'is_able_for_reservation' => 1],
  ['fk_category_id' => 9, 'name' => 'Child examination (6-12 years)',
'order' => 4, 'is_able_for_reservation' => 1],

```

```

        ['fk_category_id' => 9, 'name' => 'CBCT/CT scan (3D) X-ray',
'order' => 5, 'is_able_for_reservation' => 1],
        ['fk_category_id' => 9, 'name' => 'Panoramic/OPG X-ray', 'order' =>
6, 'is_able_for_reservation' => 1],
    ];
    /**
     * Run the database seeds.
     */
    public function run(): void
    {
        foreach ($this->services as $service) {
            Service::firstOrCreate($service);
        }
    }
}

```

4.3.5.4 DentistSeeder.php

```

<?php

namespace Database\Seeders;

use App\Models\Dentist;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class DentistSeeder extends Seeder
{
    private $dentists = [
        ['first_name' => 'Dr. Johan', 'last_name' => 'Joe', 'title' =>
'Lead dentist', 'biography' => 'Johan is a compassionate and approachable
dentist with 15 years of experience in general dentistry.
He graduated from the prestigious Kings College London in 2012. Since
graduating he has undertaken further exhaustive training to enhance his
general and cosmetic dental skills. He is qualified in Advanced Operative
Aesthetic and Restorative Dentistry (Aspire Dental Academy).
His special area of interest is Cosmetic Dentistry and Teeth Straightening.
He regularly carries out smile makeovers on patients of all ages involving
straightening, whitening, composite bonding as well as placing veneers and
crowns.
He has a gentle and kind nature and he prides himself on building lasting
relationships with his patients.', 'order' => 1, 'image_route' => 'team-
1.jpg',
        'short_description' => 'With a natural ability to manage anxious
patients, Dr. Johan is highly regarded for his empathetic chairside manner
and commitment to patient education. He takes the time to explain diagnoses
and treatment options in a clear, reassuring way, helping patients feel
informed and comfortable throughout their journey.',
        'email' => 'johan.joe@beodental.com'],

        ['first_name' => 'Dr. Emma', 'last_name' => 'Brown', 'title' =>
'Endodontics', 'biography' => "Emma has been an endodontic specialist since
2003, having completed her specialist training with distinction from the
Eastman Dental Institute
She has limited her practice to endodontics since then.
She is one of the first and few mono-specialist consultants to be appointed
in the UK. Her consultant position is at King's College Hospital where she
is involved in training qualified dentists to become endodontic specialists
She has previously co-developed and run the Master's program in endodontics
at Queen Mary University of London and has lectured widely on all aspects

```

```

of endodontics, dental trauma and facial pain.", 'order' => 2,
'image_route' => 'team-6.jpg',
  'short_description' => 'I view dentistry as a blend of science,
precision, and artistry, and I believe collaboration and continuous
learning are key to achieving the highest standards of care. Outside of
work, I enjoy sports, travel, and spending time with my dog, Tommy.',
  'additional_description' => 'Dr. Emma keeps up with the latest
dental advancements by attending regular courses, ensuring her patients
benefit from cutting-edge technology and techniques. Known for her
empathetic and positive approach, she strives to make every patient feel
comfortable, providing clear communication and compassionate care to help
them achieve a confident, radiant smile.',
  'email' => 'emma.brown@beodental.com'],

  ['first_name' => 'Dr. Christopher ', 'last_name' => 'Case', 'title'
=> 'Senior dentist', 'biography' => "Christopher Case was Chief Dental
Officer - England from October 2002 to October 2005.
Dr. Christopher was an NHS consultant in Paediatric Dentistry for over 15
years. He specialises in young children with extensive caries and
especially those that require full mouth reconstruction under General
Anaesthesia. His focus is upon early childhood caries especially as it
impacts upon children from the Middle East. Dr. Christopher sees only a
limited number of new patients.
Each year he leads an international senior dental leadership programme
which is a partnership between King's College London and Harvard
University.
In the past ten years over 200 senior dentists have trained on the SDL
programme which aims to improve the dental care for children
In 2005 he was asked, by the UK government, to establish the Global Child
Dental Health Taskforce and he continues in this role and in 2008 became
the chairman of the charity The Global Child Dental Fund.", 'order' => 3,
'image_route' => 'team-4.jpg',
  'short_description' => 'Christopher is passionate about dentistry
and a great believer in the need to build good rapport with both patients
and colleagues to help patients have the best possible journey to achieving
and maintaining great dental health and we are delighted to have him here
at the practice with us.',
  'email' => 'christopher.case@beodental.com'],

  ['first_name' => 'Dr. Smithi', 'last_name' => 'Emily', 'title' =>
'Pediatric dentist', 'biography' => "Ms. Emily qualified from the Lebanon
University in 2014. She completed a genetic certificate and three years
training in Paediatric and Community Dentistry in the same university.
She completed a Diploma in Clinical Dental Sciences at the Eastman Dental
Institute, London in 2018. She was awarded a Fellowship in Dental Surgery
from the Royal College of Surgeons, England in 2018. She worked in The
Paediatric Dental Department at The Eastman Dental Instituteand in The Oral
and Maxillofacial Surgery at The Barts and The London Hospital and Homerton
Hospital. She held a teaching position at the King's College University in
the Paediatric Dental Department. She has teaching experience for both
undergraduate and postgraduate students and is a regular examiner at the
MJDF and ORE courses at the Royal College of Surgeons of England.", 'order'
=> 4, 'image_route' => 'team-5.jpg',
  'short_description' => ' Dr. Smithi is dedicated to providing high-
quality, patient-centered care, focusing on modern, minimally invasive
techniques to achieve optimal dental health and aesthetics.',
  'email' => 'smithi.emily@beodental.com'],

  ['first_name' => 'Dr. Mike', 'last_name' => 'Johnson', 'title' =>
'Oral surgeon', 'biography' => 'Mike graduated from Newcastle Dental School
in 2009 and spent the 2 following years gaining experience in hospitals and

```

general practice in the fields of Sedation, Paediatric dentistry and Oral and Maxillofacial surgery. He is well known for taking great pride in his work, and has a genuine passion and desire to deliver excellent care for his patients.

Mike enjoys passing on his knowledge: in the past as a Clinical Supervisor at Newcastle Dental Hospital and more recently giving lectures to dentists on a variety of topics such as Wisdom tooth surgery, CBCT technology, Crown Lengthening and Dental Anaesthesia techniques.', 'order' => 5, 'image_route' => 'team-2.jpg', 'short_description' => 'Dr. Mike is dedicated to his patients and aims to provide ethical and high-quality dentistry within a multi-disciplinary approach', 'additional_description' => 'In addition to his technical skills, Adrian is known for his kind, gentle and encouraging manner. He is committed to providing pain-free dentistry and ensuring that each of his patients has a positive experience at his practice. He is also fluent in Russian and Romanian, making him accessible to a wide range of patients from different backgrounds.

If you are looking for a trustworthy and knowledgeable dentist who is dedicated to helping you achieve optimal oral health, look no further than Adrian Colesnic. Contact his practice today to schedule your appointment and start your journey to a beautiful, healthy smile.', 'email' => 'mike.johnson@beodental.com'],

['first_name' => 'Dr. Alison', 'last_name' => 'Banson', 'title' => 'Orthodontist', 'biography' => 'Dr. Banson is the principal dentist at ODL Dental Clinic, where he passionately focuses on orthodontics. He leads a team of highly skilled orthodontic professionals to deliver exceptional patient care. With a focus on collaboration and innovation, he harnesses the expertise of his team alongside the latest technologies to achieve outstanding results in a warm and friendly atmosphere. With over two decades of experience, Dr. Banson ranked in the top decile of his class. During his training, he gained recognition for his exceptional scientific contributions. He is also currently obtaining his Masters in Dental Law, further enhancing his ability to guide his clinic with both clinical and ethical excellence.', 'order' => 6, 'image_route' => 'team-3.jpg', 'short_description' => 'Dr. Banson takes time to listen, explain options clearly, and tailor treatment to each individual's needs, lifestyle, and long-term goals. Patients often comment on how refreshing it is to receive care that feels unhurried, honest, and genuinely supportive.', 'email' => 'alison.banson@beodental.com'],

['first_name' => 'Amelia', 'last_name' => 'Wilson', 'title' => 'Dental assistant', 'biography' => 'Amelia joined the Beodental team in April of 2023 as the dental assistant for our New York clinic. Amelia enjoys interacting and building relationships with our patients. Her priority is to ensure that all of our patients have a wonderful experience.', 'order' => 7, 'image_route' => 'team-7.jpg', 'short_description' => 'Amelia enjoys all aspects of dentistry. She particularly likes helping patients build their confidence with dental treatment and enjoys working in a relaxed environment to help put patients at ease, in particular anxious patients and children.', 'email' => 'amelia.wilson@beodental.com'],

['first_name' => 'Sophia', 'last_name' => 'Nguyen', 'title' => 'Receptionist', 'biography' => '', 'order' => 8, 'image_route' => 'team-8.jpg', 'short_description' => 'Sophia handle a variety of administrative support tasks, including answering phones, receiving visitors, preparing

```
meeting and training rooms, sorting and distributing mail, and making
travel plans.',
    'email' => 'reception@beodental.com'],
];
/**
 * Run the database seeds.
 */
public function run(): void
{
    foreach($this->dentists as $dentist) {
        Dentist::firstOrCreate($dentist);
    }
}
}
```

4.3.5.5 UserSeeder.php

```
<?php

namespace Database\Seeders;

use App\Models\Patient;
use App\Models\User;
use Database\Factories\UserFactory;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class UserSeeder extends Seeder
{
    /**
     * Run the database seeds.
     */
    public function run(): void
    {
        User::factory()
            ->count(250)
            ->create()
            ->each(function ($user) {
                $user->patient()->save(Patient::factory()->create(['email'
=> $user->email]));
                $user->fk_patient_id = $user->patient()->first()-
>patient_id;
                $user->save();
            });
    }
}
```

4.3.5.6 AppointmentSeeder.php

```
<?php


namespace Database\Seeders;

use App\Models\Appointment;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class AppointmentSeeder extends Seeder
{
    /**
```

```
    * Run the database seeds.
    */
    public function run(): void
    {
        Appointment::factory()
            ->count(1000)
            ->create();
    }
}
```


5 ДИЗАЈН БАЗЕ ПОДАТАКА



6 ЗАКЉУЧАК

У излагању рада, проласком кроз кориснички и администрациони део апликације, могли смо видети да су испуњени сви захтеви наведени апликације. Изазови као што су број операционих столица, заузетост стоматолога, заказивање комплексних услуга и дуже трајање термина. Ординација има погодностима као што је дефинисање одсуствовања стоматолога, додавање нових и измена старих стоматолога, као и њихов динамички приказ на корисничком делу апликације. Постоји електронска база свих термина која се може лако груписати према стоматологу, услузи, датуму и друго. Постоји и електронска база свих пацијената, са њиховим контакт подацима, а сама база се може лако претражити по имену, презимену, телефону и слично. Такође, ординација може на једноставан начин додати нове услуге како добија нове могућности у технологији и стручном знању стоматолога.

Корисник брзо пролази кроз процес регистрације и пријаве. У кратком периоду може долази до форме за резервацију. Он (пацијент) сада има могућност да погледа све своје будуће и прошле термине, да види ког су датума и у колико сати, да их закаже и откаже.

Могли смо да видимо и примену *Filament* технологије, као и неке од њених напреднијих опција. Кроз различите изазове, показало се да ју је могуће применити и довољно оптимизовати у складу са потребама пројекта.

Апликација и база података су осмишљени тако да се лако могу надоградити у даљој фази израде. Прва фаза је припремила ову апликацију за примену, а друга фаза би је могла оспособити за додатне функционалности као што је креирање понуда, пдф предрачун услуга, вишејезички клијентски део сајта и слично.

7 ЛИТЕРАТУРА

- [1] J. Duckeet, HTML and CSS: Design and Build Websites 1st Edition, Wiley, 2011.
- [2] J. Duckeet, PHP & MySQL: Server-side Web Development 1st Edition, Wiley, 2022.
- [3] D. Flanagan, JavaScript: The Definitive Guide: Master the World's Most-Used Programming Language 7th Edition, O'Reilly Media, 2020.
- [4] M. Stauffer, Laravel: Up & Running: A Framework for Building Modern PHP Apps 3rd Edition, O'Reilly Media, 2023.
- [5] J. Spurlock, Bootstrap: Responsive Web Development 1st Edition, O'ReillyMedia, 2013
- [6] <https://laravel.com/docs/12.x/>
- [7] <https://filamentphp.com/docs/4.x/>
- [8] <https://herd.laravel.com/docs/>